

2013

 **BOHNING**[®]
ARCHERY

PROUDLY MANUFACTURING IN THE U.S.A. SINCE 1946



Chameleon™

Thought you knew the Chameleon™? Time to take another look! We've taken an elite quiver and made it even better. The Chameleon™ now features the Lever-Lock mounting system, made of an even MORE durable material to stand up to whatever you dish out! The redesigned high-impact polycarbonate stem now gives your fixed blade broad heads more room for easy in & out without compromising stability! This stem provides the STRENGTH of metal WITHOUT THE WEIGHT, and a built-in hook ensures quick hanging and easy storage when the quiver is not in use. The Chameleon™ combines form, function & style; the versatility of the vented dual 'angle load' arrow retainers enable you to securely lock all shaft sizes into place, and the slim design of the Chameleon™ keeps it tight to your bow. We take it even further, making YOU the designer. Customize your quiver with a secure yet easily interchangeable camo plate in your pattern of choice to match your gear or surroundings. Each Chameleon™ comes with one camo plate of choice and one carbon fiber plate, with additional plates sold separately. The Chameleon™ is available in 3 (also for crossbow!) or 5-arrow models, as well as a 5-arrow 'mechanical' model which incorporates all of the features of the original Chameleon™ in a super compact profile for an extremely small footprint. All proudly made in the USA!



Available Camo Patterns!

- LAT
- LC
- INF
- BP
- APG
- AP




NEW!

Now with the LEVER-LOCK Mounting System!



High Impact, Polycarbonate stem provides the strength of metal WITHOUT THE WEIGHT!



The Chameleon™ features easily interchangeable camo plates!



"The Bohning Chameleon is the perfect quiver for any model bow I shoot. With it's interchangeable camo plates and enhanced features its the perfect quiver system to match any style of bow."

Jon Brunson/Host
The Outdoor Channel's
"Addicted To The Outdoors".



"Carbon Fiber" plate included with each Chameleon™ quiver!

Scan code to watch a quick overview of the features offered on the Chameleon™ quivers! For more great videos, check out Bohning's YouTube channel @ www.bohning.com/youtube



CHAMELEON™ QUIVERS	3 Arrow	3 Plate	5 Arrow	5 Plate	Mechanical 5	Mech 5 Plate
	201001	201002	201003	201004	201011	201012

BOW-HUNTING QUIVERS



-  LAT
-  LC
-  INF
-  BP
-  APG
-  AP
-  CF

The Lynx® features a “wrap-around” hood style and a lightweight, durable molded stem. A second retainer bar and cutaway hood for easy removal & installation of your arrow shafts. Retainers securely hold arrows with fixed or mechanical broad heads inside a replaceable, sound dampening hood liner. Available in 4 or 6-arrow models. Lever-Lock Mounting System Included. Replacement retainers and molded hood liners available. Lynx® 4 is 6 ounces, Lynx® 6 is 8 ounces. Both models accept Carbon and Small Carbon arrows. See item numbers for camo patterns available.



LYNX® 4 QUIVER	LC	INF	BP	APG	AP	Black	CF
	10817	10727	10997	10867	10877	1038	10380

LYNX® 6 QUIVER	LAT	LC	INF	APG	Black
	201014LAT	10818	10728	10868	1039



NOW STANDARD ON ALL BOHNING® QUIVERS!

It doesn't get any easier than this! The Lever-Lock Mounting System quickly secures your quiver to the riser of your bow. Simply flip the lever and it's locked tight, release the lever and your quiver slides silently and effortlessly out of the mount.

LEVER-LOCK SYSTEM	Black Lever	Pink Lever
	1073	10731



-  LAT
-  LC
-  INF
-  APG



LYNX® REPLACEMENT MOLDED HOOD LINER	Lynx® 6 Liner	Lynx® 4 Liner
	10393	10383



LYNX® RETAINERS	Lynx® 4 Carbon	Lynx® 4 SC	Lynx® 4 XBow	Lynx® 6 Carbon	Lynx® 6 SC
	10382	1045	201005	10392	10451

BOW-HUNTING QUIVERS

Economical, strong and lightweight. At 7.2 ounces and 13", this quiver is a great choice for performance and utility. A 5-arrow quiver designed for fixed blade broad heads, the Jack Pine has a deep foam-lined hood to protect you and your broad heads and a setback mounted hood for balance. The combo retainer accepts carbon, aluminum, and crossbow arrows. Uses included Lever-Lock mounting system. Replacement foam and retainers available. Available in Classic Black and APG.



JACK-PINE 5 QUIVER	Classic Black	APG	Foam	Retainer
	1099	201017APG	10354	10993


All of the benefits and durability of the Jack Pine, but in a 3-arrow model for fixed blade broad heads. The Sentry is 5.6 ounces and 13" long. Uses the included Lever-Lock mounting system; replacement foam and combo retainer available. Available in Classic Black and APG.



SENTRY QUIVER	Classic Black	APG	Foam	Retainer
	1033	201016APG	10331	10332

CASES & ACCESSORIES

No more bow slipping due to clammy hands! Convenience and style is the name of the game in this slim-profile 100% cotton towel. Features a sewn in swivel clip for convenience of use and storage. Available in black only.



ARCHER'S TOWEL	Towel
	701001BK



Color matched to Genesis Bows, the official bow of the National Archery in the Schools Program! Measures 14" x 14" with a 9" x 5" x 2" accessory pocket for easy organization of finger tabs, gloves, arm guards or whatever necessities you have. This "soft shell" bow case fits bows with a maximum of 36 inches axle to axle with an 8" brace height. Incorporates sturdy, strap style handles and a tough zipper. This compact design makes it easy to pack in your vehicle. A winner for the youth archery market. Features a built in name tag holder that fits standard size business cards. Not designed for parallel limb bows. Available in Hot Pink, Red, Blue, Black and Neon Green. Specify color when ordering.

YOUTH BOW CASE	Case
	701014

NEW!

WITH AN "ACTUAL"
3 DEGREE HELICAL!

No Jigs!...
No Clamps!...
No Boiling Water!...
Just Slip It On,
Lock It Down
And Shoot!



The latest fletching innovation from Bohning® gives you the **quality & durability** you trust and the **convenience** you need! Introducing **Stretch Fletch™** – a 2 7/8" molded sleeve that you simply slide onto the arrow shaft and lock in place with a dab of adhesive (included). Each sleeve is a single piece molded out of the same vane material as Blazers®. Molded with 3 Blazer® vanes on a 3° right helical, with an embossed Blazer® logo on each vane. **Stretch Fletch™** is designed for standard carbon shafts with an OD of .293-.306. Each package includes 6 fletches and adhesive; available in White, Neon Orange, Neon Green, Neon Yellow or Hot Pink. Indicate color when ordering.

FLETCHING HAS NEVER BEEN EASIER!

STRETCH FLETCH	"Stretch" Fletch 6 pk
	101012



NEW!

STRING SHIELD™	String Shield™ String Wax
	301019

Unlike firm waxes that use finger friction to soften and absorb into the string fibers, **STRING SHIELD™** is a silicone-based liquid wax that instantly penetrates the bowstring with no heat necessary. The sponge applicator is clean and easy, and the String Shield formula reduces string friction while enhancing tired string colors. This odorless and waterproof wax leaves a like-new feel to the bowstring.

Our new and improved scratch-free arrow pads are constructed of a softer, more flexible material to securely hold and store your arrows separate from each other to protect your fletchings. The reusable pads hold a wide range of arrow sizes from Nano to 27/64. Each pad holds a dozen arrows. We recommend using a pad at each end of the arrow for best hold and stabilization.

SCRATCH-FREE ARROW PAD	Arrow Pad 1 ea.
	801047



NEW!



Our **NEW** broad head wrench design is unlike any other on the market. This small, easy-grip tool allows for easy installation & removal of 2, 3, and 4 (fixed) blade broad heads by pushing against the **SIDES** of the blades instead of the edges, ensuring no damage and no dulling! The 3 nock indexing pockets provide easy nock adjustment with no damage to nock ears for Bohning® Signature, A, F, Pin, or Blazer nocks. The tapered center pocket keeps blades safe & upright to allow for easy broad head assembly, and the lanyard hole allows for storage and quick access. Tough polymer construction ensures that this wrench will be a valuable addition to your toolbox for countless years to come!

NEW!

DELUXE BROAD-HEAD WRENCH	Wrench
	801046

TARGET QUIVERS

The PreciZion X target quivers are redesigned for 2013! Still featuring tubeless, light & quiet arrow holders for easy storage, they are now constructed from tough 600 Denier nylon. We have added another front pocket (total of 3!), added metal D loops, repositioned and resized the pencil holders, and made the belt loop more user friendly. The PreciZion X has an audio pocket/cord port for your iPod® or MP3 player and weighs less than 14 oz. Now available in 2 more colors! Right handed models only. Available in Black, Gray, Black/Neon Green. Specify color when ordering.

NEW!



PRECIZION X TARGET QUIVER

Quiver

701012



The one and only "universible" system! Myriad has everything you need, all included. It's universal for any accessory storage you need, and reversible for right or left hand shooters. Features multiple pockets, accessory pouch, tubeless divided arrow storage, accessory

D-Loops, and magnetic pocket closures. Made of durable Cordura®, systems available in Blue or Pink. Indicate belt size: Small-28"-32" Medium-34"-38" Large-40"-44" X-Large-46"-50".

MYRIAD TARGET QUIVER SYSTEM

Royal Blue

Pink

1474

1475



Finally a belt that will hold anything and everything with no sagging, no drooping, no folding! The durable Rigid Shooters Belt keeps it's shape and has room for it all, including the heaviest quivers. Heavy-duty snap buckle stays fastened until YOU take it off. Features 2 large loops in the back for hanging towels, binoculars, arrow pullers, etc. Embroidered Bohning® logo on the back, available in 4 sizes.

BLACK RIGID SHOOTERS BELT

Sm. 28"-32"

Med. 34"-38"

Lg. 40"-44"

XLg. 46"-50"

16800

16801

16802

16803

TARGET QUIVERS



This durable Cordura® bag features a collapsible draw-string throat with a reinforced top that stays open for quick access. Great for releases, hex sets, etc. Available in 4 colors, features embroidered logo.

ACCESSORY BAG	Red	Blue	Black	Hot Pink
	16591	16590	1659	16592



Five tubes for more capacity and constructed of durable, lightweight Cordura® with embroidered Bohning® logo. This quiver is 19" long and features an accessory/scorecard clip, two convenient zipper pockets at top and on quiver, and one easy access 'slide' pocket to hold all of your accessories. Weighs approximately 14 ounces and holds 10 arrows easily. Available in four colors, right and left handed models.

ADULT TARGET RH QUIVER	Blue	Red	Black	Hot Pink
	1691	1688	1693	1687

ADULT TARGET LH QUIVER	Blue	Red	Black	Hot Pink
	16910	16880	16930	16870



A smaller version of our Adult Target Quiver, the mini is 14" long with 3 arrow tubes. The mini quiver is constructed of durable, lightweight Cordura® material, featuring 1 zipper pouch, 2 easy-access 'slide' pockets, a convenient accessory/scorecard clip and the Bohning® logo embroidered along the top. Available in 4 colors, right or left handed. Also great for crossbow bolts.

MIN-TARGET RH QUIVER	Blue	Red	Black	Hot Pink
	1656	1657	1655	1654

MIN-TARGET LH QUIVER	Blue	Red	Black	Hot Pink
	16560	16570	16550	16540

NEW!



Universal tube quivers for both right and left handed archers. Stylish, soft shell tube made of 840D Polyester with carabiner clip. **NEW for 2013 – Neon Green!**

YOUTH TUBE QUIVERS	Tube Quiver
	701006

ARCHERY ACCESSORIES

The Aim-It™ fully adjustable camera mount allows for perfect camera angles to get the shot! Simple installation ensures you aren't spending all your time on setup, and the small footprint of the Aim-It™ allows for more placement options while minimizing the risk of theft. Place your cameras above eye level; they can't take what they can't see! 3 points of rotation allow you to get any angle, any shot! Fits all cameras with a 1/4"-20 standard threaded port.



NEW!

**AIM-IT™
CAMERA MOUNT**

**Camera Mount
801018**

Carry your trail cameras in convenience and style with this gray and black camera bag. 3 Velcro edged dividers are easily detached and moved to fit and protect your cameras, creating up to 4 fully padded compartments. Sizeable zip-closure exterior accessory pouch and interior zipper clear-view pouch for storing extra SD cards, etc. Bag features fully adjustable and removable shoulder strap with a comfort pad. 5 1/2" x 9" x 18".



NEW!

**TRAIL
CAMERA BAG**

**Camera Bag
801014GY**



Holding, storing and displaying your bow just doesn't get any easier than the BowHitch. The unique "L" bracket and receiver system are quick to install, keeping your bow safely secured wherever you take it – in the stand, at the range, or at home. The bracket stays attached to your bow's riser & weighs just 1.3 oz! Slide the bracket into the mounted receiver for a secure connection, keeping your bow exactly where you need it. Additional receivers sold separately for multiple storage sites.

**BOW HITCH
BOW HOLDER**

**Bow Hitch Sys.
801006**

**Add'l Receiver
801007**

Mole-skin camo pads prevent noise caused by metal-to-metal or metal-to-plastic contact, and insulates cold metals where skin contact is required.



Pressure-sensitive self-adhesive backing provides a silent and comfortable grip. Use anywhere that needs camo, silencing or warmth.

Cut to fit. 2-pack of 4 x 6" pads in MossyOak® Break-Up® pattern.

**BOW GRIP/SIGHT
WINDOW PAD**

**2 pads
1602**

Designed for the tree stand hunter, this portable quiver mount weighs less than 3 ounces yet holds up to 20 pounds of accessories! The Bark Shark attaches to tree or limb without screws, allowing you to remove the quiver from your bow and have easy access. Hanging your quiver while in the stand makes your bow lighter and movements less noticeable. The universal mounting pad is compatible with most quivers and includes a built in broad head wrench.



**BARK
SHARK**

**Bark Shark
201010**



NEW!



Fashioned after traditional style armguards, this cut-out web design is durable yet very flexible. The soft-finish rubber completely protects the forearm and will not absorb scent. The open design allows for maximum ventilation to keep you cool & comfortable. Includes cut-to-size elastic for easy on/off and complete adjustability. Approximate dimensions are 6" long, 6" wide at front, 8" wide at rear. Available in Black, Blue, Neon Green, Red and Hot Pink. Specify color when ordering.

WEB ARMGUARD	Armguard 801040
-------------------------	----------------------------

NEW!



The NEW & IMPROVED slip-on armguard is constructed of sleek compression-fit nylon with an incredibly durable rubber strip for protection. The flexible center piece is sewn onto the armguard in recessed channels with a center cutout for the screen-printed Bohning® logo. Easy on, easy off for a very comfortable fit! Also works great when hunting for holding back bulky coat sleeves during your shot. Available in 4 sizes: Small: 8" long, large end circumference 9" stretched; Medium: 9" long, large end 11" stretched; Large: 9" long, large end 13" stretched; Extra Large: 9" long, large end 15" stretched.

SLIP ON ARMGUARD	Slip On Armguard 801009
-----------------------------	------------------------------------



Must-have tool for every bowhunter! Handy at home and in the field. The broad head wrench protects fingers and hands while removing or installing broad heads. Molded from high-impact plastic with easy grip construction, the wrench fits both 3 & 4 blade broad head configurations in one lightweight tool.

BROADHEAD WRENCH	Wrench 1619
-----------------------------	------------------------



We have taken it up a notch from the conventional wrist sling with the 'Cinch' sling. Great for bowhunters and target shooters alike, the cinch sling does just that...it "cinches" securely into place. No more slipping, no more collapsing. Once the sling is sized, cinch it up and it stays in place and holds its shape. The Cinch Sling is easily adjustable with a base plate that allows you to torque your stabilizer without rotating the sling out of position. Available in 5 colors.

CINCH SLING	Sling 801049
------------------------	-------------------------



Detects even the slightest air thermals which carry your scent up or down depending on the time of day. Wind-Check is a fine, odorless & environmentally safe powder, packaged in a flip-top bottle for easy one-hand use. Approx. 250 applications.

WIND CHECK	Wind Check 1612
-----------------------	----------------------------

Avoid the "sting of the string." Protect yourself with this durable Cordura® armguard. Leather backing for comfort combined with heavy duty, anti-fray construction makes this armguard the perfect choice. Approx. dimensions are: 7 1/4" long, 3 1/4" wide at front, 4 1/4" wide at rear.



3-STRAP ARMGUARD	3 Strap Armguard 1689
-----------------------------	----------------------------------

BOWFISHING

With bowfishing gaining popularity at a remarkable rate, now is the time for you to try your hand at this fast and exciting sport! We've made it easy to get started, providing everything you need from reel to point in one handy kit. Great for bowfishers of all ages, the kit includes: the MudCat™ reel, one 32.35" Glass Fish Arrow with Fish Point, AMS Safety Slide™, and 50 feet of 80# line.

BOWFISHING KIT	Kit 1023
-----------------------	-----------------



Prevents the fishing line from tying itself to the bowstring – known as the dreaded 'snap back.' Safety Slide keeps line away from the arrow rest, ensures near perfect arrow flight, and helps prevent shooting through the fish. Regular (orange) or Large Diameter for 22/64" shafts (blue). Each package contains 2 slides.

AMS SAFETY SLIDE™	2 Reg. Dia. (Orange)	2 Lg. Dia. (Blue)
	1029	901008

These reflective vinyl wraps increase your shaft visibility under water, and add a little 'style' to your arrow with the Aqua Assault™ logo and muted pattern. Add these wraps to your bowfishing tackle and stand out in function and form! Available in 5" wrap or .75" end cap (each 1.25" width).

AQUA ASSAULT™ WRAPS	5 inch Wrap	End Cap
	501010AA	501011AA



Combining the best of both worlds - the durability and cost effectiveness of fiberglass and the stabilization and straightness of carbon! The result is a bowfishing arrow with 65% greater spine strength over regular bowfishing shafts and faster shot recovery. Straighter, stronger and stiffer for increased accuracy and consistency in deeper water. Use with all draw weights. Available as shaft only (32.35", 1190 grains), or fully outfitted with Aqua Assault™ Premium Fish Point & AMS Safety Slide™.

HORNET™ FISHING SHAFT	Hornet™ Shaft	Hornet™ Shaft w/point & slide
	901004	901005


Solid glass bowfishing arrows equipped with River Fish Point. Choose from White or high-visibility Saturn Yellow 9" Crown dip! Great all-around fishing arrow. Also available with optional AMS Safety Slide™.

GLASS FISH ARROWS	White w/point only	White w/point & slide	Hi-Vis Yellow w/point & slide
	1000	1002	10020




BOWFISHING

Licensed under Patent No.
6,994,080



Includes bristles to
replace roller for
nock adaptors!

The first & only fully adjustable rest that combines the speed of a roller rest and the security of a capture rest! The Carp-ivore™ features an easy top-load design and the option to change out the roller for a third set of bristles - providing added stability when shooting from tricky angles. Reversible left or right mounting along with vertical and horizontal windage adjustments allow tuning for ANY bow setup.



CARP-I-VORE™ BOWFISHING REST	Carp-i-vore™	Roller Assy.	Bristle w/mount	Bristle Assy.
	901006	911014	911015	911016

From quick installation to reeling in the big catch, MUDCAT™ keeps your focus where it needs to be...on the water! A countersunk hex nut makes the MUDCAT™ reel easier to install than its predecessors. Time consuming tangles and hang-ups are a thing of the past with our new Line Drag Reduction System, which allows your line to strip effortlessly from the spool. The line clip ensures easy retention on the spool, and the rubber retainers conveniently store the arrow when not in use. The reel comes with mounting hardware and 50 feet of 80# braided nylon line.



MUDCAT™ REEL	Reel	Rep. Line
	901007	1024

The most important elements to a great fish point are solid holding power and quick release. Constructed of nickel-plated spring steel, the Aqua Assault™ Premium Fish Point is a high performance rotating barb that delivers! The replaceable five-sided chisel tip is hardened steel to stay sharper longer, outlasting even carbide tips. A stainless steel lock washer between the point and adapter allows for easy fish removal.

AQUA ASSAULT PREMIUM™ FISH POINT	AA Fish Point	Chisel Tip
	901002	901003



This is a premium point at a beginner price. The Ruff Neck is designed to take tremendous punishment, with a knife-like leading edge on the barbs and no-rust stainless steel construction. The precision point and wide, reverse-angle barbs make this an ideal point for carp and other soft body fish.

RUFF NECK™ ULTRA	Ultra Point
	1020



Designed for rocky bottoms and shallows, this sturdy do-it-all fish point can handle constant use and deliver results time after time. Replacement barbs available.

RIVER FISH™ POINT	Point	Barbs
	1016	901001



CROSSBOW ACCESSORIES



The crossbow quiver mount that does it all! This universal mount is slim, adjustable, and installs easily to the right or left side of the sight rail **WITHOUT** removing the scope. Traditional mounting systems require you to mount the quiver forward and on the bottom near the stirrup, resulting in excess bulk, imbalance, and accessibility issues. The TopMount™ attaches parallel to the shooting rail which means less bulk, easy access to your arrows, and reduction in the forward weight of your crossbow.

TOP MOUNT™	Mount
	801012



Crossbow nocks from Bohning® provide the same durability, precision and performance you expect from our entire line of polycarbonate nocks. Nock your bolt with a "flat-end" or "half-moon" style, available in 5 colors and 2 diameters.

CROSSBOW NOCKS FLAT - .2985 DIA.	12pk	100pk	1000pk
	401001	401002	401003
CROSSBOW NOCKS FLAT - .303 DIA.	12pk	100pk	1000pk
	401014	401015	401016



CROSSBOW NOCKS HALFMOON - .2985 DIA.	12pk	100pk	1000pk
	401011	401012	401013
CROSSBOW NOCKS HALFMOON - .303 DIA.	12pk	100pk	1000pk
	401008	401009	401010

- .303 DIA.**
- Victory
 - Muddy
 - GoldTip
 - Carbon Express
 - Black Eagle
- .2985 DIA.**
- Easton



Lightning Lube crossbow rail lubricant provides a protective film to reduce friction and increase the velocity of your crossbow bolts. Silicone-based Lightning Lube will not collect dirt and grit like some lubricants. It is non-toxic, non-flammable and completely scent free with a "no mess" applicator for smooth, even application. Lightning Lube is another versatile product in the Bohning® line – target shooters have found that applying Lightning Lube to their arrow shafts prior to shooting enables them to pull them out of the targets like..well, lightning!

LIGHTNING LUBE	Rail Lube	16 pk Bulk
	1363	941019



A complete crossbow lubrication system to protect your string and your rail for optimum equipment performance! Kit includes a 3.5 ml tube of Bohning Xccelerator® Wax and a 7.4 ml tube of Lightning Lube rail lubricant.

CROSSBOW LUBE KIT	Kit
	801005



STRING CARE



Quick and easy to install, string nocks are designed to create a positive nocking point for consistent shots, time after time. Available in two sizes: cam (red) and the slightly smaller hunter (black). Nocks are constructed of brass with rolled edges and a plastic liner.

STRING NOCKS	Cam (Red) 6pk	Cam (Red) 100pk	Cam (Red) 1000pk	Hunter (Blk) 6pk	Hunter (Blk) 100pk	Hunter (Blk) 1000pk
	1065	1068	1071	1064	1067	1070

Lightweight and durable hunter-style kisser button. Easy installation and a quick addition to your bow setup that will help you maintain a consistent anchor point every shot, every time. Clips included.



KISSER BUTTON	Kisser w/clips
	1664



Easy to use – tie, pull, cut, separate! Sold as a pair, place string whiskers well above and well below the nocking point to utilize this proven method of dampening string noise and oscillations. Also available in bulk.

STRING WHISKERS	1 pair	Bulk 50 pair
	1051	1635

The Bohning® line of bowstring waxes for compounds, recurves, and longbows prolongs the life of the bowstring and helps prevent fraying and string dry-out. Designed and recommended for synthetic fiber bowstrings and cables, Bohning® waxes resist penetration by water and keep moisture out of the bowstring, protecting critical string fibers. Regular use greatly reduces string friction and abrasion against cables, slides, wheels, and cams. Bohning® waxes penetrate into fibers without damaging the string, and remain pliable under all weather conditions.

Dry bowstring fibers tend to vibrate against each other when the bow is fired, thus wearing the fibers out prematurely and weakening the bowstring. Xccelerator® wax incorporates a conditioner formulated to combat this, and also softens at a lower temperature, allowing for easier and faster saturation of the strings. Also great for crossbow!



XCCCELERATOR® WAX	3.5 Gram Tube	24 pk
	1365	1634

Silicone based, remains sticky.

SEAL-TITE®	1oz. Tube	24pk	Bulk 250	Bulk 500
	1360	1631	35001	3500



Natural based, remains tacky, but not sticky. Tech Tip: Dab a little Tex-Tite® on your nock before insertion to keep it in position, while still allowing movement for alignment and/or removal!



TEX-TITE®	1oz. Tube	24pk	Bulk 250	Bulk 500
	1306	1630	32001	3200

FEATHER CARE

Cut your own feathers with our newest item, the Feather Cutter! Maple wood forms the body of this traditional tool that features an

ABS base and steel and aluminum components. The spring-loaded cutter comes with 1 blade to cut a shield-cut right wing 5" feather. Machine features replaceable blades and striker plate, and incorporates a two-handed safety feature. Cutting your own feathers is easy – place a feather on the guide, cock the handle to raise the blade, slide the feather in and press the 2 side buttons to fire it. Cock it again to slide the guide out, remove the feather and you're ready for the next one. This heavy duty machine is the only one you will need – providing accurate cuts, a variety of profiles available, replaceable striker plate and blades, and durability to last for years.



NEW!

FEATHER CUTTER	Cutter	Striker Plate	RW Parabolic 4" blade	RW Shield Cut 5" blade	RW Indian Cut 5" blade
	601020	601021	601020-1	601020-2	601020-3



FEATHER DRI	Water Repellent Powder
	1611

Water Repellent Powder for feathers. The easiest feather treating system available. Simply shake feather end of a fletched arrow in powder and go. Colorless, odorless and will not affect feather adhesion.

STRING CARE & ACCESSORIES



Only 1.4 inches!



Must-have tool for your bowcase!

This miniature version of the String Server is perfect for travel, quick fixes, or anytime space is at a premium.

The compact design eliminates the need for a cable spreader and also works well with short brace height bows. The winged design fits fingers perfectly for a secure grip and greater control while serving and is specifically designed to make refilling bobbins easy. This server features fully adjustable tension and includes 13 feet of #62XS serving thread on each of 2 bobbins.

MINI SERVER	Server	Black Refills 2pk	BW Refills 2pk
	801017	801024BK	801024BW

The Serve-Tite is a great tool no matter your experience level – quick and easy, a novice can use this tool and get expert results! The tool is durable to stand up to a lifetime of use and small enough to fit conveniently in your tool kit or bowcase. Adjustable wing-nut tension provides smooth thread flow and tight, uniform servings. Features a large feeder hole and bushing to ease threading and prevent wear. Available as Tool Only, Tool including PolyGrip .020 serving thread, or Tool including #62 Braid .021 serving thread.



SERVE-TITE STRING SERVER	Server	Server/Polygrip .020	Server/#62.021
	16150	16240	16260




NYLON **POLYGRIP** **#62 BRAID** **#62 XS (RD)** **#62 XS (BL)** **#62 XS (HP)** **#62 XS (NG)** **#62 XS (BK)** **Spectra (BK)**

In four great choices: NYLON - a good economical serving thread, POLYGRIP – size .020" with superior grip, #62 BRAID – a 50/50 Spectra/Polyester thread with great grip with durability, #62 XS – a 75/25 Spectra/Polyester blend with the same grip and durability yet even more strength and .030" braided Spectra, specifically for today's high performance crossbow strings. #62 BRAID is available in 2 sizes (.021 and .025) and #62 XS is available in 2 sizes (.021 and .018) and 5 colors (Red, Blue, Hot Pink, Neon Green and Black). .018 - 100 yds per spool, .021 - 75 yds per spool, .025 - 60 yds per spool, .030 - XBow/45 yds

SERVING THREAD	Nylon	Polygrip	#62 .021	#62 .025	#62 XS .021	#62 XS .018	XBow .030
	1616	1624	1626	1627	801001	801010	801011BK





You asked for it, and we've got it! Now available from Bohning®, tubeless peeps in 3 sizes to fit every need: 1/4", 3/16" and 1/8" diameter sight orifices. These peeps feature a 2-groove design, angled for perfect alignment with no tubing required. Lightweight and durable, these peeps are constructed of machined aluminum and weigh in at a mere 8 ½ grains. They allow for a perfectly round shaded hole at full draw and eliminate the need for protruding hoods. With no tubing to create additional noise, or to slow down your string (or break and snap back!), these peeps are sure to win you over. Available in black only.



TUBELESS PEEP	1/4 (6.4mm)	3/16 (4.8mm)	1/8 (3.2mm)
	801022BK	801021BK	801020BK

Durable, high-impact and lightweight, the slim peep has a 3/16" sight orifice to allow for maximum sight window in low light conditions. Small profile and easy installation, too! Includes alignment tube when purchased individually, bulk packs are peep only.



"SLIM" PEEP	Peep w/tube	50pk peep only
	1668	1640



Thought center serving your bowstring was hard? Not with the All-In-One kit! Marv Long of TailorMaid Bowstrings hosts the included instructional DVD that takes you step by step through the process, and covers string care and back-serving. Kit includes instructional DVD, Self Serve Cable Spreader, String Separator, Serve-Tite Serving Tool with PolyGrip .020" thread and Xccelerator® Wax. All items also available for separate purchase.

SERVING KIT	Kit	DVD Only
	1295	1294

With smooth polished edges, the string separator easily inserts between bowstring strands without damaging them. The Bohning® string separator is the best tool on the market for fast and easy installation of servings, peeps, silencers and more.



STRING SEPARATOR	Separator
	1601



This durable tool makes serving your bowstring easy! Bowstring and cables are held securely and separately in top and bottom slots, giving you a large work area and making serving your own bowstring a breeze!

SELF-SERVE CABLE SPREADER	Spreader
	1525



2.0 mm BCY, #24 Polyester rope for "D" loops. Choose from 5 different colors to personalize your string! Available in 1-meter (39 inches) package or 100-ft spool, Blue, Red, Black, Hot Pink or Neon Green.


LOOP ROPE	1 Meter	100 ft. Spool
	801002	801003

DIPPING & CRESTING



Get the look you want for your arrows with this assortment of high quality Camel hair brushes, available in 4 sizes for every design need: fine point, 1/8", 1/4" and 1/2" widths.

CRESTING BRUSHES	Fine	1/8"	1/4"	1/2"
	1400	1401	1402	1403




This sturdy aluminum holder steadily separates and holds a dozen arrows, allowing for easy dipping. Fits most shaft sizes and is ideal for use with our 4" diameter dip tank.

ARROW HOLDERS	Model 12	Extra Gasket
	1518	1520

Designed specifically to accept the Model 12 arrow holder, this 4" diameter aluminum dip tank allows you to dip multiple shafts at once. Features a flat welded base for added stabilization and comes with a plastic lid which fits securely over the mouth of the tank. Extra lids sold separately.

DIP TANK	12" Tank	Extra Lid
	1508	1512



One inch plastic tube, fits one arrow for single dips. Includes 2 corks, extras sold separately.

DIP TUBES	12" Tube	Extra Cork
	1500	1503



Universal arrow pads fit most shaft sizes for today's ever changing market. Great way to keep your arrows separated and protected for storage, display, and a great fit for use with our arrow boxes. Sold individually, each pad holds a dozen arrows (we recommend using a pad at each end of the arrows for best hold and stabilization).

UNIVERSAL ARROW PADS	Arrow Pad
	16092



Industry standard size to fit up to 36" arrow shafts. Couple with our Universal or Scratch-Free Arrow Pads for a perfect way to store, display, and ship your arrows! With arrow pads (sold separately), this sturdy box holds a dozen fletched arrows.

UNIVERSAL ARROW BOX	50 pk
	1623



110 volt, 60 cycle, 300 RPM motor holds arrow shaft 1-1/4" above the table top for easy crestring. Also available in 220v for international customers.


STANDARD CRESTER	STD Creater	Int'l STD Creater
	1405	14051



Cresting arrows is a tradition arrow builders have practiced for centuries. As long as there have been bows and arrows, there has been arrow personalization. The patterns and symbols used in traditional

cresting identified the owner of the arrows, and often times their lineage. This rich tradition lives on today, and the Arrow Cresting Kit includes everything you need to become part of it! Kit includes: 300 RPM Standard Creater, Dip Tube, 16 oz Fletch-Lac Thinner, 8 oz White Lacquer, 1 oz each crestring colors in yellow, red, black, orange, green and blue, 1 set of arrow pads, 16 oz (powder concentrate) SSR shaft cleaner, 2 Camel hair brushes and "Nock to Point" DVD. (also available in 220 for international shipment)

CRESTING KIT	US Cresting Kit	Int'l Cresting Kit
	1297	12971



110 volt AC. 60 cycle, 300 RPM motor holds arrow shaft 1-1/4" above the table top for easy crestring. Solid tray keeps shafts aligned with motor and catches paint drips.

PRO CRESTER	Pro Creater	Chuck
	1404	1407

DIPPING & CRESTING



Bring out the beauty! Walnut Hue wood stain is formulated to give a shadowing effect to allow the grain to show through when applied using a 'wipe' method. Dipping or spraying will result in a solid color. We recommend following the stain with SuperCoat to seal the wood and provide a protective gloss topcoat to your shafts.

WOOD STAIN	1/2 Pint	Pint	Quart	Gallon
	1112WH	1113WH	1114WH	1115WH

Clear lacquer base is recommended as a seal coat for all wooden arrow shafts. Both Clear and Blue Clear work well as a base dip for aluminum and carbon arrows to maximize adhesion. Used as a seal coat, Blue Clear produces sharper, brighter colors, especially with white and fluorescents. Supercoat cures to a super-hard protective finish for dipped shafts and acts as a one-coat sealer for wood shafts. Dipping over crests with Clear, Blue Clear or Supercoat is NOT RECOMMENDED, as crestring may blur or run.



FLETCH-LAC BLUE CLEAR & CLEAR	1/2 Pint	Pint	Quart	Gallon
	1123	1124	1125	1126
FLETCH-LAC SUPERCOAT	1/2 Pint	Pint	Quart	Gallon
	1119	1120	1121	1122

Bohning® Lacquer Thinner is chemically engineered to work with all Bohning® lacquers. To avoid potential incompatibility problems, we do not recommend using with other manufacturers' lacquers. NOT FOR USE WITH ADHESIVES.



FLETCH-LAC THINNERS	Pint	Quart	Gallon
	1131	1132	1133



For traditional crestring and dipping, Dip'n Plugz allow you to easily prevent paint from getting inside of the arrow shaft. Tapered vinyl also allows for easy cleanup, just peel dried paint from the surface of the plug and reuse! Use Micro Dip'n Plugs for smaller shafts and Max Dip'n Plugz for standard carbon or aluminum shafts.

DIP'N PLUGZ	Micro/12pk	Micro/100pk	Max/12pk	Max/100pk
	1425	1426	1427	1428



Bright, true gloss colors that can be used for dipping or crestring. Paint dries to a hard, chip resistant, high gloss finish. We recommend using a white base coat under all colors for even more vibrant color!

You can mix Fletch-Lac gloss lacquer colors with each other, metallics or fluorescents.

GLOSS LACQUER	1oz. Jar	1/2 Pint	Pint	Quart	Gallon
	1412	1104	1105	1106	1107



Metallic lacquer can be used for dipping or crestring and dries to a hard, chip resistant with a brilliant sheen.

METALLIC LACQUER	1oz. Jar	1/2 Pint	Pint	Quart	Gallon
	1412	1100	1101	1102	1103

For even BRIGHTER color and high visibility, use fluorescent lacquer for dipping or crestring. Our fluorescents are UV stabilized for longer life and are 2 to 3 times brighter than the standard gloss colors. Dries to a chip resistant brilliant finish. We recommend using a white base coat underneath the fluorescents for a more vibrant finish. Available in Saturn Yellow and Blaze Orange.



FLUORESCENT LACQUER	1oz. Jar	1/2 Pint	Pint	Quart	Gallon
	1412	1108	1109	1110	1111

This flat white provides a perfect dull-finish base coat that provides maximum vane adhesion. It can be used for dipping or crestring. For dipping purposes, we recommend using a coat of Blue Clear over the white base for an even brighter white. We do NOT recommend using clear or supercoat over crestring, as this may cause lines to run or blur.



FLAT WHITE	1/2 Pint	Pint	Quart	Gallon
	1160	1161	1162	1163



Get the REAL Blazer® in a quick fletch! Easily installs on shafts from 17/64" to 24/64" diameter. Simply submerge into boiling water and watch fletching magic happen! Shake off excess water, air dry and shoot! Available in Orange Tiger, Yellow Tiger, White Tiger, Neon Yellow, Neon Orange and Neon Green, each vane is fletched with a 2° offset on a white wrap base. 6 Per Package. Weight per fletched tube is approximately 27 grains. Specify color.

BLAZER® QUIKFLETCH®	SHAFT SIZE	TEMPERATURE	WEIGHT	
	17/64" to 24/64"	Boiling	30 grains	
			6 pk	50 pk
			101001	101003



Safely strips vanes, glue and wraps from arrow shafts! A pre-formed channel provides the safest cutting angle. An easy grip handle and contoured, surgical steel blade stays sharper longer, and makes stripping your shaft a breeze. Safe for use on all shafts. Blade replacement is simple with no tools required. Replacement blades sold separately.

THE "STRIPPER"	STRIPPER	3 pk Blades
	1524	15240

Limoxyl™ serves a dual purpose: it easily removes wrap residue and simultaneously preps the shaft for fletching. Simply spray onto stripped shaft (or spray onto a cloth) and wipe clean to quickly remove the sticky arrow wrap residue. When fletching with instant glues, we recommend washing the shaft with soap and hot water before fletching for maximum adhesion. Citrus-based and environmentally safe, Limoxyl™ comes in a convenient 3 ounce spray bottle.



LIMOXYL™	3 oz. (89 ml) Pump Bottle
	1152

SSR is a powder concentrate, activated by hot tap water. This high strength cleaner removes dirt, grease, residue and contaminants from shafts to give you the best surface for maximum fletch adhesion. Add hot water to the concentrate in the bottle, soak shafts, rinse and air dry. Environmentally safe, not for use on wood shafts.

**SSR ARROW
SHAFT CLEANER**

Pint	Quart	Gallon	1 lb. Bag
1155	1156	1157	1158

Each bottle contains a small amount of powder concentrate!



TOWER JIGS

Scan code to watch the performance benefits of fletching with Tower® fletching jigs. For more great videos, check out Bohning's YouTube channel @ www.bohning.com/youtube



**AMERICAN
MADE**



HELIX TOWER® FLETCHING JIG

Standard Post, Pin-Nock Post, F-Nock Post, A-Nock Post and Crossbow Post.

1 set of 'arms' to fletch up to 2.25" long vanes on a 3° right helical.

Helix

12962



TRIPLE TOWER® FLETCHING JIG

Std Post, Pin-Nock Post, F-Nock Post, A-Nock Post & Crossbow Post. 3 sets of arms: black for a 3° right helical, red for a 2° right offset, and gray for straight fletchings. The maximum vane size for fletching is 2.25" for Helical, and 4" for Offset or Straight.

Triple

12963



IMPULSE™ TOWER® FLETCHING JIG

Standard Post, Pin-Nock Post and F-Nock Post. 1 set of arms specifically designed for the thinner material of the Impulse™. The maximum vane size for fletching is 4".

Impulse

601006



CROSSBOW TOWER® FLETCHING JIG

Crossbow Post. 2 sets of arms: black for a 3° helical and red for a 2° right offset. The maximum vane size for fletching is 2.25" for Helical, and 4" for Offset.

Crossbow

601001



FEATHER TOWER® FLETCHING JIG

Standard Post, F-Nock Post, Swedged End Post. 2 sets of arms: blue for Right Wing 1° helical, green for Left Wing 1° helical. The maximum feather size for fletching is 5".

Feather

601010

Replacement Rings



Sm Ring Lg Ring

601017 601018

Replacement Posts



Standard

601011

Pin Nock

601012

F Nock

601013

A Nock

601014

Crossbow

601015

Swedged

601016



Due to the overwhelming popularity of the Tower® jig, we have expanded the line even further!

Now there is a Tower® for every size, every type, every fletch! The Tower® reduces your fletching time by 66%, increases arrow production and provides easy & precise 3-vane placement 120° apart. The Tower® accommodates all size shafts from small carbon X10s to Fat Boys (the Crossbow Tower® fits .2985 and .303 bolts). Every Tower® includes clamp release tape and 2 collar rings: Rose for use with small carbon up to aluminum shafts, and Lime for use with Fat Boy shafts. The clamp release tape is applied to the jig arms to prevent adhesive build up and is easily removed and replaced. If you choose not to use the release tape, Tower® arms can be cleaned of residue by soaking in Acetone. All Tower® arms are compatible with the Tower® Jig base, no need to purchase additional jigs for Impulse™, Crossbow, or Feather fletchings! Additional and replacement arm sets are sold separately.



REPLACEMENT TOWER ARMS

	2° Offset	3° Helical	Straight
	1200	1202	1201
Impulse™	601007	601008R	601008L
RW Feather			
LW Feather			

To prevent adhesive build up and provide a cleaner finished fletching, we recommend applying the clamp release tape included with all of our jigs and replacement clamps when using cyanoacrylate (quick set) style glues. Tape is easy to use and remove. Replacement tape is available by the pair or in bulk.



CLAMP RELEASE TAPE

	Tape 2 pc	Tape bulk 20 pc
	1319	13192

Arrow building experts since 1946, Bohning® is known for its dedication to quality. This new DVD provides an overview of the vanes, adhesives, nocks and jigs we have available, and the proper selection and use of each. Run time approx. 15 minutes.

MODERN ARROW BUILDING

DVD

991003AB

NEW!



BLAZER® JIGS



The Blazer® Helix Jig, designed for standard carbon shafts, fletches up to 2.25" vanes with a perfect 3° right helical. Places 3 vanes exactly 120° apart. Get a perfect fletch every time with accurate snap indexing. If a straight fletch is what you prefer, the clamps for the Blazer® Helix and the Blazer® STR8 jigs are interchangeable!

"Whether you are hunting whitetails in the Midwest or big game in Africa, accuracy starts with your arrows. The Blazer® Helix Fletching Jig is easy, accurate and with the 3° helical you get the perfect spin for improved broad head flight. Couple the Helix Jig with Platinum® fletching adhesive and you have the best in arrow building." – Pro hunter/shooter Bill Epeards



BLAZER® HELIX FLETCHING JIG	Jig	Replacement Clamp
	1344	8251



Everything that you need to get started the Blazer® way, and experience the precision, performance and accuracy that has won over archers across the globe! The kit includes the Blazer® Helix Jig, one ¾ ounce tube of Platinum® fletching cement, and 36 white Blazer® 2" vanes. Get Blazer®-ized!

BLAZER® HELIX FLETCHING KIT	Kit
	13441



The Blazer® STR8 Jig is designed for small carbon shafts and provides straight vane placement for vanes up to 2.25". Place 3 vanes exactly 120° apart, and get a perfect fletch every time with accurate snap indexing. If a helical fletch is what you prefer, the clamps for the Blazer® STR8 and the Blazer® Helix jigs are interchangeable!

BLAZER® STR8	Jig	Replacement Clamp
	1345	8250

Designed for standard shafts, the easy set up and simple operation of the Big Jig™ allows you to fletch up to a 4" vane on a 1° right offset or 3° right helical. The Big Jig™ is compact, lightweight, yet very sturdy and durable. With accurate snap indexing, fletch vanes perfectly 120° apart. For those who prefer a four-fletch, the Big Jig™ also comes with 2 adapters, allowing you to fletch FOUR vanes at 90-90-90-90 or 60-120-60-120! Also available for crossbow to fletch your bolts with ease!



CROSSBOW CERTIFIED!

BIG JIG	1° RW Offset Clamp	4 Fletch Adapters	Big Jig	3° RW Helical Clamp	XBow Big Jig	XBow Receiver
	8362	601009	1320	8361	601002	601004



Get a perfect fletch every time with easy offset adjustments and accurate snap indexing. The Pro Class jig has a quick-set magnetic clamp with larger grips for easy operation. Don't spend a mint to get perfectly fletched arrows! Pro Class comes with one clamp of your choice: Straight, RW or LW. Additional clamps sold separately. Pro Class offers total flexibility and versatility...set your own degree of offset! The Pro Class fletches 3 vanes 120° apart, or 90° 4-fletch adapter. Accommodates shaft sizes small (13/64) to large (27/64) and vanes or feathers up to 5". Also available in Crossbow model (Specify RW, LW or Straight).



CROSSBOW CERTIFIED!

PRO CLASS	Jig/straight	Jig/right wing	Jig/left wing	Straight clamp	RW clamp	LW clamp	XBow Jig
	1348	1349	1350	1351	1352	1353	601003

"QUICK-REFERENCE" FLETCHING GUIDE



Complete fletching guide available online at www.bohning.com

	Applications	Shaft types	Clamp time	Cure time (before using arrows)	Useful Info
FLETCH-TITE PLATINUM	Vanes Feathers	Carbon Cedar Wraps Painted	5 min.	24 hours	Flexible (non-brittle) bond. Use this glue to tip vanes or feathers. Easy clean-up 2 years expiration
INSTANT GEL	Vane Feathers Point Inserts Nocks	Carbon Cedar Aluminum Fiberglass Wraps Painted	2 min.	4 hours	Instant glue*- instant and very strong glue in a gel form (high viscosity) Complete formula – does not require accelerator. Cures on contact. 1 year expiration
BLAZER BOND	Vanes Feathers Nocks	Carbon Cedar Aluminum Fiberglass Wraps Painted	10 seconds	2 hours	Fastest Cure Instant glue*- instant and very strong glue (medium viscosity) Complete formula – does not require accelerator. Cures on contact. 1 year expiration
FERR-L-TITE	Points Inserts	Cedar Aluminum		As soon as it has reached room temperature	Hot Melt Adhesive Heat Reversible-Flame required No expiration
COOL FLEX	Points Inserts	Carbon Cedar Aluminum		As soon as it has reached room temperature	Hot Melt adhesive (Low Melt Temperature) Heat Reversible. No flame required: use hot water to soften adhesive. No expiration
INSERT IRON	Points Inserts	Carbon Cedar Aluminum Fiberglass		48 hours. 72 hours if air is dry.	Strongest Glue Cures with moisture. 1 year expiration
FEATHER FLETCHING TAPE	Feathers Mylar vanes	All		Immediate	Pressure Sensitive Adhesive No expiration

*all Cyanoacrylate glues may leave white marks on the shaft. Carefully use acetone to wipe this off, use discretion when around wraps and inks.

FLETCHING ADHESIVES

NEW!

We've done it again. Use even LESS GLUE for maximum adhesion with the FASTEST CURE TIME! Introducing Blazer Bond™, the newest instant glue for fletching vanes, feathers and nocks. Excellent for all shaft types, clamp time is a mere 15 SECONDS with full cure in only 2 hours!

Available in 1/2 ounce and 1 ounce bottles.



BLAZER BOND	1 oz	1/2 oz
	301016	301015

Designed to provide an unmatched bond with carbon, solvent-based Platinum® remains flexible and is water repellent, yet provides an extremely tough and durable bond for fletching vanes and feathers. Approx. drying time for vanes is 5 min., 15 min. for feathers. Full cure in 24 hours.



Stull Tip & Cap/6pk
801015

FLETCH-TITE PLATINUM®	3/4 oz	1/2 pint	Pint	Quart	Gallon	Bulk 24 pc 3/4 oz	Bulk 165 pc 3/4 oz	Packaged 432 pc 3/4 oz
		1301	1355	1356	1357	1358	1638	33002

Specifically formulated for use with Fletch-Tite Platinum®. Do not over-thin adhesive. To avoid causing problems with adhesion, never exceed 2% by volume.

PLATINUM THINNER	Pint	Quart	Gallon
	1134	1135	1136



This tape has quickly become the fletching method of choice for many feather shooters who appreciate the speed and ease of use. Feather Fletching Tape creates a strong, high-temp resistant and reliable bond on contact, no lengthy clamp time! Our tape is machine-cut, no lubricant, which means NO dead zones in the roll. Recommended for all shaft types, and perfect for field repairs, too. One roll contains enough tape to fletch over 3 1/2 dozen arrows. 1 Roll = 720" or 1828 cm, tape width 3/16" or 4.76mm.

FEATHER FLETCHING TAPE	1 roll
	1649



Quick-set fletching cement in an easy no-drip gel. Specially formulated to resist moisture and humidity. Recommended for gluing nocks, fletching vanes and feathers to aluminum, carbon, fiberglass and wood shafts. Approximate dry time is 2 minutes, full cure in 4 hours. One 3 gram tube will fletch approx. 20 arrows.

INSTANT GEL	3 gram	24 pk
	1305	1639





Convenient 2 ounce bottles for use with solvents (red cap) and adhesives (white cap). Additional caps sold separately.

DISPENSER BOTTLES	Regular	Deluxe	Reg. Caps /6pk	Dlx. Caps /6pk
	1303	13031	1304	13032

INSERT ADHESIVES



The one that started it all, Ferr-L-Tite® is the original hot melt adhesive developed by Rollin Bohning that is STILL the industry standard today. Ferr-L-Tite® hot melt adhesive is tough, elastic and waterproof. Recommended for adhering points and inserts to wood or aluminum shafts. Heat reversible for adjustment, replacement, or removal. Dry time 24 hours.

FERR-L-TITE®	12 gram Stick	Brick	Stick 16 pcs	Stick 250 pcs	Stick 500 pcs
	1309	1339	1633	31001	3100



It doesn't get any easier to install, adjust, or remove inserts and points than this! Cool Flex™ is a super strong, low melt temperature adhesive specifically formulated for carbon arrows (but works great on wood and aluminum, too!). This heat-reversible adhesive is easy to use and adjustment or removal of inserts is as simple as holding end under hot tap water, with instant full strength set in cold water. One 12 gram stick will do approximately 144 inserts.

COOL FLEX	12 gram Stick	Brick	Stick 16 pcs	Stick 250 pcs	Stick 500 pcs
	1308	1368	13081	13082	13083

Ideal for the installation of inserts using hot melt adhesives. Use denatured alcohol, extra wicks sold separately.

ALCOHOL BURNER	Burner	Extra Wick
	1315	1316



Welds inserts, outserts, and points to all shaft types (great for crossbow, too!). With no mix and no mess, Insert Iron™ is high-impact, shock-resistant & has remarkable holding power with easy application. Dry time is 24 hours, full cure in 72 hours.

INSERT IRON™	1 oz
	1317

BLAZER® VANE

**Parabolic paddle for increased steerage.
Extremely durable material.**



Scan code to watch Pro Hunter Jim Burnworth show why the Blazer® is the #1 vane IN THE WORLD! For more great videos, check out Bohning's YouTube channel @ www.bohning.com/youtube



CROSSBOW CERTIFIED!

STILL the jaw-dropping, trophy-hanging, grin-inducing vane that CONTINUES to outperform the rest and make believers out of bowhunters and target shooters the world over! The Blazer® vane's unique design incorporates auto racing drafting principles to begin steering and correcting immediately, creating lift and flatter trajectory. We recommend fletching the Blazer® vanes helically for perfect results. Bohning® has optimized the steerage capabilities and overall performance with tighter tolerances, making the Blazer® the lightest high performance broad head vane ever produced. The base of every vane is chemically treated for maximum adhesion. Great for crossbow bolts, too!



BLAZER®	LENGTH		HEIGHT		WEIGHT	
	INCHES	MILLIMETERS	INCHES	MILLIMETERS	GRAINS	GRAMS
	2	50.8	0.6	15.24	6	0.39
			36 pk	100 pk	1000 pk	
			10831	10832	10833	

BLAZER® X2 VANE




**Low profile for less wind drift.
High performance leading edge.**



We asked ourselves how we could provide all of the benefits of the original Blazer® broad head vane to target shooters. We found the answer in the development of the Blazer® X2 vane, the lower profile, shorter version of the original Blazer®! Very popular with IBO and ASA shooters, the X2 provides a flatter trajectory at longer distances and maximum steerage with less wind drift, resulting in amazing accuracy. The base of every vane is chemically treated for maximum adhesion.

BLAZER® X2®	LENGTH		HEIGHT		WEIGHT		100 pk	1000 pk
	INCHES	MILLIMETERS	INCHES	MILLIMETERS	GRAINS	GRAMS		
	1.865	47.4	0.47	11.8	4	0.26		

MINI-BLAZER® VANE



Minimal arrow drag.
Less weight & increased steering.

The choice of many 3-D shooters as well as hunters using mechanical broad heads. The Mini-Blazer® has the steering capabilities of the original Blazer® vane with less weight and a lower profile for easy riser clearance. The base of every vane is chemically treated for maximum adhesion. NOT recommended for use with fixed-blade broad heads.

MINI BLAZER®	LENGTH		HEIGHT		WEIGHT	
	INCHES	MILLIMETERS	INCHES	MILLIMETERS	GRAINS	GRAMS
	1.5	38.1	0.49	10.16	4.5	0.26
					100 pk	1000 pk
					10842	10843

MICRO-BLAZER® VANE




How many benefits of the original Blazer® vane can we squeeze into the smallest vane available? All of them! The Micro-Blazer® was designed specifically with the target shooter in mind and is popular among many 3-D shooters. The Micro has the steering capabilities of the original Blazer® vane with minimal weight for the least wind drift. The base of every vane is chemically treated for maximum adhesion. NOT recommended for use with broad heads.

unrivalled steering
out of a Micro
footprint

MICRO BLAZER®	LENGTH		HEIGHT		WEIGHT	
	INCHES	MILLIMETERS	INCHES	MILLIMETERS	GRAINS	GRAMS
	1	25.4	0.4	10.2	2	0.13
					100 pk	1000 pk
					10822	10823

KILLER™ VANE



Maximum
Durability!
Minimum
Noise!

The longest vane available in our lineup, the Killer® boasts maximum accuracy, maximum durability, and minimum noise! Killer® vanes maintain flexibility over a wide temperature range to assure consistent flight and performance regardless of conditions. They earn consistently high ratings among shooters who also recommend them to their fellow archers. Recommended for indoor spot shooting and hunting with fixed or mechanical broad heads. The base of every vane is chemically treated for maximum adhesion.

KILLER™ VANE	LENGTH		HEIGHT		WEIGHT		
	INCHES	MILLIMETERS	INCHES	MILLIMETERS	GRAINS	GRAMS	
	4	101.6	0.5	12.7	12.5	0.81	
					36 pk	100 pk	1000 pk
					10501	10502	10503

IMPULSE™ VANE

The composite vane material integrates a technology used in the aerospace industry to maintain durability at a 50% lighter weight!

NEW!




RU NO BK HP JD LB LM NY WH

LENGTH		HEIGHT		WEIGHT	
INCHES	MILLIMETERS	INCHES	MILLIMETERS	GRAINS	GRAMS
3	76.2	0.3	7.62	4	0.26
LENGTH		HEIGHT		WEIGHT	
INCHES	MILLIMETERS	INCHES	MILLIMETERS	GRAINS	GRAMS
4	101.6	0.3	7.62	5	0.32


This revolutionary vane is the result of over 2 years of research in aerodynamics and materials engineering. Impulse™ is the super low-profile, light-weight, high-durability vane that is blowing away the competition across the country and the

globe. Thanks to its low profile, the Impulse™ has 14% less chance of hitting the arrow rest than the leading Mylar vane. Further tests show that in the event of rest contact, there is significantly less shaft deflection than with Mylar vanes. The composite vane material integrates a technology typically used in the aerospace industry, and maintains its stiffness while resulting in 50% less weight than our standard material. This, combined with its low profile, makes the Impulse™ very efficient in high winds and unstable conditions. Though this vane was designed primarily for Olympic Recurve shooters, compound shooters around the world are also reporting fabulous results. Impulse™ vanes are available in 3" and 4" lengths, 9 colors, packages of 40, 100 and 1000.




Motion: An arrow fletched with Impulse® vanes is less deflected upon contact with the rest.

3" IMPULSE® XVANE	40 pk	100pk	1000 pk
	101008	101007	101006
4" IMPULSE® XVANE	40 pk	100pk	1000 pk
	101011	101010	101009



Turbulence: An arrow fletched with Impulse® vanes is less affected by strong wind turbulences.

Center Of Pressure: The Impulse® vane matched the stability performance of Mylar vanes as measured by the distance between the Center of Pressure and the Center of Gravity.





X-Vanes™ incorporate 60 years of arrow building expertise with our legendary quality, with durability and accuracy built into each and every one. No wonder so many top archers have switched to X-Vanes™ with their low profile, incredible performance, and fletch clearance second to none! Archers are reporting quieter shots and better groupings against comparable competitor vanes. X-Vanes™ are available in 4 profiles: 1.5" Shield Cut, 1.75" Shield Cut, 2.25" Shield Cut and 3" Parabolic. The base of every vane is chemically treated for maximum adhesion.

3" PARABOLIC XVANE™	LENGTH		HEIGHT		WEIGHT		
	INCHES	MILLIMETERS	INCHES	MILLIMETERS	GRAINS	GRAMS	
	3	76.2	0.46	11.7	8.5	0.55	
		36 pk		100 pk		1000 pk	
		10771		10772		10773	



1.5" SHIELD CUT XVANE™	LENGTH		HEIGHT		WEIGHT		
	INCHES	MILLIMETERS	INCHES	MILLIMETERS	GRAINS	GRAMS	
	1.5	38.1	0.34	8.636	3	0.19	
1.75" SHIELD CUT XVANE™	LENGTH		HEIGHT		WEIGHT		
	INCHES	MILLIMETERS	INCHES	MILLIMETERS	GRAINS	GRAMS	
	1.75	44.5	0.39	9.906	3.5	0.23	
2.25" SHIELD CUT XVANE™	LENGTH		HEIGHT		WEIGHT		
	INCHES	MILLIMETERS	INCHES	MILLIMETERS	GRAINS	GRAMS	
	2.25	57.2	0.39	9.906	5	0.32	
		36 pk		100 pk		1000 pk	
		10771		10772		10773	



"I am shooting the 1.75" vanes and I am very impressed with their performance. They shoot well and also look great."

-Dani Brown,

Gold Medalist, 2012 Paralympics

Bohning Vane Type & Size	Indoor Spots	Outdoor Field	Outdoor FITA	Outdoor 3-D	Hunting w/ Fixed Blade Broadhead	Hunting w/ Mechanical Broadhead
Blazer Vanes						
1" Micro Blazer	O	X	X	X	NR	O
1.5" Mini Blazer	O	X	X	X	NR	O
2" Blazer	X	X	X	X	X	X
1.865" Blazer X2	O	X	X	X	NR	O
X Vanes						
1.5" Shield Cut	O	X	X	X	NR	NR
1.75" Shield Cut	O	X	X	X	NR	NR
2.25" Shield Cut	O	X	X	X	NR	NR
3.0" Parabolic	X	NR	NR	O	NR	O
Impulse Vanes						
3.0" Parabolic	O	X	X	X	NR	NR
4.0" Parabolic	O	X	X	X	NR	NR
Killer Vanes						
4"	O	NR	NR	NR	O	O

X = Best Choice

O = Good Choice

NR = Not Recommended

SIGNATURE[®] NOCK

COMPANY	SHAFT	COMPANY	SHAFT
CARBON EXPRESS	Maxima Series	VICTORY	V-Force HV Series (Black & Camo)
	Mayhem Series (Black & Camo)		V-Force Series (Black & Camo)
	Piledriver Series	EASTON	Bloodline Series
	Mach 5 Series		Ion
	Mutiny Series		Excel
	Predator II Series		Flatline Series
	Heritage 150 - 350		Powerflight
	Flu Flu		Super Slam
	Terminator Series		Camo Hunter
	GOLD TIP		Pro Series (Black & Camo)
XT Series (Black & Camo)			Full Bore*
Expedition (Black & Camo)			Fatboy*
Traditional Series		X7 Eclipse*	
Big Game		XX75 Platinum*	
Ted Nugent Series (All Colors)		BLOODSPORT	HT2
Ultralight Series			Hunter
Velocity Series			
Falcon Youth			

* Represents shaft with appropriate bushing



Fits standard carbon size and shafts fitted with the Super Uni-Bushing system. Insert, align and go! Incorporates an index and alignment feature and a nock recess to eliminate cracks and gouges while keeping the nock snugly fitted to the string. Made of durable, impact-resistant polycarbonate. Available in 10 colors.

SIGNATURE [®] NOCK	SHAFT SIZE	THROAT	WEIGHT	12 pk	100 pk	1000 pk
	19/64"	0.120	12.7 grains	1006	1008	1009

"T" NOCK




A polybutyrate nock that incorporates a tight fit with a deep throat; the T nock features safety nodes built into the rear of the throat to keep arrow on the bowstring during draw and let-down. The T Nock is recommended for all aluminum and wood swedged end shafts. Available in 3 sizes: 11/32", 5/16" and *1/4", and 5 colors.

"T" NOCK	11/32	SHAFT SIZE	THROAT	WEIGHT
		23/64"	0.116	14.8 GR.
	1/4	SHAFT SIZE	THROAT	WEIGHT
	17/64"	0.116	5.9 GR.	
	5/16	SHAFT SIZE	THROAT	WEIGHT
	21/64"	0.116	13.9 GR.	

• 1/4" nocks available in white 1000 pks only.

COMPANY	SHAFT
Easton	XX75 Jazz
	XX75 Blues
	Neos
	Legacy

12 pk	100 pk	1000 pk
1054T	1055T	1056T



BLAZER® NOCK

A small, press-fit nock designed for “D” loops. The Blazer® nock has a double lock throat that is just tight enough to keep the shaft on your string while maintaining an incredibly clean release. Fits Easton Super Uni-Bushing system and standard carbon shafts. Made of durable, impact-resistant polycarbonate. Available in 15 colors.

COMPANY	SHAFT	COMPANY	SHAFT	
CARBON EXPRESS	Maxima Series	VICTORY	V-Force HV Series (Black & Camo)	
	Mayhem Series (Black & Camo)		V-Force Series (Black & Camo)	
	GOLD TIP	Piledriver Series	EASTON	Bloodline Series
		Mach 5 Series		Ion
		Mutiny Series		Excel
		Predator II Series		Flatline Series
		Heritage 150 - 350		Powerflight
		Flu Flu		Super Slam
		Terminator Series		Camo Hunter
	Pro Series (Black & Camo)	Gamegetter		
XT Series (Black & Camo)	Full Bore*			
Expedition (Black & Camo)	Fatboy*			
Traditional Series	X7 Eclipse*			
Big Game	XX75 Platinum*			
Ted Nugent Series (All Colors)	BLOODSPORT	HT2		
Ultralight Series		Hunter		
Velocity Series				
Falcon Youth				

* Represents shaft with appropriate bushing



NEW!
color

While Supplies Last

BLAZER® NOCK	SHAFT SIZE	THROAT	WEIGHT
	19/64"	0.120	10.3 grains
	12 pk	100 pk	1000 pk
	1003	1004	1005

COMPANY	SHAFT
EASTON	Axis Series
	A/C/C Pro Hunting Series
	FMJ Series
	Camo Hunter*
CARBON EXPRESS	Thunderstorm
	Heritage 75 & 90
	Amped Series
GOLD TIP	Kinetic Series
	Kinetic Big Game Series

* Represents shaft with appropriate bushing

A-NOCK



NEW!
color

While Supplies Last

A small, press-fit nock designed for “D” loops and axis-style small diameter arrows. The “A” Nock features the same double lock throat system as the Blazer® Double Lock Nock to keep the shaft on your string during “let-down” while maintaining an incredibly clean release. Made of durable, impact-resistant polycarbonate. Available in 15 colors.

A-NOCK	SHAFT SIZE	THROAT	WEIGHT	12 pk	100 pk	1000 pk
	17/64"	0.120	7 grains	10151	10152	10153

F-NOCK

The "F" Nock is a small, press-fit nock designed for "D" loops and made of durable, impact-resistant polycarbonate. F-Nocks are available in 2 sizes: a double lock standard throat (.120) and smooth small throat (.106). Small throat fits .088 size strings. Available in 15 colors.



F-NOCK STANDARD THROAT	SHAFT SIZE	THROAT	WEIGHT
	Any	0.120	6 GRAINS
	12 pk	100 pk	1000 pk
	10141	10142	10143

F-NOCK SMALL THROAT	SHAFT SIZE	THROAT	WEIGHT
	Any	0.106	6 GRAINS
	12 pk	100 pk	1000 pk
	10181	10182	10183

COMPANY	SHAFT
EASTON	A/C Injexion Series
	Carbon Injexion Series
	Powerflight*
	Lightspeed*
	Lightspeed 3D*
	A/C/E
	A/C/G
	A/C/C
	A/C Pro Field
	Carbon One
	Full Bore*
VICTORY	VAP Series (Black & Camo)
	BLOODSPORT
	HT Series

* Represents shaft with appropriate bushing

PIN-NOCK

Target archers worldwide swear by the accuracy, durability, and clean release of the Bohning® Pin Nock. The Pin Nock will fit any shaft with a pin nock adaptor, and is available in 2 throat diameters, .106 & .120, and 15 colors.




PIN-NOCK STANDARD THROAT	SHAFT SIZE	THROAT	WEIGHT
	Any	0.120	3 GRAINS
	12 pk	100 pk	1000 pk
	10071	10072	10073

PIN-NOCK SMALL THROAT	SHAFT SIZE	THROAT	WEIGHT
	Any	0.106	3 GRAINS
	12 pk	100 pk	1000 pk
	10161	10162	10163

COMPANY	SHAFT
Carbon Express	**All shafts with appropriate pin bushing**
Gold Tip	
Victory	
Easton	
Bloodsport	



CLASSIC NOCK



A traditional nock for all long-bow and finger shooters, Bohning® Classic nocks are the best glue-on nocks out there! This polybutyrate nock incorporates an indexer for quick and easy alignment, and provides a deep soft-snap onto the string. The “Classic” is the nock of choice for Traditional archers, and is suited for wood and aluminum shafts with a standard nock taper. Available in 2 sizes: 11/32” and 5/16”, 1000 packs only. Available in 6 colors.

COMPANY	SHAFT
Easton	XX75 Jazz
	XX75 Blues
	Neos
	Legacy



CLASSIC NOCK	11/32	SHAFT SIZE	THROAT	WEIGHT	1000 pk
			23/64”	0.116	
CLASSIC NOCK	5/16	SHAFT SIZE	THROAT	WEIGHT	10133
			21/64”	0.116	

Insert and position most nocks without damaging nock ears. 2 channels for multiple nock sizes.

NOCK INDEXING TOOL	LARGE SIDE	SMALL SIDE (BOHNING PRINT)	1 ea
		SIG. NOCK • EASTON A NOCK UNI-NOCK • BEITER • CX STD. CARBON NOCK • GOLD TIP STD. NOCK	BLAZER® NOCK • A-NOCK • F-NOCK PIN NOCK • EASTON G NOCK GOLD TIP PIN NOCK • EASTON PIN NOCK



Easy removal or alignment of Signature nocks.

NOCK-OUT	1 ea
	1622

LEGEND NOCK



Designed by legendary Hall of Famer and U.S. Olympic Archery Coach, Al Henderson, the Legend nock is a polybutyrate nock that stands up to incredible punishment. The Legend nock is great for short compound bows, all NASP swedged end shafts, and excellent for bowfishing. This super-duty nock is recommended for aluminum, wood and fiberglass shafts, and is available in: 5/16” and 9/32 sizes.

LEGEND NOCK	9/32	SHAFT SIZE	THROAT	WEIGHT	100 pk	1000 pk
			19/64”	0.107		
LEGEND NOCK	5/16	SHAFT SIZE	THROAT	WEIGHT	100 pk	1000 pk
			21/64”	0.107	11 GR.	1058


COMPANY	SHAFT
Easton	XX75 Jazz
	XX75 Blues
	Neos
	Legacy

ARROW WRAPS

Place end of shaft over circle templates, on left, to determine specific wrap size.

Simple & Easy "Roll On" Application! Use a semi-soft, flat surface, like a mouse pad!

- 1) Wipe shaft surface with soap and hot water. Let air dry.
- 2) Remove arrow wrap backing. Place wrap face down on semi-soft surface.
- 3) Position shaft & align with edge of wrap. Slide shaft toward arrow wrap until full length of wrap is in contact with shaft.
- 4) Using steady down pressure, roll shaft.
- 5) For added adhesion, an extra roll on a hard surface is recommended.



Tech-Tip: When fletching a wrapped shaft, make sure and place the "index fletching" over the seam. This helps secure the wrap.

Removing Arrow Wraps:

Opt 1: Scrape arrow wrap off using Bohning's "Stripper" tool. Clean residue with Limoxyl™. Opt 2: Soak in hot tap water for approx. 5 min. Peel arrow wrap off. Clean residue with Limoxyl™. Opt 3: Heat arrow wrap with hair dryer until soft. Peel arrow wrap off. Clean residue with Limoxyl™. Final Step: Clean shaft with soap & hot water.

The largest selection of colors, sizes & cool designs! The Blazer® Wrap is the perfect match for Blazer® style vanes! Dress up your hunting or target arrows for increased visibility and style. Each package contains 13 Arrow wraps.

Promote your company or store with custom arrow wraps! Call: 231-229-4247 for information!

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" BLUE STONE TRBAL HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
501001BST	501002BST	501003BST


- Std. Carbon
- Sm. Carbon
- XS Carbon



4" RED STONE TRBAL HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
501001RST	501002RST	501003RST

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" MOSSYOAK® HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
501001MO	501002MO	501003MO

- Std. Carbon
- Sm. Carbon
- XS Carbon



4\"/> 	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125"/ 28.6mm	5.6 GR.	1"/ 25.4mm	5.2 GR.	.875"/ 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
501001TF	501002TF	501003TF

- Std. Carbon
- Sm. Carbon
- XS Carbon



4\"/> 	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125"/ 28.6mm	5.6 GR.	1"/ 25.4mm	5.2 GR.	.875"/ 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
501001RS	501002RS	501003RS

- Std. Carbon
- Sm. Carbon
- XS Carbon



4\"/> 	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125"/ 28.6mm	5.6 GR.	1"/ 25.4mm	5.2 GR.	.875"/ 22.23mm	4.3 GR.

NEW!

Carbon	Sm Carbon	XS Carbon
501001SK	501002SK	501003SK


- Std. Carbon
- Sm. Carbon
- XS Carbon



4\"/> 	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125"/ 28.6mm	5.6 GR.	1"/ 25.4mm	5.2 GR.	.875"/ 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
501001BL	501002BL	501003BL

- Std. Carbon
- Sm. Carbon
- XS Carbon




4" BULL'S-EYE HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

NEW!

Carbon	Sm Carbon	XS Carbon
501001BE	501002BE	501003BE

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" WHITETAIL JOURNEY HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
501001WA	501002WA	501003WA

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" BLUE RUSTED FLAME HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
501001BRF	501002BRF	501003BRF


- Std. Carbon
- Sm. Carbon
- XS Carbon



4" RED RUSTED FLAME HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
501001RRF	501002RRF	501003RRF

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" YELLOW RUSTED FLAME HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125"/ 28.6mm	5.6 GR.	1"/ 25.4mm	5.2 GR.	.875"/ 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
501001YRF	501002YRF	501003YRF

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" RED FLAME HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125"/ 28.6mm	5.6 GR.	1"/ 25.4mm	5.2 GR.	.875"/ 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
501001RF	501002RF	501003RF

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" PURPLE FLAME HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125"/ 28.6mm	5.6 GR.	1"/ 25.4mm	5.2 GR.	.875"/ 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
501001PF	501002PF	501003PF

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" HOT PINK FLAME HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125"/ 28.6mm	5.6 GR.	1"/ 25.4mm	5.2 GR.	.875"/ 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
501001HPF	501002HPF	501003HPF

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" BLUE & WHITE FLAME HD

CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
501001BWF	501002BWF	501003BWF

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" GREEN & WHITE FLAME HD

CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
501001GWF	501002GWF	501003GWF

- Std. Carbon
- Sm. Carbon
- XS Carbon




4" RED & WHITE FLAME HD

CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
501001RWF	501002RWF	501003RWF

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" GREEN SPEED HD

CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	4.4 GR.	.875" / 22.23mm	3.8 GR.

Carbon	Sm Carbon	XS Carbon
501001GSP	501002GSP	501003GSP

NEW!

- Std. Carbon
- Sm. Carbon
- XS Carbon




4" BLACK SPEED HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

NEW!

Carbon	Sm Carbon	XS Carbon
501001BSP	501002BSP	501003BSP

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" YELLOW SPEED HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

NEW!

Carbon	Sm Carbon	XS Carbon
501001YSP	501002YSP	501003YSP

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" ORANGE SPEED HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

NEW!

Carbon	Sm Carbon	XS Carbon
501001OSP	501002OSP	501003OSP

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" BLACK SPLATTER HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	8.8 GR.	1" / 25.4mm	7.1 GR.	.875" / 22.23mm	6.3 GR.

NEW!

Carbon	Sm Carbon	XS Carbon
501001BSPT	501002BSPT	501003BSPT

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" WHITE SPLATTER HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	4.4 GR.	.875" / 22.23mm	3.8 GR.

NEW!

Carbon	Sm Carbon	XS Carbon
501001WSPT	501002WSPT	501003WSPT

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" YELLOW X-RAY HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	4.4 GR.	.875" / 22.23mm	3.8 GR.

NEW!

Carbon	Sm Carbon	XS Carbon
501001YX	501002YX	501003YX

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" RED X-RAY HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	4.4 GR.	.875" / 22.23mm	3.8 GR.

NEW!

Carbon	Sm Carbon	XS Carbon
501001RX	501002RX	501003RX

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" PURPLE X-RAY HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

NEW!

Carbon	Sm Carbon	XS Carbon
501001PX	501002PX	501003PX

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" ORANGE X-RAY HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

NEW!

Carbon	Sm Carbon	XS Carbon
501001OX	501002OX	501003OX

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" GREEN X-RAY HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

NEW!

Carbon	Sm Carbon	XS Carbon
501001GX	501002GX	501003GX

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" BLUE X-RAY HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

NEW!

Carbon	Sm Carbon	XS Carbon
501001BX	501002BX	501003BX

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" CAMO HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
18136	18236	18536

- Std. Carbon
- Sm. Carbon
- XS Carbon



Sm Carbon
XS Carbon

4" STARS & STRIPES HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

NEW!

Carbon	Sm Carbon	XS Carbon
501001US	501002US	501003US

- Std. Carbon
- Sm. Carbon
- XS Carbon



Sm Carbon
XS Carbon

4" PINK CAMO HD	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
501001PC	501002PC	501003PC

- Std. Carbon
- Sm. Carbon
- XS Carbon



Sm Carbon
XS Carbon

4" BOHNING LOGO	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
18150	18251	18551

- Std. Carbon
- Sm. Carbon
- XS Carbon



Sm Carbon
XS Carbon

4" WHITETAIL HUNTER	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	5.2 GR.	.875" / 22.23mm	4.3 GR.

Carbon	Sm Carbon	XS Carbon
18135	18225	18535

-  Fat Shaft
-  Std. Carbon
-  Aluminum
-  Sm. Carbon
-  XS Carbon



- Aluminum
- Carbon
- Sm Carbon
- XS Carbon

4" NEON YELLOW	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")		ALUM. (20/64" TO 24/64")		FAT SHAFT (25/64 - 26/64)		
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT	
	1.125"-28.6mm	8.8 GR.	1" - 25.4mm	7.1 GR.	.875" - 22.2mm	6.3 GR.	1.375"-34.9mm	9.9 GR.	1.5" - 38.1mm	10.7 GR.	
		Carbon		Sm Carbon		XS Carbon		Aluminum		Fat Shaft	
		18114		18214		18504		18104		18304	

-  Fat Shaft
-  Std. Carbon
-  Aluminum
-  Sm. Carbon
-  XS Carbon



- Aluminum
- Carbon
- Sm Carbon
- XS Carbon

4" WHITE	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")		ALUM. (20/64" TO 24/64")		FAT SHAFT (25/64 - 26/64)		
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT	
	1.125"-28.6mm	8.8 GR.	1" - 25.4mm	7.1 GR.	.875" - 22.2mm	6.3 GR.	1.375"-34.9mm	9.9 GR.	1.5" - 38.1mm	10.7 GR.	
		Carbon		Sm Carbon		XS Carbon		Aluminum		Fat Shaft	
		18115		18215		18515		18105		18315	


-  Fat Shaft
-  Std. Carbon
-  Aluminum
-  Sm. Carbon
-  XS Carbon



- Aluminum
- Carbon
- Sm Carbon
- XS Carbon

4" HOT PINK	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")		ALUM. (20/64" TO 24/64")		FAT SHAFT (25/64 - 26/64)		
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT	
	1.125"-28.6mm	8.8 GR.	1" - 25.4mm	7.1 GR.	.875" - 22.2mm	6.3 GR.	1.375"-34.9mm	9.9 GR.	1.5" - 38.1mm	10.7 GR.	
		Carbon		Sm Carbon		XS Carbon		Aluminum		Fat Shaft	
		18112		18212		18512		18102		18302	

-  Std. Carbon
-  Sm. Carbon
-  XS Carbon



- Sm Carbon
- XS Carbon

4" NEON ORANGE	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125"/ 28.6mm	8.8 GR.	1"/ 25.4mm	7.1 GR.	.875"/ 22.23mm	6.3 GR.

Carbon	Sm Carbon	XS Carbon
18111	18211	18511


- Std. Carbon
- Sm. Carbon
- XS Carbon



4" REFLECTIVE WRAP	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	8.8 GR.	1" / 25.4mm	7.1 GR.	.875" / 22.23mm	6.3 GR.

Carbon	Sm Carbon	XS Carbon
18177	18277	18577


- Std. Carbon
- Sm. Carbon
- XS Carbon



4" NEON RED	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	8.8 GR.	1" / 25.4mm	7.1 GR.	.875" / 22.23mm	6.3 GR.

Carbon	Sm Carbon	XS Carbon
18113	18213	18513

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" NEON GREEN	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	8.8 GR.	1" / 25.4mm	7.1 GR.	.875" / 22.23mm	6.3 GR.

Carbon	Sm Carbon	XS Carbon
18110	18210	18510

- Fat Shaft
- Std. Carbon
- Sm. Carbon
- Aluminum
- XS Carbon



4" YELLOW TIGER	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")		ALUM. (20/64" TO 24/64")		FAT SHAFT (25/64 - 26/64)	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125"-28.6mm	8.8 GR.	1" - 25.4mm	7.1 GR.	.875" - 22.2mm	6.3 GR.	1.375"-34.9mm	9.9 GR.	1.5" - 38.1mm	10.7 GR.

Carbon	Sm Carbon	XS Carbon	Aluminum	Fat Shaft
18175	18265	18575	18165	18365

-  Std. Carbon
-  Sm. Carbon
-  XS Carbon



4" ORANGE TIGER	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	8.8 GR.	1" / 25.4mm	7.1 GR.	.875" / 22.23mm	6.3 GR.

Carbon	Sm Carbon	XS Carbon
18173	18263	18573

-  Std. Carbon
-  Sm. Carbon
-  XS Carbon



4" PINK & WHITE TIGER	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	8.8 GR.	1" / 25.4mm	7.1 GR.	.875" / 22.23mm	6.3 GR.

Carbon	Sm Carbon	XS Carbon
18168	18268	18568

-  Std. Carbon
-  Sm. Carbon
-  XS Carbon



4" PINK & BLACK TIGER	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	8.8 GR.	1" / 25.4mm	7.1 GR.	.875" / 22.23mm	6.3 GR.

Carbon	Sm Carbon	XS Carbon
18176	18266	18576


-  Std. Carbon
-  Sm. Carbon
-  XS Carbon



4" CLEAR WHITE TIGER	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	4.7 GR.	.875" / 22.23mm	3.9 GR.

Carbon	Sm Carbon	XS Carbon
18174	18274	18574

- Std. Carbon
- Sm. Carbon
- XS Carbon




Sm Carbon
XS Carbon

4" WHITE & RED TIGER	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.25" / 31.75mm	5.6 GR.	1" / 25.4mm	4.4 GR.	.875" / 22.23mm	3.8 GR.

Carbon	Sm Carbon	XS Carbon
18187	18287	18587

- Std. Carbon
- Sm. Carbon
- XS Carbon



Sm Carbon
XS Carbon

4" PURPLE TIGER	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.25" / 31.75mm	5.6 GR.	1" / 25.4mm	4.4 GR.	.875" / 22.23mm	3.8 GR.

Carbon	Sm Carbon	XS Carbon
18186	18286	18586

- Std. Carbon
- Sm. Carbon
- XS Carbon




Sm Carbon
XS Carbon

4" GREEN & WHITE TIGER	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.25" / 31.75mm	8.8 GR.	1" / 25.4mm	7.1 GR.	.875" / 22.23mm	6.3 GR.

Carbon	Sm Carbon	XS Carbon
18185	18285	18585

- Std. Carbon
- Sm. Carbon
- XS Carbon




Sm Carbon
XS Carbon

4" GREEN & BLACK TIGER	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.25" / 31.75mm	8.8 GR.	1" / 25.4mm	7.1 GR.	.875" / 22.23mm	6.3 GR.

Carbon	Sm Carbon	XS Carbon
18167	18267	18567

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" BLUE & WHITE TIGER	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	5.6 GR.	1" / 25.4mm	4.4 GR.	.875" / 22.23mm	3.8 GR.

Carbon	Sm Carbon	XS Carbon
18179	18279	18579

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" YELLOW & ORANGE TIGER	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	8.8 GR.	1" / 25.4mm	7.1 GR.	.875" / 22.23mm	6.3 GR.

Carbon	Sm Carbon	XS Carbon
18188	18288	18588

- Std. Carbon
- Sm. Carbon
- XS Carbon



4" RED TIGER	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	8.8 GR.	1" / 25.4mm	7.1 GR.	.875" / 22.23mm	6.3 GR.

Carbon	Sm Carbon	XS Carbon
18159	18249	18559

- Fat Shaft
- Std. Carbon
- Sm. Carbon
- Aluminum
- XS Carbon



4" WHITE TIGER	CARBON (UP TO 19/64")		SM CARBON (UP TO 17/64")		XS CARBON (UP TO 14/64")		ALUM. (20/64" TO 24/64")		FAT SHAFT (25/64" - 26/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" - 28.6mm	8.8 GR.	1" - 25.4mm	7.1 GR.	.875" - 22.2mm	6.3 GR.	1.375" - 34.9mm	9.9 GR.	1.5" - 38.1mm	10.7 GR.


Carbon	Sm Carbon	XS Carbon	Aluminum	Fat Shaft
18172	18262	18572	18162	18362



● Std. Carbon

7" ZEBRA	CARBON (UP TO 19/64")	
	WIDTH	WEIGHT
	1.125"/ 28.6mm	10 GR.

Carbon
18070



● Std. Carbon

7" BIRCH	CARBON (UP TO 19/64")	
	WIDTH	WEIGHT
	1.125"/ 28.6mm	10 GR.

Carbon
18074



● Std. Carbon

7" WHITE TIGER	CARBON (UP TO 19/64")	
	WIDTH	WEIGHT
	1.125"/ 28.6mm	10 GR.

Carbon
18072



● Std. Carbon

7" RED TIGER	CARBON (UP TO 19/64")	
	WIDTH	WEIGHT
	1.125"/ 28.6mm	13 GR.

Carbon
18059



● Std. Carbon

7" YELLOW TIGER	CARBON (UP TO 19/64")	
	WIDTH	WEIGHT
	1.125" / 28.6mm	13 GR.


Carbon
18075



● Std. Carbon

7" ORANGE TIGER	CARBON (UP TO 19/64")	
	WIDTH	WEIGHT
	1.125" / 28.6mm	13 GR.


Carbon
18073



● Std. Carbon

7" YELLOW AIRBRUSH	CARBON (UP TO 19/64")	
	WIDTH	WEIGHT
	1.125" / 28.6mm	10 GR.


Carbon
18054



● Std. Carbon

7" ORANGE AIRBRUSH	CARBON (UP TO 19/64")	
	WIDTH	WEIGHT
	1.125" / 28.6mm	10 GR.

Carbon
18057



● Std. Carbon


**7" GREEN
AIRBRUSH**

CARBON (UP TO 19/64")

WIDTH	WEIGHT
1.125" / 28.6mm	10 GR.

Carbon

18051



● Std. Carbon

**7" NEON
ORANGE**

CARBON (UP TO 19/64")

WIDTH	WEIGHT
1.125" / 28.6mm	13 GR.

Carbon

18011



● Std. Carbon

7" NEON GREEN

CARBON (UP TO 19/64")

WIDTH	WEIGHT
1.125" / 28.6mm	13 GR.

Carbon

18010



● Std. Carbon

7" PINK

CARBON (UP TO 19/64")

WIDTH	WEIGHT
1.125" / 28.6mm	13 GR.

Carbon


18012



● Std. Carbon

7" NEON RED	CARBON (UP TO 19/64")	
	WIDTH	WEIGHT
	1.125" / 28.6mm	13 GR.

Carbon
18013



Std. Carbon



● Std. Carbon

7" NEON YELLOW	CARBON (UP TO 19/64")		ALUMINUM (20/64" TO 24/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	10 GR.	1.375" - 34.9mm	13 GR.

● Aluminum

Carbon	Aluminum
18054	18004



Std. Carbon




● Std. Carbon

7" WHITE	CARBON (UP TO 19/64")		ALUMINUM (20/64" TO 24/64")	
	WIDTH	WEIGHT	WIDTH	WEIGHT
	1.125" / 28.6mm	10 GR.	1.375" - 34.9mm	13 GR.

● Aluminum

Carbon	Aluminum
18015	18005



Excellent for youth programs, target archers and hunters alike. Numbering arrows helps you keep track of your favorite arrows, identify which ones group best, spot problems, and keep accurate records when determining spine, weight, and stiffness. Sixteen sets of numbers per package.

ARROW NUMBER DECALS	16 sets
	501012MC

SHIRTS AND STUFF

**BOHNING
CATALOG**

**Catalog
001**



NEW!



New for 2013, this dark gray tee features the Bohning® logo prominently on the chest, surrounded by the icon logo in a fade-out background. Available in 6 sizes: SM, MD, LG, XL, 2X, 3X.

**SHORT SLEEVE
T-SHIRT**

**Dark Gray
701009DGF**

BOHNING (WIL)

BOHNING (BBL)

BOHNING (WBL)

Wear your Bohning® pride everywhere with these durable embroidered Iron-On patches. Choose from the Bohning® Icon (WIL), or the full logo in either white lettering on black (BBL), or black lettering on white (WBL). Specify style using abbreviations.

Warm enough for chilly days in camp or in the blind, stylish enough for anytime! Sturdy zipper goes up to form a standing collar to shield your neck from wind and chill. Has 2 large front zip pockets and elastic gather at hem and sleeves, embroidered Bohning® icon on left chest. Available in 7 sizes: XS, SM, MED, LG, XL, XXL, XXXL. Specify size.



**FLEECE
JACKET**

**Jacket
701007**

**BOHNING
"IRON-ON" PATCH**

**Patch
701003**

Decorate your dome with a warm Bohning® Beanie! Available in solid black knit cap or 'Iconouflage' (Bohning® Icon print camo!) beanie. Both feature an embroidered Bohning® logo on front & Bohning® "B" icon on back.



**CAP OR
BEANIE**

**Cap
16210**

**Beanie
701002GC**

NEW!



**BOHNING
BANNER**

**12x60
033**



Add this sharp long-sleeved black tee to your Bohning® apparel collection! Icon logo on front chest against icon fade backdrop, with Bohning Archery FUEL THE OBSESSION distressed logo on back. Available in 6 sizes: SM, MD, LG, XL, 2X, 3X.

**LONG
SLEEVE "T"**

**Black
701008BK**



NEW!

Perfect for shading your face from the sun on the range or on the boat...pretty much anywhere! This fun new hat features 2 embroidered Bohning® icon logos, one in traditional black and red, the other in all-white. One size fits all.

BUCKET HAT

**White
701010WH**



**SHOOTERS
CAPS**

**Cap
701004**

**Visor
701005GR**

There's something for everyone in our line of shooter caps with 4 different styles (plus a visor!) to choose from. Distressed black - BG • Royal Blue - RB • MossyOak® camo - BU • VISOR - GR • Bohning® icon camo - GC

NEW!



Attention, ladies - this one's for you! This short sleeve light pink tee features the Bohning® Archery 'Fuel the Obsession' image with deep pink accents, set against a feminine tribal design in distressed white. Available in 5 sizes: SM, MD, LG, XL, 2X.

**WOMENS
PINK T**

Pink T

701013HP

NEW!



This distressed look heavyweight gray hoodie features a quarter zip with the Bohning® logo offset on the front pouch and large distressed icon logo on the right lower back. Features front pouch pocket and fully lined hood.

Available in 6 sizes: SM, MD, LG, XL, 2X, 3X.

**BOHNING
HOODIE**

Hoodie

701011CH



NEW!

Dri-Mesh™ Pro fabric combines double-knit construction with lightweight moisture management and mesh panels for maximum comfort, increased mobility, and superior airflow. Men's polo features straight-cut mesh panels down sides, Ladies' cut polo features curved mesh panels on the sides and a racerback-style mesh panel on the back. Both styles are solid royal blue with embroidered Bohning® logo at left chest.

Mens sizes - Sm. thru 4XL. Womens sizes - Sm. thru 2XL

**BLUE
POLO**

Mens

Womens

991001BL

991002BL

The newest addition to your Bohning® wardrobe! This brown military style cap has a shorter brim and an adjustable Velcro tab-closure embroidered with a pink Bohning® logo. Hat is brown with pink floral screenprint with pink stitching throughout. Constructed of eco-friendly 100% organic cotton fabric, one size fits most.

NEW!

**WOMENS
CAP**

Cap

701004BR





“Quick release” crossbow back packs!



The Bolt and Bolt Lite crossbow backpacks are made from True Timber TM XD3 fabric, a tough and water-resistant Cordura® polyester. Cordura® fabrics are widely known and recognized for their long lasting durability & resistance to abrasions, tears and scuffs. We have chosen this superior material with a top notch camo pattern to bring you a high-quality, functional pack that stands up to the weather and will serve you well for years to come. The Bolt crossbow packs securely hold your crossbow, yet offer quick release for easy access while out in the field. One quick release of the buckle and the crossbow is in your hand with the pack still on your back! The Bolt packs feature a fully adjustable stock strap that adjusts to fit ANY manufacturer's crossbow, making them a versatile addition to your gear.

BOLT CROSSBOW PACKS	Bolt	Bolt-Lite
	941017	941016

Cover design and art - Rick Bartrand
 Cover images: Left to right- Tim Roller of Whitetail Journey, Peter Grip 2012 3D Swedish National Champion (photo courtesy of Fredrik Gidensköld) and Jay Gregory of Wild Outdoors.



CATCH BOHNING® PRODUCTS IN ACTION ON THESE FINE OUTDOOR TELEVISION SHOWS!

7361 N. Seven Mile Rd. • Lake City, MI. 49651 • www.bohning.com • 231.229.4247

