

For more information visit us online at www.fivics.com.



42, Gwonseon-ro 668beon-gil, Gwonseon-gu, Suwon-si, Gyeonggi-do, Korea
Tel +82-31-245-6388 Fax +82-31-245-6386
E-mail info@fivics.com



FIVICS

2015 PRODUCT GUIDE



2015 PRODUCT GUIDE





"The products which is considered the future after 100years" (All-time value)

Endless researching and testing for the archery is Fivics's spirit.
Please enjoy using of new high technology equipment from Fivics!

Story of Archery Café

January, 2015, Fivics has launched Archery Café for sharing, enjoying and communicating the archery in the special place.

- Symbol : Archery + Café
- Harmony : Opened for not only shooter but also anybody
- Environment : All equipments here
- Principle : Integrity, accuracy, standard, communication and public



PT
PLATINA

UPGRADE

HP0427 | PLATINA 27" RISER
HP0425 | PLATINA 25" RISER

- CNC cutting production
- Hard anodizing surface
- Two types of length
- Triple damping system
- Easy clicker extension
- Comfortable rest line



SPECS

LENGTHS	25", 27" HARD ANODIZING
MATERIAL	Aluminum(6061), BTR300 Rubber
WEIGHT	25" 1,320g / 27" 1,365g
TYPE	RH / LH
GRIP	Normal
COLOR	BLACK, BLUE, KHAKI, GRAY, RED (HardAnodizing)



25"

27"



Simple and easy to adjust the center of raiser and limbs

You can adjust the center-shot easily without un-string the bow. There are three special designed bolts and you just need only screw which is included.

Easy clicker extension and rest line

You may check the scale of guide line which is located in clicker extension and check it as you wanted. It will show your best shooting chance. There is another scale of guide line for rest and you may find your best position of rest.



Ideal grip

It provides shooter with exact pressure point during shooting and you can feel how comfortable and stable postures are generated.



Triple damping system

Triple dampers which are located in the center of grip and inside of upper and lower caps can reduce vibration and noise during shooting.

HDR
HYDRO

HH0325 | HYDRO 25" RISER

- CNC cutting production
- Anodizing surface
- Triple damping system
- Clicker extension
- Comfortable rest line



SPECS

LENGTHS	25" High Quality Anodizing
MATERIAL	Aluminum(6061), BTR300 Rubber
WEIGHT	1,290g
TYPE	RH / LH
GRIP	Normal
COLOR (Anodizing)	BLACK, BLUE, RED, PINK, YELLOW, GREEN



25"
ANODIZING



Clicker extension and rest line

You may check the scale of guide line which is located in clicker extension and it can be divided long one or short one depending on your preference. There is another scale of guide line for rest and you may find your best position of rest.



Ideal grip

It provides shooter with exact pressure point during shooting and you can feel how comfortable and stable postures are generated.



Triple damping system

Triple dampers which are located in the center of grip and inside of upper and lower caps can reduce vibration and noise during shooting.



- HF0270N** | Fx1 7075 RISER
HF0270H | Fx1 HIGH GRIP 7075 RISER
HF0260N | Fx1 6061 RISER
HF0260H | Fx1 HIGH GRIP 6061 RISER

- CNC cutting production
- Two types of materials
- Two types of grips
- Triple damping system
- Clicker extension



SPECS

LENGTHS	25"
MATERIAL	Aluminum(7075,6061), Rubber
WEIGHT	1,310g(7075), 1,290(6061)
TYPE	RH / LH
GRIP	Normal, High
COLOR (Painted)	BLACK, BLUE, RED, YELLOW, GREEN, PINK, WHITE



- HS0125** | SRV ALUMINUM 25" RISER
HS0123 | SRV ALUMINUM 23" RISER

- CNC cutting production
- Two types of length
- Triple damping system
- Clicker extension
- Comfortable rest line



SPECS

LENGTHS	23", 25"
MATERIAL	Aluminum(6061), Rubber
WEIGHT	23" 1,220g / 25" 1,280g
TYPE	RH / LH
GRIP	Normal
COLOR (Painted)	BLACK, BLUE, RED, YELLOW, GREEN, PINK, WHITE



23"



25"

Riser




LFX01C | MERIDIAN-Fx1 LIMBS

- Multi carbon technology
- Premium wood



SPECS

Available Lengths : 66" 68" & 70"
Available weights : 28# ~ 48#




LRX01C | MERIDIAN-Rx1 LIMBS

- Multi carbon technology
- Premium foam



SPECS

Available Lengths : 66" 68" & 70"
Available weights : 28# ~ 48#



PEGASUS

LPG01W PEGASUS LIMBS


- Multi carbon technology
- Wood core



SPECS

Available Lengths : 66" 68" & 70"

Available weights : 28# ~ 48#



BLAZE


HW001S BLAZE WOODEN BOW SET

This is produced based on stability and convenience for beginners especially its grip is designed to shoot easily.

TYPE : RH / LH

SPECS

Handle	19", 20", 24"
Limb	54", 62", 64", 66", 68", 70"
Pound	10~24 / 14~36 / 16~38 / 12~34 / 14~36 / 18~38
Material	Hard maple, Rosewood, Walnut, fiber glass



UPGRADE

TOP SAVER

LIMBS DAMPER SYSTEM



DTS001 | TOP SAVER

Fivcis's top saver is located in the point which vibration starts, so it can reduce the vibration immediately compared to existing one.


Weight: Front 5.7g / Back 4.7g



1. Back



2. Front



3. Front+Back



CEX1900 STABILIZER SYSTEM

NEW

STC19L | CEX1900 LONG STABILIZER
STC19S | CEX1900 SIDE STABILIZER
STC19E | CEX1900 EXTENDER

- 7 colors available
- Special metallic coating with vivid color
- Chrome coated cap
- Thickened extender
- Absorbing noise system
- Stabilizer screw top

Diameter : 19mm
Extender diameter : 21mm
Weight : 130g(30"), 86g(12")

Long Stabilizer	26", 28", 30"
Side Stabilizer	10", 11", 12"
Extender	4", 5", 6"



WT SERIES

Diameter : 20mm

WTF	Weight : 26g
WTS	Weight : 22g
WTH	Weight : 40g



DVZ1000 | V-ZERO DAMPER

* Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)



CEX2000 CLEAN & EASY SHOT X 2000

Stabilizer

STC20L | CEX2000 LONG STABILIZER
STC20S | CEX2000 SIDE STABILIZER
STC20E | CEX2000 EXTENDER

- Special rubber coating(absorbing additional vibration)
- Easy to be detached from handle by using of rubber coating
- Internal thickened extender
- Absorbing noise system
- Non-slip
- Stabilizer screw top

Diameter : 20mm
Weight : 202g(30"), 118g(12")

Long Stabilizer	26", 28", 30", 34"
Side Stabilizer	10", 11", 12"
Extender	4", 5", 6"



CEX2000 WEIGHT

Diameter : 23mm

WTC1	WTC2	WTC3	WTC4	WTC5	WTC6
thickness : 11.8 Weight : 30g	thickness : 21.0 Weight : 60g	thickness : 30.0 Weight : 90g	thickness : 39.0 Weight : 120g	thickness : 48.5 Weight : 150g	thickness : 57.4 Weight : 180g

DVZ005 | CEX2000 DAMPER



* Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)



PHOENIX

UPGRADE

STP01L | PHOENIX LONG STABILIZER

STP01S | PHOENIX SIDE STABILIZER

STP01E | PHOENIX EXTENDER

- Both recurve & compound
- High elastic cross carbon
- Removing weight all at once
- Attaching the weight as much as you need by using of special designed aluminum cap
- Absorbing noise system
- Stabilizer screw top
- Internal thickened extender

Diameter : 22mm

Weight : 152g(30"), 90g(12")

Long Stabilizer	24", 27", 30", 33"
Side Stabilizer	10", 11", 12", 15", 17"
Extender	4", 5", 6"



* Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)



PHOENIX

REV CARBON STABILIZER SYSTEM Gear

UPGRADE

STG01L | GEAR2000 LONG STABILIZER

STG01S1 | GEAR2000 FIELD STABILIZER

STG01S2 | GEAR2000 FIELD STABILIZER


- High elastic cross carbon
- Special designed rubber damper
- Special designed rubber grip
- Non-slip
- Double damper system
- Special rubber coating(absorbing additional vibration)
- Easy to be detached from handle by using of rubber coating
- Stabilizer screw top

Diameter : 20mm

Weight: 540g(30"), 480g(12")

* Two weight damper included and full set basis

Long Stabilizer	24", 27", 30"
Field Stabilizer	10", 12", 15"



GEAR 2000 WEIGHT

Diameter: 35mm



* Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)



Stabilizer



STC07L | CEX7 LONG STABILIZER
STC07S | CEX7 SIDE STABILIZER
STC07E | CEX7 EXTENDER

- Carbon multilayer
- Carbon balance system
- Attaching the weight as much as you need by using of special designed aluminum cap
- Absorbing noise system
- Internal thickened extender

Diameter : 18.7mm

Weight : 128g(30"), 86g(12")

Long Stabilizer	26", 28", 29", 30", 34"
Side Stabilizer	10", 11", 12"
Extender	4", 5", 6"



WT SERIES

Diameter : 20mm



WTF
Weight : 26g

WTS
Weight : 22g

WTH
Weight : 40g



DVZ1000 |
V-ZERO DAMPER

* Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)



STC05TL | CEX5 LONG STABILIZER
STC05TS | CEX5 SIDE STABILIZER
STC05TE | CEX5 EXTENDER

- UD and Carbon multilayer
- Shooting balance system
- Attaching the weight as much as you need by using of special designed aluminum cap
- Absorbing noise system
- Internal thickened extender

Diameter : 18.5mm

Weight : 144g(30"), 104g(12")

Long Stabilizer	26", 28", 29", 30", 34"
Side Stabilizer	10", 11", 12"
Extender	4", 5", 6"



WT5F
Weight : 36g

WT5H
Weight : 50g

WT5 SERIES
Diameter : 23mm



DVZ1500 |
VZ1500 DAMPER



DV001M |
V-ZERO MINI-DAMPER

* Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)



MAXPRO

STM01L | MAXPRO LONG STABILIZER
STM01S | MAXPRO SIDE STABILIZER
STM01E | MAXPRO EXTENDER

- Including special laminating materials
- Damper and weight head included
- Absorbing noise system
- stabilizer + damper + weight head

Diameter : 18.5mm

Weight : 130g(30"), 78g(12")

Long Stabilizer	26", 28", 30"
Side Stabilizer	9", 10", 12"
Extender	3", 4", 5"



VBMA01 | MAX V-BAR

Angle: 35° / 40°



WT SERIES
Diameter : 20mm

WTF Weight : 26g WTS Weight : 22g WTH Weight : 40g

DVZ1000 | V-ZERO DAMPER



DVZ001M | V-ZERO MINI DAMPER
Weight: 20g

* Suitable weight (All weight can be used for other stabilizers, but we recommend you to us the above in advance)

LVT CARBON

UPGRADE

STL01L | LVT LONG STABILIZER
STL01S | LVT SIDE STABILIZER
STL01E | SOMA LVT EXTENDER

- Absorbing shock system
- Available accessories only for LVT
- stabilizer + damper + weight head

Diameter : 17mm

Weight : 116g(30"), 65g(12")

Long Stabilizer	26", 28", 30"
Side Stabilizer	10", 12"
Extender	3", 4"



VBL01 | LVT V-BAR

Angle: 35° / 40°



DLV002 | LVT WEIGHT



DLV001 | LVT DAMPER



* Suitable weight (All weight can be used for other stabilizers, but we recommend you to us the above in advance)

UPGRADE DVZ1500 | VZ1500 DAMPER

Butyl-rubber with several colors

Weight : 38g



1S45S16S

1/4-20
5/16-24

*Applicable for all dampers

DVZ2000 | VZ 2000 DAMPER

Weight : 50g



DVN001 | N-SHOCK DAMPER

Size : 39 x 20 x 20mm

Material : Aluminum, Rubber

Weight : 24g

COLOR



DWD001L | WEIGHT DAMPER (L) DWD001S | WEIGHT DAMPER (S)



NEW 3HWF | Hunting weight flat

Easy attached or detached weights from Hunting weight flat and included flat(1pcs), head bolt(1pcs) and bottom bolts(3pcs)



AL-COLOR WEIGHT

Diameter : 23mm, 20mm
Material : Aluminum+Stainless



WTC SERIES

Thread Size : 1/4-20 UNC
Size : 38mm(5T/3T), 24mm(5T/3T)



CONNECTING WEIGHT





VBTR01 TRS V-BAR

The system to transfer front/back energy
Angle : 40° / 45°
Material: Aluminum



VBRF01 RF V-BAR

Light and durable.
A perfect combination for balanced shooting



Angle : 40° / 45°
Weight : 75g
(Connecting bolt included)
Material: Aluminum

VBR01 R V-BAR

Angle : 40° / 45°
Material: Carbon



VBD01 DP V-BAR

The system controls balance of left/right weights
Angle : 40° / 45°
Material: Aluminum




UPGRADE VBAC01 COM V-BAR

Material: Aluminum



VBCC01 COM CONNECTING BOLT

Material: Aluminum




VBU01 UNI-BAR

Material: Aluminum



VBT01 TR V-BAR

Adjustable 360
Horizontal and vertical adjustable system
Easy to use



VBM01 MAN V-BAR

Angle : 40° / 45°
Material: Aluminum



COLOR
Black Silver Blue Red Purple





SQE | SQ EXTENDER

Including stainless bar with rubber and aluminum cap on the external wall.
Useful item for compound bow

Weight : 155g

NEW
TNG100
GEAR UPSTABILIZER



TNC20 | CEX 2000 UPSTABILIZER

Weight : 84g



NEW
TNG110
GEAR UPSTABILIZER



TNS300

Weight : 106g



UPGRADE
TNV 2300

TNV 1600



TNV 2300/TNV1600 COLOR



TOP UPSTABILIZER TNS SET

Versatile vibration reduction system design and material
Available in a variety of colors



TNS 100AL /TNS 50AL COLOR



TNS100AL

Weight : 90g


TNS500AL

Weight : 95g


FV200 | FV-200 CARBON SIGHT

- There is no any noise and vibration because of the 3HD system and unique drawing locking system.
- Separable sight pin make easy when move

SIZE Extention 9 inches
RH/LH

**SG02 | SCORPION SIGHT**

SIZE Extention 9.5"
RH/LH
Material: Aluminum

SG04 BLACK SHARK SIGHT

SIZE Extention 6"
RH/LH
Material: Polypropile

**FV100 | FV-100 CARBON SIGHT**


- There is no any noise and vibration because of the 3HD system and unique drawing locking system.

SIZE Extention 9 inches
RH/LH


**SG01 FALCON SIGHT**

SIZE Extention 4"
RH/LH
Material: Polypropile

UPGRADE
SGP01 | COLOR SIGHT PIN(ROUND)



UPGRADE
SGP02 | COLOR SIGHT PIN(SQUARE)

**SIGHT CASE****SGC02 | A+ Style**

Size : 12.3"X8"X2.5"

**SGC04 C Style**

SM740 | CUSHION PLUNGER

Internal design of the micro adjusting device and aeromechanical design which minimizes the effect of the wind
The smooth and simple and easy control system



Thread : 5/16"- 24
Adjustable Length : min 19.5mm, max 26.5mm



SM540 | CUSHION PLUNGER

Minimizes the gap by removing movement which is unnecessary for the pressure point.

Thread : 5/16"- 24
Adjustable Length : min 19.5mm, max 26.5mm



LEOC001 LEO CUSHION PLUNGER

COLOR
Black Silver



TCS001 | TC REST

Height adjustable high-end stainless steel rest.



MRS001 | MR REST

Stainless steel ensured durability while reducing friction.

NEW BRS001 | BUTTERFLY REST



Finger Tab

NEW
SAKER⁺ EP®



SFT04A | Saker⁺ Plus finger tab.


- > **Weight control system**
- > **Angle adjustment system**

Saker⁺ Plus finger tab has 6mm of thickness and added ① weight control and ② angle adjustment system by using of precisely machining aluminum plate.

Saker⁺ Plus finger tab can be adjusted depending on individual characteristics and allows more stable hooking position and it makes possible to shoot perfectly in any competition.

And also, it is very easy to cover the special parts for the thumb and little finger. We have considered only shooter's convenience and individual characteristics always.

Saker⁺ Plus finger tab's spacer is designed for the bending of the shaping as well it looks like the elephant-shape and makes comfortable for shooters.



Fivics is using high quality cordovan leathers only which is provided by H company with one hundred years history in U.S.A

Angle adjustment system



EP : Published on WA's rule book!!

Like an elephant's movement and weight, Fivics's EP is applied their magnificent appearance. Since Saker tap's EP was approved by WA, 2012, EP system has published on WA's rule book in 2014. Fivic has been continually studying and developing archery goods just for shooter's higher score only.

Weight control system



Cover the special parts for the thumb and little finger



POLITE SERIES



reddot award 2014
winner



1. The most excellent quality finger tab in the world.
2. Emphasizes the sense of unity in your hands.
3. Absolute stability, accuracy, and sense of unity of hooking
4. 5 Distribution and support of the optimal force by using the whole fingers
5. Ergonomic 3D design
6. Aluminium & anodizing surface treatment
7. The best quality leather "G3 SYSTEM" G1- High Quality Cordovan, G2-Hyperon, G3 Cowhide leather (NEW G2 hyperon rubber is the waterproof sheet and has excellent performance for preventing slip between leathers and protecting fingers.)

POLITE 3 CARE


PFT03 POLITE 3 FINGER TAB



Human engineering

COLOR

L	M	S	XS
Blue	Red	Yellow	Purple



POLITE 2 CARE

PFT02 POLITE 2 FINGER TAB



Human engineering

COLOR

L	M	S	XS
Blue	Red	Yellow	Purple



SAKER




Ergonomic design
Adjustable ledge
Replaceable face and backing
Optional finger spacer available


CFT01A | CARBON SAKER 1

Size : XL / L / M / S / XS / XXS (RH / LH)
Leather : Cordovan



SFT01A | SAKER 1

Size : XL / L / M / S / XS / XXS (RH / LH)
Leather : Cordovan



BFT01A

RASS SAKER 1

Size : L / M / S (RH / LH)
Weight : L 162g, M 152g, S 144g
Leather : Cordovan



CFT02A

CARBON SAKER 2

Size : XL / L / M / S / XS / XXS (RH / LH)
Leather : Cordovan



SFT02A | SAKER 2

Size : XL / L / M / S / XS / XXS (RH / LH)
Leather : Cordovan



BFT02A

BRASS SAKER 2

Size : L / M / S (RH / LH)
Weight : L 150g, M 140g, S 136g
Leather : Cordovan



CFT03A

CARBON SAKER 3

Size : L / M / S (RH / LH)
Leather : Cordovan



SFT03A | SAKER 3

Size : L / M / S (RH / LH)
Leather : Cordovan



LFTCN02 | NEONINE B

Size : L / M / S (RH / LH)

Leather : Cowhide

COLOR



LFTCN01 | NEONINE A

Size : L / M / S (RH / LH)

Leather : Cowhide

COLOR



LFTC02 | CLOVER

Size : L / M / S (RH / LH)

Leather : Cowhide



LFTM01 | MAGIC

Size : L / M / S (RH / LH)

Leather : Cowhide



LFTS01 | SPORTER

Size : L / M / S (RH / LH)

Leather : Cowhide



COLOR



Dark Blue Blue Red Yellow Purple Dark Green

COLOR



Dark Blue Blue Red Yellow Purple Dark Green

COLOR



Blue Red Yellow

EP001 | SAKER 1 FINGER TAB FRAME EP

FB-EP only fit Saker 1 finger tab

It offers top shooters another value for their hooking direction, comfortable and balanced.

This component enhances the saker finger tab's Ergonomic design




Size : saker1 XL , L = EP (L size)
saker1 M , S = EP (M size)
saker1 XS , XXS = EP (S size)



WA RULES Book3, Chapter 11, Article 11.18

The Technical Committee concluded that if the bar extends to the wrist but not beyond (extends at or before the contact point between the hand and the wrist), then the extension is legal.
World Archery C&R Committee, 22 September 2014

FINGER SPACER



FS004D

Material : Rubber
Size : 39.8 x 29.3 x 16.2mm
Weight : 14g
COLOR



FS004S

Material : Rubber
Size : 32 x 28 x 12.4mm
Weight : 10g
COLOR



FS001

Material : Plastic
Size : 36 x 28.3 x 12.3mm
Weight : 8g



FS005

Material : Brass
Size : 36.3 x 27.3 x 10.2mm
Weight : 56g



NEW FS006

Material : Aluminum
Size : 40 x 29 x 10mm
Weight : 15g



FS002

Material : Rubber
Size : 37.4 x 26 x 11.5 mm
Weight : 12g





BCHD01 | AEGIS HARDCASE (RECURVE)

High quality hardcase

This model can hold up to two recurve bows and their accessories

Size : 33" X 15" X 10"

Material : ABS

Pocket : 1pcs

COLOR
 Black Silver Blue Red Pink



ECRC01
HARDCASE RAIN COVER



ECB01
HARDCASE BELT

Rain cover / Case belt included



THUNDER SERIES



BCR930D

RCD930 (DOUBLE)

BCR930S

RCS930 (SINGLE)

BCC1250D

CCD1250 (DOUBLE)

BCC1250S

CCS1250 (SINGLE)

Room for two recurve bows

Dimension : 14" X 36.5" X 12"

Room for one recurve bow

Dimension : 14" X 36.5" X 7"

Room for two compound bows

Dimension : 15" X 45" X 12"

Room for one compound bow

Dimension : 15" X 45" X 6.5"

*Recommended weight : 23kg



Pocket+Arrow tube + Rain cover included

X SERIES

TROLLEY BACKPACK

Trolley bag
Well-arranged pockets
Room for one bow and accessories



BCTX300 | X-300 TROLLEY BACKPACK

Dimension : 22"x13"x8"



BCTB01 | TRAVEL BIGBAG

It is very convenient to use it as you can pull it and carry it on your shoulders because storage space for shoes, clothes, etc. is well arranged.



BCTX500 | X-500 TROLLEY BACKPACK

Dimension : 27"x13.5"x9"



UPGRADE BCB02TM TENTRON-M BACKPACK

Size : 11.8"X 7.8"X 26.7"

Pocket : 1pcs

COLOR

Black Red Blue



- + Arrow tube
- + Equipment case
- + Riser & Limbs case included
- + Rain Cover



BCB01CS CO-STAR BACKPACK

Size : 11.8"X 7.8"X 26.7"
Pocket : 1pcs

COLOR

Black Red Blue



- + Arrow tube
- + Equipment case
- + Riser & Limbs case included



UPGRADE BCB1400S TENTRON-K100 BACKPACK

COLOR

Black Red Blue Gray



- + Arrow tube
- + Riser & Limbs case included



UPGRADE BCB1600S TENTRON-K200 BACKPACK

COLOR

Black Pink Navy Blue Gray



- + Arrow tube
- + Riser & Limbs case included
- + Rain Cover

V-STORM SERIES



BCG980 | G980

Size : 38" Pocket : 2pcs



BCG1200 | G1200

Size : 47" Pocket : 2pcs



BCC38S | V-STORM CC (38")



BCC47B | V-STORM CC (47")

NEW
BCC47BC | V-STORM BC (47")NEW
BCC38SC | V-STORM SC (38")

BCR500B | V-STORM RC500

Size : 36" Pocket : 2pcs



BCR300S | V-STORM RC300

Size : 36"

BACKPACK & BAG

UPGRADE
BCB05TJ | TENTRON-JNEW
BCS05UR1 | UNITON-R1UPGRADE
BCBG30 | G30NEW
BCS05UR2 | UNITON-R2UPGRADE
BCS04UM | UNITON-MNEW
BCS06UG | UNITON-G



EC03 | TOOL BOX



EC02 | EQUIPMENT CASE

Size : 15.5" X 9"



COLOR

Black Blue Red

BC3L01 | 3 LEVELS FOLDING CASE

COLOR

Black Blue Red



RFC01 | RISER FOAM CASE

Interior padding



UPGRADE
RFC02 | RISER CASE

Air mesh



LFC01 | LIMBS FOAM CASE

Interior padding



UPGRADE
LFC02 | LIMBS CASE

Air mesh



EC04 | FIVICS ARROW TUBE



EC05 | ARROW TUBE



RLC01 | RISER & LIMBS CASE



UPGRADE QV01UNT | UNICO

Artificial leather provide you with elegance.

Size : L / S
Weight: 418g
RH / LH



NEW QV01UNB | UNICO BACK

Artificial leather provide you with elegance.

Weight: 418g
RH / LH

COLOR
Navy Beige Red

QV02AT ACCENDO TOURNAMENT

Light weight (630g)
Large pocket for accessories

Size : 14.9"(width) x 19.2 (height)
x 2.95 (thickness)

Weight: 630g
RH / LH



QV02AB ACCENDO BACK

Light weight (260g)
Large pocket for accessories

RH / LH

Black Blue Red Green Pink



QV04XK XK

Colorful design
Artificial leather
RH / LH



QV06M5 MIRACLE 500

Double pocket system
RH / LH

COLOR
Black Silver Blue Red Orange



QV05NU NURI

Multi pocket system
RH / LH



QV07M3 MIRACLE 300

Multiple fasionable colors
RH / LH



QV08FR FREENIC PLUS

Simple and durable

RH / LH

Black Silver Elite
Red Orange



QV09M5 METEOR 500

QUIVER

Simple and light
3 tube design

RH / LH



QV09M3 METEOR 300

QUIVER

Bright color
2 tube design

RH / LH





UPGRADE
QV13GL | G009
HUNTING QUIVER

Real hunting
Real Camo



UPGRADE
QV13GS | G007
HUNTING QUIVER

Real hunting
Real Camo



NEW
QV14GL | G010
HUNTING QUIVER

Simple and light
3 tube design

RH / LH



NEW
QV14GS | G008
HUNTING QUIVER

Simple and light
2 tube design

RH / LH



HPTK2
TK2 HAND POCKET



HPTK3
TK3 HAND POCKET



HPTK3N
NATIONAL HAND POCKET



HPG5
G5 HAND POCKET



AC19EH
HK HOLDER



NEW
CG02BP | BAND PLUS

Hard mesh provide you with freshness in shooting.

Band system

Moving free

SIZE : XL, L, M, S, XS RH / LH



CG02BD | BAND

Band system
Moving free

SIZE : XL, L, M, S, XS RH / LH



UPGRADE
CG001A2 | A2

adjust a shoulder band

The button system to adjust sides

SIZE : XL, L, M, S, XS
RH / LH

COLOR



UPGRADE
CG01C | C TYPE

SIZE : XL, L, M, S, XS
RH / LH



CG01SP | SHELTER PLUS

CG01SPN | SHELTER PLUS NATIONAL

Soft touch

SIZE : XL, L, M, S, XS
RH / LH



AVAILABLE FOR ANY COUNTRIES

AMH01 | HARNESS JELL



White Blue Green Yellow Red Pink Purple

AMR01 | RAINBOW SHIELD



COLOR



UPGRADE
SUPERKING



AMS01L



Leather

Realtree Camo



AMS01M



AMS01MS



AMS01S

AMS01 | SPIDERMAN



**STG001 | GABO**

BOW STAND

Height: 44cm
Material: Aluminum

COLOR

Blcak

**ST001S | AUTOMATIC (SHORT)****ST001L | AUTOMATIC (LONG)**

BOW STAND

Height: 44cm [ST001S], 65cm [ST001L]
Weight: 573g [ST001S], 680g [ST001L]
Material: Aluminum


COLOR

Silver

**STC001 | COMPOUND**

BOW STAND

Weight: 94g
Material: Plastic

**SRF001 | FAST FLIGHT STRING | 64", 66", 68" or 70" / 14,16,18 Strands****SR8125 | 8125 STRING | 64", 66", 68" or 70" / 14,16,18 Strands****SRD01L | DACRON STRINGS 10/12****SRD01H | DACRON STRINGS 14/16**

48", 54", 58", 60", 62", 64", 66", 68" or 70"

10,12,14,16 Strands

**SRS01 | STRAFE BOWSTRING**

Recommended strands: 22 / 24
Approx ft / lb waxed: 8800
Speed size: 1lb

ZEILO Components



ZL002SP ZEILO TARGET POINTS



ZT001 ZEILO TARGET INSERT



NC001L FIVICS Pin Nock


Shaft Size	Qty	ShWeight (Grain)	Spine	Recommended Point Weight Range
500	12 pack	9.22	500	110g / 120g
600	12 pack	8.76	600	110g / 120g
700	12 pack	8.18	700	110g / 120g
800	12 pack	7.61	800	110g / 120g
900	12 pack	7.26	900	110g / 120g
1000	12 pack	6.97	1000	110g / 120g
1100	12 pack	6.72	1100	110g / 120g
1200	12 pack	5.59	1200	110g / 120g
1300	12 pack	6.54	1300	110g / 120g
1400	12 pack	6.26	1400	110g / 120g
1500	12 pack	6.07	1500	110g / 120g



ZL001 | ZEILO (Intermediate)

ZEILO is the target arrow for youths. NEW

A cross weave of pure carbon layer gives it's unequaled strength, even on lightweight pure carbon arrows. This cross-woven method of construction is proven to deliver exceptional strength without adding weight.



- Advanced Technology, Extreme Accuracy.
- Straightness: ± 0.002".
- Weight tolerance: ± 1.0 grains.
- Spine selection tolerance: ± 0.0025".

MACH3 Components



MACH TARGET POINTS



1.65" Vane



In Nock

Shaft Size	Qty	Stock Length inch	Spine	Point Weight
400	12 pack	33"	500	70-80g
500	12 pack	33"	500	70-80g
600	12 pack	33"	600	70-80g
700	12 pack	33"	700	70-80g
800	12 pack	33"	800	70-80g
900	12 pack	33"	900	70-80g
1000	12 pack	30"	1000	70-80g
1100	12 pack	30"	1100	70-80g
1300	12 pack	30"	1300	70-80g
1500	12 pack	30"	1500	70-80g
1800	12 pack	30"	1800	70-80g



Zeilo Selection Guide Adjusted Bow Draw Weight

Bow Draw Weight	23"	24"	25"	26"	27"	28"	29"	30"	31"	32"	33"
20~ lbs.	1500	1500	1500	1400	1300	1200	1100	1000	900	900	800
22~ lbs.	1500	1500	1400	1300	1200	1100	1000	900	900	800	800
24~ lbs.	1500	1400	1300	1200	1100	1000	900	900	800	800	700
26~ lbs.	1400	1300	1200	1100	1000	900	900	800	800	700	700
28~ lbs.	1300	1200	1100	1000	900	900	800	800	700	700	600
30~ lbs.	1200	1100	1000	900	900	800	800	700	700	600	600
32~ lbs.	1100	1000	900	900	800	800	700	700	600	600	500
34~ lbs.	1000	900	900	800	800	700	700	600	600	500	500
36~ lbs.	900	900	800	800	700	700	600	600	500	500	500
38~ lbs.	900	800	800	700	700	600	600	500	500	500	500
40~ lbs.	800	800	700	700	600	600	500	500	500	500	500
42~ lbs.	800	700	700	600	600	500	500	500	500	500	500
44~ lbs.	700	700	600	600	500	500	500	500	500	500	500
46~ lbs.	700	600	600	500	500	500	500	500	500	500	500
48~ lbs.	600	600	500	500	500	500	500	500	500	500	500
50~ lbs.	600	500	500	500	500	500	500	500	500	500	500
52~ lbs.	500	500	500	500	500	500	500	500	500	500	500
54~ lbs.	500	500	500	500	500	500	500	500	500	500	500
56~ lbs.	500	500	500	500	500	500	500	500	500	500	500

NC001S | FIVICS Pin Nock(S) NC001L | FIVICS Pin Nock(L)

This universal pin nock fits all standard pin nock adapters.
It is made from a durable polycarbonate material that performs shot after shot.

Size: S / L

Color:



Available in two size:
#1 fits 12-18 strand strings
#2 fits 20-24 strand strings

FIVICS ARCHERY GLUE



AC28HM FIVICS HOT MELT



AC01F | EZ FLETCHER

EZ Fletcher is designed for putting vanes on a shaft very easily.

- automatic shaft holding system,
- angle control system
- magnetic system
- detailed adjustment system



AC06SC GRAIN SCALE

LCD digital screen display
15 grain accuracy
Weights- Grains, Grams

Model : 60200
Description : Electric scale
Inner pack : 3
Case pack : 12





AC05CT | CARBON T-GAUGE BOW SQUARE

Material : Carbon



AC05AT | AQ T-GAUGE BOW SQUARE

Material : Aluminum

Black Silver Blue Red

COLOR

Black Silver Blue Red

AC21WS | HEX-i WRENCH

Material : Aluminum

Spec : 1/16 5/64 3/32 7/64 1/8 9/64 5/32 3/16 -1.0 +PHO
Inche



AC23PU | FIVICS PULL



COLOR
Black Blue Red Green

AC23SL | SLING




NEW AC29CS | COMPOUND SLING



Strap Color
Red Blue Black

AC24STF FIVICS STRINGER



AC24STS STRINGER



AC02AS | ARM SUPPORTER

Arm Supporter helps to deliver Strength to back of the arm and to prevent using fingers when beginners Shoot.

Size : S / M / L



UPGRADE AC20LP | LIMB PROTECTER

The device to protect the tip part and your feet when setting up bows.



Size : 56X97 mm

Material : Enamel, Rubber



**NEW
CLOTHES**

Size : XS / S / M / L / XL / XXL



AC29PSRD



AC29PSGY



AC29PSBL

CAP



AC11CA



AC12CA



AC13CA



AC14CA



AC15CA



AC16CA

AC17SO | FIVICS LOGO SOCKS(3PAIR=1SET)



AC18SO | FIVICS LOGO SOCKS(4PAIR=1SET)



**AC26CS
COOL ARM SLEEVE**



AC25UMBL | UMBRELLA

length : 1m
opened size : 1m 60cm



**NEW
AC25UMBS | MINI UMBRELLA**

length : 55cm
opened size : 1m 10cm



**AC26US | TARGET USB (8GB)
AC27US | TARGET USB (16GB)**



STRETCH BAND

Size : 20m X 15cm X 0.2mm

KB01A | KIDS BOW SET



- BOW - 1EA
- QUIVER - 1EA
- SAFETY ARROW - 5EA
- MAGNETIC DART - 6EA
- TARGET BOARD 430mm - 1EA

PHONE RING






**Perfect
Target Face**

OUTDOOR TARGET FACE



PT001 OUTDOOR 122cm Target Face
Range : 90m / 70m / 60m
Mark dimension : 122cm X 122cm
Total dimension : 125cm X 125cm (width/length)



PT005 OUTDOOR 40cm-5ring Target Face
Range : 30m / 20m
Mark dimension : 40cm X 40cm
Total dimension : 43cm X 43cm (width/length)




PT007A OUTDOOR 48cm-6ring Target Face
Range : 50m
Mark dimension : 48cm X 48cm
Total dimension : 51cm X 51cm (width/length)



PT002 OUTDOOR 80cm Target Face
Range : 50m / 30m
Mark dimension : 80cm X 80cm
Total dimension : 83cm X 83cm (width/length)




PT006 OUTDOOR(3X40W) Triangular Target face(5Line)
Range : 30m / 20m
Mark dimension : (40cm-Center X 3Target)
Total dimension : 85cm X 85cm (width/length)




PT007A3 OUTDOOR(3X48W) Triangular Target face(6Line)
Range : 50m
Mark dimension : (48cm-Center X 3Target)
Total dimension : 99cm X 98.5cm (width/length)



PT003 OUTDOOR 60cm Target Face
Range : 25m
Mark dimension : 60cm X 60cm
Total dimension : 63cm X 63cm (width/length)



PT007 OUTDOOR(4X40W) Target face(5Line)
Range : 30m / 20m
Mark dimension : (40cm-Center X 4Target)
Total dimension : 93cm X 85cm (width/length)



PT007A4 OUTDOOR(4X48W) Triangular Target face(6Line)
Range : 50m
Mark dimension : (48cm-Center X 4Target)
Total dimension : 102cm X 105cm (width/length)



PT004 OUTDOOR 40cm Target Face
Range : 18m
Mark dimension : 40cm X 40cm
Total dimension : 43cm X 43cm (width/length)

OUT/INDOOR TARGET FACE




Official World Archery Target Face
World Archery Target License #9

Waterproof

**ASIA FIRST WA TARGET FACE
LICENSED MANUFACTURER**

INDOOR TARGET FACE




PT008 INDOOR 20cm(3X20W)
Target Face(18m)
Range :18m
Mark dimension :20cm X 3Target
Total dimension :23cm X 67cm (width/length)



PT009 INDOOR (4X40cm) Single Target Face
Range:18m
Mark dimension :40cm X 4Target
Total dimension : 93cm X 85cm (width/length)



PT011 INDOOR 20cm Triangular Triple Target Face
Range :18m
Mark dimension :20cm X 3 X 12Target
Total dimension : 97cm X 85cm (width/length)



PT010 INDOOR 12cm(3X20W) Target Face(18m)
Range :18m
Mark dimension :20cm X 12Target
Total dimension :103cm X 67cm (width/length)


TRAINING TARGET FACE




PT012 TRAINING 80cm-CenterSpot Target Face(8Line)
Range :50m/30m/20m
Mark dimension :24cm X 24cm
Total dimension :32cm X 32cm(width/length)



PT013 TRAINING 122cm-CenterSpot Target Face(7Line)
Range :90m/70m/60m
Mark dimension :48.8cm X 48.8cm
Total dimension :61cm X 61cm(width/length)



PT020 TRAINING Target Face
Mark dimension :52mm X 52mm
Total dimension :282mm X 238mm(width/length)



PT021 TRAINING Target Face
Mark dimension :48mm X 48mm
Total dimension :250mm X 231mm(width/length)

FIELD TARGET FACE



PT014 FIELD 80cm Target Face
Mark dimension :80cm X 80cm Target
Total dimension :83cm X 83cm(width/length)




PT015 FIELD 60cm Target Face
Mark dimension :60cm X 60cm Target
Total dimension :63cm X 63cm(width/length)



PT016 FIELD 40cm(4X40W) Target Face
Mark dimension :40cm X 40cm
Total dimension :93cm X 85cm(width/length)

ACADEMIC TARGET FACE



PT017 OUTDOOR Target Face
Range :70m
Mark dimension :97.2cm X 97.2cm
Total dimension :103cm X 103cm(width/length)

STICKER TARGET FACE



PT018 Sticker Target Face
Range :90m / 70m / 60m
Mark dimension :15.8cm X 15.8cm



PT019 Sticker Target Face
Range :50m / 30m
Mark dimension :24.3cm X 24.3cm

PAG001 | PERFECT SCORE SHEET



Name : Perfect score sheet
Total dimension : A4(21 X 29.7)
Applicable under any weather condition
Ink not smudged



ASIA FIRST WA TARGET FACE
LICENSED MANUFACTURER

PLATINA RISER

LENGTHS	WEIGHT	MATERIAL	TYPE	COLOR (Hard Anodizing)
25"	1,320g	Aluminum(6061), BTR300 Rubber	RH / LH	BLACK, BLUE, KHAKI, GRAY, RED
27"	1,365g			

HYDRO RISER

LENGTHS	WEIGHT	MATERIAL	TYPE	COLOR (Anodizing)
25"	1,290g	Aluminum(6061), BTR300 Rubber	RH / LH	BLACK, BLUE, RED, PINK, YELLOW, GREEN

SRV RISER

LENGTHS	WEIGHT	MATERIAL	TYPE	COLOR (Painted)
23"	1,220g	Aluminum(6061)	RH / LH	BLACK, BLUE, RED, YELLOW, GREEN, PINK, WHITE
25"	1,280g			

FX1 RISER

LENGTHS	WEIGHT	MATERIAL	TYPE	COLOR (Painted)
25"	1,310g	Aluminum(7075)	RH / LH	BLACK, BLUE, RED, YELLOW, GREEN, PINK, WHITE



FIVICS BOW SPECS

MERIDIAN FX1 LIMBS

MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
Hard Maple / Cross Carbon	28# ~ 48#	66", 68", 70"

MERIDIAN RX1 LIMBS

MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
Foam / Cross Carbon	28# ~ 48#	66", 68", 70"

PEGASUS LIMBS

MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
Wood / UD Carbon	28# ~ 48#	66", 68", 70"

