



FEATURES

4-5

Take a look at Bohning's new Premium Points and see how they can improve your accuracy.



32-33

Up your game with Bohning's hunting quivers and arrow components.




40-41

Stand out from the crowd with our traditional archery products.

WHAT'S INSIDE

Premium Points	6-7
String Care	8-9
Adhesives	10-11
Vanes	12-19
Nocks	22-25
Wraps	26-29
Fletching Jigs	30-31
Hunting Quivers	34
Crossbow	35
Accessories	36-37
Cases and Quivers	38-39
Traditional Archery	42-43
Snapfit	44

NOCK & WRAP SELECTION



BEMAN®

	Wrap	Nock	Tower Jig Post	Tower Jig Ring
Bone Collector	Small	A Nock	A Nock	Small
Bone Collector Jr	Small	HE Nock	HE Nock	Small
Carbon Diva	Large	Blazer/Signature	Standard	Large
Carbon Flash	Small	N/A	N/A	N/A
Centershot	Small	HE Nock	HE Nock	Small
Dead Ringer	Large	Blazer/Signature/F	Standard	Large
ICS Bowhunter	Standard	Blazer/Signature/F	Standard	Small
ICS Bowhunter Jr	Standard	Blazer/Signature	Standard	Small
ICS Crossbow Hunter	Large	Half Moon or Flat	Crossbow	Large
ICS Hunter	Standard	Blazer/Signature/F	Standard	Small
ICS Hunter Patriot	Standard	Blazer/Signature/F	Standard	Small
ICS Hunter Pro	Standard	Blazer/Signature	Standard	Small
ICS Hunter Lost Camo	Standard	Blazer/Signature	Standard	Small
MFX	Small	A Nock	A Nock	Small
Nightfall	Small	A Nock	A Nock	Small
Pork Chop	Large	HE Nock	HE Nock	Large
Pork Chop Crossbow	Large	Half Moon or Flat	Crossbow	Large
Spe3d	Standard	Blazer/Signature/F	Standard	Small

BLOODSPORT™

	Wrap	Nock	Tower Jig Post	Tower Jig Ring
Apocalypse	Standard	Blazer/Signature	Standard	Small
Athena	Standard	Blazer/Signature	Standard	Small
Bloodsport 1	Small	F/Pin	F Nock	Small
Blood Sport 2	Standard	Blazer/Signature	Standard	Small
BS Three	XL	Pin or N/A	Pin Nock	XL
BS Four	XL	Pin or N/A	Pin Nock	XL
FPS Hunter	Standard	Blazer/Signature	Standard	Small
Impact Hunter	Small	F/Pin	F Nock	Small
Judgment	Standard	Blazer/Signature	Standard	Small
Punisher	Standard	Blazer/Signature	Standard	Small

BLACK EAGLE®

	Wrap	Nock	Tower Jig Post	Tower Jig Ring
Carnivore	Standard	Blazer/Signature	Standard	Small
Challenger	Large	Blazer/Signature/F/Pin (bushing)	Standard/F	Large
Deep Impact	Small	F Nock	F Nock	Small
Executioner	Large	.303 Half Moon or Flat	Crossbow	Large
Magnum	XL	Blazer/Signature/F/Pin (bushing)	Standard/F	XL
Outlaw	Standard	Blazer/Signature	Standard	Small
Outlaw Pink Crested Edition	Standard	Blazer/Signature	Standard	Small
Rampage	Small	A Nock	A Nock	Small
Renegade	Small	A Nock	A Nock	Small
Spartan	Standard	A Nock	Standard	Small
X-Bow	Large	.303 Half Moon or Flat	Crossbow	Large
X-Impact	XS	F Nock	F Nock	Small
Zombie Slayer	Standard	Blazer/Signature	Standard	Small
Zombie X-Bow	Large	.303 Half Moon or Flat	Crossbow	Large
PS23	Large	Blazer/Signature/F/Pin	Standard	Large

NOCK & WRAP SELECTION cont...

CARBON EXPRESS®

	Wrap	Nock	Tower Jig Post	Tower Jig Ring
Carbon Rebel	Large	Blazer/Signature	Standard	Large
Carbon Rebel Hunter	Large	Blazer/Signature	Standard	Large
CXL Pro	Large	Pin Nock	Pin Nock	Large
Flu Flu	Large	Blazer/Signature	Standard	Large
Game Slayer	Large	Blazer/Signature	Standard	Small
Heritage	Standard	Blazer/Signature	Standard	Small
Hot Pursuit	Standard	HE Nock	HE Nock	Small
Line Jammer Pro	XL	Pin Nock	Pin Nock	XL
Maxima Blu RZ	Standard	Blazer/Signature	Standard	Small
Maxima Blu RZ Select	Standard	Blazer/Signature	Standard	Small
Maxima Blue Streak	Standard	Blazer/Signature	Standard	Small
Maxima Blue Streak (Crossbolt)	Large	.2985 Half Moon or Flat	Crossbow	XL
Maxima Blue Streak Select	Standard	Blazer/Signature	Standard	Small
Maxima Hunter	Standard	Blazer/Signature	Standard	Small
Maxima Hunter (Crossbolt)	Large	.2985 Half Moon or Flat	Crossbow	Large
Maxima Mathews	Standard	Blazer/Signature	Standard	Small
Maxima Red	Standard	Blazer/Signature	Standard	Small
Mayhem	Standard	Blazer/Signature	Standard	Small
Mayhem (Crossbolt)	Large	.2985 Half Moon or Flat	Crossbow	Large
Mayhem Hot Pursuit	Standard	Blazer/Signature	Standard	Small
Mayhem Hunter	Standard	Blazer/Signature	Standard	Small
Medallion-Pro	XS	Pin Nock	Pin Nock	Small
Medallion XR	XS	Pin Nock	Pin Nock	Small
Mutiny	Standard	Blazer/Signature	Standard	Small
MutinySlasher	Standard	Blazer/Signature	Standard	Small
Nano Pro	XS	Pin Nock	Pin Nock	Small
Nano Pro Extreme	XS	Pin Nock	Pin Nock	Small
Nano SST	XS	Pin Nock	Pin Nock	Small
Nano XR	XS	Pin Nock	Pin Nock	Small
Piledriver (Crossbolt)	Large	.2985 Half Moon or Flat	Crossbow	Small
Pile Driver Extreme	Small	A Nock	A Nock	Small
Pile Driver Hunter	Standard	Blazer/Signature	Standard	Small
Predator	N/A	N/A	F Nock	Small
Predator II	N/A	N/A	F Nock	Small
Terminator XP	Large	Blazer/Signature	Standard	Large
Thunder Express Youth	Small	Blazer/Signature	Standard	Small
ThunderStorm	Standard	N/A	F Nock	Small
X-Buster	Large	Pin Nock	Pin Nock	Large
X-Jammer 27 Pro	XL	Pin Nock	Pin Nock	Small
Whitetail	Standard	Blazer/Signature	Standard	Small
Whitetail (Crossbolt)	Large	.2985 Half Moon or Flat	Crossbow	Large

GOLD TIP®

	Wrap	Nock	Tower Jig Post	Tower Jig Ring
Falcon Youth	Standard	Blazer/Signature	Standard	Small
Fiberglass Youth	Standard	Classic	N/A	Small
Hunter	Standard	Blazer/Signature/F (Bushing)	Standard	Small
Kinetic	Small	A Nock	A Nock	Small
Laser II	Large	.303 Half Moon	Crossbow	Large
Laser III	Large	.303 Half Moon	Crossbow	Large
Laser IV	Large	N/A	Crossbow	Large
Lightning Youth	Standard	Blazer/Signature	Standard	Small
Name the Game	Standard	Blazer/Signature/F (Bushing)	Standard	Small
Nine .3 Max	Large	Standard/Blazer/Pin (Bushing)	Standard/Pin	Large
Pierce	XS	Pin (Bushing)	Pin	Small
Team Primos	Standard	Blazer/Signature/F (Bushing)	Standard	Small
Ted Nugent	Standard	Blazer/Signature/F (Bushing)	Standard	Small
Traditional	Standard	Blazer/Signature/F (Bushing)	Standard	Small
Twister	Standard	A Nock	A Nock	Small
Ultralight	Standard	Blazer/Signature/F (Bushing)	Standard/F	Small
Velocity	Standard	Blazer/Signature/F (Bushing)	Standard	Small

VICTORY®

	Wrap	Nock	Tower Jig Post	Tower Jig Ring
Ares	Standard	Blazer/Signature	Standard	Small
Performance Junior	Standard	Blazer/Signature	Standard	Small
Pink Arrow Pro	Standard	Blazer/Signature	Standard	Small
Rip	Small	A Nock	A Nock	Small
Rip Camo	Small	A Nock	A Nock	Small
VAP	XS	F Nock	F Nock	Small
VAP Camo	XS	F Nock	F Nock	Small
VAP Pink	XS	F Nock	F Nock	Small
VAP VooDoo	XS	N/A	F Nock	Small
Venus	Standard	Blazer/Signature	Standard	Small
VForce	Standard	Blazer/Signature	Standard	Small
VForce Camo	Standard	Blazer/Signature	Standard	Small
VForce HV	Standard	Blazer/Signature	Standard	Small
VForce JR	XS	Blazer/Signature	Standard	Small
VForce Pink	Standard	Blazer/Signature	Standard	Small
VX23	Large	Pin Nock	Pin Nock	Large
VX25	Large	Pin Nock	Pin Nock	Large
VX27	XL	Pin Nock	Pin Nock	XL
X-Killer	XL	Pin Nock	Pin Nock	XL
Xbolt	Large	.303 Half Moon	Crossbow	Large

EASTON®

	Wrap	Nock	Tower Jig Post	Tower Jig Ring
AC Pro Field	Standard	F/Pin	F/Pin	Small
ACC	XS	F Nock	Standard	Small
ACC Pro Hunting	Small	HE Nock	HE Nock	Small
ACE	Small	F/Pin	F/Pin	Small
ACG	XS	F/Pin	F/Pin	Small
Aftermath	Small	HE Nock	HE Nock	Small
Apollo	Small	F/Pin	F/Pin	Small
Axis	Small	A Nock	A Nock	Small
BloodLine	Small	HE Nock	HE Nock	Small
BloodLine Camo	Small	HE Nock	HE Nock	Small
BloodLine Crossbow	Large	Half Moon or Flat	Crossbow	Large
Bowfire	Standard	Blazer/Signature	Standard	Small
Camo Hunter XX75	Standard	Blazer/Signature	Standard	Small
Carbon One	Small	F/Pin	F/Pin	Small
da 'Torch	Standard	Blazer/Signature/A	Standard	Small
Deep Six FMJ	Small	F Nock	F Nock	Small
Deep Six Injection	Small	F Nock	F Nock	Small
Epic	Standard	HE Nock	HE Nock	Small
Fat Boy	Large	Blazer/Signature/F (Bushing)	Standard/F	Large
F Nock	Standard	F Nock	Standard	Small
Flatline	Standard	Blazer/Signature	Standard	Small
Flatline Crossbow	Large	Half Moon or Flat	Crossbow	Large
FMJ	Small	A Nock	A Nock	Small
FMJ Crossbow	Large	Half Moon or Flat	Crossbow	
FMJ Dangerous Game	Small	A Nock	A Nock	Small
Full Bore	XL	Blazer/Signature/F (Bushing)	Standard/F	Small
Gamegetter	Standard	Blazer/Signature (Bushing)	Standard	Small

EASTON® CONT...

	Wrap	Nock	Tower Jig Post	Tower Jig Ring
H Nock	Standard	HE Nock	HE Nock	Small
Hexx	Small	HE Nock	HE Nock	Small
ION	Small	HE Nock	HE Nock	Small
Legacy	Standard	Legend	Swedge	Small
Light Speed 3D	Standard	F Nock	Standard	Small
Neos	Small	Legend	Swedge	Small
Nemesis	Small	HE Nock	HE Nock	Small
Realtree	Small	A Nock	A Nock	Small
SuperDrive 23	Large	Blazer/Signature	Standard/F/Pin	Large
SuperDrive 25	XL	Blazer/Signature	Standard/F/Pin	XL
Traditional	Small	A Nock	A Nock	Small
Under Armour Axis	Small	HE Nock	HE Nock	Small
X7 Eclipse	Large/XL	Blazer/Signature/F (Bushing)	Standard/F	Large/XL
X10	XS	Pin Nock	Pin Nock	Small
X10 Protour	XS	Pin Nock	Pin Nock	Small
X23 Shafts	Large	Blazer/Signature/F (Bushing)	Standard/F	Large
X27 Shafts	XL	Blazer/Signature/F (Bushing)	Standard/F	XL
XX75 Genesis	Standard	F/ Legend	Standard/F	Small
XX75 Jazz	XS	Legend	Swedge	Small
XX75 Magnum X Bow	Large	Half Moon or Flat	Crossbow	Large
XX75 Platinum Plus	Large	Blazer/Signature/F	Standard	Large
XX75 Tribute	Standard	Legend	Swedge	Small
23/64	Large	Blazer/Signature/F (Bushing)	Standard/F	Small
27/64	XL	Blazer/Signature/F (Bushing)	Standard/F	XL

KILL'N STIX™

	Wrap	Nock	Tower Jig Post	Tower Jig Ring
Hawkeye	Standard	Blazer/Signature	Standard	Small
Original	Standard	Blazer/Signature	Standard	Small
Ventilator	Small	A Nock	A Nock	Small
Micro Ventilator	Small	F Nock	F Nock	Small
Micro Ventilator LT	Small	F Nock	F Nock	Small
Tournament	Large	Blazer/Signature or F or Pin (bushing)	Standard, F Nock or Pin	Large
Tournament XL	XL	Blazer/Signature or F or Pin (bushing)	Standard, F Nock or Pin	Large
Karnage	Large	.303 Half Moon or flat	Crossbow	Large

COMPETITION LEGAL

Our large diameter points are guaranteed to be legal for competition in NFAA and World Archery events.

INDUSTRY LEADING TOLERANCES

Every point we manufacture is guaranteed to be within +/- 0.5 grains of the specified weight, regardless of profile or style.

PREMIUM POINTS

The key to building accurate arrows is using consistent components to ensure repeatability, so why cut corners when it comes to your points? We took our time to get these right—during every step of the process. When we set out to produce the finest points available, we stayed true to using quality materials and only accepting the tightest tolerances on the market. What does that mean for you? It means your first shot will fly just like your last.



MACHINED
IN-HOUSE

We proudly machine our points in Lake City, Michigan, using the highest quality stainless steel for a durable, rust-free finish.

(SCREW-IN) FIELD POINTS

Our new line of premium field points was designed with the most demanding shooters in mind. Every detail has been engineered to give you the best fit and performance available in the archery industry. The design features an oversized contour that is slightly larger than the shaft for added protection during target entry, while 1/64" size increments result in a flush fit between shaft and point for smooth arrow removal. Each point size and weight has a unique profile to achieve superior aerodynamic flight. Critical tolerances are held to the highest standards to ensure maximum consistency and concentricity—in other words, our points spin and fly true.

	85 gr	100 gr	125 gr
17/64"	•	•	•
9/32"	•	•	•
19/64"	•	•	•
5/16"	•	•	•
21/64"	•	•	•
11/32"	•	•	•

100 gr version shown above

Available in 6 pack, 12 pack, 120 pack, 1,200 pack. **PLEASE SPECIFY PACK SIZE WHEN ORDERING**

17/64" 85 gr

851009

17/64" 100 gr

851010

17/64" 125 gr

851011

9/32" 85 gr

851012

9/32" 100 gr

851013

9/32" 125 gr

851014

19/64" 85 gr

851015

19/64" 100 gr

851016

19/64" 125 gr

851017

5/16" 85 gr

851018

5/16" 100 gr

851019

5/16" 125 gr

851020

21/64" 100 gr

851021

21/64" 125 gr

851022

11/32" 100 gr

851023

11/32" 125 gr

851024



(GLUE-IN)

LARGE DIAMETER PIN POINTS

Our new 27 and 23 diameter pin points are manufactured to be extremely consistent from point to point. Every point is guaranteed to pass the test for legal use in NFAA and World Archery events with an impressive weight tolerance of only +/- 0.5 grains. The max OD of our large diameter pins pushes the limits of line cutting performance, but will always be legal for competition.

EASTON® X27

**2712 200 gr****851007** – 12 pack**2712 300 gr****851008** – 12 pack

EASTON® X23

**2312 150 gr****851001** – 12 pack**2312 200 gr****851002** – 12 pack**2314 150 gr****851003** – 12 pack**2314 200 gr****851004** – 12 pack**2315 150 gr****851005** – 12 pack**2315 200 gr****851006** – 12 pack**2318 150 gr****851028** – 12 pack**2318 200 gr****851029** – 12 pack

SCREW-IN POINT FIT GUIDE

To identify the best fitting screw-in point for any arrow, place the point end of the shaft, outsert, or insert along the top horizontal edge of the grey boxes below. The height of the box (from top edge to bottom edge) represents the true diameter of the specified point size. Identify the correct point size by finding the box height that most closely matches your shaft/component.



OVERSIZED POINT

The point size is too large for the shaft/component—test the next smaller size



UNDERSIZED POINT

The point size is too small for the shaft/component—test the next larger size



FLUSH FIT

This is a perfect fit between point and shaft/component

PLACE YOUR SHAFT HERE	17/64"
	9/32"
	19/64"
	5/16"
	21/64"
	11/32"

(GLUE-IN)

SMALL DIAMETER BREAK-OFF PARABOLIC POINTS

The new .166" style break-off points feature two detachable 10 grain weight sections to find your arrow's tuning sweet spot. Bohning recommends the use of smooth jaw pliers for removing weight sections to minimize marring of the shank. A tight fit along the full length of the point shank ensures great alignment while evenly spaced grooves hold the appropriate amount of adhesive needed to keep your point securely in place.

.166" BREAK-OFF 100-110-120 gr



TYPE I

- For shafts up to .218" OD
- 851025** – 12 pack

TYPE II

- For shafts .219" - .228" OD
- 851026** – 12 pack

TYPE III

- For shafts .229" + OD
- 851027** – 12 pack



WAXES



TEX-TITE

- Natural-based bowstring wax
- Waterproof

1306 – 28 gram tube
1630 – 24 tubes
32001 – 250 tubes
3200 – 500 tubes
1306Box – 40 gram box
1630Box – 24 boxes
32001Box – 250 boxes
3200Box – 500 boxes



SEAL-TITE

- Silicone-based bowstring wax
- Odorless & waterproof

1360 – 28 gram tube
1631 – 24 tubes
35001 – 250 tubes
3500 – 500 tubes
1360Box – 40 gram box
1631Box – 24 boxes
35001Box – 250 boxes
3500Box – 500 boxes



GRIT-GUARD

- Non-tacky bowstring wax formula prevents dirt from collecting on strings
- Odorless & waterproof
- Premium conditioners

301026 – 40 gram box



XCCELERATOR WAX®

- Softens at a low temperature
- Odorless & waterproof
- Fast saturation
- Reduces friction on slides, wheels & rollers

1365 – 6 gram tube
1634 – 16 tubes



STRING SHIELD™

- Silicone-based liquid wax
- Sponge-top applicator
- Odorless & waterproof

301019 – 1/4 oz. (7.4 ml)

FOR REPLACEMENT PARTS

Visit www.bohning.com

SERVERS



SERVING KIT

- Everything needed to center serve bowstrings
- Includes cable spreader, string separator, serving tool with .020" Polygrip thread & Xcelerator Wax
- Includes step-by-step instructional DVD

1295 – Kit
1601 – String Separator only
1525 – Cable Spreader only

MINI-SERVER

- Great for travel & quick fixes
- Eliminates the need for a cable spreader
- 2.06" x 1.4" x .875" (52.4 x 35.6 x 22.2 mm)
- Contains 27' (8.2 m) of #62XS .021" serving in black & white

801017



SERVE-TITE

- Adjustable tension & smooth thread flow
- 2.25" x 1" x 2.5" (57.2 x 25.4 x 63.5 mm)
- Fits standard serving spool
- Contains 75 yards (68.6m)

16240 – Serve-Tite w/
Polygrip .020"
16150 – Tool Only

#62 XS SERVING THREAD COLOR CHOICES



SERVING THREAD

**#62 XS SERVING THREAD**

- 20% stronger than regular serving thread
- .018" contains 100 yards (91.4 m)
- .021" contains 75 yards (68.6 m)

801001 - .021"
801010 - .018"

#62 BRAID SERVING THREAD

- Braided for superior grip & durability
- .018" contains 100 yards (91.4 m)
- .021" contains 75 yards (68.6 m)
- .025" contains 60 yards (54.9 m)

1626 - .021"
1627 - .025"

POLYGRIP

- Superior grip
- 100% polyester
- .020" contains 75 yards (68.6 m)

1624

NYLON SERVING THREAD


- Traditional nylon serving thread
- Use for end serving, peeps & nocks
- .018" contains 100 yards (91.4 m)

1616

CROSSBOW SERVING THREAD

- Designed for high performance crossbow strings
- .030" contains 45 yards (41.1 m)

801011BK

**LOOP ROPE**

- 2.0 mm BCY #24 polyester D-loop rope

801002 - 39" (1m)
801003 - 100 ft (30.5m)

BOHNING TECH TIP

To maximize string life, apply string wax frequently (approximately every 200 shots)

ADHESIVES



FLETCH-TITE™ PLATINUM

- Solvent-based glue designed for vanes, feathers & swaged nocks
- Works on carbon, aluminum, wood, fiberglass, wraps and painted shafts
- Clamp time 5 minutes, cure time 48 hours
- Flexible & durable

1301 – 3/4 oz. Tube

1356 – Pint

1357 – Quart

301040 – 40 pk

301030 – 200 Tubes 3/4 oz.

***301040EQ** – 40 pk

***301030EQ** – 200 pk

*Packed to meet "Excepted Quantities" International ocean and air transportation requirements in order to reduce dangerous goods fees



WARNING: This product can expose you to chemicals including Methyl Isobutyl Ketone which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

BLAZER® BOND

- Instant glue designed for vanes, points, inserts & swaged nocks
- Works on all shaft types
- Clamp time 20 seconds, cure time 2 hours
- Use a very thin bead for best adhesion
- Works well in humid conditions

301015 – 1/2 oz. Bottle

301016 – 1 oz. Bottle

FLETCH FUSE

- Instant glue designed for vanes, points, inserts & swaged nocks
- Works on all shaft types
- Clamp time 30 seconds, cure time 2 hours
- Budget-friendly
- Works well in humid conditions

301025 – 1/2 oz. Bottle

INSERT IRON

- Designed for points & inserts
- Works on all shaft types
- 48 hour cure time (72 hours if air is dry)

1317 – 1 oz. Bottle



DISPENSER BOTTLES


- For use with Fletch-Tite Platinum
- Reclosable 2 oz. bottle
- Regular has larger nozzle opening
- Deluxe has narrow nozzle opening

1303 – Regular

13031 – Deluxe

FOR REPLACEMENT PARTS

Visit www.bohning.com



PREMIUM FLETCHING TAPE

- Designed for feathers & mylar vanes
- Works on all shaft types
- Length 60" (152 cm), width .188" (4.8mm)
- Machine-cut without lubricant so no dead zones in the roll
- One roll fletches approximately 40 arrows

1649

FLETCHING TAPE DISPENSER

- Easily apply tape to feathers and mylar vanes
- Keeps tape free of dust and debris
- Refillable; includes 1 roll of premium fletching tape
- Heat-reversible on aluminum shafts—high temperature required
- Screw holes for easy mounting

801099

FERR-L-TITE

- Designed for points & inserts
- Recommended for wood and aluminum shafts
- Not for carbon shafts
- Heat-reversible on aluminum shafts—high temperature required
- Melting point of 350°F (176.7°C)

1309 – 12 Gram Stick

1339 – 1 lb. Brick

1633 – 16 Sticks (Bulk)

31001 – 250 Sticks (Bulk)

FERR-L-TITE COOL FLEX

- Designed for points, inserts & bushings
- Recommended for carbon, aluminum & fiberglass shafts
- Fully cured when it reaches room temperature
- Use hot water for adjustment, replacement or removal
- Melting point of 280°F (137.8°C)

1308 – 12 Gram Stick

1368 – 1 lb. Brick

13081 – 16 Sticks (Bulk)

13082 – 250 Sticks (Bulk)

ALCOHOL BURNER

- Ideal for installation of hot melt adhesives
- Fill with denatured alcohol (not included)
- Holds 4 oz.

1315



VISIT OUR YOUTUBE PAGE

To learn how to setup and use the Bohning Fletching Tape Dispenser


BOHNING ARCHERY



BLAZER® VANE

- The world's #1 vane!
- Universal vane that is great for any broadhead, crossbows & 3D archery

10831 - 36 pk
10832 - 100 pk
10833 - 1000 pk




BLAZER® X2

- Designed for 3D & field archery
- Great for small, fixed-blade broad heads & mechanical

10762 - 100 pk
10763 - 1000 pk



This is the vane that has dropped more jaws, hung more trophies, convinced more skeptics, and provided more big silly grins than all the "knock-off," "wanna-be," and "copy-cat" vanes combined! This is the vane that, hands down, outperforms them all!



BLAZER® VANE TRUE COLOR CHOICES



TRUE COLOR BLAZER® VANE


- UV-cured ink for a sharp, smudge-free look
- Same great Blazer® vane with enhanced graphics

10831 - 36 pk


10832 - 100 pk

10833 - 1000 pk

6.3 GRAINS
IN WEIGHT



MINI BLAZER® COLOR CHOICES




MINI BLAZER®

- Designed for 3D archery
- Recommended for mechanical broadheads
- Four fletch for use with fixed-blade broadheads

10842 - 100 pk

10843 - 1000 pk




4.3 GRAINS
IN WEIGHT



6 GRAINS
IN WEIGHT

HEAT VANE COLOR CHOICES



HEAT

HEAT VANE

- Low-profile vane great for any broadhead & 3D archery
- Made of stiffer material for added stability & quiet flight

101036 - 36 pk

101037 - 100 pk

101038 - 1000 pk



BRONCO VANE COLOR CHOICES



BRONCO VANE

- Recommended for hunting & indoor spot shooting
- Long profile similar to traditional feathers but with superior durability
- Available in 4" and 3"

4" Bronco

10501 - 36 pk

10502 - 100 pk

10503 - 1000 pk

3" Bronco

10771 - 36 pk

10772 - 100 pk

10773 - 1000 pk




X VANE™

- Designed for competition archery
- Options available for indoor & outdoor target, 3D & hunting
- Available in 1.5", 1.75", 2.25", 3" and 3.5"

10771 - 36 pk
10772 - 100 pk
10773 - 1000 pk

TECH TIP:

The BEST way to prep your Bohning Vanes is.....
DO NOTHING. All Bohning vanes are PRE-PRIMED for optimal adhesion. Sanding or rubbing Bohning vanes with solvents will remove this primer and decrease adhesion. Bohning primer is compatible with all known archery adhesives.



ZEN VANE COLOR CHOICES



ZEN VANE

- Designed for indoor spots
- Solves clearance issues when using large diameter shafts


101047 - 36 pk

101048 - 100 pk

101049 - 1000 pk



AIR VANE COLOR CHOICES



AIR VANE

- Designed for field & 3D archery
- Great for long distances and smaller diameter shafts
- Ideal for minimizing crosswind drift


101026 - 36 pk

101027 - 100 pk

101028 - 1000 pk



ICE VANE COLOR CHOICES



ICE


ICE VANE

- Designed for field & 3D archery


101021 - 36 pk

101022 - 100 pk

101023 - 1000 pk



IMPLUSE VANE COLOR CHOICES



pulse

IMPULSE™ VANE

- Revolutionary lightweight composite material
- Best for recurve bows
- Ideal for minimizing crosswind drift and the effects of wind gusts

101008 - 3" 40 pk

101007 - 3" 100 pk

101006 - 3" 1000 pk

101011 - 4" 40 pk

101010 - 4" 100 pk

101009 - 4" 1000 pk



BOLT VANE

- Designed specifically for crossbows to withstand higher velocity and stabilize bolts for up to 100 yards
- Made of stiffer vane material
- Prevents vane flap for smooth bolt rotation

101033 - 36 pk
101034 - 100 pk
101035 - 1000 pk



BLAZER® QUIKFLETCH®

- Easily install on shaft sizes of .219" - .375"
- Submerge into boiling water to activate
- Store in a cool place until use
- 5.25" (133.4 mm) in length, average 27 grains in weight

101001 - 6 pk
101003 - 50 pk

WHICH VANE SHOULD YOU USE?

XVANE 1.5"	MINI BLAZER 1.5"	XVANE 1.75"	BLAZER X2 1.85"	AIR 2"	BLAZER 2"	XVANE 2.25"	HEAT 2.5"	IMPULSE 3"	ICE VANE 3"	BRONCO 3"	XVANE 3"	BOLT 3.5"	XVANE 3.5"	IMPULSE 4"	BRONCO 4"	ZEN 4"
------------	------------------	-------------	-----------------	--------	-----------	-------------	-----------	------------	-------------	-----------	----------	-----------	------------	------------	-----------	--------

VANES BY SIZES

3 FLETCH CONFIGURATION

Choose the correct vane for your application

Blazer Material	Average Weight (grains)	INDOOR		OUTDOOR			HUNTING		
		Spots	Field	WA	3-D (Known Distance)	3-D (Unknown Distance)	Fixed Blade Broadhead	Mechanical Broadhead	Crossbow
X Vane® 1.5"	3.3		✓	✓	✓	✓			
Mini Blazer®	4.3	✓	✓	✓	✓	✓		✓	
X Vane® 1.75"	4.3	✓	✓	✓	✓	✓		✓	
Blazer® X2	4.8	✓	✓	✓	✓	✓	✓	✓	
Air Vane	4.5		✓	✓	✓	✓		✓	
Blazer®	6.0	✓	✓	✓	✓		✓	✓	✓
X Vane® 2.25"	5.8	✓	✓	✓	✓			✓	
Ice	6.5		✓	✓	✓			✓	
Bronco 3"	8.5	✓			✓		✓	✓	✓
X Vane® 3"	10	✓			✓		✓	✓	✓
X Vane® 3.5"	11.6	✓				✓	✓	✓	
Bronco 4"	12.5	✓				✓	✓	✓	
Zen	12.5	✓				✓	✓	✓	
Impulse Material									
Impulse™ 3" (for recurve)	4.0	✓	✓	✓	✓	✓			
Impulse™ 4" (for recurve)	5.0	✓	✓	✓	✓	✓			
Bolt Material									
Heat	6	✓	✓	✓	✓	✓	✓	✓	✓
Bolt	11.6	✓				✓	✓	✓	✓

4 FLETCH CONFIGURATION

Choose the correct vane for your application

Blazer Material	Average Weight (grains)	INDOOR		OUTDOOR			HUNTING		
		Spots	Field	WA	3-D (Known Distance)	3-D (Unknown Distance)	Fixed Blade Broadhead	Mechanical Broadhead	Crossbow
X Vane® 1.5"	3.3	✓	✓	✓	✓	✓	✓	✓	
Mini Blazer®	4.3	✓	✓	✓	✓	✓	✓	✓	✓
X Vane® 1.75"	4.3	✓	✓	✓	✓	✓	✓	✓	✓
Blazer® X2	4.8	✓	✓	✓	✓	✓	✓	✓	✓
Air Vane	4.5	✓	✓	✓	✓	✓	✓	✓	✓
Blazer®	6.0	✓				✓	✓	✓	✓
X Vane® 2.25"	5.8	✓					✓	✓	✓
Ice	6.5	✓						✓	✓
Bronco 3"	8.5	✓			✓		✓	✓	✓
X Vane® 3"	10	✓			✓		✓	✓	✓
X Vane® 3.5"	11.6	✓				✓	✓	✓	
Bronco 4"	12.5	✓				✓	✓	✓	
Zen	12.5	✓					✓	✓	✓
Impulse Material									
Impulse™ 3"	4.0								
Impulse™ 4"	5.0								
Bolt Material									
Heat	6	✓					✓	✓	✓
Bolt	11.6	✓				✓	✓	✓	✓



WRAPS

Complete your custom look with an arrow wrap. In addition to looking great, wraps enhance vane adhesion, prolong the life of your shaft by minimizing surface wear due to re-fletching and increase the spine of an arrow where compound shooters need it most.

**Purple 4" Solid Wrap Shown*

F NOCK

Our nocks are all produced at the Bohning facility, and must pass extensive tests before and after production. To test and maintain our high level of quality, randomly selected nocks must survive 1,000 shots at nearly twice the kinetic energy of most hunting bows.

**Purple F Nocks Shown*

FLETCHING JIGS

The Bohning Helix Tower Jig lays down a true 3° helical. If you haven't seen what this jig can do, check out a view from the nock end of an arrow on page 30.


X VANES

Select the vane that delivers optimal stability, speed and wind-fighting performance for your setup. Many of our vanes are available in various lengths and profiles to dial in your F.O.C. and desired velocity.

**Purple 2.25" X Vane Shield Cut Shown*

BUILDING YOUR BEST ARROW

From the local 3D course to your wilderness backpacking bowhunt, we make the components you need to get the job done right. Nasty crosswinds at long ranges? Filling the freezer with something a little harder hitting? Going slow and steady for shooting indoor spots? We have you covered. You don't settle for anything less than the best arrow flight, and neither do we. Your arrows aren't exactly like everyone else's—and that's exactly how it should be.



.120" (3.05 MM) THROAT SIZE



6.5 GRAINS IN WEIGHT

F NOCK

Fits .166" shafts

- Double-lock throat

10141 - 12 pk

10142 - 100 pk

10143 - 1000 pk

.120" (3.05 MM) THROAT SIZE



7.0 GRAINS IN WEIGHT

A NOCK

Fits .204" shafts

- Double-lock throat

- Raised index

10151 - 12 pk

10152 - 100 pk

10153 - 1000 pk

.120" (3.05 MM) THROAT SIZE



8.0 GRAINS IN WEIGHT

H.E. NOCK

Fits .231" shafts

- Double-lock throat

- Recessed index


401023 - 12 pk

401024 - 100 pk

401025 - 1000 pk



TRANSLUCENT COLOR CHOICES



F NOCK
A NOCK
H.E. NOCK
BLAZER® NOCK
SIGNATURE® NOCK
BLAZER PIN® NOCK

.120" (3.05 MM) THROAT SIZE



9.0 GRAINS IN WEIGHT

BLAZER® NOCKFits .246" shafts
(standard carbon size)

- Double-lock throat
- Raised index

1003 - 12 pk**1004** - 100 pk**1005** - 1000 pkSTANDARD .120" (3.05 MM) AND
SMALL .106" (2.69 MM)
THROAT SIZE

5.0 GRAINS IN WEIGHT

BLAZER PIN NOCK

- Available in two throat sizes:
Standard—marked with the letter "V"
Small—marked with the letter "R"
- Raised index

Standard Throat**10071** - 12 pk**10072** - 100 pk**10073** - 1000 pk**Small Throat****10161** - 12 pk**10162** - 100 pk**10163** - 1000 pk

.109" (2.77 MM) THROAT SIZE



12.0 GRAINS IN WEIGHT

SIGNATURE® NOCKFits .246" shafts
(standard carbon size)

- Smooth throat
- Raised index

1006 - 12 pk**1008** - 100 pk**1009** - 1000 pk

.120" (3.05 MM) THROAT SIZE




5.0 GRAINS IN WEIGHT

SMOOTH RELEASE PIN NOCK

- Smooth throat & short ears
- Raised index
- Marked with letter "M"

401030 - 12 pk**401031** - 100 pk**401032** - 1000 pk

SOLID CROSSBOW NOCK COLOR CHOICES



NO
Neon Orange **NY**
Neon Yellow **NG**
Neon Green **WH**
White **BK**
Black



11.0 GRAINS IN WEIGHT



9.0 GRAINS IN WEIGHT

CROSSBOW NOCKS

- Available in:
 - .2985" diameter (fits bolts with .297" ID)
 - .303" diameter (fits bolts with .300" ID)

Half Moon Nock – .2985"

401011 – 12 pk
401012 – 100 pk
401013 – 1000 pk

Flat Nock – .2985"


401001 – 12 pk
401002 – 100 pk
401003 – 1000 pk

Half Moon Nock – .303"


401008 – 12 pk
401009 – 100 pk
401010 – 1000 pk

Flat Nock – .303"


401014 – 12 pk
401015 – 100 pk
401016 – 1000 pk



SOLID T NOCK
COLOR CHOICES



TRANSLUCENT T NOCK
COLOR CHOICES



YE
Yellow **WH**
White **RS**
Rose Pink **AP**
Apricot **LM**
Lime

T NOCK

- Glue-on nock for swaged end aluminum, wood & fiberglass shafts

- Available in:

- 1/4" (Average 6.0 grains)
 - Throat size: .105" (2.67 mm)
 - Available in white 1000 pk only
- 9/32" (Average 8.0 grains)
 - Throat size: .115" (2.92 mm)
- 5/16" (Average 14.0 grains)
 - Throat size: .115" (2.92 mm)
- 11/32" (Average 15.0 grains)
 - Throat size: .105" (2.67 mm)

1054T – 12 pk

1055T – 100 pk

1056T – 1000 pk



CLASSIC NOCK

- Glue-on nock for swaged end aluminum, wood & fiberglass shafts
- Index & alignment feature
- Available in:
 - 5/16" (average 10.0 grains)
 - 11/32" (average 13.0 grains)

10132 – 100 pk

10133 – 1000 pk

LEGEND NOCK

- Glue-on nock for swaged end aluminum, wood & fiberglass shafts
- Available in:
 - 5/16" (average 11.0 grains)
 - 9/32" (average 8.0 grains)

1057 – 12 pk (LM 5/16" only)

1058 – 100 pk

1059 – 1000 pk



NOCK-OUT TOOL

- For use with Bohning Signature® nocks
- Easy removal or alignment
- Will not damage nocks

1622

HD & TIGER WRAP COLOR CHOICES



HD & TIGER WRAPS

- Indicate color code when ordering
- 13 Wraps per Pack

501001 - 4" Standard
501002 - 4" Small
501003 - 4" XS
501004 - 4" Large (WT & YT only)
501005 - 4" XL (YT only)

501041 - 7" Standard
501042 - 7" Small
501043 - 7" XS
501044 - 7" Large (WT & YT only)
501045 - 7" XL (WT & YT only)

SOLID WRAP COLOR CHOICES

WH White	REF Reflective	HP Hot Pink	PU Purple	TL Teal	NG Neon Green	NY Neon Yellow	NO Neon Orange	NG Neon Red
--------------------	--------------------------	-----------------------	---------------------	-------------------	-------------------------	--------------------------	--------------------------	-----------------------



SOLID WRAPS

- Indicate color code when ordering
- 13 wraps per pack

501031 - 4" Standard
501032 - 4" Small
501033 - 4" XS
501034 - 4" Large (WH, HP & NY only)
501035 - 4" XL (WH, HP & NY only)

501051 - 7" Standard
501052 - 7" Small
501053 - 7" XS
501054 - 7" Large (WH, HP & NY only)
501055 - 7" XL (WH, HP & NY only)




ALL ARROW WRAPS
IN PACKS
OF 13


ARROW WRAP FIT GUIDE

Place your shaft over the spots to determine which size wrap you need

PLACE YOUR SHAFT HERE




XL
26/64" to 25/64"



LARGE
24/64" to 20/64"



STANDARD
Up to 19/64"



SMALL
Up to 17/64"
XS
Up to 14/64"

WIDTH OF ARROW WRAPS

XL

1.5" (38.1 mm)

LARGE

1.375" (34.9 mm)

STANDARD

1.125" (28.6 mm)

SMALL

1" (25.4 mm)

XS

.875" (22.2 mm)



TRUE COLOR WRAP AND VANE COMBOS

- Designed to take arrow personalization to a new level with matching Blazer® vanes and wraps
- Includes:
 - 12 arrow wraps (standard size)
 - 24 True Color Blazer vanes
 - 12 white Blazer vanes

PERSONALIZE
YOUR ARROWS
WITH WRAP
AND VANE
COMBO KITS!





VISI-WRAP

- 3 sets of 12 highly reflective decal wraps
- Fits arrows up to standard diameter
- Great way to find arrows in poor lighting conditions

501018BL – Bohning Logo

501018TS – Tiger

WRAP AROUND NUMBER DECAL

- 16 sets of numbers 1-12
- Fits arrows up to standard diameter
- Excellent way to identify the best arrows in a set

501012WA

CUSTOM ARROW WRAPS AND VANES



- 250 minimum order for wraps
- 1,000 minimum order for vanes
- Call 231-229-4247 for more info or email info@bohning.com

ARTWORK CAN BE PROVIDED OR WE CAN CREATE IT FOR YOU!





COMPLETE TOWER® JIG KIT

- Great for clubs and families
- All the Tower® Jig components in one purchase:
 - 1 base compatible with any Tower® Jig arm
 - 7 sets of arms:
 - Gray: straight, for vanes up to 4" (101 mm) long
 - Black: 3 degree right helical, for vanes up to 3" (76 mm) long
 - Red: 1 degree right offset, for vanes up to 4" (101 mm) long
 - Yellow: 1 degree right offset, for Impulse vanes up to 4" (101 mm) long
 - Blue: 2 degree right wing, for feathers up to 5" (127 mm) long
 - Green: 2 degree left wing, for feathers up to 5" (127 mm) long
 - Gray with red clip: straight, for mylar vanes up to 3.75" (95 mm) long
 - 3 pressure rings to fit arrows of any size
 - 7 center posts for crossbow bolts, pin adapters, swedged-end arrows, and arrows with an ID of .246", .231", .204" & .166"
 - Spacer plates
 - Clamp release tape

601027

TRIPLE TOWER®

- 1 base compatible with any Tower® Jig arm
- 3 sets of arms:
 - Gray: Straight, for vanes up to 4" (101 mm) long
 - Black: 3 degree right helical, for vanes up to 3" (76 mm) long
 - Red: 1 degree right offset, for vanes up to 4" (101 mm) long
- 3 pressure rings to fit arrows of any size
- 6 center posts for crossbow bolts, pin adapters, and arrows with an ID of .246" (6.25 mm), .231" (5.87 mm), .204" (5.18 mm) & .166" (4.24 mm)

12963



HELIX TOWER®

- 1 base compatible with any Tower® Jig arm
- 1 set of black arms: 3 degree right helical, for vanes up to 3" (76 mm) long
- 3 pressure rings to fit arrows of any size
- 6 center posts for crossbow bolts, pin adapters, and arrows with an ID of .246" (6.25 mm), .231" (5.87 mm), .204" (5.18 mm) & .166" (4.24 mm)

12962

CROSSBOW TOWER

- 1 base compatible with any Tower® Jig arm
- 2 sets of arms:
 - Black: 3 degree right helical, for vanes up to 3" (76 mm) long
 - Red: 1 degree right offset, for vanes up to 4" (101 mm) long
- 3 pressure rings to fit arrows of any size
- 1 center post for bolts with an OD up to .35" (8.89 mm)

601001

SEE WWW.BOHNING.COM OR
CALL 231.229.4247 FOR TOWER JIG
SUPPLEMENTAL & REPLACEMENT PARTS

STRAIGHT



1° OFFSET



3° OFFSET




FEATHER TOWER

- 1 base compatible with any Tower® Jig arm
- 2 sets of arms:
 - Blue: 2 degree right wing, for feathers up to 5" (127 mm) long
 - Green: 2 degree left wing, for feathers up to 5" (127 mm) long
- 3 pressure rings to fit arrows of any size
- 3 center posts for swedged shafts and arrows with an ID of .246 (6.25 mm) & .166" (4.24 mm)

601010

MYLAR TOWER®

- 1 base compatible with any Tower® Jig arm
- 1 set of gray (with red clip) arms: straight, for mylar vanes up to 3.75" (95 mm) long
- 3 pressure rings to fit arrows of any size
- 3 center posts for pin adapters and arrows with an ID of .246 (6.25 mm) & .166" (4.22 mm)

601035

IMPULSE TOWER®

- 1 base compatible with any Tower® Jig arm
- 1 set of yellow arms: 1 degree right offset, for Impulse vanes up to 4" (101 mm) long
- 3 pressure rings to fit arrows of any size
- 3 center posts for pin adapters and arrows with an ID of .246 (6.25 mm) & .166" (4.22 mm)

601006


- Fletch all 3 vanes at once with precise 120° spacing
- Applies even pressure along the entire vane base
- Great for repairs too!


CHECK US OUT ON YOUTUBE

See how to assemble and use Bohning Tower® Jigs


BLAZER® HELIX JIG

- Fletches vanes with 3° right helical
- Fletch vanes up to 2.5" (63.5 mm) long
- Designed for .293" - .306" (7.4 mm - 7.8 mm) OD shaft sizes (Standard Carbon)
- Capable of 3 or 4 fletch application (3 vanes at 120° apart, 4 vanes at 90° apart or 60° x 120°)
- 3 fletch index vane up or to the side


BLAZER® STRAIGHT JIG

- Fletches vanes straight
- Fletch vanes up to 2.125" (54 mm) long
- Fits shaft sizes .25" OD (6.3 mm) & smaller
- Capable of 3 or 4 fletch application (3 vanes at 120° apart, 4 vanes at 90° apart or 60° x 120°)
- 3 fletch index vane up or to the side

1345

THE BIG JIG

- Fletches vanes up to 4" (101.6 mm) long
- Capable of 3 or 4 fletch application (3 vanes at 120° apart, 4 vanes at 90° apart or 60° x 120°)
- Includes two clamps to fletch vanes at 1° right offset or 3° right helical
- 3 fletch index vane up or to the side

1320

PRO CLASS JIG

- Adjusts to accommodate all shaft sizes
- Set your own degree of offset
- Capable of 3 or 4 fletch application (3 vanes at 120° apart or 4 vanes at 90° apart)
- Fletch vanes or feathers up to 5.5" (140 mm) long
- 3 fletch index vane to the side only

**1348 – Straight
1349 – Right Wing
1350 – Left Wing**

PRO CLASS CLAMPS


- 1348 – Straight**
- 1349 – Right Wing**
- 1350 – Left Wing**



HD WRAPS

A great benefit of using wraps is being able to confirm shot placement—both in flight and after the shot. It's difficult to make a call on something you couldn't see. Bright colored wraps, vanes and nocks are easily seen after the release.

**4" Camp Fire HD Wrap, with Red and Neon Orange Heat Vanes Shown*



UNIVERSAL FIT

Dual-retainer design allows the use of any arrow, from micro diameter shafts to crossbow bolts, and provides a secure fit in all conditions.

BRUIN QUIVER

Our newest four arrow, bow-mounted quiver is offered in popular camo color choices to match your bow and blend into the area you hunt.

*Mossy Oak Break-Up Country Shown

THE PROVING GROUNDS

When a season's worth of work comes down to one moment, there's nothing more important than making that shot count. No matter where you choose to pursue your passion, our quivers, arrow components and accessories won't let you down. Take a deep breath, calm your nerves and trust your gear to perform.

BRUIN HOOD COLOR CHOICES
(Camo available with black liner only)



BK
Black **CF**
Carbon Fiber **MOC**
Mossy Oak®
Break-up
Country **RX**
Realtree®
Extra **RE**
Realtree®
Edge

BRUIN LINER COLOR CHOICES



BK
Black **PU**
Purple **HP**
Hot Pink **RD**
Red **NG**
Neon Green **NO**
Neon Orange **BL**
Blue



BRUIN

FITS ALL
ARROW
SIZES

- Dual-retainer, 4 arrow quiver
- Molded hood & liner for quiet storage of any broadhead style
- High-impact polycarbonate stem provides the strength of metal without the weight
- Built-in hook for quick hanging
- Equipped with the Lever-Lock mounting system

201030 – Indicate hood pattern & liner color (see above)

201031 – Replacement retainers (black)



LEVER LOCK MOUNTING SYSTEM

1073

LYNX® 4

- Dual-retainer quiver
- Molded hood & liner for quiet storage of any broadhead style
- Lightweight, durable molded stem
- Equipped with the Lever-Lock mounting system
- For standard carbon arrows

201013MOC – Mossy Oak® Break-Up Country

201013RX – Realtree® Xtra

201013RE – Realtree Edge®

1038 – Black

1045 – Small Retainers (for .166" and .204" ID shafts)

10382 – Replacement standard retainers (black)

LYNX 4 HOOD COLOR CHOICES



BK
Black **RX**
Realtree®
Extra **RE**
Realtree®
Edge **MOC**
Mossy
Oak®
Break-up
Country




BOLT VANE

- Designed specifically for crossbows to withstand higher velocity and stabilize bolts for up to 100 yards
- Made of stiffer vane material
- Prevents vane flap for a smooth bolt rotation
- 3.5" in (88.9 mm) length, 0.5" (12.7 mm) in height, average 11.6 grains in weight
- See pg. 18 for available colors

101033 - 36 pk
101034 - 100 pk
101035 - 1000 pk


CROSSBOW NOCKS

- Available in: .2985 diameter & .303 diameter
- Average weight:
 - Flat = 9 grains
 - Half Moon = 11 grains
- See pg. 24 for available colors

Flat Nock - .2985
401001 - 12 pk
401002 - 100 pk
401003 - 1000 pk

Flat Nock - .303
401014 - 12 pk
401015 - 100 pk
401016 - 1000 pk

Half Moon Nock - .2985
401011 - 12 pk
401012 - 100 pk
401013 - 1000 pk

Half Moon Nock - .303
401008 - 12 pk
401009 - 100 pk
401010 - 1000 pk


CROSSBOW TOWER

- 1 base compatible with any Tower® Jig arm
- 2 sets of arms:
 - Black: 3 degree helical, for vanes up to 3" (76 mm) long
 - Red: 1 degree offset, for vanes up to 4" (101 mm) long
- 3 pressure rings to fit arrows of any size
- 1 center post for bolts with an ID up to .35" (8.89 mm)

601001


LIGHTNING LUBE

- Silicone-based, odorless rail lube
- No-mess foam applicator
- Provides a protective film for reduced friction & increased velocity

1363 - 1/4 oz (7.4 ml) tube
941019 - 16 pk bulk


CROSSBOW LUBE KIT

- Includes 1 tube of Lightning Lube for rails and 1 tube of Xcelerator Wax for strings

801005


CROSSBOW SERVING THREAD

- Designed for high performance crossbow strings
- .030" contains 45 yards (41.15 m)

801011BK

TOP MOUNT

- Parallel quiver mounting system
- Easy installation without scope removal
- Provides easy access for loading
- Includes both allen head & thumb screw

801012



STRING NOCKS

- Creates a positive nocking point for consistent shots
- Quick & easy to install
- Hunter (black liner): for 12-14 strand strings—5.4 grains
- Cam (red liner): for 16-18 strand strings—7.4 grains

Cam String Nocks

1065 – 6 pk
1068 – 100 pk
1071 – 1000 pk



KISSEr BUTTON

- Helps maintain a consistent anchor point every shot
- Lightweight & durable, .5" (12.7 mm) diameter
- Easy installation with 2 enclosed clips

1664 – Kisser w/ clips
801081 – 100 pk



“SLIM” PEEP

- Durable, high-impact & lightweight
- 3/16" (4.7 mm) sight orifice, small profile for easy installation
- Individual peeps include 12" (30.5 cm) tubing, bulk peeps do not

1668 – Peep with tube
1640 – 50 pk (peep only)



BOW GRIP/SIGHT WINDOW PAD

- Cut-to-fit soft mole-skin pads prevent noise & add warmth
- Self-adhesive backing
- 4" x 6" (10 x 15 cm)
- Mossy Oak® Break-Up Infinity

1602 – 2 Pads




STRING WHISKERS

- Two pieces per package, 4.5" (11.4 cm) long each
- Dampens string noise & oscillations with round whiskers
- Easy to use
- Ties to bowstring

1051 – 1 Pair
1635 – 50 Pair

Hunter String Nocks

1064 – 6 pk
1067 – 100 pk
1070 – 1000 pk



WIND CHECK

- Detects the slightest air thermals
- Extremely fine, odorless & environmentally safe
- Flip-top bottle for easy one-hand use

1612 – 8 grams (.28 oz)

ARROW LUBE

- For easy removal of arrows from targets
- No-mess applicator
- Silicone-based

301023 – 1/4 oz (7.4ml)

UNIVERSAL ARROW BOX

- Each box holds 12 arrows, up to 36" (91 cm)
- Dimensions: 36.5" x 6" x 2.5" (93 cm x 15 cm x 6 cm)

1623 – 50 pk

“BOA” & “PYTHON” ARROW PADS

- Boa holds 12 arrows of any size
- Python holds 12 arrows ranging from .219" (5.56 mm) to .359" (9.12 mm)

16092 – Boa

801047 – Python

BROADHEAD WRENCH

- Easy-grip construction protects fingers while installing broadheads
- Works with 3 & 4 blade broadheads
- Excellent price point

1619



SLIP-ON ARMGUARD

- Durable yet soft & flexible
- Easy on & off; protects the entire forearm
- Compression-fit material

801009

SLIP-ON ARMGUARD SIZING*

Circumference (inches)					
Size	Length (inches)	Small End Relaxed	Large End Relaxed	Small End Stretched	Large End Stretched
S	8	5.5	8	9	12
M	9	7	9	12	14
L	9	11	12.5	15	18

*Sizes are approximate

3-STRAP ARMGUARD COLOR CHOICES



3-STRAP ARMGUARD


- Heavy-duty anti-fray construction
- Excellent for holding clothes away from bow strings
- Adjustable quick disconnect buckle straps

1689

SOLID D-FLECTOR COLOR CHOICES



TRANSLUCENT D-FLECTOR COLOR CHOICES



D-FLECTOR ARMGUARD

- Durable polycarbonate armguard
- Adjustable soft elastic straps
- Contoured design with a raised center

801092



SSR

WEB ARMGUARD

- Open design for maximum ventilation
- Durable & flexible, with adjustable elastic bands for easy on & off

801040BK

CINCH SLING

- Easily adjustable to fit over bare hand or gloves
- Base plate allows for the stabilizer to be torqued without rotating out of place
- Stays open for ease of use

801049BK – Cinch Sling
15211 – 12 pk (bulk)

THE STRIPPER

- Strips fletchings, glue and arrow wraps
- Safe cutting angle for all shaft types
- Replacement blades sold separately

1524 – Stripper
15240 – Blades: 3pk

THE STRIP-PRO

- 2 blades for ergonomic versatility
- Heavy-duty handle and steel blade
- Easily strip your arrow shaft of fletchings, glue and arrow wraps
- Replacement blades sold separately

801025LM – Strip-Pro
801026 – Blades: 3pk

SSR SINGLE PACK

- Concentrated cleaning powder removes dirt, grease, residue & contaminants
- For carbon, aluminum & fiberglass shafts
- Contains 1 tsp powder
- Add water, soak shafts, scrub & rinse clean

801052



SEE OUR COMPLETE APPAREL LINE

Visit www.bohning.com

THE SHELTER

- Built to go from your truck to your stand
- Comes with detachable bow sling

BOW CASE

- Designed for bows up to 42" (107 cm) axle to axle
- Dimensions 45" (114 cm) x 18" (46 cm)
- 4 outer pockets, including one arrow pocket

701045Camo – The Shelter, Sling/Case Combo

701043Camo – Case Only

701044BK – Bow Sling Only

SLING

- Fits bows from 28" (71 cm) to 40" (102 cm) axle to axle
- 2 outer accessory pockets
- 2 end clips for added security

YOUTH BOW CASE COLOR CHOICES



YOUTH BOW CASE

- Designed for bows up to 36" (91 cm) axle to axle & 8" (20 cm) brace height
- Dimensions 41" x 14" (104 x 36 cm)
- Accessory pocket 9" h x 5" w x 2" d (23 x 13 x 5 cm)

701014



ADULT TARGET QUIVER

- 5 tube quiver
- 19" in length
- Accessory clip, 2 exterior zippered pockets, & 1 sleeve pocket

1693 - RH Black

1692 - RH Neon Green

1699 - RH Camo

16930 - LH Black

16920 - LH Neon Green

16990 - LH Camo

MINI QUIVER COLOR CHOICES



MINI TARGET QUIVER

- 3 tube quiver
- 14" in length
- Accessory clip, 2 exterior zippered pockets, & 1 sleeve pocket

1655 - RH Black

1656 - RH Blue

1654 - RH Hot Pink

1660 - RH Neon Green

1669 - RH Neon Orange

1662 - RH Camo

TUBE QUIVER COLOR CHOICES



TUBE QUIVER

- Ambidextrous design
- Softshell tube with reinforced bottom
- Carabiner attachment

701006



ACCESSORY BAG

- Collapsible draw-string throat
- Reinforced top that stays open for quick access
- Made of durable cordura nylon

1659 - Black

16591 - Red

16590 - Blue

16593 - Neon Green

ACCESSORY BAG COLOR CHOICES



BLACK RIGID SHOOTERS BELT

- Tactical belt maintains shape
- Heavy-duty snap buckle with 2 large loops in the back

16801 - Sm/Med (28"- 38")

16803 - Lg/XL (40"- 50")





CLASSIC NOCK

The tried-and-true nock for hand-crafted arrows. Available in multiple solid and translucent color choices to add the final perfect touch to your quiver.

DIPPING AND CRESTING

This isn't something pulled off any old shelf. This is the result of pride and attention to detail. Our Dipping and Cresting Combo Kit gives you the ability to create perfectly crested arrows time after time. Learn more about the kit and our Crest-Lac paint on page 42.

CARRYING ON THE TRADITION

Traditional archery is the foundation of where it all started for us—and we're proud to say that Bohning still manufactures quality products for the traditional archer. We know the traditional arrow building process is much more than a hobby, it's a humble work of art.



PROFESSIONAL CRESTING KIT

- The kit includes:
 - One crester
 - Six 1 oz. jars of Crest-Lac paint: black, red, yellow, blue, silver, & gold
 - Four paint brushes: Hairline, 1/8" (3.18 mm), 1/4" (6.35 mm) & 1/2" (12.7 mm)
- Adjustable arrow rotation speed of 130-440 RPM
- Ruler with English & metric doubles as pattern rest
- Carbon-brush motor that is quiet & durable
- International versions come with international power supplies that accept 110 or 220V

801083 – Cresting Kit

801084 – Crester Only



DIPPING & CRESTING COMBO KIT

- Kit includes professional cresting kit & dip kit
- Dip Kit includes:
 - 1 glass dip tube
 - 1 arrow hanger
 - 2 pints of white Crest-Lac
 - 2 pints of clear Crest-Lac
 - 3 Dip n' Plug rings
- Dip tube holds up to four arrows at a time
- Tube accommodates up to 11" (28 cm) crown dip

801085 – Cresting Kit & Dip Combo



CREST-LAC

- Acrylic water-based paint, non hazardous, no VOC
- Dries to a glossy, extremely hard layer on any shaft in 24-36 hours (based on humidity in drying area)
- Improves shaft appearance and fletching adhesion

301011 – 1 oz. Jar

301014 – Pint

301012 – Quart



FOR ADDITIONAL PAINT SIZES

Visit www.bohning.com

**T NOCK**

- Glue-on nock for swedged end aluminum, wood & fiberglass shafts
- See pg. 24 for available colors and specifications

1054T - 12 pk**1055T** - 100 pk**1056T** - 1000 pk**LEGEND NOCK**

- Glue-on nock for swedged end aluminum, wood & fiberglass shafts
- See pg. 25 for available colors and specifications

1057 - 12 pk (LM 5/16" only)**1058** - 100 pk**1059** - 1000 pk**CLASSIC NOCK**

- Glue-on nock for swedged end aluminum, wood & fiberglass shafts
- Index & alignment feature
- See pg. 25 for available colors and specifications

10132 - 100 pk**10133** - 1000 pk**PREMIUM FLETCHING TAPE**

- Designed for feathers & Mylar vanes
- Works on all shaft types
- Length 60" (152 cm), width .188" (4.8 mm)
- Machine-cut without lubricant so no dead zones in the roll
- One roll fletches approximately 40 arrows

**FLETCHING TAPE DISPENSER**

- Easily apply tape to mylar vanes and feathers
- Keeps tape free of dust and debris
- Refillable; includes 1 roll of premium fletching tape
- Screw holes for easy mounting

801099**1649****FEATHER TOWER**

- 1 base compatible with any Tower® Jig arm
- 2 sets of arms:
 - Blue: 2 degree right wing, for feathers up to 5" (127 mm) long
 - Green: 2 degree left wing, for feathers up to 5" (127 mm) long
- 3 pressure rings to fit arrows of any size
- 3 center posts for swedged shafts and arrows with an ID of .246" (6.25 mm) & .166" (4.22 mm)

601010**FEATHER-DRI**

- Protect your feathers from the weather
- Colorless, odorless, water-repellent powder
- Includes bag to shake powder onto fletched feathers
- Environmentally safe

1611**THE CRESTING PROCESS**


DIPPING



CRESTING



FLETCHING





DISPLAY COLOR CHOICES



Ruby Red Neon Orange



Neon Yellow Satin Blue Black

SNAPFIT™ DISPLAY TABLETOP


Includes:

- One 16" column
- Includes one stabilizing foot
- Ten – 3" hooks

901050



SNAPFIT
BY BOHNING



STOCKED SNAPFIT™ DISPLAY

- Shelf capacity: 5 lbs (2.3 kg) per 4" panel
- Hook capacity: 1 lb (.45 kg) per hook
- Made from engineering-grade, recycled plastic
- Hooks attach to panels and columns
- Panels are reversible to hide or show Bohning logo
- Soft urethane feet for non-marring stability

- Slots in column caps accommodate standard foam board signage
- Compact and lightweight to ship
- Additional/replacement parts available
- Easily combine multiple SnapFit products to create larger displays

Call a Bohning rep for more details and ordering



SNAPFIT™ DISPLAY—8 X 16

Includes:

- Sixteen – 16" Columns
- Twenty-four – 8" Plates
- Includes four stabilizing feet
- Forty-eight – 3" Hooks
- Four – 8" Shelves

901052

SNAPFIT™ DISPLAY—8 X 8

Includes:

- Sixteen – 16" Columns
- Twelve – 16" Plates
- Twelve – 8" Plates
- Includes four stabilizing feet
- Sixty-four – 3" Hooks
- Eight – 8" Shelves

901051

SNAPFIT™ DISPLAY—16 X 16

Includes:

- Sixteen – 16" Columns
- Twenty-four – 16" Plates
- Includes four stabilizing feet
- One hundred – 3" Hooks
- Eight – 16" Shelves

901053



FABIEN DELOBELLE



JUHA KYLMA




TOM NELSON



BRAD CHRISTIAN



SHARON WALLACE



JON & GINA
BRUNSON



BILL EPEARDS

BOHNING SHOOTING STAFF



BRUNO MORIN



CARA KELLY




LEXI KELLER




VERN KLINE



DANNY EVANS



CAM HANES



CURT WELLS



JOHN BARKLOW



ALBERTO SIMONELLI



KAILEY JOHNSTON



7361 N 7 Mile Rd, Lake City, MI, United States 49651 • 231.229.4247 • www.bohning.com