



2022
FIVICS PRODUCT CATALOGUE





2022
FIVICS PRODUCT CATALOGUE





Originally established as Soma Sports in 2002, FIVICS has grown over the last two decades into a global company, providing all the products necessary for archery with the best technology and quality. We always strive to design the best equipment to improve the performance of our athletes. Thank you.



Stabilizer Mount Thread 5/16"-24 Upstabilizer Mount Thread 5/16"-24
Cushion Plunger Mount Thread 5/16"-24 Clicker Mount Thread 6/32"



20 years commemorative limited edition color!

The limited edition Argon-X Riser and Saker 1&2 Finger Tabs will be sold through FIVICS' Dealers.

ARGON-X 25" RISER HA0725ED

Lower center of gravity / fast drop from the bow hand / Superfine full CNC milling / The most precise and stable washer limb alignment system in the world with increments as low as 0.05mm / Stable & steady geometry / Tight & secure wooden grip / Deep color from anodizing

PROCESSING CNC WEIGHT 1,330g MATERIAL AL 6061 TYPE RH GRIP TSG Wood Grip COLOR Anodizing LENGTH 25"



SAKER 1 FINGER TAB SFT01AED

SIZE M (RH) LEATHER Cordovan COLOR Holographic



Ergonomic design / Adjustable ledge / Replaceable face and backing / Optional finger spacer available



SAKER 2 FINGER TAB SFT02AED

SIZE M (RH) LEATHER Cordovan COLOR Holographic

2020 TOKYO GAMES

Men Individual **SILVER MEDALIST**
MAURO NESPOLI



2020 TOKYO GAMES

Mixed Team **BRONZE MEDALIST**
LUIS ALVAREZ





MAURO NESPOLI

Italy

TOKYO 2020 OLYMPIC GAMES | Silver

LAUSANNE 2021 HYUNDAI ARCHERY WORLD CUP STAGE 2 | Bronze (Team)

MOSCOW 2019 HYUNDAI ARCHERY WORLD CUP FINAL | Silver

BERLIN 2019 HYUNDAI ARCHERY WORLD CUP STAGE 4

| Bronze | Bronze (Mixed Team)

MINSK 2019 EUROPEAN GAMES + OG QT WORLD RANKING EVENT

| Gold | Gold (Mixed Team) | Bronze (Team)

'S-HERTOGENBOSCH 2019 HYUNDAI WORLD ARCHERY CHAMPIONSHIPS

+ OG QT WORLD RANKING EVENT | Bronze (Mixed Team)

ANTALYA 2019 HYUNDAI ARCHERY WORLD CUP STAGE 3

| Silver (Team)

LEGNICA 2018 EUROPEAN ARCHERY CHAMPIONSHIPS

| Gold (Mixed Team) | Silver (Team)

SALT LAKE CITY 2018 HYUNDAI ARCHERY WORLD CUP | Gold

MEXICO CITY 2017 HYUNDAI WORLD ARCHERY CHAMPIONSHIPS | Gold (Team)

ROME 2017 HYUNDAI ARCHERY WORLD CUP FINAL | Silver (Mixed Team)

ANTALYA 2017 HYUNDAI ARCHERY WORLD CUP STAGE 2 | Gold (Team)

BAKU 2015 EUROPEAN GAMES | Gold (Mixed Team)

LONDON 2012 OLYMPIC GAMES | Gold (Team)



ARGON-X RISER



TITAN-EX LIMBS



FORNIX-14 STABILIZER



SM540 CUSHION PLUNGER
TNS100AL UPSTABILIZER
ORGANIC-X ARMGUARD



LUIS ALVAREZ

Mexico

TOKYO 2020 OLYMPIC GAMES | Bronze (Mixed Team)

AMERICAN CONTINENTAL QUALIFICATION TOURNAMENT FOR

TOKYO 2020 OLYMPIC GAMES | Bronze

PARIS 2021 HYUNDAI ARCHERY WORLD CUP STAGE 3 | Bronze (Team)

LAUSANNE 2021 HYUNDAI ARCHERY WORLD CUP STAGE 2 | Bronze (Team)

MONTERREY 2021 PAN AND PARA PAN AMERICAN CHAMPIONSHIPS

| Bronze (Mixed Team)

GRAND PRIX MEXICANO 2019 WORLD RANKING

EVENT | Bronze | Gold (Team)

BARRANQUILLA 2018 CENTRAL AMERICAN AND

CARIBBEAN GAMES WORLD RANKING EVENT

| Gold | Silver (Team)

GUATEMALA CITY WRE 2017 | Silver | Gold (Team)

BANGKOK 2015 INDOOR ARCHERY WORLD CUP

STAGE 2 | Bronze

TORONTO 2015 PAN AMERICAN GAMES | Gold | Gold (Team)

WROCLAW 2014 ARCHERY WORLD CUP STAGE 4 | Gold (Team)

CENTRAL AMERICAN AND CARIBBEAN SPORTS GAMES 2014 | Gold

MEXICO CITY 2015 ARCHERY WORLD CUP FINAL | Silver (Mixed Team)

10TH WORLD UNIVERSITY ARCHERY CHAMPIONSHIP

| Gold | Silver (Mixed Team)

COPA JUAN ENRIQUE BARRIOS 2014 | Gold

MEDELLIN 2013 ARCHERY WORLD CUP STAGE 3 | Gold (Team)

ARIZONA CUP 2013 | Gold

MEXICAN GRAND PRIX 2013 | Gold | Gold (Team)



ARGON-X RISER



TITAN-EX LIMBS



FORNIX-14 STABILIZER



A2 CHEST GUARD



HAYAKAWA REN

Japan

TOKYO 2020 OLYMPIC GAMES
GWANGJU 2021 ASIA CUP LEG 1 | Silver (Mixed Team) | Silver (Team)
SOFIA 2018 EUROPEAN GRAND PRIX
WORLD RANKING EVENT | Silver | Silver (Team)
SALT LAKE CITY 2018 HYUNDAI ARCHERY
WORLD CUP | Bronze (Team)

ANTALYA 2017 HYUNDAI ARCHERY
WORLD CUP STAGE 2 | Silver (Team)
BERLIN 2017 HYUNDAI ARCHERY WORLD CUP STAGE 4
| Silver (Mixed Team)
SHANGHAI 2017 HYUNDAI ARCHERY WORLD CUP STAGE 1 | Bronze
ANTALYA 2014 ARCHERY WORLD CUP STAGE 3 | Bronze
FIRST ASIAN GRAND PRIX 2013 | Gold (Team)
LONDON 2012 OLYMPIC GAMES | Bronze (Team)
SHANGHAI 2012 ARCHERY WORLD CUP STAGE 1 | Silver (Mixed Team)
1ST ASIAN GRAND PRIX 2012
| Gold | Silver (Mixed Team) | Bronze (Team)
17TH ASIAN ARCHERY CHAMPIONSHIPS 2011
| Bronze | Silver (Mixed Team) | Gold (Team)
2011 1ST ASIAN GRAND PRIX | Gold (Team)
WORLD UNIVERSITY CHAMPIONSHIPS 2010
| Silver (Mixed Team) | Bronze (Team)



TITAN-EX RISER



TITAN-EX LIMBS



PHOENIX-1500 STABILIZER



X10 TUNGSTEN POINT



WIND CHEST GUARD



THOMAS CHIRAULT

France

TOKYO 2020 OLYMPIC GAMES
PARIS 2021 HYUNDAI ARCHERY WORLD CUP STAGE 3
| Bronze (Team)
FINAL QUALIFIER FOR THE TOKYO 2020 OLYMPIC GAMES
| Bronze (Team)
MINSK 2019 EUROPEAN GAMES +
OG QT WORLD RANKING EVENT | Gold (Team)
LEGNICA 2018 EUROPEAN ARCHERY CHAMPIONSHIPS
| Silver (Mixed Team)
SALT LAKE CITY 2018 HYUNDAI ARCHERY WORLD CUP
| Bronze

BANGKOK 2018 ASIA CUP STAGE 1
| Silver | Gold (Mixed Team) | Bronze (Team)
MEXICO CITY 2017 HYUNDAI WORLD ARCHERY
CHAMPIONSHIPS | Silver (Team)
BERLIN 2017 HYUNDAI ARCHERY WORLD CUP STAGE 4
| Gold (Team)



TITAN-EX RISER



TITAN-EX LIMBS



SAKER2 FINGER TAB



WIND CHEST GUARD

TOM HALL

Great Britain

TOKYO 2020 OLYMPIC GAMES

ANTALYA 2018 HYUNDAI ARCHERY WORLD CUP | Bronze (Team)

GT OPEN 250 | Silver



ARGON-X RISER



TITAN-EX LIMBS



FIVE-X ARROW



WIND CHEST GUARD



SM540 CUSHION PLUNGER
TNS100AL UPSTABILIZER
DC1500S DAMPER
PX1500 WEIGHT



SARAH BETTLES

Great Britain

TOKYO 2020 OLYMPIC GAMES

MINSK 2019 EUROPEAN GAMES + OG QT WORLD RANKING EVENT | Gold (Team)

'S-HERTOGENBOSCH 2019 HYUNDAI WORLD ARCHERY CHAMPIONSHIPS +

OG QT WORLD RANKING EVENT | Bronze (Team)

GT OPEN 250 | Bronze

BERLIN 2018 HYUNDAI ARCHERY WORLD CUP

| Silver (Team)



ARGON-X RISER



TITAN-EX LIMBS



TENFIX FINGER TAB
SM540 CUSHION PLUNGER
DC1500S DAMPER
PX1500 WEIGHT

CHRISTINE BJERENDAL

Sweden

TOKYO 2020 OLYMPIC GAMES
'S-HERTOGENBOSCH 2019 OLYMPIC GAMES SECONDARY
QUOTA TOURNAMENT | Gold
EUROPEAN GRAND PRIX (1ST LEG) | Silver (Mixed Team)
FINAL RIO 2016 OLYMPIC QUALIFYING TOURNAMENT | 4th
2012 EUROPEAN CQT | Silver



ARGON-X RISER



TITAN-EX LIMBS



CEX1900 STABILIZER



FV-300S SIGHT / SM540 CUSHION PLUNGER / A2 CHEST GUARD



Pablo Acha

Pablo Acha Spain

ANTALYA 2021 EUROPEAN CHAMPIONSHIPS | Gold | Silver (Mixed Team)
LAUSANNE 2021 HYUNDAI ARCHERY WORLD CUP STAGE 2 | Silver (Team)
GUATEMALA CITY 2021 HYUNDAI ARCHERY WORLD CUP STAGE 1 | Gold (Team)
MINSK 2019 EUROPEAN GAMES + OG QT WORLD RANKING EVENT | Bronze
TARRAGONA 2018 XVIII MEDITERRANEAN GAMESP | Bronze | Bronze (Team)
ANTALYA 2017 HYUNDAI ARCHERY WORLD CUP STAGE 2 | Bronze (Mixed Team)

Marco Galiazzo Italy

TRUBALL/AXCEL ROMA ARCHERY TROPHY 2019 | Gold
MEXICO CITY 2017 HYUNDAI WORLD ARCHERY CHAMPIONSHIPS | Gold (Team)
ANTALYA 2017 HYUNDAI ARCHERY WORLD CUP STAGE 2 | Gold (Team)
VITTEL 2017 WORLD ARCHERY EUROPE INDOOR CHAMPIONSHIPS | Gold (Team)
LONDON 2012 OLYMPIC GAMES | Gold (Team)
ATHENS 2004 OLYMPIC GAMES | Gold



Marco Galiazzo



Melanie Gaubil

Melanie Gaubil France

MEDELLIN 2019 HYUNDAI ARCHERY WORLD CUP STAGE 1 | Silver | Bronze (Team)
LEGNICA 2018 EUROPEAN ARCHERY CHAMPIONSHIPS | Silver (Mixed Team)
BANGKOK 2018 ASIA CUP STAGE 1 | Gold (Mixed Team) | Silver (Team)
EUROPEAN GRAND PRIX 2017 - LEG 2 | Gold (Team)
11TH WORLD UNIVERSITY ARCHERY CHAMPIONSHIP | Silver (Mixed Team)
MEDITERRANEAN GAMES 2013 (ARCHERY: 22-24 JUNE) | Bronze (Team)
EUROPEAN GRAND PRIX | Silver (Team)

Vanessa Landi Italy

'S-HERTOGENBOSCH 2019 HYUNDAI WORLD ARCHERY CHAMPIONSHIPS +
OG QT WORLD RANKING EVENT | Bronze (Mixed Team)
MEDELLIN 2019 HYUNDAI ARCHERY WORLD CUP STAGE 1 | Silver (Team)
LEGNICA 2018 EUROPEAN ARCHERY CHAMPIONSHIPS
| Gold (Mixed Team) | Silver (Team)
SHANGHAI 2018 HYUNDAI ARCHERY WORLD CUP | Bronze
ROME 2017 HYUNDAI ARCHERY WORLD CUP FINAL | Silver (Mixed Team)
2015 EUROPEAN GRAND PRIX 2ND LEG | Gold | Gold (Team)



Vanessa Landi



Taymon Kenton-Smith

Taymon Kenton-Smith Australia

TOKYO 2020 PARALYMPIC



Han Jaeyeop Korea Alessandro Paoli Italy David Garcia Spain Jules Vautrin France



Michael Sanna France Oscar Ticas El Salvador Miquel Pifarre Trujillo Spain Armando Cabreira France Marina Canetta Brazil



Sarah Fuller New Zealand Nuno Carneiro Portugal William Pike Great Britain Carlos Iglesias Spain Yulia Larkins Great Britain



Thomas Susca Great Britain Gabrielle Monica Bidaure Philippines Lauren Rawlings Great Britain Monty Orton Great Britain Maia Tincu France

FIVICS BOWS

ARGON-X BOW	24
TITAN-NX BOW	26
TITAN-EX BOW	28
VELLATOR-V3 BOW	30
VELLATOR-V2 BOW	32
SIRASONI BOW	33

FIVICS ARROWS

FIVE-X ARROW	36
TENPRO ARROW	37
GOLDRO ARROW	38
ZEILO ARROW	39
NINJA ARROW	40
ARROW CHECKING MACHINE	41
ARROW ACCESSORIES	42

FIVICS BOW ACCESSORIES

FORNIX 14 STABILIZER	48
FORNIX 18 STABILIZER	49
VELLATOR STABILIZER	50
STABILIZER ACCESSORIES	51
AIREX CUSHION PLUNGER	52
SM540 CUSHION PLUNGER	54
ARROW RESTS	54
FV-300S SIGHT	55
ACCESSORIES / ETC	55

FIVICS FINGER TABS

TENFIX FINGER TAB	58
SAKER SERIES	60
SAKER PLUS FINGER TAB	62
FINGER SPACER	62
POLITE SERIES	63

FIVICS PROTECTORS

	64
--	----

FIVICS SHOOTING GEAR

UNICO QUIVER SERIES	66
ACCENDO QUIVER SERIES	67
AEGIS HARD BOW CASE SERIES	68
THUNDER-M COMPOUND CASE	70
TENTRON-M BACKPACK	71
SHOOTING GEARS / ETC	72

OTHER

	73
--	----

FIVICS TARGET FACES

	75
--	----

KROSSEN

XENIA BOW	80
XENIA STABILIZER	81
SIGHTS	82
BOW ACCESSORIES	83
FINGER TABS	84
PROTECTORS	85
HYPER QUIVERS / BACKPACK	86




TECHNOLOGY OF FIVICS RISERS LIMBS



1 in 1000 mm precision

ALL FIVICS LINE RISERS FEATURE **FULL CNC**



Construction methods of archery risers include casting, forging, CNC (forging), or the full CNC method, which is accomplished by cutting a solid block of aluminum with a CNC machine tool.

The casting method most commonly used for low-cost risers has an advantage of easily mass-producing products using magnesium and aluminum materials, but has a disadvantage of inaccuracies generated during the casting process which can reduce one's shooting accuracy.

The forging method, which is made by tapping hot metal, creates a higher precision and stronger product than casting but at a higher price.

Full CNC is made by cutting a solid block aluminum with a CNC machine tool, so production is limited and the cost of the process is high.

TECHNOLOGY OF FIVICS **RISERS**

Some manufacturers do not release Full CNC products due to profitability.


However, as Full CNC has a precision of 1/1000mm, the product is vastly superior to that of casting and forging. Each product is perfectly centered at the vertical and there are no deviations between products.

Method	Casting	CNC After Forging	Full CNC
Precision	Low	Medium	Premium
Durability	Low	High	High
Deviation Between Products	High	Medium	None
Vertical Center Deviation	High	Medium	None
Production Unit Price	Low	Medium	Very High



THE LIMB ALIGNMENT ADJUSTMENT SYSTEM IN 0.05mm

TECHNOLOGY OF FIVICS RISERS



Normally, limb alignment adjustment with the washer system is able to adjust in 0.1mm increments.
FIVICS' ultra-precise limb alignment system can adjust 0.05mm to 0.15mm, offering double the amount of precision.

Adjusting the limb alignment without removing the limbs


EASY & STABLE CENTER ADJUSTMENT



Perform bow center adjustment without disassembling the riser and limb alignment system
The limb alignment system allows a strong fixing force with only one locking bolt.

Limb Alignment System



- Loosen the locking bolt
- String is left of center** : Loosen the adjustment bolt and the right set screw.
Tighten the left set screw to move the limb to the right.
- String is right of center** : Loosen the adjustment bolt and left set screw.
Tighten the right set screw to move the limb to the left.
- Tighten the locking bolt.




STABLE & STEADY GEOMETRY

TECHNOLOGY OF FIVICS RISERS


The FIVICS risers are designed with a stable low center of gravity, creating significantly less vibration and shake than a normal riser during shooting. This also has the added benefit of the bow falling faster after the shot, which increases the arrow speed and reduces accidental influence that may be caused by minute hand movement.



7075 RISER
VS
6061 RISER



The Argon and Titan Risers are designed with 6061 aluminum to allow for the best vibration absorption possible. Using a hydraulic press machine, we have scientifically proven that our 6061 aluminum risers can tolerate higher pressure than risers made from more rigid materials such as 7075 aluminum.






3 important points in grip system

TIGHT AND SECURE GRIP

FIVICS' TSG (Tight and Secure Grip) is designed to maximize the contact between the archer's bow hand and the grip. This grip was produced in an optimal shape specializing in close contact by analyzing the close contact between the hand and the grip in three dimensions as well as analyzing the direction of the force received by the bow hand during anchoring.

The FIVICS TSG is combined with FIVICS' STABLE & STEADY GEOMETRY Riser to exert a synergistic effect which promotes the bow to move to the target at a faster speed and allows a stable control of the arrow even at high speeds.



All FIVICS line Limbs

CWP CARBON PREPREG MATERIAL

With the cooperation of FIVICS Archery and SK Chemical, we have developed a unique Carbon "Prepreg material" specifically designed for the highest performance in archery.


This material allows efficient pull kinetics and quick restoration.

- The most important part of an archery limb is the carbon's raw material.
- In the process of producing good carbon materials, prepreg technology of epoxy and carbon fiber is proportional to the tension and torsion of the limbs.

Carbon Material by **SK Chemical**

Collaboration between FIVICS and SK chemical have produced a limb with increased stiffness but with the same stability and uniform elasticity.

Plane Weave
Low Drapeability
High Crimp
Good Decoration



Prepreg = Pre + Impregnated Material

SKY FLEX = Natural Flex fiber + Epoxy Resin





New type of Limbs Argon X - Surprising effect of

45° CARBON TECHNOLOGY

Glass fiber is used to protect carbon within the limb, but this combination reduces arrow speed due to the heavy mass weight.



The 45 degree carbon system increases shooting stability, protecting the carbon as well as reinforcing anti-twisting.



New type of Limbs Argon X - Surprising effect of

POWER ZONE BALANCE

The location and angle of the Power Zone has been improved (area that creates the most acceleration)




The integrity test through 3D-CT non-destructive read



AR TECH - INNOVATIVE LIMBS CNC PROCESSING

AR technology maintains similar successful performance to limbs made with the original materials, while also utilizing CNC processing to increase the consistency and uniformity of productivity.


Additionally, production of FVICS limbs eliminates any air in the adhesion process, minimizing limbs fractures and torsions. Lastly, the new 330-carbon improves the elasticity, optimizing speed and balance.



Dry fire testing for breaking and strength of limbs



Increased stiffness while saving the same stability and uniform elasticity of the limb.





Stabilizer Mount Thread 5/16"-24 Upstabilizer Mount Thread 5/16"-24
Cushion Plunger Mount Thread 5/16"-24 Clicker Mount Thread 6/32"



ARGON-X

ARGON-X 25" RISER HA0725

ARGON-X 27" RISER HA0727 SPECIAL

Lower center of gravity / fast drop from the bow hand /
Superfine full CNC milling / The most precise and stable washer
limb alignment system in the world with increments as low as 0.05mm /
Stable & steady geometry / Tight & secure wooden grip /
Deep color from anodizing

PROCESSING CNC WEIGHT 1,330g(25") / 1,380g(27") MATERIAL AL 6061
TYPE RH / LH GRIP TSG Wood Grip COLOR Anodizing LENGTH 25", 27"



Blue

Sky

Green

Orange

Red

Purple

Black

Silver

ARGON-X WOOD CORE LIMBS LAWCO1 UPGRADE
ARGON-X FOAM CORE LIMBS LAFCO1 UPGRADE


CWP3024 carbon Material / 45° carbon technology /
AR tech CNC processing / The location and angle of
the Power Zone has been improved

MATERIAL CWP3024 1K Full Carbon CORE Wood core / Foam core
BOW LENGTH 66", 68", 70"
DRAW WEIGHT(lbs.) 32#~50# (2# increments)


FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed to fit
in all FIVICS risers and others.



CWP3024



CWP3024





Stabilizer Mount Thread 5/16"-24 Upstabilizer Mount Thread 5/16"-24
Cushion Plunger Mount Thread 5/16"-24 Clicker Mount Thread 6/32"

TITAN-NX

TITAN-NX 25" RISER HX0625

The light weight high-end riser / Superfine full CNC milling /
Adjustable limb alignment with an M8 and M10 wrench without
removing limbs / Stable & steady geometry /
Tight & secure wooden grip / Deep color from anodizing

PROCESSING CNC WEIGHT 1,230g MATERIAL AL 6061
TYPE RH / LH GRIP TSG Wood Grip COLOR Anodizing LENGTHS 25"



Blue

Sky

Orange

Red

Black

Silver

TITAN-NX WOOD CORE LIMBS LNW01 TITAN-NX FOAM CORE LIMBS LNF01


CWP240 carbon Material / 45° carbon technology /
AR tech CNC processing

MATERIAL CWP240 3K Full Carbon CORE Wood core / Foam core
BOW LENGTH 66", 68", 70"
DRAW WEIGHT(lbs.) 32#~50# (2# increments)

FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed
to fit in all FIVICS risers and others.




CWP240



Bakelite/315
Bakelite (315) is
a thermoset with
excellent flexion
intensity.

CWP240



Bakelite/315
Bakelite (315) is
a thermoset with
excellent flexion
intensity.





Stabilizer Mount Thread 5/16"-24 Upstabilizer Mount Thread 5/16"-24
Cushion Plunger Mount Thread 5/16"-24 Clicker Mount Thread 6/32"



TITAN-EX

TITAN-EX 25" RISER **HX0525**

TITAN-EX 27" RISER **HX0527** **SPECIAL**

Perfect centroidal balance/ Superfine full CNC milling /
The most precise and stable washer limb alignment system in
the world with increments as low as 0.05mm / Stable & steady
geometry / Tight & secure wooden grip / Deep color from anodizing

PROCESSING CNC WEIGHT 1,330g(25") / 1,380g(27") MATERIAL AL 6061
TYPE RH / LH GRIP TSG Wood Grip COLOR Anodizing LENGTH 25", 27"



Blue

Sky

Green

Orange

Red

Purple

Black

Silver

TITAN-EX WOOD CORE LIMBS **LXWC01**
TITAN-EX FOAM CORE LIMBS **LXCF01**


CWP240 carbon Material / 45° carbon technology /
AR tech CNC processing

MATERIAL CWP240 3K Full Carbon CORE Wood core / Foam core
BOW LENGTH 66", 68", 70"
DRAW WEIGHT(lbs.) 32#~50# (2# increments)

FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed
to fit in all FIVICS risers and others.




CWP240



Bakelite / 315
Bakelite (315) is
a thermoset with
excellent flexion
intensity.

CWP240



Bakelite / 315
Bakelite (315) is
a thermoset with
excellent flexion
intensity.





Stabilizer Mount Thread 5/16"-24 Upstabilizer Mount Thread 5/16"-24
Cushion Plunger Mount Thread 5/16"-24 Clicker Mount Thread 6/32"

VELLATOR-V3

VELLATOR-V3 25" RISER HV0325

High quality mid tier riser / Superfine full CNC milling /
Adjustable limb alignment with an M8 and M10 wrench without
removing limbs / Stable & steady geometry / Deep color
from anodizing

PROCESSING CNC WEIGHT 1,210g MATERIAL AL 6061
TYPE RH / LH GRIP Plastic COLOR Anodizing LENGTH 25"



Blue

Green

Orange

Red

Black

Silver

VELLATOR WOOD CORE LIMBS LVWC02 VELLATOR FOAM CORE LIMBS LVFC02


CUP240 carbon Material / 45° carbon technology /
AR tech CNC processing

MATERIAL CUP240 Carbon CORE Wood core / Foam core
BOW LENGTH 66", 68", 70"
DRAW WEIGHT(lbs.) 22#~38# (2# increments)

FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed
to fit in all FIVICS risers and others.




CUP240



Bakelite / 24S
Bakelite (24S) is
a thermoset with
excellent flexion
intensity.

CUP240



Bakelite / 24S
Bakelite (24S) is
a thermoset with
excellent flexion
intensity.





LENGTH
23/25

StStabilizer Mount Thread 5/16"-24 Upstabilizer Mount Thread 5/16"-24
Cushion Plunger Mount Thread 5/16"-24 Clicker Mount Thread 6/32"

VELLATOR-V2

VELLATOR-V2 25" RISER HV0225
VELLATOR-V2 23" RISER HV0223

Only 1,100grams / Superfine full CNC milling /
Stable & steady geometry / Deep color
from anodizing

PROCESSING CNC WEIGHT 1,050g(23") / 1,100g(25") MATERIAL AL 6061
TYPE RH / LH GRIP Plastic COLOR Anodizing LENGTH 23", 25"



Blue Green Orange Red Black Silver

SIRASONI

SIRASONI 17" RISER HS0117

Superfine full CNC milling / Adjustable
limb alignment with an M8 and M10
wrench without removing limbs /
Stable & steady geometry /
Tight & secure wooden grip /
Deep color from anodizing

PROCESSING CNC
WEIGHT 1,030g / 2.27 lbs
MATERIAL AL 6061
TYPE RH / LH GRIP TSG Wood Grip
COLOR Anodizing LENGTH 17"



Brown Green Khaki Black


SIRASONI HUNTING LIMBS LSW01

CWP240 carbon Material / 45° carbon technology / AR tech CNC processing

MATERIAL CWP240 3K Full Carbon BOW LENGTH Medium 60" / Long 62"
DRAW WEIGHT(lbs.) 30~55 lbs in 5 lbs increments

FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all FIVICS risers and others.

CWP240



Bakelite / 31S
Bakelite (31S) is
a thermoset with
excellent flexion
intensity.

CWP Double angled 3K Full Carbon
Natural UD carbon
High Quality Wood Core
High Quality Wood Core
Natural UD carbon
CWP Double angled 3K Full Carbon

RISER



LIMBS



LENGTH



Stabilizer Mount Thread 5/16"-24
Cushion Plunger Mount Thread 5/16"-24




TECHNOLOGY OF FIVICS ARROW



TECHNOLOGY OF FIVICS **ARROWS**



THE WORLD'S BEST ARROW GROUPING **FIVICS' FIVE-X**




Through the use of tomography on arrows used in competitions around the world, FIVICS has confirmed that many arrows have internal cracks in their carbon. The Five-X arrows are constructed of MC 46TON carbon with strict quality control. They are managed with 6 times greater precision than the existing world's highest level of spine deviation, and have a 0% internal crack rate.

Grouping test with shooting machine

The FIVE-X's special carbon material and strict quality control have been proven through excellent arrow grouping. By using a shooting machine, we have formed groupings that are superior to those of other brands.



Cross section crack test




Straightness test




Spine test

FIVE-X VS Other brand Arrows




FIVE-X



Other brand

Arrow flight can be effected by carbon cracks inside the arrow. FIVE-X reduces the chance of any cracks with a special high quality carbon material, allowing for the best arrow flight.





FIVE-X

FIVE-X CARBON ARROW SHAFT ARFX

Advanced Technology /
Extreme Accuracy /
The FIVE-X is the perfect competition
arrow made with the latest carbon
technology.

STRAIGHTNESS ± 0.001"
WEIGHT TOLERANCE ± 1.0 grains
SPINE SELECTION TOLERANCE ± 0.002"

FIVE-X TUNGSTEN POINT FXTPO



WEIGHT 120gr

FIVE-X STAINLESS STEEL POINT FXSPO



WEIGHT 120gr

FIVE-X ALUMINUM INSERT PIN FXIN



Size	X-10 Comparison	Length	Weight (Grain)	GPI	Outside Diameter	Qty	Recommended Point Weight Range		Pin Nock Adapter	Out Nock
							Steel	Tungsten		
350	325	32"	308.3	9.63	0.2136"	12pack	1X	1X		5.0
400	325~350	32"	284.5	8.89	0.2112"	12pack				
450	350~380	32"	261.7	8.18	0.2068"	12pack				
500	410~450	31"	249.1	8.04	0.2013"	12pack				
550	450~500	31"	216.7	6.99	0.1989"	12pack	2X	2X	1 Line	4.7
600	500~550	30"	201.5	6.72	0.1957"	12pack				
650	550~600	30"	193.7	6.46	0.1927"	12pack				
700	600~650	29"	174.9	6.03	0.1898"	12pack				
750	650~700	29"	166.9	5.76	0.1895"	12pack	3X	3X		4.5
800	700~750	29"	162.3	5.60	0.1864"	12pack				
850	750~800	28"	150.2	5.36	0.1831"	12pack				
900	830	28"	144.8	5.17	0.1831"	12pack				
1000	900	28"	134.5	4.80	0.1792"	12pack				

TENPRO

TENPRO CARBON ARROW SHAFT TPROS

30ton carbon allows for extreme speed, strength, and consistency in shooting

STRAIGHTNESS ± 0.002" WEIGHT TOLERANCE ± 1.0 grains SPINE SELECTION TOLERANCE ± 0.002"

TENPRO STAINLESS STEEL POINT TPSP



WEIGHT 120gr

TENPRO ALUMINUM INSERT PIN TPPIN



Size	Length	Weight (Grain)	GPI	Outside Diameter	Qty	Recommended Point Weight Range	Pin Nock Adapter	Out Nock
400	32"	302.4	9.45	0.2354"	12pack	1T/120gr		5.48
450	32"	287.7	8.99	0.2279"	12pack			
500	31"	262.7	8.47	0.2216"	12pack			
550	31"	248.8	8.03	0.2185"	12pack			
600	31"	228.9	7.38	0.2145"	12pack	2T/120gr	1 Line	5.2
650	31"	220.5	7.11	0.2126"	12pack			
700	30"	204.6	6.82	0.2118"	12pack			
800	30"	186.9	6.23	0.2055"	12pack			
900	29"	164.0	5.66	0.2007"	12pack	3T/120gr		4.92
1000	29"	154.1	5.31	0.2004"	12pack			
1100	28"	142.2	5.08	0.1953"	12pack			
1200	28"	134.6	4.81	0.1929"	12pack			



GOLDRO

GOLDRO CARBON ARROW GDRA

GOLDRO is the target arrow for youth archers /
NEW cross weave layer of pure carbon gives it unequaled strength /
Advanced Technology, Extreme Accuracy /
The Stylish Graphics.

STRAIGHTNESS ± 0.002" WEIGHT TOLERANCE ± 1.0 grains
SPINE SELECTION TOLERANCE ± 0.0025"

GOLDRO STAINLESS STEEL GRPO



IN NOCK NMNOK



Size	Length	Weight (Grain)	GPI	Outside Diameter	Qty	Recommended Point Weight Range	Out Nock
800	29"	199.4	6.88	0.2234"	12 pack	120gr	5.48
900	29"	184.7	6.37	0.2196"	12 pack		
1000	28"	169.7	6.06	0.2172"	12 pack		
1100	28"	161.7	5.78	0.2151"	12 pack		
1200	28"	155.6	5.56	0.2135"	12 pack	110gr	2100
1300	28"	146.5	5.23	0.2109"	12 pack		
1400	28"	141.3	5.05	0.2096"	12 pack		
1500	28"	131.2	4.69	0.2082"	12 pack		
1600	28"	120.2	4.29	0.2049"	12 pack		5.2

ZEILO


ZEILO CARBON ARROW SHAFT ZLA

ZEILO is the target arrow for youth archers / NEW cross weave layer of
pure carbon gives it unequaled strength / Advanced Technology, Extreme Accuracy.

STRAIGHTNESS ± 0.002" WEIGHT TOLERANCE ± 1.0 grains SPINE SELECTION TOLERANCE ± 0.0025"

ZEILO STAINLESS STEEL POINT

ZL002SP



ZEILO ALUMINUM INSERT PIN

ZT001SV



Size	Length	Weight (Grain)	GPI	Outside Diameter	Qty	Recommended Point Weight Range
500	30"	303.8	10.13	0.2515"	12 pack	110gr / 120gr
600	30"	280.3	9.34	0.2490"	12 pack	110gr / 120gr
700	30"	232.9	7.76	0.2455"	12 pack	110gr / 120gr
800	29"	221.3	7.63	0.2412"	12 pack	110gr / 120gr
900	29"	209.4	7.22	0.2386"	12 pack	110gr / 120gr
1000	28"	198.0	7.07	0.2372"	12 pack	110gr / 120gr
1100	28"	185.0	6.61	0.2352"	12 pack	110gr / 120gr
1200	28"	183.3	6.55	0.2339"	12 pack	110gr / 120gr
1300	28"	178.7	6.38	0.2333"	12 pack	110gr / 120gr
1400	28"	161.7	5.78	0.2317"	12 pack	110gr / 120gr
1500	28"	156.6	5.59	0.2303"	12 pack	110gr / 120gr



NINJA

NINJA FOR BEGINNER CARBON COMPOSITE ARROW ARNNS

Complete arrow comes in a dozen / 12pcs shaft + 1.65" vanes + in nock + break-off point.

STRAIGHTNESS ± 0.006"

NINJA POINT NMPON



WEIGHT 80gr

NINJA VANES FIPB



IN NOCK NMNOK



Size	Length	Qty	Recommended Point Weight Range
400	33"	12 pack	80gr
500	33"	12 pack	80gr
600	33"	12 pack	80gr
700	33"	12 pack	80gr
800	33"	12 pack	80gr
900	33"	12 pack	80gr
1000	30"	12 pack	80gr
1100	30"	12 pack	80gr
1200	30"	12 pack	80gr
1300	30"	12 pack	80gr
1500	30"	12 pack	80gr
1800	30"	12 pack	80gr


ARROW CHECKING MACHINE

SPECIAL ORDER



ARROW CHECKING MACHINE ACM01


Thrubeam Type Laser Sensor / Straight Check - 1/10,000 inch
Deviation Check Spine Check / Outside Diameter Check



Case



Spine weight




AC Adapter




Battery case

STRAIGHTNESS



SPINE



Outside Diameter Check





ARROW ACCESSORIES



FIVE-X TUNGSTEN POINT **FXTPO**



WEIGHT 120gr

X10 TUNGSTEN POINT FOR X10 SHAFT **X10TP004**



WEIGHT 120gr



WEIGHT 110gr



X-NET STAINLESS STEEL POINT FOR X-10 SHAFT

WEIGHT 120gr **XNET10120**

WEIGHT 110gr **XNET10110**



PIN NOCK (S) **NC001S** PIN NOCK (L) **NC001L**

This universal pinnock fits all standard pinnock adapters. It is made from a durable polycarbonate material that performs shot after shot.

AVAILABLE IN TWO SIZE S fits 12-18 strand strings / L fits 20-24 strand strings

FINEST PRECISION TUNGSTEN POINT

FIVICS has developed the finest precision tungsten point with the world's best precision processing technology. More precise points make better groupings.

Contents	Other brand	FIVICS Tungsten Point
Weigh	118.8gr~121.5gr	119.7~120.3gr
Length	47.27mm~47.84mm	± 0.1
Diameter	3.13mm~3.20mm	No difference
Price		Cheaper than other brands
More information	Rough Surface Hardness is too high making it is easy to break	Smooth Surface Has moderate hardness, so it doesn't break easily

WEIGH



LENGTH



FIVICS' X10 Tungsten Point

DIAMETER



FIVICS' X10 Tungsten Point



Other brand

VS



FIVICS Tungsten Point



FIVICS ARROWS SELECTION GUIDE

Adjusted Bow Draw Weight

FX : FIVE-X

TP : TENPRO

GR : GOLDRO

ZL : ZEILO

NJ : NINJA

Bow Draw Weight	16~lbs.	18~lbs.	20~lbs.	22~lbs.	24~lbs.	26~lbs.	28~lbs.	30~lbs.	32~lbs.
23"	NJ1800	NJ1800	GR1600 ZL1500 NJ1500	GR1600 ZL1500 NJ1500	GR1500 ZL1500 NJ1500	GR1400 ZL1400 NJ1300	GR1300 ZL1300 NJ1300	GR1200 ZL1200 NJ1100	TP1200 GR1100 ZL1100 NJ1100
24"	NJ1800	GR1600 ZL1500 NJ1800	GR1600 ZL1500 NJ1500	GR1500 ZL1500 NJ1500	GR1400 ZL1400 NJ1300	GR1300 ZL1300 NJ1300	GR1200 ZL1200 NJ1100	TP1200 GR1100 ZL1100 NJ1100	TP1100 GR1000 ZL1000 NJ1000
25"	GR1600 ZL1500 NJ1800	GR1600 ZL1500 NJ1500	GR1500 ZL1500 NJ1500	GR1400 ZL1400 NJ1300	GR1300 ZL1300 NJ1300	GR1200 ZL1200 NJ1100	TP1200 GR1100 ZL1100 NJ1100	TP1100 GR1000 ZL1000 NJ1000	FX1000 TP1000 GR900 ZL900 NJ900
26"	GR1600 ZL1500 NJ1500	GR1500 ZL1500 NJ1500	GR1400 ZL1400 NJ1300	GR1300 ZL1300 NJ1300	GR1200 ZL1200 NJ1100	TP1200 GR1100 ZL1100 NJ1100	TP1100 GR1000 ZL1000 NJ1000	FX1000 TP1000 GR900 ZL900 NJ900	FX1000 TP900 GR900 ZL900 NJ900
27"	GR1500 ZL1500 NJ1500	GR1400 ZL1400 NJ1300	GR1300 ZL1300 NJ1300	GR1200 ZL1200 NJ1100	TP1200 GR1100 ZL1100 NJ1100	TP1100 GR1000 ZL1000 NJ1000	FX1000 TP1000 GR900 ZL900 NJ900	FX1000 TP900 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800
28"	GR1400 ZL1400 NJ1300	GR1300 ZL1300 NJ1300	GR1200 ZL1200 NJ1100	TP1200 GR1100 ZL1100 NJ1100	TP1100 GR1000 ZL1000 NJ1000	FX1000 TP900 GR900 ZL900 NJ900	FX1000 TP800 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800
29"	GR1300 ZL1300 NJ1300	GR1200 ZL1200 NJ1100	TP1200 GR1100 ZL1100 NJ1100	TP1100 GR1000 ZL1000 NJ1000	FX1000 TP900 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700
30"	GR1200 ZL1200 NJ1100	TP1200 GR1100 ZL1100 NJ1100	TP1100 GR1000 ZL1000 NJ1000	FX1000 TP900 GR900 ZL900 NJ900	FX1000 TP900 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700
31"	TP1200 GR1100 ZL1100 NJ1100	TP1100 GR1000 ZL1000 NJ1000	FX1000 TP1000 GR900 ZL900 NJ900	FX1000 TP900 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600
32"	TP1100 GR1000 ZL1000 NJ1000	FX1000 TP900 GR900 ZL900 NJ900	FX1000 TP800 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600
33"	FX1000 TP1000 GR900 ZL900 NJ900	FX1000 TP900 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500



Bow Draw Weight	34~lbs.	36~lbs.	38~lbs.	40~lbs.	42~lbs.	44~lbs.	46~lbs.	48~lbs.	50~lbs.	52~lbs.	54~lbs.	56~lbs.
23"	TP1100 GR1000 ZL1000 NJ1000	FX1000 TP1000 GR900 ZL900 NJ900	FX1000 TP900 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400
24"	FX1000 TP1000 GR900 ZL900 NJ900	FX1000 TP900 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400
25"	FX1000 TP900 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400	FX450 TP300
26"	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400	FX450 TP300	FX400
27"	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400	FX450 TP300	FX400	FX350
28"	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400	FX450 TP300	FX400	FX350	
29"	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400	FX450 TP300	FX400	FX350		
30"	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400	FX450 TP300	FX400	FX350			
31"	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400	FX450 TP300	FX400	FX350				
32"	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400	FX450 TP300	FX400	FX350					
33"	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400	FX450 TP300	FX400	FX350						




1K HIGH-ELASTIC CARBON TECHNOLOGY FORNIX STABILIZER

The FORNIX Stabilizer is formed by the efficient layering of General Modulus Carbon into High Modulus Carbon.



This build is characterized as highly elastic and having a very strong spine relative to the weight of the unit. Fivics also uses the high-pressure mold method to diminish the presence of resins (foreign substances and impurities), maximize carbon purity density, and minimize residual and unwanted vibrations.

The FIVICS specific DAMPER uses high-quality butyl as an ingredient to develop a mixing ratio which can reduce vibrations up to 100%.




FORNIX14 VS FORNIX18 VS CEX1900

The FORNIX14, FORNIX18, and CEX1900 Stabilizers have been tested with the 3-axis acceleration test and the ultra-high-speed vibration tracking test, which proved the FORNIX stabilizers have a superior carbon material and design compared to the CEX1900.



STABILIZER SCREW TAB
by adding a screw indent to the carbon attachment point, the coupling force of the joint connecting the carbon stabilizer to the end cap is stronger.



BTR100
Fivics produced 100 sample dampers each with different rubber blending ratios and shapes to determine the best combination and consistency. we found the following products achieve the best performance out of all the blending ratios. so we designated this rubber as brt100 and apply it to all of our damper products.



Carbon White

FORNIX 14

1k high-elastic carbon technology

FORNIX 14 STABILIZER LONG **SF14RCL**

FORNIX 14 STABILIZER SIDE **SF14RCS**

FORNIX 14 STABILIZER EXTENDER **SF148RCE**

The FORNIX 14 Stabilizer's outer circumference is 14mm and is 4mm thick of high-elastic carbon (carbon fiber). This new stabilizer is unique because it uses specially produced carbon fabric (only applied to FIVICS products), which focuses on the dampening of vibration.

MATERIAL 40ton Carbon **DIAMETER** 14.5mm
EXTENDER DIAMETER 18mm
LENGTH Long : 26", 28", 30" / Side : 10", 11", 12", 13", 15" / Extender : 4", 5"
WEIGHT 190g(28"), 108g(12")



1k high-elastic carbon

4 mm

DIAMETER
14/26
PLY

4MM THICK OF HIGH-ELASTIC CARBON

14 Stabilizers are composed of a rolled 26-ply, 4mm thick carbon shaft with a spine diameter of 14mm. They have a strong elasticity and minimize the influence of wind on the bow.



FORNIX 18

1k high-elastic carbon technology

FORNIX 18 STABILIZER LONG **SF18RCL**

FORNIX 18 STABILIZER SIDE **SF18RCS**

FORNIX 18 STABILIZER EXTENDER **SF148RCE**

With the use of stainless steel end-caps, the FORNIX 18 stabilizer is able to redirect force towards the target, while also dispersing unwanted vibration and increasing bow drop speed. The FORNIX 18 was created for the archer that prefers thicker stabilizers, while also using High Modulus Carbon which provides the beneficial elastic characteristics.

MATERIAL 36ton Carbon **DIAMETER** 18mm
LENGTH Long : 26", 28", 30" / Side : 10", 11", 12" / Extender : 4", 5"
WEIGHT 176g(28"), 84g(12")



STAINLESS STEEL

at the end of the long-stabilizer cap

Another stabilizer cap materials

End of the long-stabilizer cap



Red Blue Carbon



Black White Blue Red

VELLATOR

VELLATOR STABILIZER LONG **STV01L**

VELLATOR STABILIZER SIDE **STV01S**

VELLATOR STABILIZER EXTENDER **STV02E**

The VELLATOR STABILIZER orients and builds General Modulus Carbon into the ideal stabilizer for intermediate archers. In addition to high elasticity and strong spine per weight, the VELLATOR STABILIZERS also come in multiple vibrant color saturations. Including special laminating materials / Damper and weight head included / Absorbing noise system stabilizer + damper + weight head

MATERIAL 24ton Carbon **DIAMETER** 18mm
LENGTH Long : 26", 28", 30" / Side : 9", 10", 12" / Extender : 3", 4"(Aluminum)
WEIGHT 134g(28"), 84g(12")



FULL ALUMINUM
EXTENDER

STABILIZER ACCESSORIES



LOK V-BAR

VBLOK02R / NEW

Locked on Kinetics! This new V-Bar has a reduced vibration with stable performance.

ANGLE 35° / 40° / 45°
MATERIAL Aluminum



MAN V-BAR

VBM01R

Stable performance.

ANGLE 35° / 40° / 45°
MATERIAL Aluminum



**COM
CONNECTING
BOLT**

VBCOC

Quick disconnection

ANGLE 10°
MATERIAL Aluminum



WT15004

**PX1500
WEIGHT**

DIAMETER 29mm
WEIGHT 26g / 52g / 104g
THREAD 1/4"-20

WT15002 / WT15001



WTHSV / WTFSV

WT WEIGHT

DIAMETER 20mm
WEIGHT Head-40g / Flat-26g
THREAD 1/4"-20



1S45C16S / 1S45C16L

CONVERTER SCREW

Applicable for all dampers



**DC1500S
DAMPER**

DC1500S

Using special rubber IIR

THREAD 1/4"-20



**DC1500
DAMPER**

DC1500

THREAD 1/4"-20



**V-ZERO
DAMPER**

VZEROL

THREAD 1/4"-20



**V-ZERO MINI
DAMPER**

VZEROM

THREAD 1/4"-20



AIREX



AIREX CUSHION PLUNGER AECP

Dial checking

Pressure point material : **Hastelloy**

THREAD 5/16"-24

ADJUSTABLE LENGTH Min 19.5mm, Max 26.5mm



Easily adjustable knob with a smooth clicking feeling between settings.



Dial Gauge



TECHNOLOGY OF FIVICS CUSHION PLUNGER

NEW MATERIAL HASTELLOY

HASTELLOY PRESSURE POINT


What is Hastelloy?

Hastelloy offers exceptional resistance to strong oxidizing solutions, strong durability in reducing environments, and a low carbon content that provides minimization of grain-boundary carbide precipitation.

What is Corrosion resistance?

Corrosion resistance refers to the resistance a material offers against a reaction with adverse elements that can corrode the material. Various materials have this property intrinsically, depending upon their corrosion resistance rate.

Hastelloy minimizes corrosion when the arrow shaft touches the cushion plunger during arrow flight and makes the arrow fly more stable with greater grouping. We apply this high-end material to the new cushion plunger "Airex".




6000 TIMES SHOT ABRASION TEST

After installing on the cushion plunger test equipment, measurements of the friction were taken 3 times for each material, repeated 2,000 times. Measurements of the abrasion of the arrow surface and abrasion of the pressure point per number of time were also collected.

Material 1 : Hastelloy Pressure Point

Material 2 : Aluminum Pressure Point



HASTELLOY Pressure point

Arrow Shaft Surface / Pressure Point : 6000 times shot abrasion test

- Arrow Shaft Surface Abrasion : Almost None.
- Pressure Point Abrasion : Almost None.

ALUMINUM Pressure point

Arrow Shaft Surface / Pressure Point : 2000 times shot abrasion test

- Arrow Shaft Surface Abrasion : High
- Pressure Point Abrasion : High

**SM540 CUSHION PLUNGER** **SM540**

Compact size for easy setting

THREAD 5/16"-24
ADJUSTABLE LENGTH Min 19.5mm, Max 26.5mm

Red

Blue

Silver

Black



Red



Blue



Black



Red



Blue



Grey

OUT-NOCK REST **RS03**

This arrow rest is designed to allow out-nock arrows to stay on the rest without concern for arrow drops. Compatible with all nock types.

RS REST **RS02**Ambidextrous Design
Allows out-nock & pin-nock**FV-300S SIGHT** **FV300S**

Designed for Olympic style / Recurve bows / Specially designed weight and dampers available (included) / VTS (Variable Tension System) / Elevation travel tension adjustment

SIZE Extension 9" TYPE RH MATERIAL Aluminum, Carbon

**FVW502****FVW501****SIGHT DAMPERS**

Specially designed weight and damper included

**SIGHT PIN (SQUARE)**
SGP01S**SIGHT PIN (ROUND)**
SG001R

Designed for Olympic style recurve bows / Fit for all sights

**CARBON T-GAUGE BOW SQUARE** **AC05CT**

MATERIAL Carbon





TNV2300 UPSTABILIZER **TNV2300**

WEIGHT 86g THREAD 5/16"-24



TNS100AL UPSTABILIZER **TNS100AL**

WEIGHT 90g THREAD 5/16"-24



AUTOMATIC BOW STAND (SHORT) **ST001S**

HEIGHT 44cm WEIGHT 573g
MATERIAL Aluminum

AUTOMATIC BOW STAND (LONG) **ST001L**

HEIGHT 65cm WEIGHT 680g
MATERIAL Aluminum

TECHNOLOGY OF FIVICS FINGER TABS



TENFIX

Lock-in on the 10



PATENTED
FIVICS
Collaboration

Kwon Yonghak

ADJUSTABLE IN
THREE AXIS AND
SIX DIRECTIONS

TENFIX FINGER TAB SFT05A

SIZE L / M / S (RH / LH) WEIGHT M 90g LEATHER Cordovan

The world's most customizable finger tab.

The TENFIX finger tab is designed in collaboration with the nationally renowned coach, Kwon Yong-Hak.

Coach Kwon is praised as one of the best coaches in China because he has produced amazing results as a coach.





The TENFIX finger tab's body is a smooth design which incorporates the function of the Saker Finger Tab series' EP system.

The 9mm-thick aluminum plate provides the best adhesion to the hand and a thumb and little finger supporter can be adjusted in 3 axis and 6 directions.

This is the most customizable finger tab in the world, with elements to best suit your hands, and includes the most natural and accurate hooking sensation to increase shooting accuracy.


TECHNOLOGY OF FIVICS FINGER TABS

ADJUSTABLE IN THREE AXIS AND SIX DIRECTIONS



Pinky Rest has greater adjustability compared to the Saker Finger Tab

SAKER SERIES



Ergonomic design
Adjustable ledge
Replaceable face and backing
Finger spacer included



SAKER 2 FINGER TAB
SFT02A

SIZE XL/L/M/S/XS/XXS (RH/LH)
LEATHER Cordovan
COLOR
XL L M S XS XXS
DarkBlue Blue Red Yellow Purple DarkGreen



SAKER 1 FINGER TAB
SFT01A

SIZE XL/L/M/S/XS/XXS (RH/LH)
LEATHER Cordovan
COLOR
XL L M S XS XXS
DarkBlue Blue Red Yellow Purple DarkGreen



SAKER 3 FINGER TAB
SFT03A

SIZE L/M/S (RH/LH)
LEATHER Cordovan
COLOR
L M S
Blue Red Yellow



BRASS SAKER 1 FINGER TAB
BFT01A

SIZE L / M / S (RH / LH)
WEIGHT L 162g, M 152g, S 144g
LEATHER Cordovan



BRASS SAKER 2 FINGER TAB
BFT02A

SIZE L / M / S (RH / LH)
WEIGHT L 150g, M 140g, S 136g
LEATHER Cordovan



SAKER 1 FINGER TAB FRAME EP EP002

The Frame EP offers top shooters another reference for their hooking direction to allow for the mostcomfort and balance. This component enhances the Saker Finger Tab's Ergonomic design.

SIZE saker1 XL, L = EP (L size) / saker1 M, S = EP (M size) / saker1 XS, XXS = EP (S size)
WA RULES Book3, Chapter 11, Article 11.18
The Technical Committee concluded that if the bar extends to the wrist but not beyond (extends at or before the contact point between the hand and the wrist), then the extension is legal.
World Archery C&R Committee, 22 September 2014



SAKER PLUS



SAKER PLUS FINGER TAB SFT04AN

SIZE L / M / S (RH is new model, but LH is old version in 2016)

Saker Plus finger tab is 4mm thick, allows 3 weight control systems and 5 angle adjustment system through precise machining of the aluminum plate. Saker Plus finger tab can be adjusted to fit the archers shape and preference to allow more stable hooking position, making it the best tab to shoot perfectly in any competition.

1. Angle Adjustment



2. Adjustable Ledge



3. Weight Control



4. Balance Control



FINGER SPACER



Red



Yellow



Green



Blue



Purple



Black

THICK SPACER FS004D

MATERIAL Rubber
SIZE 39.8 x 29.3 x 16.2mm

POLITE SERIES



reddot award 2014
winner



POLITE 3 FINGER TAB NEWPFT03

SIZE L / M / S (RH / LH) COLOR Champagne Gold LEATHER Cordovan



POLITE 2 FINGER TAB NEWPFT02

SIZE L / M / S (RH / LH) COLOR Champagne Gold LEATHER Cordovan

Emphasizes the sense of unity in your hands. / Absolute stability, accuracy, and sense of unity of hooking / 5 Distribution and support of the optimal force by using the whole fingers / Ergonomic 3D design / Aluminum & anodizing surface treatment



PRO SPACER FS007D

MATERIAL Rubber
SIZE 46 x 28.6 x 13mm



PRO SPACER(Oval) FS007O

MATERIAL Rubber
SIZE 41 x 26 x 13.4mm



THIN SPACER FS004T

MATERIAL Rubber
SIZE 32 x 28 x 12.4mm



PLASTIC SPACER FS001P

MATERIAL Plastic
SIZE 36 x 28.3 x 12.3mm





PROTECTORS



WIND CHEST GUARD CG02BP

Ergonomic chest guard made of hard mesh and high quality HOOK AND LOOP.

SIZE XL, L, M, S TYPE RH



A2 CHEST GUARD CG001A2

Adjustable shoulder band / The secure button strap can be adjusted to size

SIZE L(From XL to M), M(From L to S), S(From M to XS) TYPE RH



ORGANIC X ARMGUARD AMX01

Lightweight and comfortable design / Durable plastic for better protection



ORGANIC WEB ARMGUARD AM001

Lightweight and durable plastic armguard



HARNESS SILICON JELLY ARMGUARD AMH01

Accidental string contact with the Silicon Jelly Armguard minimizes unwanted vibration and repulsion during the shot while protecting the bow arm.



LIMB PROTECTOR AC21LP

New Design / Protects the tip of your shoes while holding the bow at rest.

SIZE 56 x 97mm MATERIAL Rubber





UNICO SERIES



UNICO BACK QUIVER QV01UNB

Elegantly crafted quiver made with artificial leather

WEIGHT 380g TYPE RH



Orange

Green

Blue

Pink



UNICO QUIVER LARGE QV01UNL

UPGRADE

SIZE Large WEIGHT 502g TYPE RH

Elegantly crafted quiver made with artificial leather



Red

Orange

Blue

White

UNICO QUIVER SMALL QV01UNS

UPGRADE

SIZE Small WEIGHT 418g TYPE RH



Orange

Green

Blue

Pink

ACCENDO SERIES



ACCENDO BACK QUIVER QV02AB

Lightweight / Large pocket for accessories

WEIGHT 260g TYPE RH



Red

Purple

Blue

Black



ACCENDO TOURNAMENT QUIVER QV02AT

Lightweight / Large pocket for accessories

WEIGHT 630g TYPE RH



Red

Purple

Blue

Black





AEGIS SERIES

AEGIS HARD CASE DOUBLE BCH01

High quality hard case / This model can hold up to two recurve bows and their accessories

SIZE 33 x 15 x 10" MATERIAL ABS+PC WEIGHT 8.4kg

Recommended maximum weight : 23kg



Case belt / Rain cover included



AEGIS HARD CASE SINGLE BCH02

Lightweight / Strong against rough handling / Specially designed wheels / Showy colors / This model can hold up to one recurve bow and its accessories.

SIZE 32.5 x 12.6 x 7.5" MATERIAL ABS+PC WEIGHT 6.5kg

Recommended maximum weight : 23kg



Case belt /
Rain cover included





THUNDER-M

THUNDER-M COMPOUND CASE(DOUBLE) **BCCTHM**

Room for two compound bows

DIMENSION 15 x 45 x 12"

Recommended maximum weight : 23kg

ARROW TUBE

CASE BELT



TENTRON-M

TENTRON-M BACKPACK **BCB02TM**

Riser & Limbs case included / Arrow tube included

SIZE 11.8 x 7.8 x 26.7" **POCKET** 1pcs **WEIGHT** 2.4kg



ARROW TUBE



RISER & LIMBS CASE



Inner Pockets

Fully Open



**TOOL BOX** EC03 SIZE 8.5 x 7 x 7"**RISER & LIMBS CASE** RLC01
SIZE 27 x 7.5 x 3" WEIGHT 800g**FOLDING CASE (2 LEVEL)**
BC2L01

Includes compartments for risers, limbs, and accessories

SIZE 28.5 x 10.5 x 1.5" WEIGHT 900g

**PRO HAND POCKET** STPR01
SIZE 5 x 2.5 x 6" WEIGHT 80g**ARROW PULLER** AC24PU
Non-slip pattern ensures a strong grip**FIVICS ARROW TUBE**
EC04AT EC04AK**CLOTHES** AC08NV SIZE S / M / L / XL / XXL / XXXL**CLOTHES** AC08WT SIZE S / M / L / XL / XXL / XXXL**FIVICS LOGO CAP**
AC12CANV**COOL ARM SLEEVE**
AC26CS**FIVICS LOGO SOCKS**
AC17SOMN
AC17SOWN



CLOCK AC04CL
SIZE 260 x 260 x 47mm



TARGET SCORE BOOK PAG001
SIZE 85 x 130mm
PAGE 20p COVER Hard



FIVICS UMBRELLA UMBL02
LENGTH 80cm
OPENED SIZE 1m 20cm



TARGET FACE UMBRELLA UMBL01
LENGTH 1m
OPENED SIZE 1m 60cm



STRETCH BAND LIGHT(YELLOW) AC03SL
Quality, natural rubber latex construction
THICKNESS 0.35mm



STRETCH BAND HEAVY(GREEN) AC03SH
Quality, natural rubber latex construction
THICKNESS 0.45mm

PERFECT TARGET FACE



Official World Archery Target Face World Archery Target License #9



World famous craftsmanship. Researched and tested to be the perfect target faces for competitions.

MATERIAL Polyester THICKNESS 0.29mm TENSILE STRENGTH(kg/cm2) L-40.0 / W - 17.0
TEMPERATURE RANGE -32 ~ 260°C PRINTING ERROR RANGE 99.9%(Best "quality")



MASTERPIECES



OUTDOOR



**122cm 10-Ring
TARGET FACE**

PT001F

RANGE 90m / 70m / 60m
MARK DIMENSION 122cm x 122cm
TOTAL DIMENSION 125cm x 125cm
(width/length)



**80cm 10-Ring
TARGET FACE**

PT002F

RANGE 50m / 30m
MARK DIMENSION 80cm x 80cm
TOTAL DIMENSION 83cm x 83cm
(width/length)

IN/OUTDOOR



**60cm 10-Ring
TARGET FACE**

PT003F

RANGE 25m
MARK DIMENSION 60cm x 60cm
TOTAL DIMENSION 63cm x 63cm
(width/length)

IN/OUTDOOR



**40cm 10-Ring
TARGET FACE**

PT004F

RANGE 18m
MARK DIMENSION 40cm x 40cm
TOTAL DIMENSION 43cm x 43cm
(width/length)



**48cm 6-Ring
TARGET FACE**

PT007A


RANGE 50m
MARK DIMENSION 48cm x 48cm
TOTAL DIMENSION 51cm x 51cm(width/length)



**48cm 6-Ring Triple
TARGET FACE**

PT007A3

RANGE 50m
MARK DIMENSION 48cm x 3spot
TOTAL DIMENSION 99cm x 98.5cm(width/length)



**48cm 6-Ring Quadruple
TARGET FACE**

PT007A4

RANGE 50m
MARK DIMENSION 48cm x 4spot
TOTAL DIMENSION 102cm x 105cm(width/length)

INDOOR



**20cm Vertical
Recurve
TARGET FACE**

PT008F


RANGE 18m
MARK DIMENSION 20cm x 3spot
TOTAL DIMENSION 23cm x 67cm(width/length)



**20cm Vertical
Compound
TARGET FACE**

PT008C


RANGE 18m
MARK DIMENSION 20cm x 3spot
TOTAL DIMENSION 23cm x 67cm(width/length)



**40cm 10-Ring
Quadruple TARGET FACE**

PT009F


RANGE 18m
MARK DIMENSION 40cm x 4spot
TOTAL DIMENSION 93cm x 85cm(width/length)



**20cm Triangular 3-Spot
Quadruple TARGET FACE**

PT011F

RANGE 18m
MARK DIMENSION 20cm x 12spot
TOTAL DIMENSION 97cm x 85cm(width/length)



**20cm Vertical 3-Spot
Quadruple TARGET FACE**


PT010F

RANGE 18m
MARK DIMENSION 20cm x 12spot
TOTAL DIMENSION 103cm x 67cm(width/length)






TRAINING



**Center-Spot (3ring)
TARGET FACE**

PT012F

RANGE 50m / 30m / 20m
MARK DIMENSION 24cm x 24cm
TOTAL DIMENSION 32cm x 32cm
(width/length)



**Center-Spot (4ring)
TARGET FACE**

PT013F


RANGE 90m / 70m / 60m
MARK DIMENSION 48.8cm x 48.8cm
TOTAL DIMENSION 61cm x 61cm
(width/length)



**TRAINING (12spot)
TARGET FACE**

PT020F

MARK DIMENSION 52mm x 52mm
Total dimension 282mm x 238mm
(width/length)



**TRAINING (12spot)
TARGET FACE**

PT021F

MARK DIMENSION 48mm x 48mm
TOTAL DIMENSION 250mm x 231mm
(width/length)

FIELD



**FIELD 80cm
TARGET FACE**

PT014F

MARK DIMENSION 80cm x 80cm
TOTAL DIMENSION 83cm x 83cm
(width/length)



**FIELD 60cm
TARGET FACE**

PT015F

MARK DIMENSION 60cm x 60cm
TOTAL DIMENSION 63cm x 63cm
(width/length)



**Field 40cm Quadruple
TARGET FACE**

PT016F

MARK DIMENSION 40cm x 4spot
TOTAL DIMENSION 93cm x 85cm
(width/length)

2022
KROSSEN PRODUCT CATALOGUE



KROSSEN
ARCHERY



Featured in archery competitions for the Korean
TV entertainment program **Idol Sports Festival**

EVERYONE CAN ENJOY ARCHERY

In April 2015, the FIVICS archery center was launched with a dream to allow anyone, including non-athletic people, to enjoy archery.

Now, we are making that dream a reality.

The new Krossen line allows us to say "Everyone can enjoy archery with top quality and beautifully designed equipment!"

In the past, beginners or intermediate archers did not much choice.

But now, that has changed.

We at FIVICS thrive to make more options for everyone who loves archery as we do.



XENIA

XENIA RISER HX0325

Only 770grams / The lightest weight / Flawless coating /
 Showy color from painting / Perfect centroidal balance

PROCESSING Die Casting WEIGHT 770g MATERIAL Alloy Magnesium
 TYPE RH / LH GRIP Plastic COLOR Painted LENGTH 25"



XENIA WOOD LIMBS LXW03G

XENIA FOAM LIMBS LXW03F

Modern design / New designed tip part

MATERIAL Fiber Glass CORE Wood, Foam BOW LENGTH 66", 68", 70"
 DRAW WEIGHT(lbs.) 12#~28# (2# increments)

FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all FIVICS risers and others.

LENGTH 25"

Stabilizer Mount Thread 5/16"-24 Upstabilizer Mount Thread 5/16"-24
 Cushion Plunger Mount Thread 5/16"-24 Clicker Mount Thread 6/32"



XENIA LONG STABILIZER STL02L

XENIA SIDE STABILIZER STL02S

XENIA EXTENDER STL02E

XENIA STABILIZER effectively stacks General Modulus Carbon and Fiber Glass to provide the best elasticity and spine level for the beginner archer.
 The Xenia Stabilizer excels for beginners since it diminishes vibrations using high quality materials and IIR rubber.
 Refined design / Weight & damper included

MATERIAL Carbon Composite DIAMETE 17mm WEIGHT 116g(30"), 65g(12")
 LENGTH Long : 26", 28", 30" / Side : 10", 12" / Extender : 3", 4"(Aluminum)



XENIA V-BAR VBXE01

ANGLE 40 °



XENIA DAMPER XEDA01

THREAD 1/4"-20



WTFSV WTHSV

WT WEIGHT


DIAMETER 20mm
 WEIGHT Head-40g / Flat-26g
 THREAD 1/4"-20



**SCORPION SIGHT** SG03XE


Simple design with all the functionality required for a beginner archer

SIZE Extention 7" TYPE RH
MATERIAL Aluminum
WEIGHT 220g

**XENIA SIGHT** SG02XE

One model suitable for lefthanded and righthanded archers / RH and LH both

SIZE Extention 4" MATERIAL Aluminum
WEIGHT 180g

**XENIA 2 CUSHION PLUNGER** XENCP02 NEW

Stable performance with upgraded internal components.

MATERIAL Aluminum THREAD 5/16"-24 SIZE 61.5mm

**XENIA LEO CUSHION PLUNGER** LEOC01

Simple design with lighter weight

MATERIAL Aluminum THREAD 5/16"-24 SIZE 61.5mm

**BOW STRING BUCKLE** BS001

Suitable for many bow strings. The inner layer is composed of antiskid nylon to reduce wear on the bow string - 1set is including 2pcs

**KP REST** KP001

Simple design with strong material

MATERIAL Plastick SIZE 30 x 20mm TYPE RH / LH

**XENIA CLICKER** XECL001

MATERIAL Stainless Steel
SIZE 100mm
THICKNESS 0.3 / 0.4mm





XENIA JM1 FINGER TAB
JMF01A

SIZE L / M / S (RH) LEATHER Cowhide



XENIA JM2 FINGER TAB
JMF02A

SIZE L / M / S (RH) LEATHER Cowhide



CLOVER FINGER TAB
LFTC02

SIZE L / M / S (RH)
LEATHER Cowhide



FINGER PROTECTOR FR001

The size can be adjusted to any finger thickness
MATERIAL Rubber



XENIA BOW STAND STXE01BK

- Stability
- Perfect balance
- Magnetic System

HEIGHT 44cm MATERIAL Aluminum

HK HOLDER
AC19HKSV



XENIA CHEST GUARD CG06XE

Easy fit adjustment

SIZE L, M, S TYPE RH / LH



White



Red

Yellow

Blue

Pink



FABRIC ARMGUARD (M) AMF1M



FABRIC ARMGUARD (L) AMF1L



HYPER SERIES



HYPER QUIVER XEQV01

420D & 600D combination of high quality material and fabric

WEIGHT 460g



Blue



Yellow



Red



Black



HYPER BACK QUIVER XEQV02

420D & 600D combination of high quality material and fabric

WEIGHT 380g



Blue



Yellow



Red



Black

HYPER RECURVE BACKPACK XEB01BB

Affordable recurve backpack with a modern sophisticated design

SIZE 34 x 75 x 15cm WEIGHT 920g

Increased stability from external shock with the application of thicker foam material.



Blue



Red



Black



RISER & LIMBS CASE / ARROW TUBE



SPECIFICATIONS RISER

PRODUCT	LENGTH	WEIGHT	MATERIAL	PROCESSING	COLOR (Anodized)
ARGON-X (p.26)	25"	1,330g	Aluminum(6061)	Full CNC	Blue, Sky, Green, Orange, Red, Purple, Black, Silver
	27"	1,380g			
TITAN-NX (p.24)	25"	1,230g	Aluminum(6061)	Full CNC	Blue, Sky, Orange, Red, Black, Silver
TITAN-EX (p.28)	25"	1,330g	Aluminum(6061)	Full CNC	Blue, Sky, Green, Orange, Red, Purple, Black, Silver
	27"	1,380g			



PRODUCT	LENGTH	WEIGHT	MATERIAL	PROCESSING	COLOR (Anodized)
VELLATOR-V3 (p.30)	25"	1,210g	Aluminum(6061)	Full CNC	Blue, Green, Orange, Red, Black, Silver
VELLATOR-V2 (p.32)	23"	1,070g	Aluminum(6061)	Full CNC	Blue, Green, Orange, Red, Black, Silver
	25"	1,100g			
SIRASONI (p.33)	17"	1,030g	Aluminum(6061)	Full CNC	Brown, Green, Khaki, Black
XENIA (p.80)	25"	770g	Alloy Magnesium	Die Casting	Red, Blue, Black, White, Fluorescent Green





SPECIFICATIONS LIMBS

PRODUCT	CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTH
ARGON-X (p.27)	WOOD	CWP3024 1K Full Carbon	32#~50#	66", 68", 70"
	FOAM			
TITAN-NX (p.25)	WOOD	CWP240 3K Full Carbon	32#~50#	66", 68", 70"
	FOAM			
TITAN-EX (p.29)	WOOD	CWP240 3K Full Carbon	32#~50#	66", 68", 70"
	FOAM			



ARGON-X



TITAN-NX



TITAN-EX

FIVICS RECURVE BOW BRACE HEIGHT RANGE CHART

23" RISER - LONG LIMBS 22.5~23cm | MEDIUM LIMBS 22~22.5cm | SHORT LIMBS 21.5~22cm
25" RISER - LONG LIMBS 23~23.5cm | MEDIUM LIMBS 22.5~23cm | SHORT LIMBS 22~22.5cm
27" RISER - LONG LIMBS 23.5~24cm | MEDIUM LIMBS 23~23.5cm | SHORT LIMBS 22.5~23cm

TILLER HEIGHT : The distance from the base of the top limb to the string should be set 2-4mm greater than the bottom.

PRODUCT	CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTH
VELLATOR (p.31)	WOOD	CUP240 UD Carbon	22#~38#	66", 68", 70"
	FOAM			
SIRASONI (p.33)	WOOD	CWP240 3K Full Carbon	30#~55#	60", 62"
XENIA (p.80)	WOOD	Fiber Glass	12#~28#	66", 68", 70"
	FOAM			



VELLATOR



SIRASONI



XENIA



FIVICS

LEAD TO VICTORY

www.fivics.com



Follow us on Instagram!
<https://www.instagram.com/fivickorea>



Like us on Facebook!
<https://www.facebook.com/fivicsarcherykorea>



Subscribe to us on YouTube!
<https://www.youtube.com/user/fivickorea>

FIVICS KOREA (HEAD OFFICE)

Address | 42, Gwonseon-ro 668beon-gil, Gwonseon-gu, Suwon-si, Gyeonggi-do, Korea, 16566

Tel | +82-31-245-6388 Fax | +82-31-245-6386 E-mail | info@fivics.com

FIVICS CHINA (FACTORY)

Address | INDUSTRIAL PARK HOUGUZHEN ROAD XIAZHUANG CHENGYANG DIST QINGDAO CHINA

Tel | +86-532-8788-6455 E-mail | info@fivics.com

FIVICS USA (BRANCH)

Address | Paloma St. Los Angeles, United States of America E-mail | teamusa@fivics.com



FIVICS BOW LIMITED LIFETIME WARRANTY

FIVICS recurve handles are guaranteed against manufacturing defects in materials and workmanship to the original owner for the life of the product.

For more information visit us online at www.fivics.com

Note : At the time of production of our 2022 Product Guide, the bows, limbs, color options, and all other accessories shown, and the information contained, had been thoroughly checked for accuracy. However, in the event an error was made, FIVICS reserves the right to notify our dealers and customers at its discretion. Additionally, FIVICS reserves the rights to modify, change or discontinue products shown in this publication without notice.





FIVICS KOREA

42, Gwonseon-ro 668beon-gil, Gwonseon-gu, Suwon-si, Gyeonggi-do, Korea, 16566
Tel | +82-31-245-6388 Fax | +82-31-245-6386 E-mail | info@fivics.com www.fivics.com