

# INFITEC

## PRODUCT GUIDE 2016 - 2017

*New Horizon for Archery Mechanism*

[WWW.INFITECARCHERY.COM](http://WWW.INFITECARCHERY.COM)



The logo for INFITEC ARCHERY, featuring the word 'INFITEC' in a stylized font with a red and white color scheme, and 'ARCHERY' in a smaller font below it.

[WWW.INFITECARCHERY.COM](http://WWW.INFITECARCHERY.COM)

# INFITEC

## ARCHERY

### The Challengers in the race for the Victory!

Challenges in life are to make you know your strength and your ability to come out from obstacle with grace and unscratched. It makes your more sensitive and inculcates virtue to react with courage and confidence. Every struggle shapes you as a person of strong willpower who takes any eventuality with determination and finishes it with a logical conclusion.

INFITEC is a compound word of "Infinite" and "Technology" and it represents that we always seek new way of thinking to develop more advanced products based on our infinite resources and technologies. Thanks to our highly motivated team spirit and well organized quality management system, we will be able to continue our commitment to deliver high quality products under best customer service.



# 2016-2017

INFITEC ARCHERY PRODUCT GUIDE



## TABLE OF CONTENTS

- 04 CHALLENGER MAX Riser
- 05 CHALLENGER NEO Riser
- 06 CHALLENGER Carbon / CHALLENGER NEO Fiber Limbs
- 07 TES 300 Stabilizer System
- 08 NEXUS Carbon Stabilizer System
- 09 CRUX Carbon Stabilizer System
- 10 NEXUS V-Bar / SIDE WINDER Compound V-Bar / EAGLE X1 Sight
- 11 CRUX Damper & Weight System / INFITEC Damper
- 12 Cushion Plungers / Arrow Rests
- 13 Scope / Compound Rest / Bow Stringer / Bow Sling
- 14 Arrow Puller / Arm Guards
- 15 Fletching Jig / Bow Square
- 16 Bow Stand / Compound Stand / Sight Pins
- 17 Quivers
- 18 Chest Guard / Bow Cover / Sight Bag
- 19 Back Pack / ABS Bow Case



**CHALLENGER MAX RISER [NEW]**

CHALLENGER MAX is a special edition model for the CHALLENGER RISER with carbon fiber style finish. It is constructed of durable 6061 aluminum body structure and a special hard coating treatment to create attractive carbon weaving pattern and it features dual options for cushion plunger, highly detailed clicker extension, side to side adjustable limb pocket system for good adaptability to a wide variety of international fittings limbs. This model has two colors choices of Black and Gold.



|                 |  |
|-----------------|--|
| <b>IF 1002</b>  | <b>CHALLENGER MAX RISER</b>              |
| <b>MATERIAL</b> | Strong aluminum structure - CNC machined |
| <b>WEIGHT</b>   | 1,180 g                                  |
| <b>LENGTH</b>   | 25"                                      |
| <b>TYPE</b>     | RH / LH                                  |

**A** **DETAIL**



Adjustable limb pocket system with new tiller bolt

**COLOR OPTIONS**



Black

Gold



### CHALLENGER NEO RISER [UPGRADE]

Manufactured by computer-aided vacuum technology, CHALLENGER NEO RISER has a solid aluminum structure with a sleek and smooth body line. Owing to our engineering's repeated test and performed analysis, the riser gained much improved capability to control the vibration and stress efficiently while shooting. Features ILF limb alignment pocket, anodized tiller bolt and specially coated new synthetic wooden grip.

A

|                 |  |
|-----------------|--|
| <b>IF 1001</b>  | <b>CHALLENGER NEO RISER</b>              |
| <b>MATERIAL</b> | Strong aluminum structure - CNC machined |
| <b>WEIGHT</b>   | 1,180 g                                  |
| <b>LENGTH</b>   | 25"                                      |
| <b>TYPE</b>     | RH / LH                                  |

**A** DETAIL



Replaced with anodized tiller bolt

**B** DETAIL



Specially coated new synthetic wooden grip



B

**COLOR OPTIONS**



Black Blue Titanium Silver Silver Yellow White Red

### CHALLENGER CARBON LIMBS


CHALLENGER Carbon Limbs are constructed from double layered block type hard maple, premium high modulus UD carbon and high elastic fiberglass to produce unbelievable power, accuracy and consistency in your shooting performance. This model comes with INFITEC BOW COVER and recommended for archers seeking their ultimate potential.



|                 |  |
|-----------------|--|
| <b>IF 1101</b>  | <b>CHALLENGER CARBON LIMBS</b>                                     |
| <b>MATERIAL</b> | High Modulus UD carbon, Fiberglass<br>Hard Maple Wood (Block type) |
| <b>LENGTHS</b>  | 66 / 68 / 70"  |
| <b>POUNDAGE</b> | 28 - 46 lbs (in 2 lb. increments)                                  |

### CHALLENGER NEO FIBER LIMBS [UPGRADE]

CHALLENGER NEO Fiber Limbs have been refurbished with brighter white graphics. Produced with double layered hard maple wood and laminated fiberglass and the limp tip section and inner layout also have been upgraded for maximum durability. Features international fitting and recommended for intermediate archers or beginners.



|                 |                                       |
|-----------------|---------------------------------------|
| <b>IF 1102</b>  | <b>CHALLENGER NEO FIBER LIMBS</b>     |
| <b>MATERIAL</b> | Premium Fiberglass<br>Hard Maple Wood |
| <b>LENGTHS</b>  | 66 / 68 / 70"                         |
| <b>POUNDAGE</b> | 18 - 40 lbs (in 2 lb. increments)     |



TES300 STABILIZER

TES300 SHORT



TES300 EXTENDER



### TES300 STABILIZER SYSTEM [UPGRADE]

TES300 Stabilizer has been upgraded by adding newly developed CRUX DAMPER for more enhanced dampening feature. As constructed with lightweight and highly durable Aluminum / Kevlar carbon construction, it shows excellent performance in absorbing hand-arm vibration and optimal weight distribution. This 19.5 mm diameter extra rigid design works great for both recurve and compound bows. The luxurious outer carbon weaving pattern remains unchanged.

| IF 3001           | TES300 STABILIZER                           |
|-------------------|---|
| MATERIAL          | High Modulus Kevlar carbon<br>7075 Aluminum |
| OUTSIDE DIAMETER  | 19.5 mm                                     |
| AVAILABLE LENGTHS | 26 / 28 / 30"                               |
| COLOR             | Available in Black only                     |


| IF 3002           | TES300 SHORT                                |
|-------------------|---|
| MATERIAL          | High Modulus Kevlar carbon<br>7075 Aluminum |
| OUTSIDE DIAMETER  | 19.5 mm                                     |
| AVAILABLE LENGTHS | 10 / 12"                                    |
| COLOR             | Available in Black only                     |

| IF 3003           | TES300 EXTENDER                             |
|-------------------|---|
| MATERIAL          | High Modulus Kevlar carbon<br>7075 Aluminum |
| OUTSIDE DIAMETER  | 19.5 mm                                     |
| AVAILABLE LENGTHS | 4 / 5 / 6"                                  |
| COLOR             | Available in Black only                     |

#### SECTIONAL DETAIL

High Modulus Kevlar carbon

Extremely rigid 7075 aluminum





**NEXUS CARBON STABILIZER**

**NEXUS CARBON SHORT**



**NEXUS CARBON EXTENDER**



**NEXUS CARBON STABILIZER SYSTEM [NEW]**

NEXUS Carbon is well balanced 19.5mm full carbon stabilizer. It is designed to provide reliable performance as guaranteeing your shooting accuracy with a minimum investment. The built-in vibration dampening rubber section and stackable stainless steel weights allow the archer to have a more balanced and comfortable shooting environment. This model is produced from 100% high-modulus cross carbon shaft for the maximum strength.

**IF 3101 NEXUS CARBON STABILIZER**

|                   |                           |
|-------------------|---------------------------|
| MATERIAL          | High Modulus Cross carbon |
| OUTSIDE DIAMETER  | 19.5 mm                   |
| AVAILABLE LENGTHS | 26 / 28 / 30"             |
| COLORS            | Blue, Black, Silver, Red  |

**IF 3102 NEXUS CARBON SHORT**

|                   |                           |
|-------------------|---------------------------|
| MATERIAL          | High Modulus Cross carbon |
| OUTSIDE DIAMETER  | 19.5 mm                   |
| AVAILABLE LENGTHS | 10 / 12"                  |
| COLORS            | Blue, Black, Silver, Red  |

**IF 3103 NEXUS CARBON EXTENDER**

|                   |                           |
|-------------------|---------------------------|
| MATERIAL          | High Modulus Cross carbon |
| OUTSIDE DIAMETER  | 19.5 mm                   |
| AVAILABLE LENGTHS | 4 / 5 / 6"                |
| COLORS            | Blue, Black, Silver, Red  |

**DETAIL**



Built-in vibration dampening system



**CRUX CARBON STABILIZER**

**CRUX CARBON SHORT**



**CRUX CARBON EXTENDER**



**CRUX STABILIZER SYSTEM [NEW]**

With a stiff and lightweight 19.5mm diameter high-Modulus carbon construction, CRUX is a highly versatile mid-range stabilizer system at excellent price. It features integral rubber damper and stainless steel end weight. This model is aimed at fashion-conscious teenagers or young archers who are always seeking a stylish design in eye-catching colors. This model is available in Black, White, Yellow, Orange and Flo Yellow.

| IF 3201           | CRUX CARBON STABILIZER                   |
|-------------------|--|
| MATERIAL          | High Modulus Carbon                      |
| OUTSIDE DIAMETER  | 19.5 mm                                  |
| AVAILABLE LENGTHS | 26 / 28 / 30"                            |
| COLORS            | Black, White, Yellow, Orange, Flo Yellow |

| IF 3202           | CRUX CARBON SHORT                        |
|-------------------|--|
| MATERIAL          | High Modulus Carbon                      |
| OUTSIDE DIAMETER  | 19.5 mm                                  |
| AVAILABLE LENGTHS | 10 / 12"                                 |
| COLORS            | Black, White, Yellow, Orange, Flo Yellow |

| IF 3203           | CRUX CARBON EXTENDER                     |
|-------------------|--|
| MATERIAL          | High Modulus Carbon                      |
| OUTSIDE DIAMETER  | 19.5 mm                                  |
| AVAILABLE LENGTHS | 4 / 5 / 6"                               |
| COLORS            | Black, White, Yellow, Orange, Flo Yellow |




Rubber damper section and stainless end-weights


**NEXUS V-BAR [NEW]**

Constructed from highly durable one piece premium 6061 aluminum, NEXUS V-BAR has been optimized to transfer minimal shock and vibration to the side rods. It includes a taper shaped stainless steel connecting bolt for attachment to any stabilizer with a 5/16 thread.

|                |                       |
|----------------|-----------------------|
| <b>IF 4403</b> | <b>NEXUS V-BAR</b>    |
| MATERIAL       | Premium 6061 Aluminum |
| WEIGHT         | 100 g                 |




**COLOR OPTIONS**



**SIDE WINDER COMPOUND V-BAR**


SIDE WINDER is adjustable single sided V-BAR with adjustable arm, designed for compounds to offset weight against sight. It holds 5/16-24 single rod and works well for either right or left hand bows. Features 4 independent locking horizontal and vertical positions.




|                |                                   |
|----------------|-----------------------------------|
| <b>IF 4402</b> | <b>SIDE WINDER COMPOUND V-BAR</b> |
| MATERIAL       | Aluminum                          |
| WEIGHT         | 120 g                             |
| COLORS         | Black, Silver                     |

**EAGLE X1 SIGHT**

EAGLE X1 Sight is strong lightweight aluminum target sight for beginners. It features durable 6" composite bar, quick vertical movement with a side locking bolt and micro windage adjustment with dial type control system. This model comes with 8-32 windage block,



Dual type control system



Black only


|                     |   |
|---------------------|---|
| <b>IF 2010</b>      | <b>EAGLE X1 SIGHT</b>                                     |
| MATERIAL            | Frame: Aluminum<br>Extension: Advanced composite material |
| APERTURE HOLDER     | 8-32  |
| WEIGHT              | 140 g   |
| LENGHT OF EXTENSION | 6"  |

### CRUX DAMPER [NEW]

CRUX Damper is a highly versatile vibration absorbing rubber damper. It is designed to accept the conversion screw 1/4-20 to 5/16-24 to be installed directly to the riser.

|                |                       |
|----------------|-----------------------|
| <b>IF 4702</b> | <b>CRUX DAMPER</b>    |
| THREADS MALE   | 5/16-24 & Male 1/4-20 |
| WEIGHT         | 56 g                  |

#### COLOR OPTIONS



### CRUX RUBBER WEIGHT [NEW]

Completely eliminate vibration and noise. CRUX DAMPER WEIGHT is designed to fit on 3/4" or 5/6" diameter stabilizer.

|                |                              |
|----------------|------------------------------|
| <b>IF 4703</b> | <b>CRUX RUBBER WEIGHT</b>    |
| FEATURES       | 1/4-20 Male / Female Threads |
| THREADS        | 1/4-20 Male / Female         |
| WEIGHT         | 46 g                         |
| COLORS         | Black, Red, Blue             |



### CRUX STAINLESS WEIGHT [NEW]

1 3/16" diameter solid stainless steel can be stacked for a custom balanced set up. It comes with various lengths of 1/4-20" Allen set screws


|                |                              |
|----------------|------------------------------|
| <b>IF 4704</b> | <b>CRUX STAINLESS WEIGHT</b> |
| THREADS        | 1/4-20 Female                |
| SIZES          | 1 oz, 2 oz, 4 oz and 7 oz    |



### INFITEC DAMPER

INFITEC DAMPER is a 120g lightweight damper with integral stainless weights. It features a vibration absorbing rubber damper and 3pieces stainless steel weight system with 5/16-24 thread. This model is designed to fit on the end of a stabilizer or as a riser damper.

|                |                         |
|----------------|-------------------------|
| <b>IF 4701</b> | <b>INFITEC DAMPER</b>   |
| THREADS        | 5/16-24 X 1/4-20 Thread |
| LENGTH         | 3"                      |
| WEIGHT         | 120 g                   |



**NEXUS CUSHION PLUNGER [NEW]**

NEXUS Cushion Plunger is all-new top performing pressure button with a shiny anodized aluminum body. A micro-click spring tension adjustment allows for exact setting as desired.

The factory fitted acetal washer is to prevent possible damage to your riser and to reduce any unwanted vibration during shooting.

|                |                                     |
|----------------|-------------------------------------|
| <b>IF 4303</b> | <b>NEXUS CUSHION PLUNGER</b>        |
| MATERIAL       | Stainless steel / Anodized aluminum |
| THREAD SIZE    | 5 / 16-24                           |
| WEIGHT         | 30 g                                |



**COLOR OPTIONS**



**CHALLENGER CUSHION PLUNGER**

CHALLENGER Cushion Plunger is a good entry level button to help you with tuning. It features a Teflon inner sleeve for a smooth action with a strong aluminum body and plunger tip. This button is tough and durable.

|                |                                   |
|----------------|-----------------------------------|
| <b>IF 4301</b> | <b>CHALLENGER CUSHION PLUNGER</b> |
| MATERIAL       | Aluminum                          |
| THREAD SIZE    | 5/16-24                           |



**COLOR OPTIONS**



**TES 300 ARROW REST**

Nice large plunger hole as to enable arrow position with centre of plunger and the arm has been reduced in length as for better arrow clearance during the archers shoot.



Silver only

|                |                           |
|----------------|---------------------------|
| <b>IF 4602</b> | <b>TES 300 ARROW REST</b> |
| MATERIAL       | Stainless steel           |
| TYPE           | RH / LH                   |

**STRONG ARM REST**

STRONG ARM rest is durable stick-on plastic rest. It works well on most wooden bows and features raised pivot plate and self-adhesive backing.




Black only

|                |                        |
|----------------|------------------------|
| <b>IF 4601</b> | <b>STRONG ARM REST</b> |
| MATERIAL       | Robust Plastic         |
| TYPE           | RH / LH                |

### INFITEC IRIS-300 SCOPE [NEW]

IRIS-300 is top quality 29mm target scope with a CNC machined premium 6061 aluminum housing, an anti-reflective coated lens. This model has a deeper body to help identify any torquing in the hand, also allowing the lens to give an overall clearer picture. It features a smaller size bubble for a modern look and feel.




|                |                               |
|----------------|-------------------------------|
| <b>IF 2101</b> | <b>INFITEC IRIS-300 SCOPE</b> |
| MATERIAL       | Premium 6061 Aluminum         |
| WEIGHT         | 38 g                          |
| LENS DIOPTERS  | +0.50 / +0.75 / +1.00 / +1.25 |

### INFITEC COMPOUND REST

Micro adjustable compound rest comes with good reinforcement at the outer housing end of blade rotation. INFITEC COMPOUND REST accepts a universal size of launcher blade and fully adjustable spring tension. It features laser-etched lines for micro adjustment and is supplied with 0,2T, 0,25T, 0,3T launcher blades and Allen wrench set.



|                |  |
|----------------|--|
| <b>IF 4610</b> | <b>INFITEC COMPOUND REST</b>                   |
| MATERIAL       | Aluminum body / Stainless steel launcher blade |
| TYPE           | RH / LH  |
| COLOR          | Black only                                     |



### INFITEC BOW STRINGER



|                |   |
|----------------|---|
| <b>IF 4802</b> | <b>INFITEC BOW STRINGER</b>             |
| MATERIAL       | Durable synthetic rubber and Nylon cord |

### INFITEC BOW SLING



|                |                          |
|----------------|--------------------------|
| <b>IF 4801</b> | <b>INFITEC BOW SLING</b> |
| MATERIAL       | Nylon Para-Cord          |


**NEXUS ARROW PULLER [NEW]**

Produced from soft synthetic rubber, NEXUS Arrow Puller is ergonomically designed for maximum grip and a comfortable fit. Works well with all types and sizes of arrow and it includes plastic snap clip.




|                |                           |
|----------------|---------------------------|
| <b>IF 4803</b> | <b>NEXUS ARROW PULLER</b> |
| MATERIAL       | Soft synthetic rubber     |
| WEIGHT         | 60 g                      |

**COLOR OPTIONS**




**AL60 ARM GUARD**

Produced from durable aluminum/epoxy material, AL60 Armguard is contoured to fit arm well with two elastic straps which are quickly adjustable. It is 5 1/2 inches long and available on five shiny colors.




|                |                       |
|----------------|-----------------------|
| <b>IF 4101</b> | <b>AL60 ARM GUARD</b> |
| MATERIAL       | Aluminum / Epoxy      |
| LENGTH         | 5 1/2"                |

**COLOR OPTIONS**




**EASY ARM GUARD**

Soft and flexible plastic ventilated armguard at an affordable price. Easy Armguard is very comfortable to wear with adjustable elastic straps and fits just about any arm size. This model is great for beginners.



|                |                       |
|----------------|-----------------------|
| <b>IF 4102</b> | <b>EASY ARM GUARD</b> |
| MATERIAL       | Flexible plastic      |
| LENGTH         | 5 1/2"                |

**COLOR OPTIONS**




### INFITEC FLETCHING JIG


Metal-framed and fully collapsible Fletching Jig for improved portability. INFITEC Fletching Jig is easy to set the angle at 45 and 18 degree with side pocket pin and the additional locking system is to eliminate unnecessary movements. It features chromium-plated clamp with strong magnet and factory fitted shaft rotating knob for firm and precise setting.



|                |                              |
|----------------|------------------------------|
| <b>IF 5011</b> | <b>INFITEC FLETCHING JIG</b> |
| MATERIAL       | Aluminum                     |
| WEIGHT         | 600 g                        |




**A** Rotating knob for precise setting.




Fully collapsible for portable design.

### INFITEC BOW SQUARE

In a durable aluminum construction, INFITEC BOW SQUARE features a laser-etched precision metric and imperial scale for measurements. This useful tool is for measuring brace height, tiller and nock position.



#### COLOR OPTIONS



|                |                                |
|----------------|--------------------------------|
| <b>IF 4520</b> | <b>INFITEC BOW SQUARE</b>      |
| MATERIAL       | Anodized aluminum construction |

**INFITEC BOW STAND**

As a simple and lightweight aluminum bow stand, INFITEC Bow Stand is fully collapsible and compact size frame for easy storage. It has a specially designed grip holder section to fix riser grip very tightly to prevent slippage or damage to your recurve riser. Accordingly, the string holder on the main frame is not required. Please try out this simple but marvelous and practical bow stand.



|                |                          |
|----------------|--------------------------|
| <b>IF 5001</b> | <b>INFITEC BOW STAND</b> |
| MATERIAL       | Aluminum                 |
| HEIGHT         | 15"                      |
| WEIGHT         | 180 g                    |

**COLOR OPTIONS**



**CRUX COMPOUND STAND [NEW]**

Made from impact resistant composite material, CRUX Compound Stand is very lightweight, durable, and innovatively designed compound bow stand. It holds the most compound bows regardless of limbs type and size securely when used in conjunction with long rod. It features a rubber section for the improved stability and limb protection.

|                |                            |
|----------------|----------------------------|
| <b>IF 5010</b> | <b>CRUX COMPOUND STAND</b> |
|----------------|----------------------------|



**INFITEC SIGHT PIN (Round type)**



|                |  |
|----------------|--|
| <b>IF 4901</b> | <b>INFITEC SIGHT PIN (Round type)</b>      |
| MATERIAL       | Housing - Aluminum / Rod - Stainless steel |
| THREAD SIZE    | 8-32, 10-32 (Length: 3")                   |

**INFITEC SIGHT PIN (Square type)**



|                |  |
|----------------|--|
| <b>IF 4902</b> | <b>INFITEC SIGHT PIN (Square type)</b>     |
| MATERIAL       | Housing - Aluminum / Rod - Stainless steel |
| THREAD SIZE    | 8-32, 10-32 (Length: 3")                   |

### CHALLENGER QUIVER

Fashionably designed 18 inch long target QUIVER, CHALLENGER Quiver features three arrow tubes in different lengths to provide for perfect arrow separation, two zippered outer pockets for accessories and a bow square slot.

|                |                             |
|----------------|-----------------------------|
| <b>IF 5102</b> | <b>CHALLENGER QUIVER</b>    |
| MATERIAL       | Heavy duty polyester fabric |
| LENGTH         | 18"                         |
| TYPE           | RH / LH                     |



### STARTER QUIVER

STARTER Quiver is simply designed two-tube quiver for recreation or practice. It features convenient belt clip and reversible for RH and LH archer.


|                |                              |
|----------------|------------------------------|
| <b>IF 5101</b> | <b>STARTER QUIVER</b>        |
| MATERIAL       | Polyester, PVC coated fabric |
| LENGTH         | 16 1/2"                      |



### INFITEC CHEST GUARD

INFITEC Chest Guard is a breathable air-mesh construction. This double layered nylon mesh fabric provides added strength as well as good protection. It comfortably fits your chest with quick adjustable strap and buckle closure. There are also additional adjustment points for a better custom fitting.

|                 |                                    |
|-----------------|------------------------------------|
| <b>IF 5201</b>  | <b>INFITEC CHEST GUARD</b>         |
| <b>MATERIAL</b> | Nylon mesh fabric (Double layered) |
| <b>SIZES</b>    | S / M / L / XL                     |
| <b>TYPE</b>     | RH / LH                            |



### INFITEC BOW COVER [NEW]

Produced from water-proof Cordura material, the sleeves are lined with internal padding to prevent your limbs from accidental scratching during transportation and storage.

|                 |  |
|-----------------|--|
| <b>IF 5302</b>  | <b>INFITEC BOW COVER</b>   |
| <b>MATERIAL</b> | Waterproof Cordura   |
| <b>POUNDAGE</b> | Riser Sleeve: 27.5" x 5.5" (Max)<br>Limb Sleeve: 27" x 2.5" taper down to 1 3/4" |



### INFITEC SIGHT BAG

A neatly designed soft bag for keeping your sight and accessories. INFITEC Sight Bag is produced with a sturdy nylon cover and lined with soft padding for added protection and features an internal accessory pocket, Velcro fastening straps and elastic loops for tools and sight pins. Outer zippered pocket allows for storage of additional accessories.

|                           |                          |
|---------------------------|--------------------------|
| <b>IF 5301</b>            | <b>INFITEC SIGHT BAG</b> |
| <b>MATERIAL</b>           | Heavy duty Nylon         |
| <b>INTERIOR DIMENSION</b> | 4" x 3" x 1.5"           |
| <b>CASE WEIGHT</b>        | 260 g                    |



### CHALLENGER BACK PACK

INFITEC Challenger Backpack provides a convenient travel option for a complete set of takedown recurve bow up to 25". It features an inner tube pocket to accept any standard size of telescopic arrow tube. The main compartment includes a securely fastened detachable limbs and riser pocket measures 25" x 6.5". This is zippered and fully padded to protect most types of recurve riser and limbs. The outer pocket segment features a number of smaller accessory pockets to organize your equipment and tools. This backpack is finished with full adjustable shock absorbing shoulder straps and side handle for convenient carrying.



|                |                             |
|----------------|-----------------------------|
| <b>IF 5401</b> | <b>CHALLENGER BACK PACK</b> |
| MATERIAL       | Waterproof Cordura          |
| SIZE           | 25" x 13" x 6"              |
| WEIGHT         | 1.9 kg                      |

#### COLOR OPTIONS



Red

Black

Blue

### INFITEC ABS BOW CASE

INFITEC ABS BOW CASE is perfect to safely carry and store your riser and limbs of any recurve bow and accessories. This hard-shell ABS case is loaded with features and ensures your bow and equipment remains protected at all times with pre-cut foam padding throughout the case. It features a full zip closure and 8 multi-sized pockets, 24-arrow holder and plenty of padding to store your accessories and tools well organized. A retractable top handle, side handle, built-in urethane wheels offer exceptional mobility for comfortable transporting.

|                      |                             |
|----------------------|-----------------------------|
| <b>IF 6001</b>       | <b>INFITEC ABS BOW CASE</b> |
| MATERIAL             | ABS plastic                 |
| SIZE (W/L/H in inch) | 35" x 15" x 7.5"            |
| CASE WEIGHT          | 5.18 kg                     |

#### COLOR OPTIONS



Black

Blue

Silver



# **INFITEC** ARCHERY

INFITEC is a compound word of "Infinite" and "technology" and it represents that we always seek new ways of developing more advanced quality products based on our resources - Infinite technology.

To support our team spirit, the rigorous quality management system is in place to ensure our product quality and we are committed to continue to grow our product lines under customer-oriented service policy.

Address: 29 42 Sorae-ro, Daegot-myeon, Gimpo-si, Gyeonggi-do, Korea  
Tel: +8231-987-9167 / FAX: +8231-997-2537 / Email: infitec@unitel.co.kr

[WWW.INFITECARCHERY.COM](http://WWW.INFITECARCHERY.COM)

