


EASTON
FITTED



TOPHAT[®]
COMPONENTS
CATALOGUE | 2019

PROUDLY MANUFACTURED IN HILKESBACH, GERMANY.

PROUDLY MANUFACTURED IN THE BLACK FOREST, GERMANY.



SL Convex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 390-450 | 60-80 | 11273 |
| 330-390 | 90-110 | 13664 |
| 390-450 | 90-110 | 11269 |
| 330-390 | 120-140 | 13665 |
| 390-450 | 120-140 | 11270 |



SL Convex ToolSteel

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 330-390 | 90-140 | 13663 |
| 390-450 | 90-140 | 13662 |
| 450 | 80-130 | ¹ 10434 |



Protector Giglio

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 390 | 100-120 | 11228 |
| 450 | 90-110 | 11222 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 330-450 | 8.0 | ¹ 10436 |
| 330-450 | 7.4 | 11379 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 330 | 4.55 | 11774 |
| 390 | 4.50 | 11776 |
| 450 | 5.00 | 12421 |

¹ premium fitted



ML Apex

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|--------------------|
| 340 | 70 | ⁴ 11481 |
| 340 | 100 | ⁴ 11482 |
| 340 | 130 | ⁴ 11483 |



ML Convex

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 340 | 80-100 | 11301 |
| 340 | 110-130 | 11302 |



SL Convex ACC

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------------------|
| 340 | 80-130 | ¹ 100205 |



Insert

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|--------------------|
| 340 | 20 AL | ² 10693 |
| 340 | 40 AL | ² 10649 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 340 | 8.10 | 11432 |
| 340 | 10.90 | 11431 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 340 | 5.30 | 11416 |

¹ premium fitted // ² fits 9/32 Screw-in Points (page 25) // ⁴ M5 Screw-in Weight compatible (page 25)



SL Convex ACC

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------------------|
| 390 | 80-130 | ¹ 100204 |



SLH Convex

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 390 | 70-100 | 10597 |
| 390 | 110-140 | 10598 |



Insert

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|--------------------|
| 390 | 25 VA | ² 13680 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 390 | 4.75 | 11463 |

¹ premium fitted // ² fits 9/32 Screw-in Points (page 25)



SL Convex ACC

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------------------|
| 440 | 80-130 | ¹ 100203 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 440 | 4.85 | 11770 |

¹ premium fitted



SL Convex ACC

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------------------|
| 500 | 70-120 | ¹ 100202 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 500 | 4.90 | 11772 |

¹ premium fitted



EASTON

SUPERLITE A/C/C



SL Convex ACC

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------------------|
| 560-620 | 70-120 | ¹ 100201 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 560-620 | 4.55 | 11774 |

¹premium fitted

EASTON

SUPERLITE A/C/C



SL Convex ACC

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------------------|
| 680-1020 | 70-110 | ¹ 100200 |



Protector 3D

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------|
| 830-1020 | 60-80 | 11104 |
| 830-1020 | 90-110 | 11102 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------|
| 680 | 4.50 | 11776 |
| 750-830 | 4.30 | 12421 |
| 920-1020 | 4.50 | 12422 |

¹premium fitted



SL Convex ACC

| Spine | Weight (gn) | Art.Nr. |
|-----------|-------------|---------|
| 1150-1500 | 30-60 | 13300 |
| 1150-1500 | 60-80 | 11271 |
| 1150-1500 | 90-110 | 11272 |
| 1150-1500 | 120-140 | 11274 |



SL Convex ToolSteel

| Spine | Weight (gn) | Art.Nr. |
|-----------|-------------|--------------------|
| 1150-1500 | 80-130 | ¹ 10434 |
| 1150-1500 | 90-140 | 13661 |



Protector Giglio

| Spine | Weight (gn) | Art.Nr. |
|-----------|-------------|---------|
| 1150-1500 | 70-90 | 12021 |
| 1150-1500 | 90-110 | 12016 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|-----------|-------------|--------------------|
| 1150-1500 | 8.00 | ¹ 10436 |
| 1150-1500 | 7.40 | 11379 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 1150 | 3.66 | 10595 |
| 1300 | 3.50 | 10594 |
| 1500 | 3.62 | 10593 |

¹ premium fitted



SL Convex ACC

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------|
| 370-1250 | 30-60 | 13300 |
| 370-1250 | 60-80 | 11271 |
| 370-1250 | 90-110 | 11272 |
| 370-1250 | 120-140 | 11274 |



SL Convex ToolSteel

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|--------------------|
| 370-1250 | 80-130 | ¹ 10434 |
| 370-1250 | 90-140 | 13661 |



Protector Giglio

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------|
| 370-1250 | 70-90 | 12021 |
| 370-1250 | 90-110 | 12016 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|--------------------|
| 370-1250 | 8.00 | ¹ 10436 |
| 370-1250 | 7.40 | 11379 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------|
| 370-1250 | 4.14 | 12425 |
| 370-1250 | 3.36 | 10438 |

¹ premium fitted



SL Convex

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------|
| 430-540 | 60-80 | 11273 |
| 430-540 | 90-110 | 11269 |
| 430-540 | 120-140 | 11270 |
| 610-1500 | 30-60 | 13300 |
| 610-1500 | 60-80 | 11271 |
| 610-1500 | 90-110 | 11272 |
| 610-1500 | 120-140 | 11274 |



Protector 3D

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 610-710 | 80-110 | 11103 |

¹ premium fitted



Protector Giglio

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------|
| 430 | 100-120 | 11228 |
| 480-610 | 90-110 | 12017 |
| 480-610 | 110-130 | 12022 |
| 610-710 | 60-70 | 11275 |
| 610-710 | 80-100 | 12019 |
| 610-710 | 90-110 | 12018 |
| 880-1500 | 70-90 | 12021 |
| 880-1500 | 90-110 | 12016 |



SL Convex ToolSteel

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|--------------------|
| 430-1500 | 80-130 | ¹ 10434 |
| 430-540 | 90-140 | 13662 |
| 610-1500 | 90-140 | 13661 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|--------------------|
| 430-1500 | 8.00 | ¹ 10436 |
| 430-1500 | 7.40 | 11379 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 430 | 4.30 | 12421 |
| 480-540 | 4.50 | 12422 |
| 610-660 | 4.30 | 12423 |
| 710 | 4.22 | 12424 |
| 810 | 3.50 | 10596 |
| 880 | 4.14 | 12425 |
| 1000 | 3.66 | 10595 |
| 1150 | 3.36 | ¹ 10438 |
| 1300 | 3.50 | 10594 |
| 1500 | 3.62 | 10593 |



SLH Convex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 340-500 | 70-100 | 10597 |
| 340-500 | 110-140 | 10598 |



Protector BU

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 500 | 80 | 11110 |
| 500 | 100 | 11111 |
| 500 | 125 | 11112 |



Insert

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 300-500 | 25 VA | ² 13680 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 300 | 5.30 | 11416 |
| 340 | 5.00 | 11415 |
| 400 | 5.00 | 11415 |
| 500 | 4.35 | 11561 |

¹ premium fitted // ² fits 9/32 Screw-in Points (page 25)



SL Convex

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------|
| 560-740 | 60-80 | 11273 |
| 560-740 | 90-110 | 11269 |
| 560-740 | 120-140 | 11270 |
| 820-1200 | 30-60 | 13300 |
| 820-1200 | 60-80 | 11271 |
| 820-1200 | 90-110 | 11272 |
| 820-1200 | 120-140 | 11274 |



SL Convex ToolSteel

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|--------------------|
| 560-1200 | 80-130 | ¹ 10434 |
| 560-740 | 90-140 | 13662 |
| 820-1200 | 90-140 | 13661 |



Protector 3D

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------|
| 820-1070 | 80-110 | 11103 |



Protector Giglio

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------|
| 560 | 100-120 | 11228 |
| 610 | 90-110 | 11222 |
| 670-740 | 90-110 | 12017 |
| 670-740 | 110-130 | 12022 |
| 820-1070 | 60-70 | 11275 |
| 820-1070 | 80-100 | 12019 |
| 740-1070 | 90-110 | 12018 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|--------------------|
| 560-1200 | 8.00 | ¹ 10436 |
| 560-1200 | 7.40 | 11379 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 560-610 | 4.30 | 12421 |
| 670-740 | 4.50 | 12422 |
| 820-950 | 4.30 | 12423 |
| 1070 | 4.22 | 12424 |
| 1200 | 3.50 | 10596 |

¹ premium fitted



SLX Convex

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 260 | 80-110 | 12412 |
| 260 | 120-150 | 12414 |
| 400 | 60-80 | 100071 |
| 400 | 80-110 | 12411 |
| 400 | 120-150 | 12413 |



InsertOutsert 9/32<5/16

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 260-400 | 40 | ³ 10385 |
| 260-400 | 60 | ³ 11087 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 260-400 | 9.80 | 12410 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 260 | 4.75 | 11463 |
| 400 | 5.00 | 11771 |

³ fits 5/16 Screw-in Points (page 24)

AXIS TRADITIONAL



SL Convex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 340-500 | 80-110 | 12412 |
| 340-500 | 120-150 | 12414 |
| 500-600 | 60-80 | 100071 |
| 500-600 | 80-110 | 12411 |
| 600 | 120-150 | 12413 |



Insert/Outsert 9/32<5/16

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 340-600 | 40 AL | ³ 10385 |
| 340-600 | 60 VA | ³ 11087 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 340-600 | 9.80 | 12410 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 340-400 | 4.85 | 11770 |
| 500 | 5.00 | 11771 |
| 600 | 4.90 | 11772 |

³ fits 5/16 Screw-in Points (page 24)

BLOODLINE



SLH Convex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 330-480 | 70-100 | 10597 |
| 330-480 | 110-140 | 10598 |



Insert

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 330-480 | 25 VA | ² 13680 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 330 | 5.00 | 11415 |
| 480 | 4.75 | 11463 |

² fits 9/32 Screw-in Points (page 25)



ML Apex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 330-400 | 70 | ⁴ 11484 |
| 330-400 | 100 | ⁴ 11485 |
| 330-400 | 130 | ⁴ 11486 |
| 480 | 70 | ⁴ 11481 |
| 480 | 100 | ⁴ 11482 |
| 480 | 130 | ⁴ 11483 |



ML Convex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 330-480 | 80-100 | 11301 |
| 330-480 | 110-130 | 11302 |



Insert

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 330 | 20 AL | ³ 11086 |
| 330 | 40 AL | ³ 11084 |
| 330 | 60 AL | ³ 11085 |
| 330 | 60 VA | ³ 11237 |
| 330 | 92 VA | ³ 11356 |
| 330 | 100 MS | ³ 11346 |
| 400-480 | 20 AL | ² 10693 |
| 400-480 | 40 AL | ² 10649 |



Pin Bushing


| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 330-480 | 8.10 | 11432 |
| 330-480 | 10.90 | 11431 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 330 | 5.60 | 11417 |
| 400-480 | 5.30 | 11416 |

² fits 9/32 Screw-in Points (page 25) // ³ fits 5/16 Screw-in Points (page 24) // ⁴ M5 Screw-in Weight compatible (page 25)



SLX Convex

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 400 | 60-80 | 100071 |
| 400 | 80-110 | 12411 |
| 400 | 120-150 | 12413 |



Insert/Outsert 9/32 < 5/16

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|--------------------|
| 400 | 40 AL | ³ 10385 |
| 400 | 60 VA | ³ 11087 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 400 | 9.80 | 12410 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 400 | 5.00 | 11771 |

³ fits 5/16 Screw-in Points (page 24)

CARBON INJEXION




SL Convex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 330 | 90-110 | 13664 |
| 330 | 120-140 | 13665 |
| 400-480 | 60-80 | 11273 |
| 400-480 | 90-110 | 11269 |
| 400-480 | 120-140 | 11270 |



SL Convex ToolSteel

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 330 | 90-140 | 13663 |
| 400-480 | 90-140 | 13662 |
| 480 | 80-130 | ¹ 10434 |



Protector Giglio

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 400-480 | 100-120 | 11228 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 330-480 | 8.00 | ¹ 10436 |
| 330-480 | 7.40 | 11379 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 330 | 4.55 | 11774 |
| 400 | 4.50 | 11776 |
| 480 | 4.30 | 12421 |

¹ premium fitted

CARBON ONE




SL Convex

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------|
| 410-600 | 60-80 | 11273 |
| 410-600 | 90-110 | 11269 |
| 410-600 | 120-140 | 11270 |
| 660-1150 | 30-60 | 13300 |
| 660-1150 | 60-80 | 11271 |
| 660-1150 | 90-110 | 11272 |
| 660-1150 | 120-140 | 11274 |



Protector 3D

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 660-810 | 80-110 | 11103 |



SL Convex ToolSteel

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|--------------------|
| 410-600 | 90-140 | 13662 |
| 450-1150 | 80-130 | ¹ 10434 |
| 660-1150 | 90-140 | 13661 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|--------------------|
| 410-1150 | 8.00 | ¹ 10436 |
| 410-1150 | 7.40 | 11379 |



Protector Giglio

| Spine | Weight (gn) | Art.Nr. |
|-----------|-------------|---------|
| 410-450 | 100-120 | 11228 |
| 450 | 90-110 | 11222 |
| 500-600 | 90-110 | 12017 |
| 500-600 | 110-130 | 12022 |
| 660-810 | 60-70 | 11275 |
| 660-810 | 80-100 | 12019 |
| 660-810 | 90-110 | 12018 |
| 1000-1150 | 70-90 | 12021 |
| 1000-1150 | 90-110 | 12016 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|-----------|-------------|---------|
| 410 | 4.50 | 11776 |
| 450 | 4.30 | 12421 |
| 500-600 | 4.50 | 12422 |
| 660-730 | 4.30 | 12423 |
| 810 | 4.22 | 12424 |
| 900 | 3.50 | 10596 |
| 1000-1150 | 3.66 | 10595 |

¹ premium fitted



LL Apex

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------------------|
| 2213 | 80-120 | ⁵ 100023 |
| 2312 | 300 | ⁵ 100164 |
| 2314 | 120-180 | ⁵ 100157 |
| 2315 | 120-180 | ⁵ 100165 |



LL Convex

| Spine | Weight (gn) | Art.Nr. |
|-----------|-------------|---------------------|
| 1814 | 80-100 | ⁵ 100301 |
| 1914 | 80-100 | ⁵ 100302 |
| 2014 | 80-120 | ⁵ 100303 |
| 2114 | 80-120 | ⁵ 100152 |
| 2212-2214 | 80-120 | ⁵ 100159 |



Insert

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------------------|
| 2312 | 30-50 AL | ³ 100046 |
| 2315 | 30-50 AL | ³ 100048 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 2114 | 19.70 | 12401 |
| 2213 | 14.80 | 11890 |
| 2315 | 17.70 | 100114 |

³ fits 5/16 Screw-in Points (page 24) // ⁵ M6 Screw-in Weight compatible (page 25)



ML Apex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 340 | 70 | ⁴ 11484 |
| 340 | 100 | ⁴ 11485 |
| 340 | 130 | ⁴ 11486 |
| 400-500 | 70 | ⁴ 11481 |
| 400-500 | 100 | ⁴ 11482 |
| 400-500 | 130 | ⁴ 11483 |



ML Convex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 340-500 | 80-100 | 11301 |
| 340-500 | 110-130 | 11302 |



Protector BU

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 500 | 80-90 | 11114 |
| 500 | 100-110 | 11115 |
| 500 | 125 | 11116 |



Insert

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|--------------------|
| 340 | 20 AL | ³ 11086 |
| 340 | 40 AL | ³ 11084 |
| 340 | 60 AL | ³ 11085 |
| 340 | 60 VA | ³ 11237 |
| 340 | 92 VA | ³ 11356 |
| 340 | 100 MS | ³ 11346 |
| 400 | 20 AL | ² 10693 |
| 400 | 40 AL | ² 10649 |
| 500 | 20 AL | ² 10693 |
| 500 | 40 AL | ² 10649 |
| 500 | 20-40 AL | ³ 11360 |
| 500 | 40 AL | ³ 11201 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 340-500 | 8.10 | 11432 |
| 340-500 | 10.90 | 11431 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 340 | 5.60 | 11417 |
| 400 | 5.30 | 11416 |
| 500 | 5.00 | 11415 |

² fits 9/32 Screw-in Points (page 25) // ³ fits 5/16 Screw-in Points (page 24) // ¹ M5 Screw-in Weight compatible (page 25)



SL Convex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 375 | 90-110 | 13664 |
| 375 | 120-140 | 13665 |
| 400-530 | 60-80 | 11273 |
| 400-530 | 90-110 | 11269 |
| 400-530 | 120-140 | 11270 |



SL Convex ToolSteel

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 375 | 90-140 | 13663 |
| 400-530 | 90-140 | 13662 |
| 490-530 | 80-130 | ¹ 10434 |



Protector Giglio

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 400-490 | 100-120 | 11228 |
| 530 | 110-130 | 10906 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 375-530 | 7.40 | 11379 |
| 450-530 | 8.00 | ¹ 10436 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 375 | 4.75 | 11775 |
| 400-450 | 4.50 | 11776 |
| 490 | 4.30 | 12421 |
| 530 | 4.50 | 12422 |

¹ premium fitted



LL Apex

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------------------|
| 270 | 100-150 | ⁵ 100172 |



Insert

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|-----------------------|
| 270 | 40-50 | ^{3,5} 100042 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 270 | 15.80 | 13060 |
| 270 | 15.40 | 13050 |

³ fits 5/16 Screw-in Points (page 24) // ⁵ M6 Screw-in Weight compatible (page 25)

FULL METAL JACKET



SLX Convex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 400-500 | 60-80 | 100071 |
| 400-500 | 80-110 | 12411 |
| 400-500 | 120-150 | 12413 |



Insert/Outsert 9/32<5/16

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 400-500 | 40 Alu | ³ 10385 |
| 400-500 | 60 VA | ³ 11087 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 400-500 | 9.80 | 12410 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 400 | 5.00 | 11771 |
| 500 | 4.90 | 11772 |

³ fits 5/16 Screw-in Points (page 24)

HYPERSPEED

PRO-001

CARBON HYPERSPEED



ML Apex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 300-400 | 70 | ⁴ 11484 |
| 300-400 | 100 | ⁴ 11485 |
| 300-400 | 130 | ⁴ 11486 |
| 500 | 70 | ⁴ 11481 |
| 500 | 100 | ⁴ 11482 |
| 500 | 130 | ⁴ 11483 |



ML Convex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 300-400 | 80-100 | 11301 |
| 300-400 | 110-130 | 11302 |



Insert

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 300-340 | 20 AL | ³ 11086 |
| 300-340 | 40 AL | ³ 11084 |
| 300-340 | 60 AL | ³ 11085 |
| 300-340 | 60 VA | ³ 11237 |
| 300-340 | 92 VA | ³ 11356 |
| 400-500 | 20 AL | ² 10693 |
| 400-500 | 40 AL | ² 10649 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 300-500 | 8.10 | 11432 |
| 300-500 | 10.90 | 11431 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 300-340 | 5.60 | 11417 |
| 400 | 5.30 | 11416 |
| 500 | 5.00 | 11415 |

² fits 9/32 Screw-in Points (page 25) // ³ fits 5/16 Screw-in Points (page 24) // ⁴ M5 Screw-in Weight compatible (page 25)



SL Convex

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------|
| 750 | 60-80 | 11273 |
| 750 | 90-110 | 11269 |
| 750 | 120-140 | 11270 |
| 900-1400 | 30-60 | 13300 |
| 900-1400 | 60-80 | 11271 |
| 900-1400 | 90-110 | 11272 |
| 900-1400 | 120-140 | 11274 |



SL Convex ToolSteel

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|--------------------|
| 750-1400 | 80-130 | ¹ 10434 |
| 750 | 90-140 | 13662 |
| 900-1400 | 90-140 | 13661 |



SLX Convex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 570-630 | 60-80 | 100071 |
| 570-630 | 80-110 | 12411 |
| 570-630 | 120-150 | 12413 |



Protector Giglio

| Spine | Weight (gn) | Art.Nr. |
|-----------|-------------|---------|
| 750-900 | 90-110 | 12017 |
| 750-900 | 110-130 | 12022 |
| 1000-1400 | 60-70 | 11275 |
| 1000-1400 | 80-100 | 12019 |
| 1000-1400 | 90-110 | 12018 |



Protector 3D

| Spine | Weight (gn) | Art.Nr. |
|-----------|-------------|---------|
| 630 | 60-80 | 11108 |
| 630 | 90-110 | 11109 |
| 1000-1400 | 80-110 | 11103 |



InsertOutsert 9/32<5/16

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 570-630 | 40 AL | ³ 10385 |
| 570-630 | 60 VA | ³ 11087 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|--------------------|
| 570-630 | 9.80 | 12410 |
| 750-1400 | 8.00 | ¹ 10436 |
| 750-1400 | 7.40 | 11379 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------|
| 570-630 | 4.55 | 11773 |
| 750 | 4.50 | 12422 |
| 900-1400 | 4.30 | 12423 |

¹ premium fitted // ³ fits 5/16 Screw-in Points (page 24)



JAZZ



SL Convex

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 1214 | 60-80 | 11271 |
| 1214 | 90-110 | 11272 |
| 1214 | 120-140 | 11274 |



SL Convex Tool Steel

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 1214 | 90-140 | 13661 |



SLH Convex

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 1716 | 70-100 | 10597 |
| 1716 | 110-140 | 10598 |



Protector Giglio

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 1214 | 70-90 | 12021 |
| 1214 | 90-110 | 12016 |



Protector BU

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 1716 | 80 | 11110 |
| 1716 | 100 | 11111 |
| 1716 | 125 | 11112 |



Insert

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|--------------------|
| 1716 | 25 AL | ² 13680 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 1214 | 7.40 | 11379 |

² fits 9/32 Screw-in Points (page 25)

LIGHTSPEED & LIGHTSPEED 3D



ML Apex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 340-400 | 70 | ⁴ 11484 |
| 340-400 | 100 | ⁴ 11485 |
| 340-400 | 130 | ⁴ 11486 |
| 500 | 70 | ⁴ 11481 |
| 500 | 100 | ⁴ 11482 |
| 500 | 130 | ⁴ 11483 |



ML Convex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 340-500 | 80-100 | 11301 |
| 340-500 | 110-130 | 11302 |



Protector BU

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 500 | 80-90 | 11114 |
| 500 | 100-110 | 11115 |
| 500 | 125 | 11116 |



Insert

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 340 | 20 AL | ³ 11086 |
| 340 | 40 AL | ³ 11084 |
| 340 | 60 AL | ³ 11085 |
| 340 | 60 VA | ³ 11237 |
| 340 | 92 VA | ³ 11356 |
| 340 | 100 MS | ³ 11346 |
| 400-500 | 20 AL | ² 10693 |
| 400-500 | 40 AL | ² 10649 |
| 500 | 20-40 AL | ² 11360 |
| 500 | 40 AL | ³ 11201 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 340-500 | 8.10 | 11432 |
| 340-500 | 10.90 | 11431 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 340 | 5.60 | 11417 |
| 400 | 5.30 | 11416 |
| 500 | 5.00 | 11415 |

² fits 9/32 Screw-in Points (page 25) // ³ fits 5/16 Screw-in Points (page 24) // ⁴ M5 Screw-in Weight compatible (page 25)



SLX Convex

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 1516 | 60-80 | 100071 |
| 1516 | 80-110 | 12411 |
| 1516 | 120-150 | 12413 |



SLH Convex

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 1716 | 70-110 | 10597 |
| 1716 | 110-140 | 10598 |



LL Apex

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------------------|
| 2314 | 120-180 | ⁵ 100157 |
| 2315 | 120-180 | ⁵ 100165 |



LL Convex

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------------------|
| 2114 | 80-120 | ⁵ 100152 |



Protector BU

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 1716 | 80 | 11110 |
| 1716 | 100 | 11111 |
| 1716 | 125 | 11112 |



Insert

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|-----------------------|
| 1716 | 25 AL | ² 13680 |
| 2315 | 30-50 AL | ^{3,5} 100048 |



Insert/Outsert 9/32 < 5/16

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|--------------------|
| 1516 | 40 AL | ³ 10385 |
| 1516 | 60 VA | ³ 11087 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 2114 | 19.70 | 12401 |
| 2315 | 17.70 | 100114 |

² fits 9/32 Screw-in Points (page 25) // ³ fits 5/16 Screw-in Points (page 24) // ⁵ M6 Screw-in Weight compatible (page 25)



ML Apex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 300-400 | 70 | ⁴ 11484 |
| 300-400 | 100 | ⁴ 11485 |
| 300-400 | 130 | ⁴ 11486 |
| 500 | 70 | ⁴ 11481 |
| 500 | 100 | ⁴ 11482 |
| 500 | 130 | ⁴ 11483 |



ML Convex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 300-400 | 80-100 | 11301 |
| 300-400 | 110-130 | 11302 |



Insert

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 300-340 | 20 AL | ³ 11086 |
| 300-340 | 40 AL | ³ 11084 |
| 300-340 | 60 AL | ³ 11085 |
| 300-340 | 60 VA | ³ 11237 |
| 300-340 | 92 VA | ³ 11356 |
| 500 | 20 AL | ² 10693 |
| 500 | 40 AL | ² 10649 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 300-500 | 8.10 | 11432 |
| 300-500 | 10.90 | 11431 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 300-340 | 5.60 | 11417 |
| 400-500 | 5.30 | 11416 |

² fits 9/32 Screw-in Points (page 25) // ³ fits 5/16 Screw-in Points (page 24) // ⁴ M5 Screw-in Weight compatible (page 25)



SL Convex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 300-420 | 60-80 | 11273 |
| 300-420 | 90-110 | 11269 |
| 300-420 | 120-140 | 11270 |
| 470-570 | 60-80 | 11271 |
| 470-570 | 90-110 | 11272 |
| 470-570 | 120-140 | 11274 |



SL Convex Tool Steel

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 340-570 | 80-130 | ¹ 10434 |
| 300-420 | 90-140 | 13662 |
| 470-570 | 90-140 | 13661 |



Protector 3D

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 520-570 | 80-110 | 11103 |



Protector Giglio

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 300-340 | 100-120 | 11228 |
| 380 | 110-130 | 10906 |
| 420-470 | 90-110 | 12017 |
| 420-470 | 110-130 | 12022 |
| 520-570 | 60-70 | 11275 |
| 520-570 | 80-100 | 12019 |
| 520-570 | 90-110 | 12018 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|--------------------|
| 300-570 | 8.00 | ¹ 10436 |
| 340-570 | 7.40 | 11379 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 300 | 4.50 | 11776 |
| 340-380 | 4.30 | 12421 |
| 420 | 4.50 | 12422 |
| 470-570 | 4.30 | 12423 |

¹ premium fitted

SUPERDRIVE 23



LL Apex

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------------------|
| 325-475 | 80-120 | ⁵ 100160 |
| 325-475 | 150-200 | ⁵ 100161 |



Insert

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|-----------------------|
| 325-475 | 30-50 AL | ^{3,5} 100055 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 325-475 | 17.70 | 100058 |

³ fits 5/16 Screw-in Points (page 24) // ⁵ M6 Screw-in Weight compatible (page 25)

SUPERDRIVE 25



LL Apex

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|-----------------------|
| 290 | 100-150 | ^{3,5} 100168 |



Insert

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|-----------------------|
| 290 | 30-50gn AL | ^{3,5} 100044 |

³ fits 5/16 Screw-in Points (page 24) // ⁵ M6 Screw-in Weight compatible (page 25)

SUPERDRIVE 27



Insert

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|-----------------------|
| 270 | 40-50gn AL | ^{3,5} 100039 |

³ fits 5/16 Screw-in Points (page 24) // ⁵ M6 Screw-in Weight compatible (page 25)

X10



Gold Series Tungsten

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------|
| 380-1000 | 100-120 | 13676 |
| 380-1000 | 130-150 | 13677 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------|
| 380-1000 | 7.40 | 10435 |



Protector Backside

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------|
| 380-1000 | 3.12 | 10439 |

X10 PROTOUR



Gold Series Tungsten

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 380-770 | 100-120 | 13676 |
| 380-770 | 130-150 | 13677 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|---------|-------------|---------|
| 380-770 | 6.70 | 11277 |
| 380-770 | 7.40 | 11206 |



Protector Ring

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 340 | 3.50 | 10596 |
| 380 | 3.66 | 10595 |
| 420 | 3.50 | 10594 |
| 470 | 3.62 | 10593 |
| 520 | 3.54 | 10592 |
| 570 | 3.44 | 10591 |
| 620 | 3.58 | 10590 |
| 670 | 3.50 | 10589 |
| 720 | 3.50 | 10588 |
| 770 | 3.50 | 10587 |

X23



LL Apex

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------------------|
| 2312 | 300 | ⁵ 100164 |
| 2314 | 120-180 | ⁵ 100157 |
| 2315 | 120-180 | ⁵ 100165 |
| 2318 | 300 | ⁵ 100164 |



Insert

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|-----------------------|
| 2312 | 30-50 AL | ^{3,5} 100046 |
| 2315 | 30-50 AL | ^{3,5} 100048 |
| 2318 | 30-50 AL | ^{3,5} 100049 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|-----------|-------------|---------|
| 2315-2318 | 17.70 | 100114 |
| 2318 | 17.70 | 100017 |

³ fits 5/16 Screw-in Points (page 24) // ⁵ M6 Screw-in Weight compatible (page 25)




LL Apex

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------------------|
| 2712 | 200-300 | ⁵ 100173 |

³ M6 Screw-in Weight compatible (page 25)

XX75 CAMO HUNTER



LL Apex

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------------------|
| 300-2315 | 300 | ⁵ 100164 |



LL Convex

| Spine | Weight (gn) | Art.Nr. |
|-----------|-------------|---------------------|
| 2212-2214 | 80-120 | ⁵ 100159 |



Insert

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|-----------------------|
| 2312 | 30-50 AL | ^{3,5} 100046 |
| 2315 | 30-50 AL | ^{3,5} 100048 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------|
| 2114 | 19.70 | 12401 |
| 2315 | 17.70 | 100114 |

³ fits 5/16 Screw-in Points (page 24) // ⁵ M6 Screw-in Weight compatible (page 25)

XX75 GAMEGETTER



LL Apex

| Spine | Weight (gn) | Art.Nr. |
|-------|-------------|---------------------|
| 2312 | 300 | ⁵ 100164 |
| 2314 | 120-180 | ⁵ 100157 |



Insert

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|-----------------------|
| 300-2315 | 30-50 AL | ^{3,5} 100048 |



Pin Bushing

| Spine | Weight (gn) | Art.Nr. |
|----------|-------------|---------|
| 300-2315 | 17.70 | 100114 |

³ fits 5/16 Screw-in Points (page 24) // ⁵ M6 Screw-in Weight compatible (page 25)

SCREW-IN POINTS AND COMPONENTS





APEX

| Weight (gn) | Art.Nr. | Weight (gn) | Art.Nr. |
|-------------|---------|-------------|---------|
| 20 | 11091 | 105 | 11096 |
| 30 | 11092 | 125 | 11097 |
| 40 | 11093 | 150 | 11365 |
| 50 | 11163 | 170 | 11413 |
| 60 | 11094 | 175 | 11366 |
| 70 | 11095 | 200 | 100061 |
| 85 | 11153 | 225 | 100062 |
| 100 | 11210 | 250 | 100063 |



| STAINLESS STEEL | ALU |

CONVEX

| Weight (gn) | Art.Nr. |
|-------------|---------|
| 85 small | 11896 |
| 85 | 11098 |
| 105 | 11099 |
| 125 | 11100 |
| 145 | 11101 |



| STAINLESS STEEL |

PINPOINT

| Weight (gn) | Art.Nr. |
|-------------|---------|
| 40 | 13610 |
| 60 | 13611 |
| 80 | 13612 |
| 100 | 13614 |
| 120 | 13615 |



| TOOL STEEL |

SCREW-IN POINTS

9/32



| APEX | |
|-------------|---------|
| Weight (gn) | Art.Nr. |
| 40 | 11203 |
| 50 | 11368 |
| 60 | 11204 |
| 70 | 11369 |
| 85 | 10994 |
| 100 | 11370 |
| 105 | 10995 |
| 125 | 10996 |



| STAINLESS STEEL |

| CONVEX | |
|---------------|---------|
| Weight (gn) | Art.Nr. |
| 85 | 10991 |
| 105 | 10992 |
| 125 | 10993 |



| STAINLESS STEEL |


| PINPOINT | |
|-----------------|---------|
| Weight (gn) | Art.Nr. |
| 40 | 10582 |
| 60 | 10583 |
| 80 | 10584 |
| 100 | 10585 |
| 120 | 10586 |



| TOOL STEEL |


SCREW-IN WEIGHTS

| M6 | |
|-------------|---------|
| Weight (gn) | Art.Nr. |
| 10 | 11305 |
| 20 | 11306 |
| 30 | 11489 |
| 40 | 11307 |
| 50 | 100065 |
| 60 | 100066 |
| 70 | 100067 |
| 80 | 100068 |
| 90 | 100069 |
| 100 | 100070 |



| BRASS |

| SCREW-IN WRENCH | |
|------------------------|-------|
| Art.Nr. | 11409 |



SCREW-IN WRENCH

| M5 | |
|-------------|---------|
| Weight (gn) | Art.Nr. |
| 10 | 11488 |
| 20 | 11487 |
| 30 | 11900 |



| BRASS |

NOTES

PROUDLY MANUFACTURED IN THE BLACK FOREST, GERMANY.



WWW.TOPHATARCHERY.COM

PROUDLY MANUFACTURED IN THE BLACK FOREST, GERMANY.