

2012
FIVICS
PRODUCT GUIDE
www.fivics.com





The FIVICS quest for perfection is on-going

FIVICS pursuit of excellence is fueled by creativity, trial and error, and innovation coupled with a passion to bring you the shooter the best products available.

FIVICS President
Baek, Jong Dae

A handwritten signature in black ink, appearing to read 'Baek, Jong Dae'.



AT FIVICS, It is our mission to develop cutting edge innovations to help our customers reach their maximum potential. Technology, creativity and experience all come together to bring you, the customer, the best quality archery equipment available.



Top shooter's Choice **FIVICS!**

▮ The worth of transcend time and space ▮





FIVICS FX1 RISER



- STABILITY
- ACCURACY
- CLEAN SHOOTING FEELING
- STYLISH DESIGN
- TRIPPLE DAMPING SYSTEM

FIVICS FX1 RISER

100% CNC

High performance recurve bow FX1 BOW
Tuning and harmony dramatically and speedy

CLEAN FEELING SHOT
SUPERIOR ACCURACY

Speed, Power, Balance, Precision, Elegance all
working with you, the archer, in perfect harmony.
The FIVICS FX1 Bow.




- The FX1 incorporates the "TRIPPLE VIBRATION ZERO SYSTEM" reducing vibration in a three degree system.
- The FX1 "Center Control System" has steel ball included, to reduce the movement up and down
- Stable grip - "V-ZERO damping system" is inserted inside of the grip to eliminate vibration and noise for a clean vibration free shot. Grip design ergonomics provide for an easy and exact "Target point" with the high concentration, when at full draw.
- The FX1 system gives you stunning balance between Riser and Limbs working in perfect synchronicity for a truly exquisite shot.
- FX1's modern innovation & efficiency of function reduce set up the pitching and yawing time, and eliminate useless work, extend the best shooting sense.


We focus to reduce the yawing time



NORMAL RISER FX1



Loosen A and tighten B, then Center is moving to direction B, After Set-up, please always tighten the bolt in the opposite side.



Top part of the riser : Absorption from the first vibration from Limbs to the riser through inserted damping system

Grip part :
- Inserted damping system of the riser offers the best shooting feeling without useless work and vibration
- FIVICS NEW ergonomic grip is created to offer the most exact and correct point to shoot

Low part of the riser : Absorption from the first vibration from Limbs to the riser through inserted damping system

High- polish ANODIZE



F1 SPECIFICATIONS

LENGTHS	25"
MATERIAL	Aluminum(6061), Rubber
WEIGHT	1,240g
TYPE	RH / LH
COLOR	BLACK, BLUE, RED, YELLOW, GREEN, PINK



FIVICS PXQ RISER



- FOCUS ON STABILITY AND ACCURACY
- REDUCE THE YAWING TIME
- EXCELLENT BALANCE OF THE WEIGHT



FIVICS PXQ RISER 100% CNC

High performance recurve bow PXQ BOW
Tuning and harmony dramatically and speedy

CLEAN FEELING SHOT SUPERIOR ACCURACY


Speed, Power, Balance, Precision, Elegance all working with you, the archer, in perfect harmony. The FIVICS PXQ Bow.

- The PXQ incorporates the "TRIPPLE VIBRATION ZERO SYSTEM" reducing vibration in a three degree system.
- The PXQ "Center Control System" has steel ball included, to reduce the movement up and down
- Stable grip - "V-ZERO damping system" is inserted inside of the grip to eliminate vibration and noise for a clean vibration free shot. Grip design ergonomics provide for an easy and exact "Target point" with the high concentration, when at full draw.
- The PXQ system gives you stunning balance between Riser and Limbs working in perfect synchronicity for a truly exquisite shot.
- PXQ's modern innovation & efficiency of function reduce set up the pitching and yawing time, and eliminate useless work, extend the best shooting sense.


We focus to reduce the yawing time



NORMAL RISER **PXQ**



Loosen A and tighten B, then Center is moving to direction B, After Set-up, please always tighten the bolt in the opposite side.



Top part of the riser : Absorption from the first vibration from Limbs to the riser through inserted damping system

Grip part :
- Inserted damping system of the riser offers the best shooting feeling without useless work and vibration
- FIVICS NEW ergonomic grip is created to offer the most exact and correct point to shoot

Low part of the riser : Absorption from the first vibration from Limbs to the riser through inserted damping system

High- polish ANODIZE



F1 SPECIFICATIONS

LENGTHS	25"
MATERIAL	Aluminum(6061), Rubber
WEIGHT	1,320g
TYPE	RH / LH
COLOR	BLACK, BLUE, RED, YELLOW, GREEN, PINK



FIVICS FX1 LIMBS



THE WORTH OF TRANSCENDING TIME AND SPACE MERIDIAN FX1

MERIDIAN-FX1 LIMBS

WHAT IS THE BEST?

In archery we try to reach the top of our game, the summit the peak. To do this we search for the perfect balance between our potential and our equipment. Now FIVICS has the key to the top of your climb. The Meridian FX1

POWERFUL ENERGY
POWERFUL SPEED
CLEAN SHOOTING FEELING


Meridian -->> peak, high point, pinnacle. We call the FX1 "Meridian for a reason. It is the top. It is where you are trying to go. When you have the best limb you can have the confidence to reach your potential.

POWERFUL ENERGY
POWERFUL SPEED

By combining space age materials with an innovative recurve profile, the Meridian FX1 limbs offer maximum energy transfer to the arrow. Speed, stability and precise delivery all work in harmony to give a shooting experience unlike any before.

SPECIFICATION

Using premium wood core with high quality carbon to reduce the vibration, makes your shot fast and stable.



MERIDIAN FX1 & MERIDIAN RX1

Available Lengths : 66" 68" & 70"
Available weights : 28#~48# (Increments)



FIVICS RX1 LIMBS



THE WORTH OF TRANSCENDING TIME AND SPACE MERIDIAN RX1

MERIDIAN RX1 LIMBS

The quest? Simple, to design a limb that exceeds all others. The method? Find out what archers want and go beyond. The vision? Create a limb that eclipses all expectations.

Premium Shooting Feeling


FIVICS engineers have combined the latest in space age materials with cutting edge design innovations to bring you a limb with no equal. Introducing The MERIDIAN FX1 & MERIDIAN RX1

First we asked top archers what they liked and what they were missing in a limb. Then our scientists started from scratch to create a limb that was truly unique. A limb that embodied speed, accuracy and a pleasant shot, but took performance to a new level. Our proprietary design incorporates a whole new recurve geometry coupled with advanced carbon technologies to produce a limb destined to change the way we look at the recurve limb.

FAST, SMOOTH, ACCURATE.....MERIDIAN FX1 & MERIDIAN RX1

FORCE-DRAW CURVE


FIVICS "MERIDIAN FX1 / MERIDIAN RX1 Limbs medium length on 25" riser 40.3 lbs @ 28" / 30" / 32"



Draw Weight : 40.3 lbs @ 28"/30"/32"
Limb Length : medium (68" Bow Length on 25" Riser)
Brace Height : 7-3/4"-8-3/4" (depending on riser)
Physical Weight : 365 Gramm oz (pair)

SPECIFICATION

Using foam core with high quality carbon to reduce the vibration, makes your shot fast and stable.



1 SECOND



FV-100
CARBON SIGHT



Exclusive style, Excellent Accuracy
Simple system design
Strong against the noisy



[FV-100]

Size

- Extention 9 inches (carbon)
- Extention 8 inches (aluminum)

Anodized COLOR




SIGHT CASE

A Style

Well-arranged pocket system,
durable case, fancy design



[EA-CS]



B Style

Cute designed sight case




[S-CS]

C Style

Handy sight protected case



[S-CSC]



FV-200
CARBON SIGHT



Best accuracy from the noisy.
Stronger solid and detailed design



[FV-200]

Size

- Extention 9 inches (carbon)
- Extention 8 inches (aluminum)

Anodized COLOR




SM740 CUSHION PLUNGER

Designed to reduce friction with BTX coating.
Designed neatly with Devices equipped inside expect for graduations.
Excellent consistency of the button's movement optimized to avert wind effect design for no effect against the wind and for no oscillation.

Thread : 5/16" - 24
Adjustable Length : min 19.5mm, max 26.5mm



[CP-24/29]



FIVICS PULL - FOR ALL ARCHERS

Ergonomic detail design both your fingers and shaft safely fancy colors Soft feel but strong effectiveness


Easy to use



[AR-P1]

TC REST

Height adjustable high-end rest
Durability covers useless movement



[MR-T]



MR REST

No acceptance on even a 0.001 error in angle
Durability & high end Reduction of the friction with Stainless material



[MR-A]

PR REST

Durable, inexpensive beginner rest



[PR-F]



PHOENIX COMPOUND STABILIZER

Solution of weights and vibration


New compound tournament stabilizer, PHOENIX has great high elastic material. Normally compound top pro-archers use many weights on the stabilizer, but normal stabilizer cannot control the weights and vibration together. However NEW PHOENIX TOURNAMENT stabilizer has very strong spine, has no noise and vibration. Now it's very ok to use many weights, because its stability from weights and vibration is great. Moreover PHOENIX TOURNAMENT stabilizer has light but durable spine, it's for all men and women.

Painted COLOR
Carbon Graphic

Long Stabilizer	24", 27", 30", 34"
Side Stabilizer	8", 10", 12"
Extender	4", 5", 6"

WEIGHT

Thread Size : 1/4-20 UNC
Size : 38mm(5T/3T) , 24mm(5T/3T)



THE INNOVATION OF SHOOTING FEELING



Strong Spine

- High Elastic material
- Strong spine
- No noise , No vibration
- It's ok with lots of weights
- Great stability
- light shaft




CEX7 STABILIZER

High - end stabilizer in FIVICS offers shooter stability and balance. Stabilizer cap designed to consider the air resistance. CEX7 carbon balance system Best durability and weight balance

Painted COLOR
Carbon & Red
Carbon & Silver

Long Stabilizer	26", 28", 29", 30", 34"
Side Stabilizer	10", 11", 12"
Extender	4", 5", 6"

CEX7 extender assembled screwed shaft end and cap end. Never come off



WEIGHT




[WT5-F] [WT5-H]

VZ 2000 DAMPER



Fit any stabilizers. Eliminates noise at inside bolt. Best damper absorption system



VZ 1500 DAMPER



Designed to fit any stabilizers Best V-ZERO6 damping system No noisy with rubber bolt inside



V-ZERO DAMPER



[VZ-1000] [VM5-1000]




CEX5 STABILIZER

"Aim of CEX5 Stabilizer is the all Balance and harmony with arrow speed and bow elasticity number one stabilizer, CEX5 has passed the careful inspection successfully, makes archers are joyful, is different with other stabilizer."

To eliminate even little vibration Support the highest speed, stability oscillation control Available for both recurve and compound bow

Long Stabilizer	26", 28", 29", 30", 34"
Side Stabilizer	10", 11", 12"
Extender	4", 5", 6"

Special Strong Spine Material




THE INNOVATION OF SHOOTING FEELING



Whole Vibration of it's Body



WEIGHT



[WT5-F] [WT5-H]

Painted COLOR



2 Tone Carbon & Red / Carbon & Blue / Carbon & Silver / Carbon & Black
 1 Tone Red / Blue / White / Orange



GIGS STABILIZER




GIGS stabilizer, new style of carbon sticks made by high end cover carbon. GIGS offers shooter better balance and accuracy. Excellent performance tuning system

Long Stabilizer	24", 26", 28", 30"
Side Stabilizer	10", 11", 12"
Extender	4", 5", 6"

WEIGHT

Thread Size : 1/4-20 UNC
Size : 38mm(5T/3T)



[WTC-F1] [WTC-F2] [WTC-SC2] [WTC-SC3]



[GS-E]

[GS-S]

[GS-L]





CEX2+ STABILIZER



"New CEX-2+ weave of pure carbon layer gives Hawk's Baek unequalled strength, even on light weight pure carbon shaft. The cross-woven method of construction is proven to deliver exceptional strength without added weight.

Long Stabilizer	24", 26", 27", 28", 29", 30"
Side Stabilizer	9", 10", 11", 12"
Extender	3", 4", 5", 6"



WEIGHT



[WT-F] [WT-S] [WT-H]





MAN V-BAR



[VB-B]

Angle : 40° / 45°



COM V-BAR

Fully adjustable offset side mount Compact, solid machined aluminum Adjustable Angle Measurement System Available in black only



Color: Black Material: Aluminum

[CO-AC]

RF V-BAR



[VB-R]



Small but light and durable. RF V-BAR makes combination balanced shooting

Angle : 40° / 45°

Weight : 75g (Connecting bolt included)

TR V-BAR



Adjustable 360. Horizontal and vertical adjustable system. Easy to use



Color: Dark Gray Material: Aluminum

[VB-T]

SP V-BAR



[VB-S]




Strong shooting feeling.

Angle : 40° / 45°

COM CONNECTING BOLT

Much better connecting bolt that gets Long Stabilizer 10 degree lower, absorbs vibration Easy and Quick Deviding System

10Degree Lower



Color: Black Material: Aluminum

[CA-C]

UNI-BAR

[UNI]



TOP UPSTABILIZER TNS SET

Versatile vibration reducing system design and material Available variety color



TNS N1000




TNS 1000



TNS 500

Anodized COLOR



TNS 300

TNS 300 SET : TNS 300 + V-Zero damper + weight head

Anodized COLOR



[TNS 300]

SQ EXTENDER



V-zero damping system inserted its extender. Stainless stick is also inserted in the rubber. SQ extender is the best noise elimination system

weight : 160g

Anodized COLOR



[SQ-E]

N-SHOCK DAMPER

N-shock demper by BJD technology is under the slogan of "NO SHOCK", "NO VIBRATION", "NO NOISE" perfectly matched with all stabilizers from FIVICS

Size : 39 x 20 x 20mm Material : Aluminum, Rubber Color : Black, Silver, Blue, Red

Weight : 24g



[NSD-A/B]



SAKER 1 FINGER TAB

Anodized aluminum plate
Adjustable ledge
Replaceable faces and backing
Optional finger spacer available



[SK-1]

Size : XL / L / M / S / XS / XXS (RH / LH)
Leather : Cordovan

Anodized COLOR




plate relieves to give nock clearance at full draw.

'NEW' Cord and Corl Lock


To Fit shape to the 3 fingers.

The cordovan raises high sliding effect and specially processed backward facet allows flexibility and water proofness.



SAKER 2 FINGER TAB

Anodized aluminum plate
Adjustable ledge
Replaceable faces and backing
Optional finger spacer available



[SK-2]

Size : XL / L / M / S / XS / XXS (RH / LH)
Leather : Cordovan

Anodized COLOR



SAKER 3 FINGER TAB

Anodized aluminum plate
Adjustable ledge
Replaceable faces and backing
Optional finger spacer available



[SK-3]


Size : L / M / S (RH / LH)
Leather : Cordovan

Anodized COLOR



Ergonomic Finger Tab

Finger support patent®



TAB FRAME EP



FB-EP only fit Saker1 finger tab

It offers top shooters another value for their hooking direction, comfortable and balanced. This component helps Saker finger tab's rest of orthotherapy



[FB-EP]

Size : saker1 XL , L = EP (L size)
saker1 M , S = EP (M size)
saker1 S , XS = EP (S size)



FINGER SPACER

Material : Plastic



[FS-A]

Material : Rubber



[FS-B]

Material : Aluminum
Comfortable Spacer



[FS-C]



CORDOVAN TAB



Functional with hand protected cordovan leather
Light and soft



[PR-200]

ALL CORDOVAN



COMPOUND BOW CASE THUNDER CC



[CPC-T]



Protect compound bows with durable fabric and angled case
Extra pockets for accessory
Convenient to bring
Easy transportation system with durable wheels
Room for two compound bows

dimension : 15" x 45" x 12"

Fabric COLOR



Red



Arrow tube + equipment case included

RECURVE BOW CASE THUNDER RC



[RCC-700]



Convenient to bring
Easy transportation system with durable wheels
Room for two compound bows

dimension : 14" x 36.5" x 12"

Fabric COLOR



Red



Arrow tube + equipment case included



CO-STAR BACKPACK



Stylish hybrid backpack



[BP-C4]



Fabric COLOR



Black Blue Red



- Arrow tube
- Equipment case
- Riser & Limbs case included

TENTRON-Q BACKPACK



Light, well-organized pockets, simple and casual system

Fabric COLOR



Black Yellow



[BP-C3]



AEGIS HARDCASE

High quality hardcase
This model can hold up to two recurve bows and their accessories
It is equipped with a locking system with key


Size : 85cmX38cmX26cm
Material : ABS
Pocket : 1pcs



Gray Blue Red Blue



[HC-A]



Rain cover / Case belt included

RAIN COVER



[HC-RC]



CASE BELT



[HC-BT]



COMPOUND BOW CASE V-STORM CC

Simple and convenient design with the best quality.
The highest elastic cushion increases the safety and portable of the bow.
Simple arrangement with 2 outer pockets and 1 inner pocket.

Size : 97cm
Pocket : 2pcs



[CPC]

RISER CASE

[RS-CS1]



LIMBS CASE

[LM-CS]



RECURVE BOW CASE V-STORM RC 500

Size : 92 cm
Pocket : 2pcs

[RCC-500]



V-STORM RC 300

Size : 89cm
Pocket : 2pcs

[RCC-300]



RISER & LIMBS CASE

[LR-CS]



TENTRON-M BACKPACK



Size : 30cm X 20cm X 68 cm
Pocket : 1pcs

Fabric COLOR



[BP-C1]



Specially, Ergonomic design for Archers Internal organization
Organizational pockets for today's latest technology
Used Reflex Cloth for Safety , Durable Material and Bright Color



- Arrow tube
- Rain cover
- Riser & Limbs case included

TENTRON-P BACKPACK



[BP-C2]

Arrow tube / Riser & Limbs case included



Size : 30cm X 18cm X 68cm
Pocket : 2pcs

EQUIPMENT CASE



Well-arranged and Slim design fits all equipments inside
(sight, short stabilizer, extender, v-bar, wrench set etc)

Size : 30cm X 20cm X 68 cm

[EC-09]



Fabric COLOR





ACCENDO TOURNAMENT QUIVER

For T-Gauge
Large Room for Accessories
Pen Holder
Record Carrier

Size : 38cm(width) X 49cm(heigh) X 7.5cm(thickness)
Belt size : 31"~ 43" / 36" ~ 48" (inch)
Weight : 630g

Fabric COLOR : RH / LH
Black Blue Red Green Pink

630g
It's light like a feather.
Do not lose it!

New quiver line

Luxurious design
Light and durable



[AC-Q]

(design Patent Pending)



ACCENDO BACK QUIVER

Luxurious, but simple & light design

Size : 22cm(width) X 46cm(heigh) X 7.5cm(thickness)
Belt size : 31"~ 43" / 36" ~ 48" (inch)
Weight : 260g



[AC-QM]

Fabric COLOR : RH / LH
Black Blue Red Green Pink



NURI

Luxurious quiver
Pockets for wrench set
various holder system

Belt size : 32" ~44" (inch)

COLOR : RH / LH
White



[AM-1]

MIRACLE 500

Double pocket system
High performance line

Belt size : 32" ~44" (inch)

Fabric COLOR : RH / LH
Black Silver Blue Red Orange



[MC-05]

METEOR 500

Simple and light
3 Pipes design

RH / LH



[MT-Q5]

FREENIC PLUS

Upgraded stylish design
Simple and durable

Belt size : 32" ~44" (inch)

Fabric COLOR : RH / LH
Black Silver Blue Red Orange



[LS-Q3]

MIRACLE 300

Various and fasionable color

Belt size : 32" ~44" (inch)

Fabric COLOR : RH / LH
Black Silver Blue Red Orange



[MC-03]

METEOR 300

Bright color
2 Pipes design

RH / LH



[MT-Q3]



3LEVELS FOLDING BOW CASE

Innovative design : Very easy to bring all set of bow

Fabric COLOR
Black Blue Red



STABY CASE

Case for full stabilizer set



Fabric COLOR
Black Blue Red



SHELTER PLUS CHEST GUARD

High Comfortableness and Safety Ergonomic Design
Fine Stabillity

Weight : 94g

Fabric COLOR
White



A2 CHEST GUARD

Elastic Shoulder Band
Adjustable Side Fastener

Fabric COLOR
Black White Blue Red Yellow Pink




RAINBOW SHIELD ARMGUARD

Black White Red Orange Pink Purple Yellow Green Skyblue Blue



HK EQUIPTMENT HOLDER



GABO BOW STAND

Spring is inserted in its aluminum body, makes setting simple.
Convenient designed stand

Height : 44cm
Weight : 573g
Material : Aluminum



TK2 HAND POCKET



AQUILA BOW STAND

Height : 48cm
Weight : 360g
Material : Rubber / Aluminum

3 Stable legs

Flexible Rubber



AUTOMATIC BOW STAND

Height : 44cm [ST-A], 65cm [ST-B]
Weight : 573g [ST-A], 680g [ST-B]
Material : Aluminum





Top shooter's Choice **FIVICS!**

▮ The worth of transcend time and space ▮





SCORPION SIGHT



High quality recurve target sight Strong, light-weight aluminum construction

Size : 9.5" (inch) (RH / LH)

Anodized COLOR



FALCON SIGHT

Mid-level target sight Light aluminum construction Quick detach bow mount Available in black only

Size : 4" (inch) (RH / LH)

Anodized COLOR



BLACK SHARK



High- impact polymer and nylon Light weight and durable Great introductory sight

Size : 4" (inch) (RH / LH)

Anodized COLOR



HQ ARMGUARD



COLOR Black White Blue Rad

[HQ-P]

JM FINGER TAB



Size : L / M / S (RH/LH)



Leather : Cordovan - [JMT-1CO], [JMT-2CO] Cowhide - [JMT-1HD], [JMT-2HD]

NEONINE FINGER TAB

Size : L / M / S (RH/LH) Leather : Cowhide



[NA-A]

[NA-B]

MAGIC FINGER TAB

Size : L / M / S (RH/LH) Leather : Cowhide



[MG-A]

SPIDERMAN ARMGUARD



COLOR Black White Blue Rad

[SP-P]

SUPERKING ARMGUARD

Size : S/M/L



[SP-L]

[SP-M]

[SP-S]

COMPOUND BOW STAND

Works on most Bow Easily Slips into Quiver or Pocket Light Weight Folding Kickstand No Spring Loaded Available in black only

Weight : 94g Material : Plastic



[CST]

LVT V-BAR

Anodized COLOR



[LVT-B]

[LVT-V]

Angle: 35° / 40°

LVT STABILIZER

Includes v-bar long, short, stabilizer damper and end weight

Vibration reduction shock eater design High quality carbon construction Available color: silver / black

Long Stabilizer	26", 28", 30"
Side Stabilizer	10", 12"
Extender	3", 4"

Anodized COLOR



[LVT-S]

[LVT-L]



ARM SUPPORTER

Arm Supporter helps to deliver Strength to back of the arm and to prevent using fingers when beginners Shoot.

Size : S / M / L



[AS-B]



HEX-I ALLEN WRENCH

Ergonomic simple design
Compact and portable
Colorful, durable and exquisite wrench

Material : Aluminum

Weight : 90g
Spec : 1.5 / 2.0 / 2.5 / 3.0 / 4.0 / 5.0

Metric
Inched
Purple Rad Blue Yellow



[HAW-2]

[HAW-1]

GRAIN SCALE

LCD digital screen display
15 grain accuracy
Weights - Grains, Grams, Ounces and CWT
Extremely small 5"X3"X3/4"
Lightweight 6 oz

Model : 60200
Description : Electric Scale
Inner Pack : 3
Case Pack : 12



[GSE]

SLING



It's soft but stronger material, no ruin easily



[SG-10]



LIMB PROTECTOR

Limb set up supporter Protects top of the foot
Comfort & Easy to use Double Printing



Size : 56 X 97 mm
Material : Enamel , Rubber



[LP-1]

BLAZE BEGINNER BOW

Handle	19", 20", 24"
Limb	54", 62", 64", 66", 68", 70"
Pound	10~24 / 14~36 / 16~38 / 12~34 / 14~36 / 18~38
Material	Hard maple, Rosewood, Walnut, fiber glass



[WB-HL]

LEO CUSHION PLUNGER

No acceptance on even a 0.001 error in angle
Durability and high endurance
Reduction of the friction with BTX coating



[LEO-C]

Anodized COLOR

Black Silver

QUICK GRIP MARKER

To make it firm simply and fastly To cut easily
Stronger Water proof material Softly fit your hand

Size : 4 inch, 8 inch



[GM-8]



[GM-4]

How to use :



CUT

MIX

APPLY

SANDING

SE-C CHEST GUARD

Simple and Light



[SE-C]

STRINGER



Strong string with tough cowhide



[SG-11]



STRETCH BAND

This stretch device is used by most Olympic archers for training. It develops your muscle stretching and helps

make your pose to avoid shooting by mistake.

Size : 20m X 15cm X 0.2mm



[LB-L] Yellow [LB-H] Green

KIDS BOW SET

- ◎ BOW - 1EA
- ◎ SAFETY ARROW - 6EA
- ◎ TARGET BOARD 430mm - 1EA
- ◎ QUIVER - 1EA
- ◎ MAGNETIC DART - 8EA



Size : 414mmX694mm [YB-A]



STRAFE BOWSTRING

67% SK75 dyneema, 33% vectran
Half the strand size of 450 plus
Slightly higher arrow speed
More strand count flexibility and improved looking 2 color strings

No creep : completely stable
Recommended strands : 22 / 24
Approx ft / lb waxed : 8800
Speed size : 1lb




DACRON BOWSTRING

STRINGS KAKING "Meticulously made String"
RECURVEBOW & TRADITIONAL BOW & CROSSBOW

Material : DACRON STRING & NYLON SERVING
Serving color : Red/Blue/Green/Yellow/White/Black



PHONE RING



[PHR-A] [PHR-B] [PHR-C]

CLOCK



[CLK]

CLOTHES

Size : S / M / L / XL / XXL



[FT-A]



[FT-C] COLOR : Black / White



[FT-B]

CAP



[FC-A]

[FC-B]

[FC-C]

[FC-D]

SOCKS



[SO-A]

[SO-B]



Top shooter's Choice **FIVICS!**
| The worth of transcend time and space |





NANO-PRO

Nano-Pro™ Nano-Pro is our newest nano-carbon arrow designed specifically for FITA, NAA, long-distance field shooting. Engineered with incredibly light yet strong 46-ton carbon, Nano-Pro recovers even faster out of the bow than Nano-XR while delivering the flattest trajectory and superior down range accuracy. It has the smallest diameter of any of our target arrows, which means nearly eliminates cross-wind drift. And unlike aluminium core arrows, Nano-Pro won't take a set (permanent) bend.

Spline-Selected for a consistent matched set.

FIVICS Pin Nock

This universal pin nock fits all standard pin nock adapters. It is made from a durable polycarbonate material that performs shot after shot.

Size: S / L

Color:



NANO-PRO Components



Shaft Size / Qty	ShWeight (Grain)	Spine	Diameter
900 / 12pk	5.3	900	0.177"
800 / 12pk	5.7	800	0.180"
750 / 12pk	6.0	750	0.183"
700 / 12pk	6.2	700	0.184"
650 / 12pk	6.4	650	0.186"
600 / 12pk	6.8	600	0.190"
550 / 12pk	7.1	550	0.193"
500 / 12pk	7.5	500	0.196"
450 / 12pk	8.0	450	0.200"
400 / 12pk	8.6	400	0.205"



NANO-XR

Nano-XR™ Introduced in 2007, Nano-XR was the first target arrow engineered from 40-ton carbon to deliver superior down-range accuracy, strength and consistency shot after shot. It's ultra small diameter dramatically reduces cross-wind drift and is the ideal arrow for FITA, NAA and NFAA long-distance shooting. In side-by-side tests, Nano-XR consistently outperformed comparable aluminium core/ carbon arrows in strength, recovery out of the bow, consistency and velocity (formore, visit nanokr.com). And in only its first year on the market, Nano-XR won the Gold Medal at the 2007 FITA World Championship.

Spline-Selected for a consistent matched set.

FIVICS Pin Nock

This universal pin nock fits all standard pin nock adapters. It is made from a durable polycarbonate material that performs shot after shot.

Size: S / L

Color:



NANO-XR Components



Shaft Size / Qty	ShWeight (Grain)	Spine	Diameter
1100 / 12pk	4.9	1100	0.181"
1000 / 12pk	5.2	1000	0.184"
900 / 12pk	5.5	900	0.186"
830 / 12pk	5.8	830	0.189"
730 / 12pk	6.2	730	0.191"
680 / 12pk	6.4	680	0.194"
630 / 12pk	6.6	630	0.196"
580 / 12pk	7.2	580	0.201"
530 / 12pk	7.5	530	0.203"
490 / 12pk	7.8	490	0.205"
450 / 12pk	8.1	450	0.208"
410 / 12pk	8.6	410	0.212"
380 / 12pk	9.0	380	0.214"



ZEILO

ZEILO is the target arrow for youth and beginner. NEW Acrossweave of pure carbon later gives the Baek's unequaled strength, even on lightweight pure carbon arrow. This cross-woven method of construction is proven to deliver exceptional strength without adding weight.

FIVICS Pin Nock

This universal pin nock fits all standard pin nock adapters. It is made from a durable polycarbonate material that performs shot after shot.

Size: S / L

Color:



Available in two size: #1 fits 12-18 strand strings #2 fits 20-24 strand strings

ZEILO Components

Stainless Steel Target Point (SN-1000)	Pin Nock Adapter (SI-1000)	FIVICS Pin Nock (PI-N)	
Shaft Size	ShWeight (Grain)	Spine	Recommended Point Weight Range
500	9.22	500	110g / 120g
600	8.76	600	110g / 120g
700	8.18	700	110g / 120g
800	7.61	800	110g / 120g
900	7.26	900	110g / 120g
1000	6.97	1000	110g / 120g
1100	6.72	1100	110g / 120g
1200	5.59	1200	110g / 120g
1300	6.54	1300	110g / 120g
1400	6.26	1400	110g / 120g
1500	6.07	1500	110g / 120g

X-NET Point and reverpin is designed for X-10 arrows

Stainless Steel Target Point (SN-X10)	Pin Nock Adapter (SI-X10)	FIVICS Pin Nock (PI-N)
SIZE: 120g, 110g, 100g, 90g	COLOR: Gold, Blue, Red	COLOR: Yellow, Red, Green, Blue

FIVICS Target Arrow Shaft Selection Guide

Adjusted Bow Draw Weight

Bow Draw Weight	23"	24"	25"	26"	27"	28"	29"	30"	31"	32"
19~24 lbs.	ZE 1500 NA 1100	ZE 1400 NA 1100	ZE 1300 NA 1100	ZE 1200 NE 1400 NA 1000	MXR 1000 NP 900 NA 900	MXR 900 NP 800 NA 830	MXR 800 NP 750 NA 730	MXR 700 NP 700 NA 680	MXR 600 NP 650 NA 630	
25~34 lbs.	ZE 1300 NA 1100	ZE 1200 NA 1000	MXR 1100 NA 1000	MXR 900 NP 900 NA 900	MXR 1000 NP 900 NA 900	MXR 900 NP 800 NA 830	MXR 700 NP 700 NA 680	MXR 600 NP 600 NA 580	MXR 600 NP 600 NA 580	
35~39 lbs.	MXR 1200 NA 1000	MXR 1100 NA 1000	MXR 1000 NP 900 NA 900	MXR 900 NP 800 NA 830	MXR 800 NP 750 NA 730	MXR 700 NP 700 NA 680	MXR 600 NP 650 NA 630	MXR 600 NP 600 NA 580	MXR 500 NP 550 NA 530	NP 500 NA 490
40~45 lbs.	MXR 1200 NA 1000	NP 900 NA 900	MXR 900 NP 750 NA 730	MXR 800 NP 750 NA 730	MXR 700 NP 700 NA 680	MXR 600 NP 650 NA 630	MXR 600 NP 600 NA 580	MXR 500 NP 550 NA 530	MXR 500 NP 500 NA 490	NP 450 NA 450
46~51 lbs.	MXR 1000 NP 900 NA 900	MXR 900 NP 800 NA 830	MXR 800 NP 750 NA 730	MXR 700 NP 700 NA 680	MXR 600 NP 650 NA 630	MXR 600 NP 600 NA 580	MXR 600 NP 500 NA 530	MXR 500 NP 500 NA 490	NP 450 NA 450	NP 400 NA 410
52~57 lbs.	NP 800 NA 830	NP 750 NA 730	NP 700 NA 680	NP 650 NA 630	NP 600 NA 580	NP 550 NA 530	NP 500 NA 490	NP 450 NA 450	NP 400 NA 410	NA 380
58~63 lbs.	NP 750 NA 730	NP 700 NA 680	NP 650 NA 630	NP 600 NA 580	NP 550 NA 530	NP 500 NA 490	NP 450 NA 450	NP 400 NA 410	NA 380	
64~69 lbs.	NP 700 NA 680	NP 650 NA 630	NP 600 NA 580	NP 550 NA 530	NP 500 NA 490	NP 450 NA 450	NP 400 NA 410	NA 380		
70~75 lbs.	NP 650 NA 630	NP 600 NA 580	NP 550 NA 530	NP 500 NA 490	NP 450 NA 450	NP 400 NA 410	NA 380			



EZ FLETCHER

MULTI-FUNCTION SYSTEM!!

Better accuracy and better convenience
Developed stability, certain control system
Perfect balance with every arrows
Holding system for the best set up
Easy to use, ergonomic design

EZ FLETCHER by BJD Technology has Shaft Hold System, Pincers Control System and Streight Adjustment System. Easy to use Ergonomic Design System.



Shaft Hold System




FEATURE
MATERIAL: Aluminum
SIZE: 124 x 124 x 220
COLOR: Black

[FTC]




OUTDOOR TARGET FACE



Name : OUTDOOR 122cm Target Face [PT 001]
Range : 90m / 70m / 60m
Mark dimension : 122cm X 122cm
Total dimension : 125cm X 125cm (width/length)



Name : OUTDOOR 80cm Target Face [PT 002]
Range : 50m / 30m
Mark dimension : 80cm X 80cm
Total dimension : 83cm X 83cm (width/length)



Name : OUTDOOR 60cm Target Face [PT 003]
Range : 25m
Mark dimension : 60cm X 60cm
Total dimension : 63cm X 63cm (width/length)



Name : OUTDOOR 40cm Target Face [PT 004]
Range : 18m
Mark dimension : 40cm X 40cm
Total dimension : 43cm X 43cm (width/length)



Name : OUTDOOR 80cm-5ring Target Face [PT 005]
Range : 30m / 20m
Mark dimension : 40cm X 40cm
Total dimension : 43cm X 43cm (width/length)



Name : OUTDOOR(3X40W) Triangular Target face(6Line) [PT 006]
Range : 30m / 20m
Mark dimension : (80cm-Center X 3Target)
Total dimension : 85cm X 85cm (width/length)



Name : OUTDOOR(4X40w) Target face(6Line) [PT 007]
Range : 30m / 20m
Mark dimension : (80cm-Center X 4Target)
Total dimension : 93cm X 85cm (width/length)



Name : OUTDOOR 80cm-6ring Target Face [PT 007A]
Range : 50m / 30m
Mark dimension : 48cm X 48cm
Total dimension : 51cm X 51cm (width/length)


INDOOR TARGET FACE




Name : INDOOR 20cm(3X20W) Target Face(18m) [PT 008]
Range : 18m
Mark dimension : 20cm X 3Target
Total dimension : 23cm X 67cm (width/length)



Name : INTDOOR (4X40cm) Single Target Face [PT 009]
Range : 18m
Mark dimension : 40cm X 4Target
Total dimension : 93cm X 85cm (width/length)




Name : INDOOR 12cm(3X20W) Target Face(18m) [PT 010]
Range : 18m
Mark dimension : 20cm X 12Target
Total dimension : 103cm X 67cm (width/length)




Name : INTDOOR 20cm Triangular Triple Target Face [PT 011]
Range : 18m
Mark dimension : 20cm X 3 X 12Target
Total dimension : 97cm X 85cm (width/length)

STICKER TARGET FACE



Name : Sticker Target Face [PT 018]
Range : 90m / 70m / 60m
Mark dimension : 15.8cm X 15.8cm



Name : Sticker Target Face [PT 019]
Range : 50m / 30m
Mark dimension : 24.3cm X 24.3cm




TRAINING TARGET FACE




Name : TRAINING 80cm-CenterSpot Target Face(8Line) [PT 012]
Range : 50m/30m/20m
Mark dimension : 24cmX24cm
Total dimension : 32cmX32cm(width/length)



Name : TRAINING 122cm-CenterSpot Target Face(7Line) [PT 013]
Range : 90m/70m/60m
Mark dimension : 48.8cmX48.8cm
Total dimension : 61cmX61cm(width/length)



Name : TRAINING Target Face [PT 020]
Mark dimension : 52mmX52mm
Total dimension : 282mmX238mm(width/length)



Name : TRAINING Target Face [PT 021]
Mark dimension : 48mmX48mm
Total dimension : 250mmX231mm(width/length)


FIELD TARGET FACE



Name : FIELD 80cm Target Face [PT 014]
Mark dimension : 80cmX80cm Target
Total dimension : 83cmX83cm(width/length)



Name : FIELD 60cm Target Face [PT 015]
Mark dimension : 60cmX60cm Target
Total dimension : 63cmX63cm(width/length)



Name : FIELD 40cm(4X40W) Target Face [PT 016]
Mark dimension : 40cmX40cm
Total dimension : 93cmX85cm(width/length)



FOAM TARGET FACE

Combination of the Durable Form and Smart Technology of FT SYSTEM. No Impurities on FIVICS Foam Target, Not used Any Glue.


Simple replacement of the incore. Taking Out the Arrow from it Easily. Easy Management with the Water Proof. The Surface of the Target Foam is Strong and Hard Enough.

Don't Worry about Any Weather Condition with FIVICS Target Face. To offer Flexible Sizes you Want.

- Name : A Foam Target
Exterior A
Size : 125cmX125cmX18cm
Weight : 20.4kg
- Name : B Foam Target
Exterior B
Size : 95cmX95cmX24cm
Weight : 22.9kg
- Name : C Foam Target
Exterior C
Size : 104cmX104cmX9cm
Weight : 9.5kg



ACADEMIC TARGET FACE



Name : OUTDOOR Target Face [PT 017]
Range : 70m
Mark dimension : 97.2cmX97.2cm
Total dimension : 103cmX103cm(width/length)

PERFECT SCORE SHEET



Name : Perfect score sheet
Total dimension : A4(21 X 29.7)
Applicable under any weather condition
Ink not smudged

World Top shooter's with FIVICS!

The worth of transcend time and space



Top Shooter's Choice!

We are highly appreciated that they trust and use FIVICS products, we do our best to give them high satisfaction through the best quality products.



