

EXPERIENCE. PERFORMANCE.



PSE[®]

ARCHERY

2014 PRODUCT GUIDE



2014 PSE COMPOUND BOWS

CUSTOM SHOP

DESIGN YOUR OWN CUSTOM BOW!

Through our Custom Shop you can let your imagination run wild. Using the multitude of existing components, the Custom Shop can possibly make a one of a kind bow, just for you.

Important Note: Not all desired configurations will be possible and always remember our catalog offerings are designed by our engineers for optimal performance.

Are you looking for that special color for your compound bows? We now have many colors to choose from. Colors will vary from run to run and are available only for Compound bows.

CUSTOM BOW ORDERING INFORMATION

- Orders require verbal or written confirmation.
- Order cancellations subject to 50% restocking fee.
- Payment terms: Net 30, C.O.D., Credit Card.
- Allow 10-12 weeks for delivery. Platinum Skullworks® and White Pearl have a glossy finish and take 16-20 weeks
- Standard warranties apply

CUSTOM BOW ORDER	
DESCRIPTION OF SERVICE	FEE
DEALER BASE PRICE OF BOW + FEE(S) NO DISCOUNTS APPLY	
LIMB WEIGHT CHANGE	SEE DEALER
DRAW LENGTH CHANGE	SEE DEALER
CAM CHANGE	SEE DEALER
STANDARD COLOR CHANGE	SEE DEALER
FADE COLORS	SEE DEALER
MATTE SILVER CAMS	SEE DEALER
MATTE SILVER POCKETS	SEE DEALER
CUSTOM FEE*	SEE DEALER



* FOR BOWS THAT REQUIRE CUSTOM TUNES
PLEASE NOTE: SOME BOWS & CAM COMBOS MAY NOT BE AVAILABLE.
NOT ALL COMPONENTS ARE AVAILABLE ON ALL MODELS.
NO DISCOUNTS APPLY FOR CUSTOM BOW ORDERS.

PSE Skullworks® Series



PSE White Pearl



Pink Skullworks®

Green Skullworks®

Blue Skullworks®

Red Skullworks®

Platinum Skullworks®

White Pearl

* All bows have black limbs Platinum SW and White Pearl finishes feature a glossy finish and take an 16-20 weeks to deliver

PSE Anodized Series

PSE Pockets & Cams



Red/Pink Fade

Orange/Yellow Fade

Blue/Black Fade

Burnt Orange

Violet

Forest Green

Olive Brown



Matte Silver Pockets
Available on: Centerlock™ 2 pockets only



Matte Silver Cams
Available on: CC, ME and EV cams only

*All bows have black limbs



2014 PRO SERIES BOWS BOW SUMMARY



Full Throttle™



Dream Season® DNA™



DNA™ SP



Source™



Premonition™



Verge™



Verge™ Stiletto™

ATA/IBO SPEED	370-362 FPS	352-344 FPS	345-337 FPS	335-327 FPS	344-336 FPS	300-299 FPS @ 27"	300-299 FPS @ 27"
BRACE HEIGHT	5-1/4"	6"	6"	7"	6-1/4"	6-1/2"	6-1/2"
AXLE-TO-AXLE	33-1/4"	31"	31-1/4"	33"	30"	30"	30"
LETOFF %	70%	70%	75%	75%	75%	75%	75%
DRAW LENGTH RANGE	26-1/2" TO 30"	26" TO 30"	24-1/2" TO 30"	26" TO 31-1/2"	24-1/2" TO 30"	22" TO 27"	22" TO 27"
PEAK WEIGHT	50, 60, 65, 70	50, 60, 65, 70	50, 60, 65, 70	50, 60, 70	50, 60, 70	40, 50, 60	40, 50, 60
CAM STYLE	FT- FULL THROTTLE™	CC - CORE™ HYBRID	SC- SOURCE CAM	SC- SOURCE CAM	SC- SOURCE CAM	MD- MINI DRIVE	MD- MINI DRIVE
MASS WEIGHT	4.1 LBS.	3.7 LBS.	3.8 LBS.	4.3 LBS.	3.9 LBS.	3.5 LBS.	3.5 LBS.
GRIP STYLE	B.E.S.T. RAPTOR™	B.E.S.T. RAPTOR™	B.E.S.T. RAPTOR™	RAPTOR™	RAPTOR™	RAPTOR™	RAPTOR™
MAX LIMB BOLT TURNS FROM BOTTOM	7	10	10	10	10	12	12
COLOR OPTIONS	BREAK-UP® INFINITY®, SKULLWORKS® OR ALL BLACK	BREAK-UP® INFINITY®, SKULLWORKS®, ALL BLACK OR PINK CAMO	PURPLE RAIN				
PART NUMBER	1431FT	1330CC	1330SC	1432SC	1433SC	1434MD	1434MD



2014 PRO SERIES BOWS BOW SUMMARY



Freak™ SP

Drive™ LT

Dominator™ Max

Dominator™ 3D Max

Supra™ Max

Phenom™

Phenom™ SD

ATA/IBO SPEED	354-346@33" FPS	336-328 FPS	323-315 FPS	327-319 FPS	332-324 FPS	329-321 FPS	316-308 FPS @ 28-1/2"
BRACE HEIGHT	7-1/8"	7"	7-3/8"	7-3/8"	7"	7"	6-5/8"
AXLE-TO-AXLE	38"	31"	40-1/4"	36-1/4"	37-1/4"	36"	36"
LETOFF %	75%	75%	75%	75%	75%	75%	75%
DRAW LENGTH RANGE	27-1/2" TO 33"	25-1/2" TO 31"	27" TO 31-1/2"	26" TO 30-1/2"	25-1/2" TO 30"	25-1/2" TO 30"	23" TO 28-1/2"
PEAK WEIGHT	60, 70, 80	50, 60, 70	50, 60	50, 60	40, 50, 60, 70	40, 50, 60, 70	29, 40, 50, 60
CAM STYLE	EV - EVO HYBRID™	DC - DRIVE™ CAM HYBRID	ME - MINI EVO™ HYBRID	ME - MINI EVO™ HYBRID	ME - MINI EVO™ HYBRID	ME - MINI EVO™ HYBRID	ME - MINI EVO™ HYBRID
MASS WEIGHT	4.3 LBS.	4.3 LBS.	4.7 LBS.	4.5 LBS.	4.5 LBS.	4.3 LBS.	4 LBS.
GRIP STYLE	RAPTOR™	RAPTOR™	SYMMETRIC RAPTOR™	SYMMETRIC RAPTOR™	RAPTOR™	RAPTOR™	RAPTOR™
MAX LIMB BOLT TURNS FROM BOTTOM	10	12	10	10	10	10	10
COLOR OPTIONS	BREAK-UP® INFINITY®, SKULLWORKS®, OR ALL BLACK	BREAK-UP® INFINITY®, SKULLWORKS®, OR ALL BLACK	BLACK, BLUE OR RED (POLISHED FINISH)	BLACK, BLUE OR RED (POLISHED FINISH)	BLACK, BLUE OR RED (SATIN) OR BREAK-UP® INFINITY® (70# ONLY IN CAMO OR SKULLWORKS)	BLACK, BLUE OR RED (SATIN) OR BREAK-UP® INFINITY®	BLACK, BLUE OR RED (SATIN) OR BREAK-UP® BLUE OR RED
PART NUMBER	1335DC	1435DC RTS 1445DC	1336ME	1337ME	1338ME	1339ME	1339MD

PSE
PRO
SERIES

2014 PRO SERIES BOWS FULL THROTTLE™

What do you do when you already make the fastest compound bow ever made? You challenge your engineers to do the impossible and make one even faster. But they didn't just meet the challenge, they put boot to rear and blew past it at a record-breaking 370 fps! Of course, lightning speed is just one of the amazing features of the all-new Full Throttle; the bow is also easy to shoot with a comfortable draw and incredible accuracy. At PSE, we aren't just happy with being the best, we're on a mission to do the impossible...and one shot with the new Full Throttle™ will have you saying **"MISSION ACCOMPLISHED!"**

2014 **PSE**
new



"I've never wanted PSE to just be good enough and I'm not satisfied with just being better than our competition...I want PSE to accomplish what others think is impossible. Building the first compound bow to IBO at 370 fps is amazing, but to create one that has the shootability of the new Full Throttle™ is revolutionary."
Pete Shepley
PSE Founder

- Brace Height: 5-1/4"
- Axle-to-Axle: 33-1/4"
- ATA/IBO Speed: 370-362 fps
- Letoff: 70%
- Mass Weight: 4.1 lbs.
- Draw Length Range: 26-1/2" to 30"
- Draw Weights (lbs.): 50, 60, 65, 70
- Maximum Limb Bolt
- Turns From Bottom: 7 Turns
- Shipped In: 29" DL Specific*
- Cam FT

BACKSTOP 2

Flex
CABLE SLIDE



America's Best
BOWSTRINGS

PSE
skullworks
CAMO



IF
Mossy Oak®
Break-Up® Infinity™
Limbs and Riser



SW
Skullworks® Camo
Limbs and Riser



BK
Solid Black
Limbs and Riser

*Notes: If not a standard range, available by special order at no additional charge. Available ranges: 26-30 in 1/2" increments. Peak Weights 50, 60, 65, 70



2014 PSE FULL THROTTLE™ ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
FULL THROTTLE™	1431FT	IF	26 1/2-30"	50, 60, 65, 70#
FULL THROTTLE™	1431FT	SW	26 1/2-30"	50, 60, 65, 70#
FULL THROTTLE™	1431FT	BK	26 1/2-30"	50, 60, 65, 70#

PSE
PRO
SERIES

2014 PRO SERIES BOWS DREAM SEASON™ DNA™

There is a reason the Dream Season® DNA™ was named the **Outdoor Life Editors Choice** for the best compound bow of 2013...because IT IS! Field proven in the most demanding of hunting conditions, the Dream Season® DNA™ is lightweight, amazingly fast and packed with innovation from its 3.7 lbs. net weight, to its incredible 352 fps. Shoot the Dream Season® DNA™ and you'll know why it sets the standard for what a hunting bow should be.



"From the first time I shot the Dream Season® DNA™ I knew it was special. All the awards and record sales numbers just serve as confirmation. The Dream Season® DNA™ is the best hunting bow on the market today!"
Mark Drury
Drury Outdoors

Brace Height: 6"
Axle-to-Axle: 31"
ATA/IBO Speed: 352-344 fps
Letoff: 70%
Mass Weight: 3.7 lbs.
Draw Length Range: 26" to 30"
Draw Weights (lbs.): 50, 60, 65, 70
Maximum Limb Bolt
Turns From Bottom: 10 Turns
Shipped in: 29"
Cam CC

BACKSTOP 2

Flex
CABLE SLIDE



America's Best
BOWSTRINGS

PSE
skullworks
CAMO



IF
Mossy Oak®
Break-Up® Infinity
Limbs and Riser



SW
Skullworks® Camo
Limbs and Riser



BK
Solid Black
Limbs and Riser



2014 PSE DREAM SEASON® DNA™ ORDERING INFORMATION				
MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK
DNA™	1330CC	IF	26"-30"	50, 60, 65,
DNA™	1330CC	SW	26"-30"	50, 60, 65,
DNA™	1330CC	BK	26"-30"	50, 60, 65,

PSE
PRO
SERIES

2014 **PRO SERIES** BOWS

DNA™ SP


When we made the DNA™, the world's best bow, we thought you would be satisfied... you weren't. So when we heard that there were bowhunters out there who loved the lightweight design and performance of the DNA™, but wanted a bow with a little softer draw, we did the only thing we could do... we obliged. Introducing the new DNA™ SP, the smoother pull version of the best hunting bow on the planet.

PSE's new limb stop allows you to adjust the feel of the bow's back wall!



2014

PSE
new



"For hunters who prefer a smoother draw over extreme speed, PSE has taken the light weight, extremely accurate design of the origin Dream Season® DNA™ and created a version just for you. Still incredibly fast, the new DNA™ SP is silky smooth and extremely quiet."
Chris Keefer

Dropped and Back Country Quest

- Brace Height: 6"
- Axle-to-Axle: 31-1/4"
- ATA/IBO Speed: 345-337 fps
- Letoff: 75%
- Mass Weight: 3.8 lbs.
- Draw Length Range: 24-1/2" to 30"
- Draw Weights (lbs.): 50, 60, 65, 70
- Maximum Limb Bolt
- Turns From Bottom: 10 Turns
- Shipped In: 29"
- Cam SC



FLEX
CABLE SLIDE



America's Best
BOWSTRINGS


PSE
skullworks
CAMO



IF
Mossy Oak®
Break-Up® Infinity®
Limbs and Riser



SW
Skullworks® Camo
Limbs and Riser



BK
Solid Black
Limbs and Riser



2014 PSE DNA™ SP ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DNA™ SP	1330SC	IF	24-1/2"-30"	50, 60, 65, 70#
DNA™ SP	1330SC	SW	24-1/2"-30"	50, 60, 65, 70#
DNA™ SP	1330SC	BK	24-1/2"-30"	50, 60, 65, 70#



PSE
PRO
SERIES

2014 PRO SERIES BOWS SOURCE™

Ready for the challenge of taking the most difficult game with a bow? Then forget other company's bows and go straight to the Source™! The new Source™ from PSE packs the accuracy, durability, and the hard-hitting punch you need to drop the toughest game. Because when you've put in the hard work to get the kill of a lifetime, you need the right bow for the job.

PSE's new limb stop allows you to adjust the feel of the bow's back wall!



2014
PSE
new



Brace Height: 7"
 Axle-to-Axle: 33"
 ATA/IBO Speed: 335-327 fps
 Letoff: 75%
 Mass Weight: 4.3 lbs.
 Draw Length Range: 26" to 31-1/2"
 Draw Weights (lbs.): 50, 60, 70,
 Maximum Limb Bolt
 Turns From Bottom: 10 Turns
 Shipped In: 29"
 Cam SC

"One of the great things about PSE is that no matter what your personal preferences are in a bow, they have one to fit the bill. The Source™ is fast, smooth and offers a 7-inch brace height. You have to shoot this bow to believe it."

Pedro Ampuero
PSE Pro Staff

BACKSTOP 2



PSE
skullworks
CAMO



IF
Mossy Oak®
Break-Up® Infinity®
Limbs and Riser



SW
Skullworks® Camo
Limbs and Riser



BK
Solid Black
Limbs and Riser

2014 PSE SOURCE™ ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
SOURCE™	1432SC	IF	26"-31-1/2"	50, 60,
SOURCE™	1432SC	SW	26"-31-1/2"	50, 60,
SOURCE™	1432SC	BK	26"-31-1/2"	50, 60,

PSE
PRO
SERIES

2014 PRO SERIES BOWS PREMONITION™

PSE had a vision of the future, so we challenged our staff to redefine the compact bow and they delivered... big time. We envisioned a bow that had a short axle-to-axle length, but that was a true hunter's bow. A bow that was not only compact, but also fast and forgiving. PSE had a vision, and that vision became the new Premonition™, the world's most innovative compact bow.

2014
PSE
new



"Chris and I are so excited to be shooting PSE and the Premonition™ is a great example why. It's not only very fast, accurate and easy to shoot, it's also compact and lightweight. It's the perfect bow for extreme hunting!"
Casey Keefer
Dropped and Back Country Quest

PSE's new limb stop allows you to adjust the feel of the bow's back wall!



Brace Height: 6-1/4"
Axle-to-Axle: 30"
ATA/IBO Speed: 344-336 fps
Letoff: 75%
Mass Weight: 3.9 lbs.
Draw Length Range: 24-1/2" to 30"
Draw Weights (lbs.): 50, 60, 70,
Maximum Limb Bolt
Turns From Bottom: 10 Turns
Shipped In: 29"
Cam SC

BACKSTOP 2



America's Best BOWSTRINGS

PSE skullworks CAMO



IF
Mossy Oak®
Break-Up® Infinity®
Limbs and Riser



SW
Skullworks® Camo
Limbs and Riser



BK
Solid Black
Limbs and Riser



2014 PSE PREMONITION™ ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PREMONITION™	1433SC	IF	24-1/2"-30"	50, 60, 70#
PREMONITION™	1433SC	SW	24-1/2"-30"	50, 60, 70#
PREMONITION™	1433SC	BK	24-1/2"-30"	50, 60, 70#

PSE
PRO
SERIES

2014 **PRO SERIES** BOWS

VERGE™

We've all heard it...don't go outside the lines; learn your limits. But when it comes to compact bows, PSE doesn't believe in limitations. The new Verge™ delivers rugged dependability in a compact, short-draw bow design, and features X-Technology making it smooth, fast, accurate, and forgiving,

2014 **PSE**
new



"If you're a short draw archer you need every bit of speed and performance you can get in a bow and no one can solve that problem like PSE! The new Verge is designed to deliver incredible performance in draw lengths from 22-27 inches."

Rick Kreuter
Beyond the Hunt

- Brace Height: 6-1/2"
- Axle-to-Axle: 30"
- ATA/IBO Speed: 300-292 fps @ 27
- Letoff: 75%
- Mass Weight: 3.5 lbs.
- Draw Length Range: 22" to 27"
- Draw Weights (lbs.): 40, 50, 60,
- Maximum Limb Bolt
- Turns From Bottom: 12 Turns
- Shipped In: 25"
- Cam MD



IF
Mossy Oak®
Break-Up® Infinity®
Limbs and Riser



SW
Skullworks® Camo
Limbs and Riser



BK
Solid Black
Limbs and Riser



PC
Pink Skullworks®
Riser and Black Limbs



2014 PSE VERGE™ ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
VERGE™	1434MD	IF	22"-27"	40, 50,
VERGE™	1434MD	SW	22"-27"	40, 50,
VERGE™	1434MD	BK	22"-27"	40, 50,
VERGE™	1434MD	PC	22"-27"	40, 50,






2014 PRO SERIES BOWS

VERGE™ STILETTO™ EDITION

Ladies, we know you don't believe in limitations on what you can accomplish in the field and neither does PSE. Introducing the new Verge Stiletto™ Edition. This is the new standard in compact bows, and is available in a design made just for you. With rugged dependability in a compact bow, and featuring our exclusive X-Technology, the Verge Stiletto™ Edition is smooth, fast, accurate, and forgiving.

2014 **PSE**
new



"Like most women, I have a shorter draw length and don't pull a lot of weight... I need premium performance. The new Verge Stiletto™ Edition has the looks and performance I'm looking for in bow. It's the best women's bow on the market."
Julie Kreuter
Beyond the Hunt

- Brace Height: 6-1/2"
- Axle-to-Axle: 30"
- ATA/IBO Speed: 300-292 fps @ 27
- Letoff: 70%
- Mass Weight: 3.5 lbs.
- Draw Length Range: 22" to 27"
- Draw Weights (lbs.): 40, 50, 60, Maximum Limb Bolt
- Turns From Bottom: 12 Turns
- Shipped In: 25"
- Cam MD



PR
Purple Rain - A beautiful purple riser black limbs

2014 PSE VERGE STILETTO™ EDITION ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
VERGE STILETTO™	1434MD	PR	22"-27"	40, 50, 60#
VERGE STILETTO™	1434MD	PR	22"-27"	40, 50, 60#

PSE
PRO
SERIES

2014 PRO SERIES BOWS FREAK™ SP

Not all bowhunters are built the same. Some are big, some are small, and some have the wingspan of NBA basketball player. If you're a guy who never has a problem getting things off the top shelf, the new Freak™ SP is the bow for you. This new Freak™ will fit draw lengths from 28" -33", and its exceptionally smooth draw dominates the competition, making it the best long draw bow on the market today.

2014
PSE
new



"Being a long draw archer can be frustrating. It's difficult to find a bow designed for our needs. That's not the case with PSE. The Freak™ SP is super fast, incredibly smooth, and is engineered specifically to give long draw archers the perfect hunting bow."

Tim Silvia
Former UFC
Heavy Weight Champion

Brace Height: 7-1/8"
 Axle-to-Axle: 38"
 ATA/IBO Speed: 354-346 fps @ 33"
 Letoff: 75%
 Mass Weight: 4.3 lbs.
 Draw Length Range: 27-1/2" to 33"
 Draw Weights (lbs.): 60, 70, 80,
 Maximum Limb Bolt
 Turns From Bottom: 10 Turns
 Shipped In: 32"
 Cam DC

Flex
CABLE SLIDE

AMERICAN
BEST
BOWSTRINGS

PSE
skullworks
CAMO

BACKSTOP 2



IF
Mossy Oak®
Break-Up® Infinity®
Limbs and Riser



SW
Skullworks® Camo
Limbs and Riser



BK
Solid Black
Limbs and Riser

2014 PSE FREAK™ SP ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
FREAK™ SP	1335DC	IF	27-1/2"-33"	60, 70,
FREAK™ SP	1335DC	SW	27-1/2"-33"	60, 70,
FREAK™ SP	1335DC	BK	27-1/2"-33"	60, 70,

PSE
PRO
SERIES

2014 PRO SERIES BOWS DRIVE™ LT

You want a hardcore bow without having to pay a hardcore price? Meet the Drive™ LT, the best compound bow value on the pro market. PSE has done what others are afraid to do; we've built a bow that is lean and mean, but that still has all the core elements you've come to expect from a Pro-Series bow: Planar Flex Riser? Check. StingStop™? Check. New high-performance DC cam? Check. Pure awesomeness? You know it.

2014
PSE
new



"Our goal at PSE is to engineer and manufacture great bows at every price point. The Drive™ LT proves that we are accomplishing that goal. Fast, smooth and forgiving... the Drive™ LT is the best value on the market."

Jon Shepley
PSE President

- Brace Height: 7"
- Axle-to-Axle: 31"
- ATA/IBO Speed: 336-328 fps
- Letoff: 75%
- Mass Weight: 4.3 lbs.
- Draw Length Range: 25-1/2" to 31"
- Draw Weights (lbs.): 50, 60, 70
- Maximum Limb Bolt
- Turns From Bottom: 12 Turns
- Shipped In: 29"
- Cam DC



IF
Mossy Oak®
Break-Up® Infinity
Limbs and Riser



SW
Skullworks® Camo
Limbs and Riser



BK
Solid Black
Limbs and Riser

2014 PSE DRIVE™ LT ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DRIVE™ LT	1435DC	IF	25-1/2"-31"	50, 60, 70#
DRIVE™ LT	1435DC	SW	25-1/2"-31"	50, 60, 70#
DRIVE™ LT	1435DC	BK	25-1/2"-31"	50, 60, 70#

READY TO SHOOT DRIVE™ LT 1445DC IF 25-1/2"-31" 50, 60, 70#

READY TO SHOOT DRIVE™ LT 1445DC SW 25-1/2"-31" 50, 60, 70#

Ready to Shoot (RTS) includes: Gemini Sight, Whisker Biscuit Rest, Flexxtech 2 Stabilizer, Shadow Quiver, PSE Neoprene Sling, Peep Sight and Nock Loop

Available as bow only or Ready to Shoot with accessories in two camo finishes



2014 PRO SERIES BOWS

DOMINATOR™ MAX

Trying your best is a great goal and all, but PSE knows that you want to do more than just win; you want to dominate! That's why PSE went into our engineering labs and blew the roof off the place to create the Dominator™ Max, the most accurate and forgiving target bow ever made. Shoot it once and you'll know why the world's best target shooters are upgrading to PSE.



"The first time I shot the Dominator Max I knew it was something special. After shooting it on the tournament trail this year I now know it is the best tournament bow I have ever shot!"

Chance Beabeouf
PSE Pro Staff



- Brace Height: 7 3/8"
- Axle-to-Axle: 40 1/4"
- ATA/IBO Speed: 323-315 fps
- Letoff: 75%
- Mass Weight: 4.7 lbs.
- Draw Length Range: 27" to 31 1/2"
- Draw Weights (lbs.): 50, 60
- Maximum Limb Bolt
- Turns From Bottom: 10 Turns
- Shipped In: 29"
- Cam ME



BL
Polished Blue
Anodized Finish



RD
Polished Red
Anodized Finish



BK
Polished Black
Anodized Finish



2014 PSE DOMINATOR™ MAX ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DOMINATOR™ MAX	1336ME	BL	27"-31 1/2"	50, 60#
DOMINATOR™ MAX	1336ME	RD	27"-31 1/2"	50, 60#
DOMINATOR™ MAX	1336ME	BK	27"-31 1/2"	50, 60#



2014 PRO SERIES BOWS

DOMINATOR™ 3D MAX

In life and archery, sometimes winning just isn't enough... you want to dominate! When PSE blew the roof off our engineering labs to create the Dominator™, we knew that a 3D target version was an absolute must. So we took the Dominator Max, the most accurate and forgiving target bow ever made, and shortened the axle-to-axle length. The result? The Dominator™ 3D Max, the most dominant 3D bow ever!



"Not only is the Dominator 3D Max the perfect geometry for the 3D, I know that it makes me a better shooter and that's why I shoot it!"

Chris Hacker
PSE Pro Staff



- Brace Height: 7 3/8"
- Axle-to-Axle: 36 1/4"
- ATA/IBO Speed: 327-319 fps
- Letoff: 75%
- Mass Weight: 4.5 lbs.
- Draw Length Range: 26" to 30 1/2"
- Draw Weights (lbs.): 50, 60
- Maximum Limb Bolt Turns From Bottom: 10 Turns
- Shipped In: 29"
- Cam ME



BL
Polished Blue
Anodized Finish



RD
Polished Red
Anodized Finish



BK
Polished Black
Anodized Finish

2014 PSE DOMINATOR™ MAX 3D ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DOMINATOR™ 3D MAX	1337ME	BL	26"-30-1/2"	50, 60#
DOMINATOR™ 3D MAX	1337ME	RD	26"-30-1/2"	50, 60#
DOMINATOR™ 3D MAX	1337ME	BK	26"-30-1/2"	50, 60#



2014 PRO SERIES BOWS SUPRA™ MAX

They say you can't improve on a classic, but at PSE we don't play by the old rules. We took one of the most popular target shooting bows ever and didn't just make it better, we blew it up and reinvented it. The Supra™ Max is everything you loved about the Supra™; state-of-the-art riser, limbs, cams, you-name-it, but with radically improved shooting performance that makes it one of the finest target bows on the market.

The PSE Supra Max is the perfect example of PSE listening to their professional shooters and exceeding their expectations. The Supra Max is one of the most accurate and forgiving bows I have ever shot!

Nathan Brooks
PSE Pro Staff




- Brace Height: 7"
- Axle-to-Axle: 37-1/4"
- ATA/IBO Speed: 332-324 fps
- Letoff: 75%
- Mass Weight: 4.5 lbs.
- Draw Length Range: 25-1/2" to 30"
- Draw Weights (lbs.): 40, 50, 60, 70*
- Maximum Limb Bolt
- Turns From Bottom: 10 Turns
- Shipped In: 29"
- Cam ME

* See below for options



BL
Satin Blue
Anodized Finish



IF
Mossy Oak® Break-Up®
Infinity® Limbs and Riser



RD
Satin Red
Anodized Finish



BK
Satin Black
Anodized Finish


2014 PSE SUPRA™ MAX ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
SUPRA™ MAX	1338ME	BL	25-1/2"-30"	40, 50, 60#
SUPRA™ MAX	1338ME	RD	25-1/2"-30"	40, 50, 60#
SUPRA™ MAX	1338ME	BK	25-1/2"-30"	40, 50, 60, 70#
SUPRA™ MAX	1338ME	IF	25-1/2"-30"	50, 60, 70#

PSE
PRO
SERIES

2014 PRO SERIES BOWS PHENOM™

At PSE, we know you want to break your opponents, not the bank. So we stepped up to the challenge of delivering a unique bow at a unique price and we killed it! The Phenom™ is the ultimate bow for savvy target shooters looking to save some scratch. With our exclusive X-Technology, shooting the Phenom™ is an incredibly forgiving and accurate experience at a phenomenal price.



"Don't let the price fool you, the Phenom from PSE is a serious target bow! It has the accuracy and performance that I demand as a professional archery and is an excellent example of why I shoot PSE!"
Chris Perkins
PSE Pro Staff



- Brace Height: 7"
- Axle-to-Axle: 36"
- ATA/IBO Speed: 329-321 fps
- Letoff: 75%
- Mass Weight: 4.3 lbs.
- Draw Length Range: 25-1/2" to 30"
- Draw Weights (lbs.): 40, 50, 60, 70
- Maximum Limb Bolt
- Turns From Bottom: 10 Turns
- Shipped in: 29"
- Cam ME

* See below for options



SW
Skulworks™ Camo
Limbs and Riser



IF
Mossy Oak® Break-Up®
Infinity Limbs and Riser



BL
Satin Blue
Anodized Finish



RD
Satin Red
Anodized Finish



BK
Satin Black
Anodized Finish



2014 PSE PHENOM™ ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PHENOM™	1339ME	SW	25-1/2" - 30"	50, 60, 70#
PHENOM™	1339ME	BL	25-1/2" - 30"	40, 50, 60#
PHENOM™	1339ME	RD	25-1/2" - 30"	40, 50, 60#
PHENOM™	1339ME	BK	25-1/2" - 30"	40, 50, 60, 70#
PHENOM™	1339ME	IF	25-1/2" - 30"	50, 60, 70#

PSE
PRO
SERIES

2014 PRO SERIES BOWS PHENOM™ SD

At PSE, we know you want to break your opponents, not the bank. So we stepped up to the challenge of delivering a unique short draw bow at a unique price and we killed it! The Phenom™ SD is the ultimate short draw bow for savvy target shooters looking to save some scratch. With our exclusive X-Technology, shooting the Phenom™ SD is an incredibly forgiving and accurate experience at a phenomenal price.

2014
PSE
new

"If you're a tournament archer with a shorter draw length, you need to shoot the new Phenom™ SD! It's got the precision and accuracy PSE is known for, but it's been designed to deliver maximum performance at shorter draw lengths."

Paige Pearce
PSE Pro Staff

- Brace Height: 6-5/8"
- Axle-to-Axle: 36"
- ATA/IBO Speed: 316-308 fps
- Letoff: 75%
- Mass Weight: 4 lbs.
- Draw Length Range: 23" to 28-1/2"
- Draw Weights (lbs.): 40, 50, 60, 70
- Maximum Limb Bolt
- Turns From Bottom: 10 Turns
- Shipped in: 25"
- Cam ME

* 70# offered in SW, IF and BK only

BACKSTOP 2

AMERICA'S BEST
BOWSTRINGS

PSE
skullworks
CAMO



SW
Skullworks™ Camo
Limbs and Riser



IF
Mossy Oak® Break-Up®
Infinity Limbs and Riser



BL
Satin Blue
Anodized Finish



RD
Satin Red
Anodized Finish



BK
Satin Black
Anodized Finish



2014 PSE PHENOM™ SD ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PHENOM™ SD	1339MD	SW	23" - 28-1/2"	50, 60#
PHENOM™ SD	1339MD	BL	23" - 28-1/2"	29, 40, 50#
PHENOM™ SD	1339MD	RD	23" - 28-1/2"	29, 40, 50#
PHENOM™ SD	1339MD	BK	23" - 28-1/2"	29, 40, 50 60#
PHENOM™ SD	1339MD	IF	23" - 28-1/2"	50, 60#





2014 MAINLINE BOWS BOW SUMMARY



Prophecy™



Bow Madness™ XP



Momentum™



Surge™



Vision™



Fever™


	Prophecy™	Bow Madness™ XP	Momentum™	Surge™	Vision™	Fever™
ATA/IBO SPEED	340-332 FPS	335-327 FPS	330-322 FPS	320-312 FPS	306-298 FPS	304-296 FPS @ 29"
BRACE HEIGHT	6"	6-1/2"	7"	7-1/4"	7"	6-3/8"
AXLE-TO-AXLE	32"	30"	31-1/2"	32-1/2"	33"	32"
LETOFF %	75%	75%	75%	75%	70%	70%
DRAW LENGTH RANGE	25" TO 30"	25" TO 30"	26" TO 31"	19-1/2" TO 30"	12" TO 30"	11-1/2" TO 29"
PEAK WEIGHT	50, 60, 70	50, 60, 70	50, 60, 70	50, 60, 70	50, 60, 70	29, 40, 50, 60
COLOR OPTIONS	BREAK-UP® INFINITY®, ALL BLACK OR SKULLWORKS®	BREAK-UP® INFINITY® LIMBS WITH ANNOXIDIZED BROWN RISER	BREAK-UP® INFINITY®, ALL BLACK OR SKULLWORKS®	BREAK-UP® INFINITY®, ALL BLACK OR SKULLWORKS®	BREAK-UP® INFINITY®, ALL BLACK OR SKULLWORKS®	BREAK-UP® INFINITY®, ALL BLACK, SKULLWORKS®, OR PINK CAMO
MAX LIMB BOLT TURNS FROM BOTTOM	10	10	12	12	12	12
BOW ONLY PART #	1301AP	1401AP	1402AP	1403MR	1404VS	1405VS
RTS PACKAGE PART #	1351AP	1411AP	1412AP	1413MR	1414VS	1415VS
FR PACKAGE PART #	1361AP	1421AP	1422AP	1423MR	1424VS	N/A

RTS= READY TO SHOOT FR= FIELD READY



2014 MAINLINE BOWS

BOW SUMMARY



Fever™ One

Elation™

Mini Burner™ XT

Tidal Wave™

Discovery™ BF

Discovery™ 2

ATA/IBO SPEED	312-304 FPS @ 29"	N/A	276-268 FPS @ 28"	N/A	N/A	N/A
BRACE HEIGHT	7"	6"	7-1/8"	6"	6-1/2"	6-1/2"
AXLE-TO-AXLE	30"	32"	26-1/2"	32"	31-1/2"	31-1/2"
LETOFF %	75%	N/A	70%	N/A	N/A	N/A
DRAW LENGTH RANGE	18-1/2" TO 29"	TO 30"	11" TO 28"	TO 30"	TO 30"	TO 30"
PEAK WEIGHT	40, 50, 60	29, 40	20, 29, 40, 50	40	29, 40	20, 29
COLOR OPTIONS	BREAK-UP® INFINITY®, ALL BLACK, SKULLWORKS®, OR PINK CAMO	GREEN SKULLWORKS®	BREAK-UP® INFINITY®, SKULLWORKS®, OR PINK CAMO	REAPER™ H ₂ O XL	REAPER™ H ₂ O XL	BREAK-UP® INFINITY®, HAMMERTONE BLUE OR HAMMERTONE RED
MAX LIMB BOLT TURNS FROM BOTTOM	12	12	6	12	6	6
BOW ONLY PART #	1405MR	1406MZ	1106VS	1406MZ	0517MZ	0517MZ
RTS PACKAGE PART #	1415MR	N/A	1116VS	1416MZ (COMBO)	0527MZ (COMBO)	N/A

RTS= READY TO SHOOT



2014 MAINLINE BOWS PROPHECY™

At PSE we made a bold prediction. We predicted that you wanted to shoot the fastest single-cam bow ever made...so we made it happen! The Prophecy™ is everything you want in a single-cam and more. It's smooth, it's accurate, and oh yeah, it smacks down those other guys' single-cam bows by shooting a lightning-quick 340 fps. It's the ultimate single-cam bow for the ultimate Bowhunter – prophecy fulfilled!



"PSE is known for making the fastest hybrid-cam bows on the market, but the truth is they make the fastest single-cam bows on the market. The Prophecy™ just proves it!"
Ronnie "Cuz" Strickland
 Mossy Oak® Camo



Brace Height: 6"
 Axle-to-Axle: 32"
 ATA/IBO Speed: 340-332 fps
 Letoff: 75%
 Mass Weight: 4.1 lbs.
 Draw Length Range: 25" to 30"
 Draw Weights (lbs.): 50, 60, 70
 Maximum Limb Bolt Turns From Bottom: 10 Turns
 Shipped in: 29"
 Cam AP



IF
 Mossy Oak® Break-Up® Infinity Limbs and Riser



SW
 Skullworks® Camo Limbs and Riser



BK
 Solid Black Limbs and Riser

	MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
	PROPHECY™	1301AP	IF, SW, BK	25"-30"	50, 60, 70#
READY TO SHOOT	PROPHECY™ RTS	1351AP	IF, SW	25"-30"	50, 60, 70#
FIELD READY	PROPHECY™ FR	1361AP	IF	25"-30"	50, 60, 70#

Ready to Shoot (RTS) includes: Aries Sight, Whisker Biscuit Rest, Flexxtech 2 Stabilizer, Shadow Quiver, PSE Neoprene Sling, Peep Sight and Nock Loop
Field Ready (FR) includes: All Ready to Shoot accessories above plus: True-Fire Hurricane Release, Supreme Bowcase and a 4-pack of PSE X-Weave Arrows



2014 MAINLINE BOWS

BOW MADNESS™ XP

You've seen Mark and Terry Drury on television, and you know that they never quit. They're never stop hanging stands, checking trail cameras, and shooting great whitetails. The Drury's expect their equipment to be just as hardcore as they are, and that is why nothing less than the Bow Madness™ XP could ever carry the Drury name. Engineered to be smooth, fast and forgiving. The Bow Madness™ XP is quite simply the best whitetail bow ever built!

2014 **PSE-
new**



"If you're in the market for a new bow, you owe it to yourself to shoot the Bow Madness™ XP. It's fast, smooth and built for the whitetail woods!"
Terry Drury
Drury Outdoors



- Brace Height: 6-1/2"
- Axle-to-Axle: 30"
- ATA/IBO Speed: 335-327 fps
- Letoff: 75%
- Mass Weight: 3.9 lbs.
- Draw Length Range: 25" to 30"
- Draw Weights (lbs.): 50, 60, 70
- Maximum Limb Bolt
- Turns From Bottom: 10 Turns
- Shipped in: 29"
- Cam AP



BM
Mossy Oak®
Break-Up® Infinity®
Limbs and Brown Riser



	MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
	BOW MADNESS™ XP	1401AP	BM	25"-30"	50, 60, 70#
READY TO SHOOT	BOW MADNESS™ XP	1411AP	BM	25"-30"	50, 60, 70#
FIELD READY	BOW MADNESS™ XP	1421AP	BM	25"-30"	50, 60, 70#

Ready to Shoot (RTS) includes: Aries Sight, Whisker Biscuit Rest, Flexxtech 2 Stabilizer, Shadow Quiver, PSE Neoprene Sling, Peep Sight and Nock Loop
Field Ready (FR) includes: All Ready to Shoot accessories above plus: True-Fire Hurricane Release, Supreme Bowcase and a 4-pack of PSE X-Weave Arrows



2014 MAINLINE BOWS MOMENTUM™

Serious bowhunters need a serious bow, and the new Momentum™ from PSE delivers cutting edge design and lethal performance at a price that everyone can afford. Forged on X-Force™ technology, the new Momentum™ packs a wallop with amazing speed and accuracy in an economical and forgiving single cam design. Shoot the Momentum™ for yourself and believe the hype; this bow is destined to become one of the most popular bows of all time.

2014 **PSE**
new



Shown with black accessory package

"PSE never ceases to amaze me and the new Momentum™ is just proof that superior engineering means a superior product!"

Hank Parker
Hank Parker's Flesh and Blood



- Brace Height: 7"
- Axle-to-Axle: 31-1/2"
- ATA/IBO Speed: 330-322 fps
- Lettoff: 75%
- Mass Weight: 4.2 lbs.
- Draw Length Range: 26" to 31"
- Draw Weights (lbs.): 50, 60, 70
- Maximum Limb Bolt
- Turns From Bottom: 12 Turns
- Shipped in: 29"
- Cam AP



IF
Mossy Oak® Break-Up® Infinity® Limbs and Riser



SW
Skullworks® Camo Limbs and Riser



BK
Solid Black Limbs and Riser

	MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
	MOMENTUM™	1402AP	IF, SW, BK	26"-31"	50, 60, 70#
READY TO SHOOT	MOMENTUM™	1412AP	IF, SW	26"-31"	50, 60, 70#
FIELD READY	MOMENTUM™	1422AP	IF	26"-31"	50, 60, 70#

Ready to Shoot (RTS) includes: Aries Sight, Whisker Biscuit Rest, Flexxtech 2 Stabilizer, Shadow Quiver, PSE Neoprene Sling, Peep Sight and Nock Loop
Field Ready (FR) includes: All Ready to Shoot accessories above plus: True-Fire Hurricane Release, Supreme Bowcase and a 4-pack of PSE X-Weave Arrows



2014 MAINLINE BOWS SURGE™

Why would PSE replace a legendary bow like the PSE Brute™? Because we stepped up and made it lighter, faster, and added the most adjustable single-cam ever! Meet the PSE Surge™! From its lightweight and incredibly stable split limb design, to its hard-hitting single-cam system, the Surge is the new standard for performance in economical bows.

2014 **PSE-
new**

"Split limbs for lighter mass weight, X-Tech for speed and vibration control...what's not to like about the new Surge™ from PSE? It has to be the best value on the market today!"

Matt Drury
Drury Outdoors



Brace Height: 7-1/4"
 Axle-to-Axle: 32-1/2"
 ATA/IBO Speed: 320-312 fps
 Letoff: 75%
 Mass Weight: 4.3 lbs.
 Draw Length Range: 19-1/2" to 30"
 Draw Weights (lbs.): 50, 60, 70
 Maximum Limb Bolt
 Turns From Bottom: 12 Turns
 Shipped in: 29"
 Cam MR



IF
Mossy Oak®
Break-Up® Infinity®
Limbs and Riser



SW
Skullworks® Camo
Limbs and Riser



BK
Solid Black
Limbs and Riser

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
SURGE™	1403MR	IF, SW, BK	19-1/2"-30"	50, 60, 70#
READY TO SHOOT SURGE™	1413MR	IF, SW	19-1/2"-30"	50, 60, 70#
FIELD READY SURGE™	1423MR	IF	19-1/2"-30"	50, 60, 70#

Ready to Shoot (RTS) includes: Gemini Sight, Whisker Biscuit Rest, Flexxtech 2 Stabilizer, Shadow Quiver, PSE Neoprene Sling, Peep Sight and Nock Loop
Field Ready (FR) includes: All Ready to Shoot accessories above plus: True-Fire Hurricane Release, Supreme Bowcase and a 4-pack of PSE X-Weave Arrows



2014 MAINLINE BOWS VISION™


Real shooters don't compromise and neither does PSE. In the past, shooters who wanted a highly adjustable bow had to sacrifice features and performance, but PSE doesn't play that game. The new Vision™ compound bow gives you the extreme adjustability in draw length and draw weight you've been asking for, all the while being lighter, more stable, and delivering outstanding performance.

2014 **PSE**
new



"PSE knows that not every bowhunter can spend close to \$1,000 on a bow, and with the new Vision™ you don't have to! It has all the features and performance you want at a fraction of the price.

Jay Gregory
Wild Outdoors



- Brace Height: 7"
- Axle-to-Axle: 33"
- ATA/IBO Speed: 306-298 fps
- Letoff: 70%
- Mass Weight: 4.2 lbs.
- Draw Length Range: 12" to 30"
- Draw Weights (lbs.): 50, 60, 70
- Maximum Limb Bolt
- Turns From Bottom: 12 Turns
- Shipped in: 29"
- Cam VS



IF
Mossy Oak®
Break-Up® Infinity™
Limbs and Riser



SW
Skullworks® Camo
Limbs and Riser



BK
Solid Black
Limbs and Riser

	MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
	VISION™	1404VS	IF, SW, BK	12"-30"	50, 60, 70#
READY TO SHOOT	VISION™	1414VS	IF, SW	12"-30"	50, 60, 70#
FIELD READY	VISION™	1424VS	IF	12"-30"	50, 60, 70#

Ready to Shoot (RTS) includes: Gemini Sight, Whisker Biscuit Rest, Flexxtech 2 Stabilizer, Shadow Quiver, PSE Neoprene Sling, Peep Sight and Nock Loop
Field Ready (FR) includes: All Ready to Shoot accessories above plus: True-Fire Hurricane Release, Supreme Bowcase and a 4-pack of PSE X-Weave Arrows



2014 MAINLINE BOWS FEVER™

Anything worth doing is worth doing right, so when you bring a young hunter into the sport of archery you don't just want them to try it...you want them to catch the Fever™! That's why PSE developed the new Fever™; it's highly adjustable for growing archers, but still has the big time performance and accuracy of adult bows. It's a bow so good, your kid will be hooked for life.

2014 **PSE-
new**



"If you've ever doubted that PSE has superior engineering you need to look at the new Fever™. It not only has the smooth performance hunters are looking for in a bow, but is also highly adjustable for young shooters!"
Bill Epeards
PSE Pro Staff



Brace Height: 6-3/8"
 Axle-to-Axle: 32"
 ATA/IBO Speed: 304-296 fps @ 29"
 Letoff: 70%
 Mass Weight: 3.6 lbs.
 Draw Length Range: 11-1/2" to 29"
 Draw Weights (lbs.): 29, 40, 50, 60
 Maximum Limb Bolt
 Turns From Bottom: 12 Turns
 Shipped in: 25"
 Cam VS



IF
Mossy Oak® Break-Up® Infinity® Limbs and Riser



SW
Skullworks® Camo Limbs and Riser



BK
Solid Black Limbs and Riser



PC
Pink Skullworks® Camo Riser and Black Limbs

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
FEVER™	1405VS	IF, BK, PC, SW	11-1/2"-29"	29, 40, 50,
READY TO SHOOT FEVER™	1415VS	IF, SW, PC	11-1/2"-29"	29, 40, 50,


Ready to Shoot (RTS): Gemini Sight, Whisker Biscuit Rest, Mongoose Quiver, Wheel Peep and Nock Set



2014 MAINLINE BOWS FEVER™ ONE

Anything worth doing is worth doing right, so when you bring a young hunter into the sport of archery you want them to catch the Fever! That's why PSE developed the new Fever One. Specially designed to fit small-framed archers, the Fever One™ features an exceptionally fast single-cam design that delivers the speed and accuracy young hunters need to find success in the field.

2014 **PSE-
new**



"I'm not a kid anymore, but I'm still growing and getting stronger. The new Fever One™ gives me the adjustability I need and the power and performance to get the job done...even on monster whitetails!"
Wyatt Gregory
Wild Outdoors

Brace Height: 7"
 Axle-to-Axle: 30"
 ATA/IBO Speed: 312-304 fps @ 29"
 Letoff: 75%
 Mass Weight: 3.7 lbs.
 Draw Length Range: 18-1/2" to 29"
 Draw Weights (lbs.): 40, 50, 60
 Maximum Limb Bolt
 Turns From Bottom: 12 Turns
 Shipped in: 25"
 Cam MR



IF
Mossy Oak® Break-Up® Infinity® Limbs and Riser



SW
Skullworks® Camo Limbs and Riser



BK
Solid Black Limbs and Riser



PC
Pink Skullworks® Camo Riser and Black Limbs

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
FEVER™ ONE	1405MR	IF, BK, PC, SW	18-1/2"-29"	40, 50,
READY TO SHOOT FEVER™ ONE	1415MR	IF, SW, PC	18-1/2"-29"	40, 50,

Ready to Shoot (RTS): Gemini Sight, Whisker Biscuit Rest, Mongoose Quiver, Wheel Peep and Nock Set



2014 MAINLINE BOWS ELATION™

Elation is a state of extreme happiness, of euphoria. It's also what young shooters will experience when they shoot the new Elation bow. This bow is designed with a constant draw weight out to 30 inches so, from kids to adults, it will fit anyone. Engineered and built with all the quality you expect from PSE, the Elation is the perfect bow for ranges, 4-H clubs, Scout troops or anyone wanting to introduce new archers to the sport.

2014 **PSE-
new**



"It's amazing how many of my friends who have never hunted want to try shooting a bow. The Elation is perfect because one bow fits them all. They're able to shoot a bow that fits them, and then they're hooked for life!"

Taylor Drury
Drury Outdoors



- Brace Height: 6"
- Axle-to-Axle: 32"
- ATA/IBO Speed: N/A
- Letoff: N/A
- Mass Weight: 3.3 lbs.
- Draw Length Range: to 30"
- Draw Weights (lbs.): 29, 40
- Maximum Limb Bolt Turns From Bottom: 12 Turns
- Shipped in: 30"
- Cam MZ



GS
Green Skullworks® Riser
and black limbs

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
ELATION™	1406MZ	GS	TO 30"	29,



2014 MAINLINE BOWS MINI BURNER™ XT

At PSE we don't make kiddie bows; we want to make sure that even the youngest hunter has a compound bow that rocks it out! That's why we made the Mini Burner XT. With the new adjustable Vision cam system and Mini SF limb tech, this bow is designed to grow with your young hunter...switching from constant peak weight to grow-with-you adjustments, all without the need for a bow press!

2014 **PSE**
new



"I'm a hunter and a father. I want to introduce my kids to the sport the right way and give them the tools they need to be successful in the sport. The Mini Burner™ is the perfect bow for any young shooter!"

Hank Parker Jr.
Hank Parker's Flesh and Blood

- Brace Height: 7-1/8"
- Axle-to-Axle: 26-1/2"
- ATA/IBO Speed: 276-268 fps @ 28"
- Letoff: 70%
- Mass Weight: 2.6 lbs.
- Draw Length Range: 11" to 28"
- Draw Weights (lbs.): 20, 29, 40, 50
- Maximum Limb Bolt
- Turns From Bottom: 6 Turns
- Shipped In: 25"
- Cam VS



IF
Mossy Oak®
Break-Up® Infinity™



SW
Skullworks® Camo
Limbs and Riser



PC
Pink Skullworks®
Camo Limbs
and Riser

THE MINI BURNER™ UPGRADE OPTION!

UPGRADE OPTION: You can upgrade to the next weight option for \$65.00 plus shipping, handling and service fees. Contact your local PSE Archery dealer for complete details!


MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
MINI BURNER™ XT	1106VS	IF, SW, PC	11"-28"	20, 29, 40,
READY TO SHOOT MINI BURNER™ XT	1116VS	IF, SW, PC	11"-28"	20, 29, 40,

Ready to Shoot (RTS): Gemini Sight, Whisker Biscuit Rest, Mongoose Quiver, Wheel Peep and Nock Set



2014 MAINLINE BOWS DISCOVERY 2™

Go ahead and laugh at other companies' beginner bows, but not at the Discovery 2. PSE has taken the old family compound bow and tuned it way up! The Discovery ratchets up to the bow's peak weight and then holds constant to a 30" draw. This makes it the perfect bow for both youth and adult beginners who want to get their archery on in a big time way.




"Every archer knows that kids are the future of our sport. Put a bow in their hands and you will also put a smile on their face. That is especially true with the Discovery 2 from PSE. It is the perfect bow for introducing your child, family, or your whole neighborhood, to the sport of archery!"

Jeff Propst
Drury Outdoors



-  CAMPS
-  SCOUTS
-  4-H
-  SCHOOLS
-  FAMILY FUN



Brace Height: 6 1/2"
 Axle-to-Axle: 31 1/2"
 Mass Weight: 2.7 lbs.
 Draw Length Range: To 30"
 Draw Weights (lbs.): 20, 29
 Maximum Limb Bolt
 Turns From Bottom: 6 Turns
 Cam MZ



IF
Mossy Oak®
Break-Up® Infinity®



BL
Hammerstone Blue
with black limbs



RD
Hammerstone Red
with black limbs

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DISCOVERY™ 2	0517MZ	IF, BL, RD	TO 30"	20, 29#



2014 BOWFISHING TIDAL WAVE

We know who you are. For you, bowfishing is more than just an off-season hobby, it's a passion. Well at PSE, we've made a bow just for you — the new Tidal Wave. Engineered with a constant draw weight for snap shooting, a 32" axle-to-axle length for maneuverability, and a durable design able to handle extreme conditions, the new Tidal Wave is the ultimate bowfishing bow.

2014 **PSE**
new



"Serious bow fisherman need serious equipment! That why I love the new Tidal Wave™ from PSE. It's built tough and has all the features I'm looking for in a bowfishing bow."
Billy "Catfish" Parker
Hank Parker's Flesh and Blood



- Brace Height: 6"
- Axle-to-Axle: 32"
- Mass Weight: 3.3 lbs.
- Draw Lengths: To 30"
- Draw Weight: 40 lbs.
- Finish: Reaper H2O™ XL
- Bow only #: 1406MZ
- Bowfishing Combo #: 1416MZ
- Maximum Limb Bolt Turns From Bottom: 12 Turns



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
TIDAL WAVE™	1406MZ	REAPER H2O XL	OUT TO 30"	40#
TIDAL WAVE™ PKG	1416MZ	REAPER H2O XL	OUT TO 30"	40#

Combo includes: AMS bowfishing reel with line, Snap Shot rest, 2 bowfishing arrows with safety slide and bowfishing points



2014 BOWFISHING

BOWFISHING BOWS

DISCOVERY™ BOWFISHING COMPOUND

It's no secret that for years the PSE Discovery has been used for bowfishing, so we thought it was time for us to do it up right in a bowfishing package with special camo. The Discovery Bowfishing compound features a light, compact design, a constant draw weight out to 30 inches, and an economical price, making it an ideal bowfishing tool for any budget. One shot with the new Discovery Bowfishing compound, and it will have a permanent home in your boat!



Brace Height:..... 6-1/2"
 Axle-to-Axle:..... 31-1/2"
 Mass Weight:..... 2.7 lbs.
 Draw Lengths:..... To 30"
 Draw Weight: 29, 40 lbs.
 Finish: Reaper H2O™XL
 Bow only #: 0517MZ
 Bowfishing Combo #: 0527MZ
 Maximum Limb Bolt
 Turns From Bottom: 6 Turns

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DISCOVERY™ BF	0517MZ	REAPER H2O XL	OUT TO 30"	29, 40#
DISCOVERY™ BF PKG	0527MZ	REAPER H2O XL	OUT TO 30"	29, 40#

Combo includes: AMS bowfishing reel with line, Snap Shot rest, 2 bowfishing arrows with safety slide and bowfishing points

- Takedown bow
- Black Composite Riser with Maple and Fiberglass Limbs
- Sealed & Laminated Waterproof Limbs
- Cork-Like Grip
- Length: 62"
- 35# @ 28" draw

WAR EAGLE™ BOWFISHING RECURVE

PSE is the best at producing bows that are both versatile and purposefully designed; that's why we've created a recurve that is not only a great all-around bow, but also perfect for bowfishing. The War Eagle features a cork-like grip for better handling in wet conditions, and a strong composite riser designed to accept almost any kind of fishing rig. It's the perfect tool for bow fishermen looking to go old-school!

MODEL	PART #	FINISH/COLOR	LENGTH	WEIGHT
WAR EAGLE™, RIGHT	41896R6235	BLACK	62"	35#
WAR EAGLE™, LEFT	41896L6235	BLACK	62"	35#



KINGFISHER™
Bow only

KINGFISHER™ BOWFISHING KIT

Kit includes:

- Kingfisher™ bow in 40#, 45# or 50#
- Front mounted reel
- 50 feet of 80 lb. test line
- 31" solid fiberglass arrow
- Bowfishing arrow with point
- Snap Shot rest
- All season camo finish
- Right hand only

BOW ONLY	PART #
KINGFISHER 40#	0884RAS6040
KINGFISHER 45#	0884RAS6045
KINGFISHER 50#	0884RAS6050

KINGFISHER KIT	PART #
KINGFISHER KIT 40#	1229RAS6040
KINGFISHER 45#	1229RAS6045
KINGFISHER 50#	1229RAS6050

60"



PSE SNAP SHOT ARROW REST

- Perfect for the beginner or veteran shooter
- High grade aluminum and stainless steel

DESCRIPTION	PART #
SNAP SHOT REST	41706



AMS® RETRIEVER REEL KIT

- Retriever reel
- Two bowfishing arrows with safety slide
- Bowfishing arrow rest

DESCRIPTION	PART #
AMS RETRIEVER REEL	41103



BOWFISHING ARROW

- Safety slide included
- Piranha point

DESCRIPTION	PART #
BOWFISHING ARROW	41234



AMS® SAFETY SLIDE KIT

- Designed specifically for bowfishing arrows
- Includes safety slide, bumper and arrow nock

DESCRIPTION	PART #
SAFETY SLIDE KIT, 2 PACK	41284



CAJUN® BOWFISHING KIT

- Bowfishing arrow with point
- Teflon roller rest
- Spool with line

DESCRIPTION	PART #
CAJUN BOWFISHING KIT	41236



HYDROGLIDE REST

- Ultimate Arrow Guidance Technology (UAG)
- Stainless Steel hardware
- Quick loading
- Converts easily from right to left handed

DESCRIPTION	PART #
HYDROGLIDE REST	41740



LIGHT STRYKE™ BOWFISHING SIGHT

- Powerful 5mW Green Laser diffracts in water
- Remote pressure switch

DESCRIPTION	PART #
LIGHT STRYKE SIGHT	41690



2014 PSE TAC CROSSBOWS ORDNANCE™

The PSE TAC Ordnance™ takes the original TAC 15 design to a whole new level and has been designed to be more accurate, more efficient and more durable than ever before. It easily converts most standard AR-15 lowers into the most accurate and powerful crossbow on the market!



**Lower receiver not included



PSE TAC ORDNANCE™ SPECIFICATIONS

- SPEED405-395 fps (425gr arrow)
- KINETIC ENERGY 155 ft-lbs (425 grain arrow)
- PEAK WEIGHT 150 lbs.
- OVERALL WIDTH22"
(measured from cam-to-cam)
- AXLE-TO-AXLE 17" at brace
- POWERSTROKE 17 1/4"
- FINISHHard anodized aluminum for maximum durability
- MASS WEIGHT7.2 lbs.
(without lower and accessories)
- OVERALL LENGTH34 3/4" (unmounted)



WARNING: PSE TAC arrows are the only approved projectiles for the TAC series of crossbows.



NOW INCLUDES:
TAC CASE, SCOPE, BIPOD
AND THREE TAC ARROWS



2014 PSE TAC ORDNANCE™ INFORMATION

MODEL	PART #
TAC ORDNANCE™	01208
TAC MAINTENANCE KIT	01209



2014 PSE TAC CROSSBOWS

ELITE™

All the revolutionary features and benefits of the PSE TAC Ordnance™ are available in the PSE TAC Elite™. PLUS, the Elite™ features a fully adjustable stock and a crisp trigger. The PSE TAC Elite™ takes the original TAC 15i design to a whole new level and has been designed to be more accurate, more efficient and more durable than ever before!

TAC SERIES



WARNING: PSE TAC arrows are the only approved projectiles for the TAC series of crossbows.



NOW INCLUDES:
TAC CASE, SCOPE, BIPOD
AND THREE TAC ARROWS



PSE TAC ELITE™ SPECIFICATIONS

- SPEED 405-395 fps (425 grain arrow)
- KINETIC ENERGY 155 ft-lbs (425 grain arrow)
- PEAK WEIGHT 150 lbs.
- OVERALL WIDTH 22" (measured from cam-to-cam)
- AXLE-TO-AXLE 17" at brace
- POWERSTROKE 17 1/4"
- FINISH Hard anodized aluminum for maximum durability
- MASS WEIGHT 9 lbs.
- OVERALL LENGTH 41 1/2" - 45"

2014 PSE TAC ELITE™ INFORMATION	
MODEL	PART #
TAC ELITE™	01207
TAC MAINTENANCE KIT	01209




2014 PSE TAC CROSSBOWS ACCESSORIES



PSE TAC WHISKER BISCUIT™ REST

DESCRIPTION	PART #
WHISKER BISCUIT REST	41202R



PSE TAC MAINTENANCE KIT

Includes: 2 split harness buss cables, 1 string with nock loop installed, 1 draw cord and 1 release slide tape

DESCRIPTION	PART #
TAC MAINTENANCE KIT	01209



PSE TAC RUBBER BUMPER REPLACEMENT

DESCRIPTION	PART #
TAC BUMPER REPL.	01118



PSE TAC CRANK

Replacement crank for all TAC crossbows

DESCRIPTION	PART #
TAC CRANK	01171

PSE TAC CASE

• Fits the PSE TAC Ordnance and Elite

DESCRIPTION	PART #
TAC CASE	01222

*OVERSIZED ITEMS MAY INCUR ADDITIONAL SHIPPING CHARGE



2014 **PSE new**



3D DURAVANES™

DESCRIPTION	PACK	PART #
DURAVANES-BLACK	50 PACK	41652
DURAVANES-WHITE	50 PACK	41652WH



BITZENBURGER® FLETCHING JIG

DESCRIPTION	PART #
BITZENBURGER FLETCHING JIG	17101



BITZENBURGER® NOCK RECEIVER

DESCRIPTION	PART #
BITZENBURGER NOCK RECEIVER	41766



BIPOD

DESCRIPTION	PART #
BIPOD	41687



PSE TAC QUIVER MOUNT

Required to mount one-piece 4-arrow

DESCRIPTION	PART #
PSE TAC QUIVER MOUNT	01172BK



PSE TAC ARROWS & SHAFTS

WARNING: PSE TAC arrows are the only approved projectiles for the TAC series of crossbows. 6 PACK - 26 1/4" LONG (includes 85 grain points)

DESCRIPTION	PART #
PSE TAC ARROWS	1960RXHX15
PSE TAC SHAFTS	1960RXHX15S

PSE COVERT-X™ QUIVER

- Quiver hood provides up to six adjustable positions for multiple arrow lengths
- Holds five arrows of any size
- Extended arrow clip positions the arrow nocks above the lower cam for protection

DESCRIPTION	PART #	OPTION
COVERT-X QUIVER	01224IF	BU INFINITY
COVERT-X QUIVER	01224SW	SKULLWORKS
COVERT-X QUIVER	01224BK	BLACK



PSE TAC INSERTS

DESCRIPTION	PART #
PSE TAC INSERTS DOZEN PACK	1401TAC15
PSE TAC INSERTS DOZEN PACK-BLACK	1403TDBK



2014 CROSSBOWS

REAPER™



PSE REAPER™ CROSSBOW PACKAGE

Our most affordable crossbow, the Reaper™ is a workhorse. Featuring a 185 lb. split limb prod assembly, the Reaper™ shoots 425 grain carbon crossbow bolts at an incredible 310 fps and produces an amazing 86 ft lbs. of kinetic energy. Film dipped in Mossy Oak® BreakUp® Infinity® camo and packed with features, this is dollar-for-dollar one of best crossbows on the market!

PACKAGE 1 CONTENTS:

- PSE Reaper™ crossbow
 - 4X32 scope with four reticle lines
 - Four 20" crossbow bolts (points not included)
 - 4 Bolt Quick Detach Quiver
 - Cocking rope
- #01157

PACKAGE 2 CONTENTS:

- PSE Reaper™ crossbow
 - Red Dot Scope
 - Four 20" crossbow bolts (points not included)
 - 4 Bolt Quick Detach Quiver
 - Cocking rope
- #01158

Mass Weight (bow only)... 8.3 lbs.
 Power Stroke 14"
 Axle-to-Axle 24"
 Overall Width..... 27"
 Overall Length 38 1/2"
 Speed 310 fps
 Kinetic Energy: 86-90 ft. lbs.
 Draw Weight: 185 lbs.

COCKING ROPE INCLUDED



FLETCHED CARBON CROSSBOW BOLTS



PRECISION MACHINED ECCENTRIC



PACKAGE 1 INCLUDES A 4X32 SCOPE



PACKAGE 2 INCLUDES A VIPER RED DOT SCOPE

2014 PSE REAPER™ INFORMATION

MODEL	PART #
REAPER™ (PKG 1)	01157
REAPER™ (PKG 2)	01158
REPLACEMENT CABLE	41421
REPLACEMENT STRING	41422



2014 CROSSBOWS ENIGMA™



PSE ENIGMA™ CROSSBOW PACKAGE

The PSE Enigma™ offers advanced limb and cam technology with a lightweight, adjustable and ergonomic stock to create one of the best hunting crossbows to ever hit the market. The unique design of the proprietary X Tech™ limbs and high performance cams produce a sizzling 350 fps with only 150 lbs. draw weight. Features include picatinny rail for mounting accessories, adjustable stock, embroidered sling, and side mounted quiver. The result is an outstanding crossbow for any hunting situation.

PACKAGE INCLUDES:

- PSE Enigma™ crossbow
- Adjustable butt plate stock
- PSE prod assembly
- Picatinny rail
- 4X32 scope with four reticle lines
- Sling
- 4 bolt quiver
- 4 22" carbon bolts (points included)
- Cocking rope
- Wax Stick Rail Lube

Power Stroke: 12 3/4"

Axle-to-axle length: 17"

Overall Width: 20"

Overall Length w/Stirrup: 40 1/2" to 44 3/4"

Mass Weight: 8.9 lbs.

Speed: 350 fps
with 425gr bolt

Kinetic Energy: 116 ft. lbs.

Draw Weight: 150 lbs.



COCKING ROPE INCLUDED



WAX STICK RAIL LUBE



FLETCHED CARBON
CROSSBOW BOLTS



PRECISION
MACHINED ECCENTRIC



INCLUDES A 4X32 SCOPE



SKULLWORKS® CAMO

2014 PSE ENIGMA™ INFORMATION

MODEL	OPTION	PART #
ENIGMA™ IF	INFINITY BREAKUP	01201IF
ENIGMA™ SW	SKULLWORKS	01201SW
CABLE/STRING REPLACEMENT		01221



2014 CROSSBOWS

ZOMBIE DEFENSE



The zombie ApocalPSE is upon us!

When the dead rise from their graves (and they will), PSE has just the thing for the zombie apocalypse—the Zombie Defense Pistol Crossbow! Even when the zombie hordes are walking the Earth, you'll never fear a dark hallway with the mounted LED flashlight and red-dot sight. Whether you're shooting at traditional slow zombies, or fast, raging zombies, the walking dead can't outrun a bolt fired at 170 fps!

The undead plague isn't here quite yet, so use your crossbow safely for target practice... but when it does arrive, our advice is to make your first shot count!

PACKAGE INCLUDES:

- PSE Zombie Defense™ Crossbow
- Red Dot Scope
- LED Flashlight
- Rubber Coated Removeable Pistol Grip
- Simple and Safe Self-Cocking Mechanism
- Includes four 6-1/2" bolts



L.E.D. FLASHLIGHT



RED DOT SCOPE



RUBBER COATED GRIP

2014 PSE ZOMBIE DEFENSE™ INFORMATION	
MODEL	PART #
ZOMBIE DEFENSE™	41872
REPL. BOLTS-10 PK	41240



2014 CROSSBOW ACCESSORIES



HANDHELD CROSSBOW

- Simple and safe self-cocking
- "Auto" safety engages when cocked

DESCRIPTION	PART #
HANDHELD CROSSBOW WITH BOLTS	41239
REPLACEMENT BOLTS- 10 PACK	41240

CARBON FORCE™ CHARGER™ CROSSBOW BOLTS

DESCRIPTION	PART #
CHARGER-6 PACK - FLAT NOCK 20"	#1960CHA20FF
CHARGER-6 PACK - HALF MOON NOCK 20"	#1960CHA20FM
CHARGER-6 PACK - HALF MOON NOCK 22"	#1960CHA22FM
CHARGER-6 DOZEN PACK - FLAT NOCK 20"	#1980CHA20FF
CHARGER-6 DOZEN PACK - HALF MOON NOCK 20"	#1980CHA20FM
CHARGER-6 DOZEN PACK - HALF MOON NOCK 22"	#1980CHA22FM
CHARGER- HALF MOON NOCKS,12	#41644
CHARGER INSERTS	#41645

VIPER™ SERIES ALUMINUM CROSSBOW BOLTS

- 2216 shafts with plastic nocks and three 4" vanes

DESCRIPTION	PART #
VIPER- 20" 6 PACK	#41209PK
VIPER-20" 6 DOZEN	#41209
VIPER-17" 6 PACK	#41196PK
VIPER-17" 6 DOZEN	#41196

RAIL SNOT™ RAIL LUBE

- Engineered to improve performance
- 100% odorless and waterproof



DESCRIPTION	PART #
RAIL SNOT RAIL LUBE	41762



4X32 SCOPE

- Water and shock resistant
- Click windage and elevation adjustment
- 4 Reticle lines

DESCRIPTION	PART #
4X32 SCOPE	01198



VIPER™ SERIES RED DOT SCOPE

- 30MM tube with mounts included

DESCRIPTION	PART #
RED DOT SCOPE	1962



PSE SCOPE 3-9 X 42

- Glass etched 4 line reticle
- Fully coated HD lens system
- ¼" M.O.A. fingertip turrets
- Waterproof, shockproof & fog proof

DESCRIPTION	PART #
PSE SCOPE	01213



CROSSBOW CASE

- Soft case to protect your crossbow
- Check your state regulations. Some states require that all crossbows be transported via case

DESCRIPTION	PART #
CROSSBOW CASE	41788



COCKING STRAP

- Relieves up to 50% of the crossbow draw weight
- Comfortable molded handle

DESCRIPTION	PART #
COCKING STRAP	41615



HHA SPEED DIAL

- No more guessing and gapping!
- Fits most of today's crossbows


DESCRIPTION	PART #
HHA SPEED DIAL	41703



2014 PSE HERITAGE BOWS

X-APPEAL™

The PSE X-Appeal™ riser was designed by a team comprised of PSE engineers and PSE shooters including Olympians and World Champions. The team began by using the foundation of the long running success and unique design features of the PSE X-Factor™. The goal of the project was to create a new riser that inspires confidence by bringing technological improvements to a proven platform. From the improved limb alignment system to the stylish curves, every feature of the X-Appeal™ was scrutinized by PSE and our professional shooting staff to bring the “best of the best” to the PSE customer. To get where you want to be, maybe the only thing you need is X-Appeal™.



Choose from three beautiful, polished and anodized colors!



The limb alignment system on the PSE X-Appeal™ is designed to provide micro adjustable limb alignment and positive locking in an easy to use, robust mechanism. The limb alignment screws thread directly into the steel limb anchor block and the locking screws are easily accessible for quick, positive adjustments.



DESCRIPTION	SIZE	COLOR	PART #
X-APPEAL RISER (RIGHT)	23"	RED	10123RRD
X-APPEAL RISER (RIGHT)	23"	BLUE	10123RBL
X-APPEAL RISER (RIGHT)	23"	BLACK	10123RBK
X-APPEAL RISER (LEFT)	23"	RED	10123LRD
X-APPEAL RISER (LEFT)	23"	BLUE	10123LBL
X-APPEAL RISER (LEFT)	23"	BLACK	10123LBK
X-APPEAL RISER (RIGHT)	25"	RED	10125RRD
X-APPEAL RISER (RIGHT)	25"	BLUE	10125RBL
X-APPEAL RISER (RIGHT)	25"	BLACK	10125RBK
X-APPEAL RISER (LEFT)	25"	RED	10125LRD
X-APPEAL RISER (LEFT)	25"	BLUE	10125LBL
X-APPEAL RISER (LEFT)	25"	BLACK	10125LBK

PSE X-PRESSION™ LIMBS

DESCRIPTION	PART #
X-PRESSION LIMBS	3736X
LIMB LENGTH ON 25" HANDLE	WEIGHT OPTIONS #
66"	30 32 34 36 38 40 42 44 46
68"	30 32 34 36 38 40 42 44 46
70"	32 34 36 38 40 42 44

X-PRESSION™ LIMB - AVAILABLE SIZES

66"	30# TO 46# IN 2# INCREMENTS
68"	30# TO 46# IN 2# INCREMENTS
70"	32# TO 44# IN 2# INCREMENTS

NOTE: Sizes above based on 25" riser. On 23" riser assembled, bow will be 2" shorter and approximately 2 lbs. heavier draw weight.

PSE COMPETITION LIMBS

DESCRIPTION	PART #
COMPETITION LIMBS	3732W
LIMB LENGTH ON 25" HANDLE	WEIGHT OPTIONS #
66"	26 28 30 32 34 36
68"	30 32 34 36 38 40



2014 PSE HERITAGE BOWS

OPTIMA™ RECURVES



PSE OPTIMA™ 56" RECURVE BOW

- Short handle and short limbs
- Available in 15, and 20# models
- RECOMMENDED HEIGHT- up to 5'5" (165.1 CM)

DESCRIPTION	PART #
OPTIMA 56" RIGHT, BLUE, 15#	3726RBL5615K
OPTIMA 56" LEFT, BLUE, 15#	3726LBL5615K
OPTIMA 56" RIGHT, BLUE, 20#	3726RBL5620K
OPTIMA 56" LEFT, BLUE, 20#	3726LBL5620K
OPTIMA 56" RIGHT, RED, 15#	3726RRD5615K
OPTIMA 56" LEFT, RED, 15#	3726LRD5615K
OPTIMA 56" RIGHT, RED, 20#	3726RRD5620K
OPTIMA 56" LEFT, RED, 20#	3726LRD5620K

Optima Bow Sizing Chart



RECOMMENDED HEIGHT

- 56" bow: up to 5'5" (165.1 CM)
- 62" bow: up to 5'7" (170.2 CM)
- 66" bow: 5'10" (177.8 CM)

- 56" BOW, RECOMMENDED HEIGHT- UP TO 5'5" (165.1 CM)
- 62" BOW, RECOMMENDED HEIGHT- UP TO 5'7" (170.2 CM)
- 66" BOW, RECOMMENDED HEIGHT- 5'10" (177.8 CM)



PSE OPTIMA™ 62" RECURVE BOW

- Short handle and long limbs
- Available in 20, 25 and 30# models
- RECOMMENDED HEIGHT- up to 5'7" (170.2 CM)

DESCRIPTION	PART #
OPTIMA 62" RIGHT, BLUE, 20#	3726RBL6220K
OPTIMA 62" LEFT, BLUE, 20#	3726LBL6220K
OPTIMA 62" RIGHT, BLUE, 25#	3726RBL6225K
OPTIMA 62" LEFT, BLUE, 25#	3726LBL6225K
OPTIMA 62" RIGHT, BLUE, 30#	3726RBL6230K
OPTIMA 62" LEFT, BLUE, 30#	3726LBL6230K
OPTIMA 62" RIGHT, RED, 20#	3726RRD6220K
OPTIMA 62" LEFT, RED, 20#	3726LRD6220K
OPTIMA 62" RIGHT, RED, 25#	3726RRD6225K
OPTIMA 62" LEFT, RED, 25#	3726LRD6225K
OPTIMA 62" RIGHT, RED, 30#	3726RRD6230K
OPTIMA 62" LEFT, RED, 30#	3726LRD6230K

INTERCHANGEABLE COMPONENTS MAKE THE OPTIMA™ THE MOST VERSATILE BOW IN THE PSE HERITAGE™ LINE.

OPTIMA™ FEATURES AT-A-GLANCE

- Precision-machined aluminum riser
- Two riser models: short or long
- Three length configurations: 56", 62", 66"
- Choose from red or blue hammertone powder-coated finishes



PSE OPTIMA™ 66" RECURVE BOW

- Long handle and long limbs
- Available in 20, 25, 30 and 35# models
- RECOMMENDED HEIGHT- up to 5'10" (177.8 CM)

DESCRIPTION	PART #
OPTIMA 66" RIGHT, BLUE, 20#	3726RBL6620K
OPTIMA 66" LEFT, BLUE, 20#	3726LBL6620K
OPTIMA 66" RIGHT, BLUE, 25#	3726RBL6625K
OPTIMA 66" LEFT, BLUE, 25#	3726LBL6625K
OPTIMA 66" RIGHT, BLUE, 30#	3726RBL6630K
OPTIMA 66" LEFT, BLUE, 30#	3726LBL6630K
OPTIMA 66" RIGHT, BLUE, 35#	3726RBL6635K
OPTIMA 66" LEFT, BLUE, 35#	3726LBL6635K
OPTIMA 66" RIGHT, RED, 20#	3726RRD6620K
OPTIMA 66" LEFT, RED, 20#	3726LRD6620K
OPTIMA 66" RIGHT, RED, 25#	3726RRD6625K
OPTIMA 66" LEFT, RED, 25#	3726LRD6625K
OPTIMA 66" RIGHT, RED, 30#	3726RRD6630K
OPTIMA 66" LEFT, RED, 30#	3726LRD6630K
OPTIMA 66" RIGHT, RED, 35#	3726RRD6635K
OPTIMA 66" LEFT, RED, 35#	3726LRD6635K

PSE OPTIMA™ LIMBS

DESCRIPTION	PART #
LIMBS, SHORT, 15#	3726SH15
LIMBS, SHORT, 20#	3726SH20
LIMBS, LONG 20#	3726LN20
LIMBS, LONG 25#	3726LN25
LIMBS, LONG 30#	3726LN30
LIMBS, LONG 35#	3726LN35

PSE OPTIMA™ RISERS

DESCRIPTION	PART #
RISER, SHORT, RIGHT, BLUE	3726SHRBL
RISER, SHORT, LEFT, BLUE	3726SHLBL
RISER, SHORT, RIGHT, RED	3726SHRRD
RISER, SHORT, LEFT, RED	3726SHLRD
RISER, LONG, RIGHT, BLUE	3726LNRBL
RISER, LONG, LEFT, BLUE	3726LNLBL
RISER, LONG, RIGHT, RED	3726LNRRD
RISER, LONG, LEFT, RED	3726LNLRD



PSE RECURVE CASE 64"

- Will fit one-piece or takedown bows

DESCRIPTION	PART #
RECURVE CASE 64"	41861





2014 PSE HERITAGE

RECURVE BOWS



66"

PSE SUMMIT™ RECURVE

- International Limb Fit / 23" cast aluminum handle
- Brace height: 7-1/2"

DESCRIPTION	PART #
SUMMIT RIGHT, BLUE, 20#	41584RBL6620
SUMMIT RIGHT, BLUE, 24#	41584RBL6624
SUMMIT RIGHT, BLUE, 28#	41584RBL6628
SUMMIT RIGHT, BLUE, 32#	41584RBL6632
SUMMIT RIGHT, BLUE, 36#	41584RBL6636
SUMMIT RIGHT, RED, 20#	41584RRD6620
SUMMIT RIGHT, RED, 24#	41584RRD6624
SUMMIT RIGHT, RED, 28#	41584RRD6628
SUMMIT RIGHT, RED, 32#	41584RRD6632
SUMMIT RIGHT, RED, 36#	41584RRD6636
SUMMIT LEFT, BLUE, 20#	41584LBL6620
SUMMIT LEFT, BLUE, 24#	41584LBL6624
SUMMIT LEFT, BLUE, 28#	41584LBL6628
SUMMIT LEFT, BLUE, 32#	41584LBL6632
SUMMIT LEFT, BLUE, 36#	41584LBL6636
SUMMIT LEFT, RED, 20#	41584LRD6620
SUMMIT LEFT, RED, 24#	41584LRD6624
SUMMIT LEFT, RED, 28#	41584LRD6628
SUMMIT LEFT, RED, 32#	41584LRD6632
SUMMIT LEFT, RED, 36#	41584LRD6636



PSE SUMMIT™ LIMBS & RISERS

DESCRIPTION	PART #
SUMMIT LIMBS, 20#	41584LIMB20
SUMMIT LIMBS, 24#	41584LIMB24
SUMMIT LIMBS, 28#	41584LIMB28
SUMMIT LIMBS, 32#	41584LIMB32
SUMMIT LIMBS, 36#	41584LIMB36
SUMMIT RISER, RIGHT, BLUE	41584RBL
SUMMIT RISER, LEFT, BLUE	41584LBL
SUMMIT RISER, RIGHT, RED	41584RRD
SUMMIT RISER, LEFT, RED	41584LRD



66"

PSE CLUB™

- 66" composite take-down
- Recommended heights: Up to 5'10" (177.8 CM)
- Brace height: 7-1/2"

DESCRIPTION	PART #
CLUB, RIGHT, BLUE, 15#	41582RBL15K
CLUB, RIGHT, BLUE, 20#	41582RBL20K
CLUB, RIGHT, BLUE, 25#	41582RBL25K
CLUB, RIGHT, RED, 15#	41582RRD15K
CLUB, RIGHT, RED, 20#	41582RRD20K
CLUB, RIGHT, RED, 25#	41582RRD25K
CLUB, LEFT, BLUE, 15#	41582LBL15K
CLUB, LEFT, BLUE, 20#	41582LBL20K
CLUB, LEFT, BLUE, 25#	41582LBL25K
CLUB, LEFT, RED, 15#	41582LRD15K
CLUB, LEFT, RED, 20#	41582LRD20K
CLUB, LEFT, RED, 25#	41582LRD25K

PSE CLUB™ LIMBS & RISERS

DESCRIPTION	PART #
CLUB LIMBS, 15#	41582LIMB6615
CLUB LIMBS, 20#	41582LIMB6620
CLUB LIMBS, 25#	41582LIMB6625
CLUB RISER, RIGHT, BLUE	41581RBL
CLUB RISER, RIGHT, RED	41581RRD
CLUB RISER, LEFT, BLUE	41581LBL
CLUB RISER, LEFT, RED	41581LRD



PSE RECURVE TAKEDOWN CASE

DESCRIPTION	PART #
RECURVE TAKEDOWN CASE	41863



2014 PSE HERITAGE BOWS

HUNTING RECURVES

PSE STALKER™

- Perfect recurve bow for entry level hunters
- Made from Shaddock, Verawood and Ramin hard woods
- Limbs made from Hard Maple and Macore
- Length: 60"
- Brace height: 8-1/4"
- Weights @ 28" draw

DESC	PART #
STALKER, RIGHT, 35#	41760R6035
STALKER, RIGHT, 40#	41760R6040
STALKER, RIGHT, 45#	41760R6045
STALKER, RIGHT, 50#	41760R6050
STALKER, LEFT, 35#	41760L6035
STALKER, LEFT, 40#	41760L6040
STALKER, LEFT, 45#	41760L6045
STALKER, LEFT, 50#	41760L6050

PSE STALKER™ LIMBS & RISERS

DESC	PART #
STALKER LIMBS, 35#	41760LIMB35
STALKER LIMBS, 40#	41760LIMB40
STALKER LIMBS, 45#	41760LIMB45
STALKER LIMBS, 50#	41760LIMB50
STALKER RISER, RIGHT	41760R
STALKER RISER, LEFT	41760L

60"

PSE TALON™

- Specially designed handle, ideal for traditional, instinctive archers
- Unique limb with fiberglass core and Maple laminates
- Handle made from block-cut Zebra wood
- Length: 58"
- Brace height: 8"
- Weights @ 28" draw

DESC	PART #
TALON, RIGHT, 40#	41707R5840
TALON, RIGHT, 45#	41707R5845
TALON, RIGHT, 50#	41707R5850
TALON, RIGHT, 55#	41707R5855
TALON, LEFT, 40#	41707L5840
TALON, LEFT, 45#	41707L5845
TALON, LEFT, 50#	41707L5850
TALON, LEFT, 55#	41707L5855

PSE TALON™ LIMBS & RISERS

DESC	PART #
TALON LIMBS, 40#	41707LIMB5840
TALON LIMBS, 45#	41707LIMB5845
TALON LIMBS, 50#	41707LIMB5850
TALON LIMBS, 55#	41707LIMB5855
TALON RIGHT RISER	41707R
TALON LEFT RISER	41707L

58"

PSE COYOTE™

- Machined aluminum riser
- Mossy Oak® Break-Up Infinity® Camo
- Accepts the PSE 2-piece quiver
- Length: 60"
- Brace height: 6-3/8"
- Weights @ 28" draw

DESC	PART #
COYOTE, RIGHT, 40#	0999RIF6040
COYOTE, RIGHT, 45#	0999RIF6045
COYOTE, RIGHT, 50#	0999RIF6050
COYOTE, RIGHT, 55#	0999RIF6055
COYOTE, LEFT, 40#	0999LIF6040
COYOTE, LEFT, 45#	0999LIF6045
COYOTE, LEFT, 50#	0999LIF6050
COYOTE, LEFT, 55#	0999LIF6055

PSE COYOTE™ LIMBS & RISERS

DESC	PART #
COYOTE LIMBS, 40#	3724IFD6040
COYOTE LIMBS, 45#	3724IFD6045
COYOTE LIMBS, 50#	3724IFD6050
COYOTE LIMBS, 55#	3724IFD6055
COYOTE RISER, RIGHT	3724RIF
COYOTE RISER, LEFT	3724LIF

60"

PSE HONOR™

- Handcrafted by skilled craftsmen
- Fast Flyte String
- Zebra Wood
- Black fiberglass with hard maple limbs
- Length: 56"
- Brace Height: 7-1/4"
- Weights @ 28" draw



DESC	PART #
HONOR, RIGHT, 35#	41873RIF5635
HONOR, RIGHT, 40#	41873RIF5640
HONOR, RIGHT, 45#	41873RIF5645
HONOR, RIGHT, 50#	41873RIF5650
HONOR, LEFT, 35#	41873LIF5635
HONOR, LEFT, 40#	41873LIF5640
HONOR, LEFT, 45#	41873LIF5645
HONOR, LEFT, 50#	41873LIF5650

PSE HONOR™ LIMBS & RISERS

DESC	PART #
HONOR LIMBS, 35#	41873LIMB5635
HONOR LIMBS, 40#	41873LIMB5640
HONOR LIMBS, 45#	41873LIMB5645
HONOR LIMBS, 50#	41873LIMB5650
HONOR RISER, RIGHT	41873R
HONOR RISER, LEFT	41873L

56"





2014 PSE HERITAGE BOWS

HUNTING RECURVES



64"

PSE CLASSIC TD™

- Take-down recurve
- Hand crafted by Skilled Craftsman
- Fast Flyte™ String
- Beech, Cassia Siamea, Ebony and Maple woods
- Length: 64"
- Brace Height: 7-1/4"
- Weights @ 28" draw

DESCRIPTION	PART #
CLASSIC TD, RIGHT, 40#	41874R6440
CLASSIC TD, RIGHT, 45#	41874R6445
CLASSIC TD, RIGHT, 50#	41874R6450
CLASSIC TD, RIGHT, 55#	41874R6455
CLASSIC TD, LEFT, 40#	41874R6440
CLASSIC TD, LEFT, 45#	41874R6445
CLASSIC TD, LEFT, 50#	41874R6450
CLASSIC TD, LEFT, 55#	41874R6455

PSE CLASSIC TD™ LIMBS & RISERS

DESCRIPTION	PART #
CLASSIC TD LIMBS, 40#	41874LIMB6440
CLASSIC TD LIMBS, 45#	41874LIMB6445
CLASSIC TD LIMBS, 50#	41874LIMB6450
CLASSIC TD LIMBS, 55#	41874LIMB6455
CLASSIC TD RISER, RIGHT	41874R
CLASSIC TD RISER, LEFT	41874L



58"

PSE WISDOM TD™

- Take-down recurve
- Hand crafted by Skilled Craftsman
- Fast Flyte™ String
- Beech, Cassia Siamea, Ebony and Maple woods
- Length: 58"
- Brace Height: 8"
- Weights @ 28" draw

DESCRIPTION	PART #
WISDOM, RIGHT, 35#	41877R5835
WISDOM, RIGHT, 40#	41877R5840
WISDOM, RIGHT, 45#	41877R5845
WISDOM, RIGHT, 50#	41877R5850
WISDOM, LEFT, 35#	41877L5835
WISDOM, LEFT, 40#	41877L5840
WISDOM, LEFT, 45#	41877L5845
WISDOM, LEFT, 50#	41877L5850

PSE WISDOM™ LIMBS & RISERS

DESCRIPTION	PART #
WISDOM LIMBS, 35#	41877LIMB5835
WISDOM LIMBS, 40#	41877LIMB5840
WISDOM LIMBS, 45#	41877LIMB5845
WISDOM LIMBS, 50#	41877LIMB5850
WISDOM RISER, RIGHT	41877R
WISDOM RISER, LEFT	41877L



60"

PSE MUSTANG™

- Take-down recurve
- Stabilizer bushing
- Threaded for cushion plunger
- Black Walnut and Cherry riser with Maple limbs
- Length: 60"
- Brace height: 7" to 7-1/2"
- Weights @ 28" draw

DESCRIPTION	PART #
MUSTANG, RIGHT, 40#	41576R6040
MUSTANG, RIGHT, 45#	41576R6045
MUSTANG, RIGHT, 50#	41576R6050
MUSTANG, RIGHT, 55#	41576R6055
MUSTANG, LEFT, 40#	41576L6040
MUSTANG, LEFT, 45#	41576L6045
MUSTANG, LEFT, 50#	41576L6050
MUSTANG, LEFT, 55#	41576L6055

PSE MUSTANG™ LIMBS & RISERS

DESCRIPTION	PART #
MUSTANG LIMBS, 40#	41756LIMB40
MUSTANG LIMBS, 45#	41756LIMB45
MUSTANG LIMBS, 50#	41756LIMB50
MUSTANG LIMBS, 55#	41756LIMB55
MUSTANG RISER, RIGHT	41756R
MUSTANG RISER, LEFT	41756L



60"

PSE BLACKHAWK™

- One-piece
- Beautiful hardwood laminated riser
- Length: 60"
- Brace height: 7" to 7-1/2"
- Weights @ 28" draw

DESCRIPTION	PART #
BLACKHAWK, RIGHT, 35#	41583R35
BLACKHAWK, RIGHT, 40#	41583R40
BLACKHAWK, RIGHT, 45#	41583R45
BLACKHAWK, RIGHT, 50#	41583R50
BLACKHAWK, LEFT, 35#	41583L35
BLACKHAWK, LEFT, 40#	41583L40
BLACKHAWK, LEFT, 45#	41583L45
BLACKHAWK, LEFT, 50#	41583L50



2014 PSE HERITAGE BOWS LONGBOWS

PSE SEQUOIA™

A unique combination of Black Walnut and Cherry. The limbs are made of Bamboo and clear fiberglass. Available in left and right.

- Length: 68"
- Brace height: 6 1/2 - 7"
- Weights @ 28" draw

DESCRIPTION	PART #
SEQUOIA, RIGHT, 40#	41579R6840
SEQUOIA, RIGHT, 45#	41579R6845
SEQUOIA, RIGHT, 50#	41579R6050
SEQUOIA, RIGHT, 55#	41579R6055
SEQUOIA, LEFT, 40#	41579L6040
SEQUOIA, LEFT, 45#	41579L6045
SEQUOIA, LEFT, 50#	41579L6050
SEQUOIA, LEFT, 55#	41760L6055

68"

68"

PSE LEGACY™

• Made of Black Walnut, Cherry and Maple woods
• Right hand only
• Brace height: 6 1/2 - 7"
• Weights @ 28" draw

DESCRIPTION	PART #
LEGACY, RIGHT, 45#	3713R6845
LEGACY, RIGHT, 50#	3713R6850
LEGACY, RIGHT, 55#	3713R6855

60"

51"

PSE WOLVERINE™

• The perfect long bow fit for smaller hands
• Made from Rosewood and Walnut with Maple limbs
• Right hand only
• Brace height: 7"
• Weights @ 28" draw

DESCRIPTION	PART #
WOLVERINE, RIGHT, 25#	41709R6025
WOLVERINE, RIGHT, 30#	41709R6030
WOLVERINE, RIGHT, 35#	41709R6035

PSE CHIEF™

• 51" length and 20 lbs.
• For right or left hand
Includes:
• 2 wood arrows, Target, Hip quiver and Armguard
• Brace height: 7-1/4"
• Weights @ 28" draw

DESC	PART #
CHIEF	10026



2014 **PSE** new

PSE LONGBOW CASE

• Available in 63" or 68"

DESCRIPTION	PART #
LONGBOW CASE 63"	41864
LONGBOW CASE 68"	41862

PSE
new



60"

PSE SNAKE™

- 60" one-piece composite bow
- Black or Silver
- Ambidextrous design - works for right or left hand shooters
- Draw weight - 22 lb. only
- Almost indestructible!
- Brace height: 8-3/4"

DESCRIPTION	PART #
SNAKE, SILVER, 22#	41859
SNAKE, BLACK, 22#	41850



PSE RECURVE REPLACEMENT STRINGS

- Replacement strings for PSE recurve bows shown in the Heritage bow section

DESCRIPTION	PART #
STRING FOR 46"	STR46
STRING FOR 48"	STR48
STRING FOR 54"	STR54
STRING FOR 56"	STR56
STRING FOR 58"	STR58
STRING FOR 60"	STR60
STRING FOR 62"	STR62
STRING FOR 64"	STR64
STRING FOR 66"	STR66
STRING FOR 68"	STR68
LONGBOW STRING FOR 68"	STR68



PSE JUNIOR™ SET

- 54" composite take-down
- Draw weight: 20#
- Red handle, black limbs
- Includes arrow rest, bow stringer, armguard, finger tab, 3 carbon arrows and a target
- The clamshell can also be used as a bowcase!
- Recommended heights: Up to 5'0" (152.4 CM)
- Brace height: 7"

DESCRIPTION	PART #
JUNIOR SET, RIGHT	41590R
JUNIOR SET, LEFT	41590L



54"

RANGER™ SET YOUTH COMPOUND

- Complete set with:
- 2 safety glass arrows, 2-piece hooded quiver, arrow rest, armguard, and an adjustable single pin sight
 - 24"-25" draw length
 - 22-24 lbs.
 - Right hand only
 - Brace height: 7-1/2"

DESCRIPTION	PART #
RANGER SET	41415



PSE CODY™ ARCHERY SET

- Composite riser / Fiberglass limbs
- 15 lb beginner bow
- Comes with quiver, finger tab, pin sight, arm guard, two fiberglass arrows.
- Recommended height: Up to 5' (152.4 CM)
- Right hand only
- Brace height: 6"

DESCRIPTION	PART #
CODY, 15#	41870R



48"

2014
PSE
new



2014 PSE HERITAGE YOUTH BOWS

PSE DEPUTY™

- Unique "shoot-through" design is perfect for young archers
- Ambidextrous design works for right or left hand shooters
- Includes sight and rest
- Available in weights: 15, 20
- Recommended height: Up to 4'6" (137.2 CM)

DESCRIPTION	PART #
DEPUTY, 15#	10021GR4615
DEPUTY, 20#	10021GR4620

PSE DEPUTY™ LIMBS & RISERS

DESCRIPTION	PART #
DEPUTY LIMBS, 15#	10021LIMB15
DEPUTY LIMBS, 20#	10021LIMB20
DEPUTY RISER	100021



48"

PSE RAZORBACK JR.™

- Maple riser
- Wood / fiberglass laminate limbs
- Stabilizer and sight bushings
- Recommended height: Up to 5'0" (152.4 CM)
- Brace height: 6-1/2"
- Weights @ 28" draw

DESCRIPTION	PART #
RAZORBACK JR., RIGHT, 15#	41574R5415
RAZORBACK JR., RIGHT, 20#	41574R5420
RAZORBACK JR., RIGHT, 25#	41574R5425
RAZORBACK JR., LEFT, 15#	41574L5415
RAZORBACK JR., LEFT, 20#	41574L5420
RAZORBACK JR., LEFT, 25#	41574L5425

PSE RAZORBACK JR.™ LIMBS & RISERS

DESCRIPTION	PART #
RAZORBACK JR. LIMBS, 15#	41754LIMB15
RAZORBACK JR. LIMBS, 20#	41754LIMB20
RAZORBACK JR. LIMBS, 25#	41754LIMB25
RAZORBACK JR. RISER, RIGHT	41754R
RAZORBACK JR. RISER, LEFT	41754L



AVAILABLE AS A SET

- Quiver
- Three feathered arrows
- Armguard
- Finger tab
- Target

DESCRIPTION	PART #
RAZORBACK JR. SET, RIGHT, 20#	41894R5420
RAZORBACK JR. SET, LEFT, 20#	41894L5420

54"

PSE RAZORBACK™

- Maple riser
- Wood / fiberglass laminate limbs
- Stabilizer and sight bushings
- Recommended height: Up to 5'7" (170.2 CM)
- Brace height: 7"
- Weights @ 28" draw

DESCRIPTION	PART #
RAZORBACK, RIGHT, 20#	41575R6220
RAZORBACK, RIGHT, 25#	41575R6225
RAZORBACK, RIGHT, 30#	41575R6230
RAZORBACK, RIGHT, 35#	41575R6235
RAZORBACK, LEFT, 20#	41575L6220
RAZORBACK, LEFT, 25#	41575L6225
RAZORBACK, LEFT, 30#	41575L6230
RAZORBACK, LEFT, 35#	41575L6235

PSE RAZORBACK™ LIMBS & RISERS

DESCRIPTION	PART #
RAZORBACK LIMBS, 20#	41575LIMB20
RAZORBACK LIMBS, 25#	41575LIMB25
RAZORBACK LIMBS, 30#	41575LIMB30
RAZORBACK LIMBS, 35#	41575LIMB35
RAZORBACK RISER, RIGHT	41575R
RAZORBACK RISER, LEFT	41575L



AVAILABLE AS A SET

- Quiver
- Three feathered arrows
- Armguard
- Finger tab
- Target

DESCRIPTION	PART #
RAZORBACK SET, RIGHT, 30	41894R6230
RAZORBACK SET, LEFT, 30	41894L6230

62"



2014 PSE HERITAGE

ACCESSORIES



PSE/KING YOUTH MICRO TAB

DESCRIPTION	PART #
YOUTH MICRO TAB	4143S



PSE/KING TRADITIONAL GLOVE

DESCRIPTION	PART #	OPTION
TRAD GLOVE	4220TOS	SMALL
TRAD GLOVE	4220TOM	MED
TRAD GLOVE	4220TOL	LARGE
TRAD GLOVE	4220TOXL	X LG



PSE DEERSKIN GLOVE

DESCRIPTION	PART #	OPTION
LEATHER GLOVE	4270S	SMALL
LEATHER GLOVE	4270M	MED
LEATHER GLOVE	4270L	LARGE
LEATHER GLOVE	4270XL	X LG



QUICKSHOT FINGER SAVER

DESCRIPTION	PART #
QUICKSHOT (PAIR)	41736



PSE GROUND HOLDER

- All steel rod construction
- Perfect for schools and backyard shooting
- The loop holds up to 12 arrows
- Curved hooks hold your bow securely.

DESCRIPTION	PART #
GROUND HOLDER	41654



PSE/KING 6" TWO-STRAP QUICK DETACH ARMGUARD

DESCRIPTION	PART #
ARMGUARD, 6"	41117BK



PSE HERITAGE STICK-ON REST

- Dozen card - 10 RH/2 LH

DESCRIPTION	PART #
STICK ON REST	2314CD



PSE POSSE™ REST

DESCRIPTION	PART #
POSSE-RIGHT	01084R
POSSE-LEFT	01084L



CUSHION PLUNGER

- Dependability at an affordable price
- Aluminium body with nylon plunger tip

DESCRIPTION	PART #
PLUNGER	41700



ARROW REST

- Smooth movement
- One support arm

DESC	PART #
REST	41699



JUNIOR TARGET SIGHT

- Great value for the money
- Aluminum construction
- Quick detach bar

DESCRIPTION	PART #
TARGET SIGHT	41698



FLEX PRO LONGBOW STRINGER

- The most efficient way to string a longbow
- Mar-resistant grippers provide superior grip eliminating limb twist

DESCRIPTION	PART #
LONGBOW STRINGER	41742
RECURVE STRINGER	41743



FIBERGLASS ARROWS AND REPLACEMENT POINTS

DESCRIPTION	PART #
72 ASSORTED ARROWS	41340
72 ARROWS, 26"	1601
72 ARROWS, 28"	1602
REPLACEMENT POINTS (NOT SHOWN)	41585



72 RAZORBACK™ CARBON ARROWS WITH FEATHERS

- 25" for a 54" recurve up to 30 lbs.
- 28" for a 62" recurve up to 45 lbs.

DESCRIPTION	PART #
RAZORBACK ARROWS-25"	1980RAZBK2554
RAZORBACK ARROWS-28"	1980RAZBK2862



72 WOOD ARROWS

- 35#
- Six dozen pack

DESCRIPTION	PART #
ARROWS- 26"	1605
ARROWS- 28"	1606
ARROWS- 28"	1602



WHAT MAKES CARBON FORCE BETTER?

Quality. At Carbon Force we are obsessed with quality. We are always looking for a better manufacturing process that will allow us to build a better quality arrow. From our revolutionary Radial X Weave shafts to our new EXT line of small diameter shafts, you can feel confident because every shaft has the attention to detail that is necessary to create the best arrow shafts available today.



Radial X Weave arrows deliver unparalleled performance and are built using a high-tech computerized process that wraps carbon fibers at precise angles to form the arrow shaft. The end result is an arrow made of a woven pattern of carbon fiber – and a shaft that is almost 30% stronger and consistently straighter than conventional carbon arrow shafts.



"Better arrows result in better accuracy and better on game performance. We only trust our shot of a lifetime to the absolute finest arrows on the market - we only shoot Carbon Force!"

Terry and Mark Drury

Pete Shepley



WHAT IS QUIETCOAT™?

QuietCoat™ is PSE's custom process that increases penetration by reducing resistance. QuietCoat™ allows the arrow to slide over virtually any type of rest with very little noise, and makes removing the arrows from the target much easier. The proprietary process integrates the coating into the material used to make the surface of the arrow, to create an extremely durable finish.



2014 CARBON FORCE ARROWS



RADIAL X WEAVE™ PRO

Straightness ± .001 and grain weight matched to ±1 one grain per dozen

- Shafts or fletched arrows
- .245 ID
- New QuietCoat™

DESCRIPTION	SPINE	PART #
DOZEN RADIAL X WEAVE PRO SHAFTS	100	1990RXP1Q
DOZEN RADIAL X WEAVE PRO SHAFTS	200	1990RXP2Q
DOZEN RADIAL X WEAVE PRO SHAFTS	300	1990RXP3Q
DOZEN RADIAL X WEAVE PRO DURAVANES	100	1990RXP1FQ
DOZEN RADIAL X WEAVE PRO DURAVANES	200	1990RXP2FQ
DOZEN RADIAL X WEAVE PRO DURAVANES	300	1990RXP3FQ
DOZEN RADIAL X WEAVE PRO BLAZER VANES	100	1990RXP1BQ
DOZEN RADIAL X WEAVE PRO BLAZER VANES	200	1990RXP2BQ
DOZEN RADIAL X WEAVE PRO BLAZER VANES	300	1990RXP3BQ

GRAINS PER INCH	SPINE
100=6.6	.520
200=7.5	.424
300=8.6	.359



RADIAL X WEAVE™ BOW MADNESS™

Straightness ± .003

- Grain weight matched to 5 grains per dozen
- Shafts or fletched arrows
- .245 ID
- New QuietCoat™

DESCRIPTION	SPINE	PART #
1/2 DOZEN BOW MADNESS PRO-FUSION VANES	200	1960MAD2F3Q
1/2 DOZEN BOW MADNESS PRO-FUSION VANES	300	1960MAD3F3Q
DOZEN BOW MADNESS SHAFTS	200	1990MAD2Q
DOZEN BOW MADNESS SHAFTS	300	1990MAD3Q
DOZEN BOW MADNESS PRO-FUSION VANES	200	1990MAD2F3Q
DOZEN BOW MADNESS PRO-FUSION VANES	300	1990MAD3F3Q

GRAINS PER INCH	SPINE
200=7.5	.424
300=8.6	.359

ADJUSTED DRAW WEIGHT	CARBON FORCE ARROW CHART						
	25"	26"	27"	28"	29"	30"	31"
30-35#	●	●	●	●	●	●	●
36-39#	●	●	●	●	●	●	●
40-45#	●	●	●	●	●	●	●
46-51#	●	●	●	●	●	●	●
52-57#	●	●	●	●	●	●	●
58-63#	●	●	●	●	●	●	●
64-69#	●	●	●	●	●	●	●
70-75#	●	●	●	●	●	●	●
76-81#	●	●	●	●	●	●	●
82-87#	●	●	●	●	●	●	●
88-93#	●	●	●	●	●	●	●



QuietCoat™ is PSE's custom process that increases penetration by reducing resistance. QuietCoat™ allows the arrow to slide over virtually any type of rest with very little noise, and makes removing the arrows from the target much easier. The proprietary process integrates the coating into the material used to make the surface of the arrow, to create an extremely durable finish.





2014 CARBON FORCE ARROWS

WHICH CARBON FORCE ARROW IS RIGHT FOR YOU?

Arrow Size	Grains per inch for: Pro, Bow Madness & STL Hunter
100	6.6
200	7.5
300	8.6
400	9.2

RADIAL X WEAVE™ STL HUNTER™

Straightness ± .006

- Grain weight matched to 5 grains per dozen
- Shafts or fletched arrows
- .245 ID
- New QuietCoat™
- Nock and inserts included

FEATHERED- STL HUNTER™

DESCRIPTION	SPINE	PART #
1/2 DOZEN RADIAL X WEAVE STL HUNTER- FEATHERS	100	1960RXH1FEQ
1/2 DOZEN RADIAL X WEAVE STL HUNTER- FEATHERS	200	1960RXH2FEQ
1/2 DOZEN RADIAL X WEAVE STL HUNTER- FEATHERS	300	1960RXH3FEQ
1/2 DOZEN RADIAL X WEAVE STL HUNTER- FEATHERS	400	1960RXH4FEQ
DOZEN RADIAL X WEAVE STL HUNTER- FEATHERS	100	1990RXH1FEQ
DOZEN RADIAL X WEAVE STL HUNTER- FEATHERS	200	1990RXH2FEQ
DOZEN RADIAL X WEAVE STL HUNTER- FEATHERS	300	1990RXH3FEQ
DOZEN RADIAL X WEAVE STL HUNTER- FEATHERS	400	1990RXH4FEQ
72 COUNT- RADIAL X WEAVE STL HUNTER- FEATHERS	100	1980RXH1FEQ
72 COUNT- RADIAL X WEAVE STL HUNTER- FEATHERS	200	1980RXH2FEQ
72 COUNT- RADIAL X WEAVE STL HUNTER- FEATHERS	300	1980RXH3FEQ
72 COUNT- RADIAL X WEAVE STL HUNTER- FEATHERS	400	1980RXH4FEQ

GRAINS PER INCH	SPINE
100=6.6	.520
200=7.5	.424
300=8.6	.359
400=9.2	.337



RADIAL X WEAVE™ BLACK MAMBA™

Straightness ± .003 • 400 series

- 10.5 grains per inch kinetic energy tube included
- Stainless steel collars and inserts
- Shafts or fletched arrows
- .245 ID
- New QuietCoat™
- Nock and inserts included

DESCRIPTION	SPINE	PART #
DOZEN RADIAL X WEAVE BLACK MAMBA SHAFTS	400	1990RXBMQ
DOZEN RADIAL X WEAVE BLACK MAMBA-DURAVANES	400	1990RXBMFQ

GRAINS PER INCH	SPINE
400=9.2	.337

SHAFTS AND VANES- STL HUNTER™

DESCRIPTION	SPINE	PART #
DOZEN RADIAL X WEAVE STL HUNTER- SHAFTS	100	1990RXH1Q
DOZEN RADIAL X WEAVE STL HUNTER- SHAFTS	200	1990RXH2Q
DOZEN RADIAL X WEAVE STL HUNTER- SHAFTS	300	1990RXH3Q
DOZEN RADIAL X WEAVE STL HUNTER- SHAFTS	400	1990RXH4Q
DOZEN RADIAL X WEAVE STL HUNTER- DURAVANES	100	1990RXH1FQ
DOZEN RADIAL X WEAVE STL HUNTER- DURAVANES	200	1990RXH2FQ
DOZEN RADIAL X WEAVE STL HUNTER- DURAVANES	300	1990RXH3FQ
DOZEN RADIAL X WEAVE STL HUNTER- DURAVANES	400	1990RXH4FQ
DOZEN RADIAL X WEAVE STL HUNTER- BLAZERS	100	1990RXH1BQ
DOZEN RADIAL X WEAVE STL HUNTER- BLAZERS	200	1990RXH2BQ
DOZEN RADIAL X WEAVE STL HUNTER- BLAZERS	300	1990RXH3BQ
DOZEN RADIAL X WEAVE STL HUNTER- BLAZERS	400	1990RXH4BQ

STL HUNTER™ BLAZER™ 72 ARROWS

- Straightness ± .006
- Fletched arrows using Blazer™ vanes
- .245 ID
- Nocks and inserts included
- New QuietCoat™

DESCRIPTION	PART #
STL 100-72 PACK	1980RXH1BQ
STL 200-72 PACK	1980RXH2BQ
STL 300-72 PACK	1980RXH3BQ
STL 400-72 PACK	1980RXH4BQ

GRAINS PER INCH	SPINE
100=6.6	.520
200=8.6	.424
300=10.2	.359
400=9.2	.337

ADJUSTED DRAW WEIGHT	CARBON FORCE ARROW CHART						
	A R R O W L E N G T H						
	25"	26"	27"	28"	29"	30"	31"
30-35#	●	●	●	●	●	●	●
36-39#	●	●	●	●	●	●	●
40-45#	●	●	●	●	●	●	●
46-51#	●	●	●	●	●	●	●
52-57#	●	●	●	●	●	●	●
58-63#	●	●	●	●	●	●	●
64-69#	●	●	●	●	●	●	●
70-75#	●	●	●	●	●	●	●
76-81#	●	●	●	●	●	●	●
82-87#	●	●	●	●	●	●	●
88-93#	●	●	●	●	●	●	●



2014 CARBON FORCE ARROWS

Carbon Force has teamed with Victory Archery to bring you some of the finest arrow shafts ever offered. Every detail in the production of these shafts, from the high spine marking to the most strenuous sorting and matching process ever developed, is done to deliver the straightest, most consistent high-performance arrow shafts ever produced.

EXT HUNTER SHAFTS

The PSE EXT Hunter arrows may be the best hunting arrows ever made.

Features include:

- Small diameter and extra thick for exceptional strength and penetration.
- Guaranteed to $\pm .001$ straightness and a 1/2 grain variance per dozen shafts
- Each arrow is guaranteed to be the same spine and within ± 3 grains, even if you buy the arrows months or years apart
- Coated to glide quietly over the arrow rest and allow easier removal from targets
- All shafts feature a spine alignment mark for easy and accurate fletching.

EXT HUNTER SHAFTS

- Straightness $\pm .001$
- .166 ID

DESCRIPTION	SPINE	PART #
DOZEN VAP EXT HUNTER SHAFTS WITH INSERTS	350	1990EXTH350
DOZEN VAP EXT HUNTER SHAFTS WITH INSERTS	400	1990EXTH400
DOZEN VAP EXT HUNTER SHAFTS WITH INSERTS	500	1990EXTH500

GRAINS PER INCH

GRAINS PER INCH	SPINE
350= 8.1	.350
400= 7.1	.400
500= 6.1	.500

VAP EXT TARGET SHAFTS

PSE now offers the best target arrows on the market.

PSE VAP EXT Target arrows features:

- Offered in four popular spine deflections.
- Guaranteed to $\pm .001$ straightness and a 1/2 grain variance per dozen shafts.
- Each arrow is guaranteed to be the same spine and within ± 3 grains, even if you buy the arrows months or years apart.
- Coated to glide quietly over the arrow rest and allow easier removal from targets.
- All shafts feature a spine alignment mark for easy and accurate fletching.
- Include pin bushings, pin nocks.
- Points are sold separately. (.166 Inner diameter)

EXT TARGET SHAFTS

- Straightness $\pm .001$
- .166 ID

DESCRIPTION	SPINE	PART #
DOZEN VAP EXT TARGET SHAFTS WITH BUSHINGS AND PIN NOCKS	400	1990EXTT400
DOZEN VAP EXT TARGET SHAFTS WITH BUSHINGS AND PIN NOCKS	450	1990EXTT450
DOZEN VAP EXT TARGET SHAFTS WITH BUSHINGS AND PIN NOCKS	500	1990EXTT500
DOZEN VAP EXT TARGET SHAFTS WITH BUSHINGS AND PIN NOCKS	600	1990EXTT600

GRAINS PER INCH

SPINE

400= 7.1	.400
450= 6.8	.450
500= 6.1	.500
600= 5.5	.600

EXT TARGET/HUNTER POINTS (NOT SHOWN)

DESCRIPTION	PART #
EXT TARGET/HUNTER POINTS 80 GRAIN	41829
EXT TARGET/HUNTER POINTS 100 GRAIN	41830
EXT TARGET/HUNTER POINTS 120 GRAIN	41831

EXT TARGET ARROW COMPONENTS

DESCRIPTION	PART #
A) DOZEN PK EXT 2300 BUSHING PIN-SMALL	41832
B) DOZEN PK PIN NOCK- RED, 5 GRAIN	41842

EXT HUNTER ARROW COMPONENTS

DESCRIPTION	PART #
DOZEN PK RUBY RED NOCKS	41843
DOZEN PK PENETRATOR INSERT	41844516

CHART FOR CARBON FORCE EXT ARROWS ONLY

Recurve Bow	Compound Bow Weight		Arrow Length											
	Mid Cam IBO 315FPS +/-10FPS	Hard Cam IBO 330FPS +/-10FPS	22.5	23.5	24.5	25.5	26.5	27.5	28.5	29.5	30.5	31.5		
12-14													600	
14-16													600	
16-18													600	
18-22	14-18								600	600			600	
22-26	18-22	14-18					600	600	600	600			500	
27-31	22-26	18-22				600	600	600	600	600	600		500	
32-36	27-31	22-26		600		600	600	600	500	500	500		450	
37-41	32-36	27-31	600	600		600	600	500	500	500	500		450	
42-46	42-46	37-41	600	600	600	600	500	500	500	450	450		400	
47-51	47-51	42-46	600	500	500	500	500	450	450	450	400		400	
52-56	52-56	47-51	500	500	500	500	450	450	450	400	400		400	
57-61	57-61	52-56	500	450	450	450	450	400	400	400	350		350	
62-66	62-66	57-61	450	450	450	450	400	400	400	350	350		350	
	67-72	62-66	450	450	400	400	400	350	350	350	350			
	73-78	67-72	450	400	400	400	400	350	350	350				
	79-84	73-78	400	400	400	350	350	350						
	85-90	79-84	400	400	350	350	350							
	90-95	85-90	400	350	350	350								
	95-100	90-95	350	350	350									
	100-105	95-100	350	350										

Based on 100 GR Point. These are general guidelines. Please visit an authorized PSE dealer for proper fitting. Notes: 125 GR Point - If your draw length and bow poundage falls on the edge of a spine with a 125 GR point choose the stiffer spine. 80 GR Point - If your draw length and bow poundage falls on the edge of a spine with an 80 GR point choose the weaker spine.



2014 ARCHERY ACCESSORIES

ARROWS

SNIPER™ 2 SHAFTS IN SKULLWORKS®

- Economical Hunting Shafts
- Skullworks Camo
- Straightness ± .006
- Shafts or Fletched with 2" Blazer Vanes
- .246 ID



DESCRIPTION	SPINE	PART #
DOZEN SNIPER™ SHAFTS	200	1990SW2II
DOZEN SNIPER™ SHAFTS	300	1990SW3II
DOZEN SNIPER™ BLAZER VANES	200	1990SW2IIR
DOZEN SNIPER™ BLAZER VANES	300	1990SW3IIR



GRAINS PER INCH	SPINE
200=8.2	.400
300=8.9	.340

SNIPER™ 2

- Straightness ± .006
- Economical Hunting Shafts
- Fletched arrows with 2" Blazer Vanes
- .246 ID



DESCRIPTION	SPINE	PART #
1/2 DOZEN- SNIPER 2 ARROWS WITH BLAZER VANES	200	1960SNIII2B
1/2 DOZEN- SNIPER 2 ARROWS WITH BLAZER VANES	300	1960SNIII3B
DOZEN- SNIPER 2 ARROWS WITH BLAZER VANES	200	1990SNIII2B
DOZEN- SNIPER 2 ARROWS WITH BLAZER VANES	300	1990SNIII3B
72 PACK- SNIPER 2 ARROWS WITH BLAZER VANES	200	1980SNIII2B
72 PACK- SNIPER 2 ARROWS WITH BLAZER VANES	300	1980SNIII3B

GRAINS PER INCH	SPINE
200= 8.2	.400
300= 8.9	.340



DESPERADO™

- Carbon youth arrow
- Fletched with 3" vanes
- Maximum bow peak weight of 50 lbs.
- Pre-cut lengths available in 26", 28" and 30"
- Includes 75 grain point .245 ID

DESCRIPTION	LENGTH	PART #
1/2 DOZEN DESPERADO ARROWS WITH VANES	28"	1960DES8F
DOZEN DESPERADO ARROWS WITH VANES	26"	1990DES6F
DOZEN DESPERADO ARROWS WITH VANES	28"	1990DES8F
DOZEN DESPERADO ARROWS WITH VANES	30"	1990DES3F
DESPERADO GLUE-IN POINTS	-	41250



SNIPER™ 2 COMPONENTS

DESCRIPTION	QTY	PART #
SNIPER INSERTS	DOZ	41780DZ
GREEN NOCKS	DOZ	41779DGR
RED NOCKS	DOZ	41779DRD
WHITE NOCKS	DOZ	41779DWH 41779DWH
YELLOW NOCKS	DOZ	41779DYL



PSE DESPERADO™ 72 ARROWS

- Includes arrow display to hold 72 arrows
- Includes 75 grain glue in field points

DESCRIPTION	PART #
DESP,72 PACK, 26"	1980DES6F
DESP,72 PACK, 28"	1980DES8F
DESP,72 PACK, 30"	1980DES0F
DESP,72 PACK, MIX ASSORTMENT	1980DESMX



2014 CARBON FORCE ARROW ACCESSORIES



FASTSET GEL CEMENT

- Perfect for Duravanes
- Sets in seconds!
- 9 gram tube

DESCRIPTION	PART #
FLETCH TITE	2813



GOAT TUFF GLUE

- Perfect for vanes
- Sets in seconds!

DESCRIPTION	PART #
GOAT TUFF 7 GRAM	41610
GOAT TUFF 1 OUNCE	41622



CARBON FORCE™ FLUORESCENT NOCKS

- 13 grain
- Fits all Carbon Force™ Radial X-Weave and Sniper™ arrows

DESCRIPTION	COLOR	PART #
FLO NOCKS,DOZ	GREEN	1403DGN
FLO NOCKS,DOZ	ORANGE	1403DOR
FLO NOCKS,DOZ	RED	1403DRD
FLO NOCKS,DOZ	WHITE	1403DWH
FLO NOCKS,100 PK	GREEN	1403CGN
FLO NOCKS,100 PK	ORANGE	1403COR
FLO NOCKS,100 PK	RED	1403CRD
FLO NOCKS,100 PK	WHITE	1403CWH

CARBON FORCE™ ARROW INSERTS

- 12 grain
- Knurled inserts fits all Carbon Force™ Radial X-Weave shaft sizes

DESCRIPTION	PART #
DOZ. ARROW INSERTS	01211
100 PK ARROW INSERTS	01212



CARBON FORCE™ ADVANCED PERFORMANCE ADHESIVE

- Superior strength insert adhesive
- Bonds in seconds!

DESCRIPTION	PART #
ADHESIVE 3/4 OZ	41166
ADHESIVE 2 OZ	41167



AAE PRO MAX VANES

- TAKE IT TO THE MAX!
- 2.1" long x .590" high x .024 thick
- High Profile design is proven for optimized broadhead flight

DESCRIPTION	COLOR	PART #
AAE MAX VANES	YELLOW	4189OYL
AAE MAX VANES	ORANGE	4189OOR
AAE MAX VANES	GREEN	4189OGR
AAE MAX VANES	WHITE	4189OWH



AAE PRO MAX HUNTER VANES

- 1.7" x .460" High Profile
- Perfect for 3D Arrows and mechanical broadheads
- Super Tough Max material for durability

DESCRIPTION	COLOR	PART #
AAE HUNTER VANES	GREEN	41897GR
AAE HUNTER VANES	ORANGE	41897OR
AAE HUNTER VANES	YELLOW	41897YL
AAE HUNTER VANES	WHITE	41897WH



MICRO BURNER™ ARROWS

- 26" youth arrow
- Fletched with three Duravanes™

DESCRIPTION	PART #
MICRO BURNER- 6 PACK	1989MB26F6PK
MICRO BURNER- 72 PACK	1989MB26F72

AFTER BURN™ NOCK

- 24 grain

DESCRIPTION	PART #
AFTER BURN GREEN LIGHTED NOCK - 3PK	41748G
AFTER BURN RED LIGHTED NOCK - 3PK	41748R
AFTERBURN PRACTIC NOCK- 3PK	41749



SCREW-IN FIELD POINTS

- Available in three weights to fit Carbon Force™ arrows

DESCRIPTION	PART #
POINTS 85 GR	41047
POINTS 100 GR	41048
POINTS125 GR	41049

NORWAY® FUSION™ VANES

- 3" Vinyl
- 36 Pack

DESCRIPTION	COLOR	PART #
FUSION VANES	WHITE	41632
FUSION VANES	RED	41633
FUSION VANES	YELLOW	41634
FUSION VANES	LIME	41631



NORWAY® 3D DURAVANES™ - 3"

- No primer on the vane
- Used on TAC Series arrows
- 50 Pack

DESCRIPTION	COLOR	PART #
3D DURAVANES	BLACK	41652
3D DURAVANES	WHITE	41652WH



NORWAY® 3" DURAVANES™

- 50 Pack

DESC	COLOR	PART #
DURAVANES	WHITE	1512WH300
DURAVANES	LIME	1512LM300
DURAVANES	RED	1512RD300



BOHNING® ARCHERY BLAZER VANES™

- Extreme durability
- Provides excellent arrow guidance
- Maximum accuracy and silent in flight
- 3 dozen pack
- Sizes: 2"

DESC	COLOR	PART #
BLAZERS	RED	41775
BLAZERS	FLO GREEN	41483
BLAZERS	FLO ORANGE	41484
BLAZERS	FLO YELLOW	41482
BLAZERS	WHITE	41470





2014 ARCHERY ACCESSORIES ACCESSORY PACKAGES

2014 **PSE**
new

CUSTOM PACKAGED ACCESSORIES

We've put together our most popular accessories into easy-to-buy packages. Camo patterns and/or sights vary in each package.

PSE ACCESSORY PACKAGE TWO

- Shadow™ Quiver Skullworks® camo
- Vibracheck™ Flexxtech™ 2 Stabilizer
- Gemini™ Sight
- QS Whisker Biscuit
- PSE Neoprene Sling
- Nock Loop - 4 1/2"
- Mongoose™ Peep and Tubing

DESCRIPTION	PART #
PSE ACCESSORY PACKAGE TWO	012265W



PSE ACCESSORY PACKAGE ONE

- Shadow™ Quiver Skullworks® camo
- Vibracheck™ Flexxtech™ 2 Stabilizer
- Aries™ Sight
- QS Whisker Biscuit
- PSE Neoprene Sling
- Nock Loop - 4 1/2"
- Mongoose™ Peep and Tubing

DESCRIPTION	PART #
PSE ACCESSORY PACKAGE ONE	012275W



PSE ACCESSORY PACKAGE FOUR

- Shadow™ Quiver Black
- Vibracheck™ Flexxtech™ 2 Stabilizer
- Aries™ Sight
- QS Whisker Biscuit
- PSE Neoprene Sling
- Nock Loop - 4 1/2"
- Mongoose™ Peep and Tubing

DESCRIPTION	PART #
PSE ACCESSORY PACKAGE FOUR	01227BK



PSE ACCESSORY PACKAGE THREE

- Shadow™ Quiver Break-Up® Infinity®
- Vibracheck™ Flexxtech™ 2 Stabilizer
- Aries™ Sight
- QS Whisker Biscuit
- PSE Neoprene Sling
- Nock Loop - 4 1/2"
- Mongoose™ Peep and Tubing

DESCRIPTION	PART #
PSE ACCESSORY PACKAGE THREE	01227IF



PSE ACCESSORY PACKAGE FIVE

- Shadow™ Quiver Black
- Vibracheck™ Flexxtech™ 2 Stabilizer
- Gemini™ Sight
- QS Whisker Biscuit
- PSE Neoprene Sling
- Nock Loop - 4 1/2"
- Mongoose™ Peep and Tubing

DESCRIPTION	PART #
PSE ACCESSORY PACKAGE FIVE	01226BK





2014 ARCHERY ACCESSORIES

SIGHTS AND ACCESSORIES



PSE GALAXY™ 5-PIN BLACK SIGHT

- Five .019 high quality fiber optic pins
- Machined aluminum sight body
- Micro adjustable third axis level
- Over 8" of high quality fiber optic in each pin
- Fully adjustable UV light included
- Phosphorescent glo ring

DESCRIPTION	PART #	OPTION
GALAXY SIGHT	41714	BLACK
GALAXY SIGHT	41714CA	BU INFINITY



PSE SLIDER™ II SIGHT WITH LIGHT

- Micro adjust windage
- Micro adjustable third axis level
- All aluminum construction
- Fully adjustable UV light
- Phosphorescent glo ring
- Lens capable 1 5/8"
- .019 pin

DESCRIPTION	PART #	OPTION
SLIDER SIGHT	41549	BLACK



PSE ORION™ 5-PIN SIGHT

- Five .019 fiber optic sight pins
- Fully adjustable UV light
- All metal parts
- Phosphorescent glo ring

DESCRIPTION	PART #	OPTION
ORION SIGHT	41569	BLACK
ORION SIGHT	41569CA	BU INFINITY



PSE ARIES™ 3-PIN SIGHT

- Three .029 fiber optic sight pins
- All metal parts
- Includes an Indiglo™ UV light
- Phosphorescent glo ring

DESCRIPTION	PART #	OPTION
ARIES SIGHT	41570	BLACK
ARIES SIGHT	41570CA	BU INFINITY



PSE GEMINI™ SIGHT

- Three .029 fiber optic sight pins
- Injection molded true radius pin guard
- Angled pin track for true pin alignment
- Phosphorescent glo ring

DESCRIPTION	PART #
GEMINI SIGHT	41586



PSE ECLIPSE™ AND GALAXY™ SIGHT PIN

- .019 adjustable pin
- Over 8" of high quality fiber optic material

DESC	PART #
RED	01162RD
GREEN	01162GN
YELLOW	01162YL



PSE SIGHT LEVEL

- Fits any sight with a 3/16" pin track

DESC	PART #
LEVEL	41269



PSE THIRD AXIS LEVEL

- Fits PSE Orion™, Slider™, Pete Shepley Signature, Eclipse™ and Aries™ sights

DESC	PART #
3RD LEVEL	41573



PSE REPLACEMENT SIGHT PINS

- 3/16" base- for F Series, Gemini, Aries and Orion sights

DESC	PART #
.019 RED	41225
.019 YELLOW	41226
.019 GREEN	41227
.029 RED	41228
.029 YELLOW	41229
.029 GREEN	41230
.039 RED	41231
.039 YELLOW	41232
.039 GREEN	41233



PSE ADJUSTABLE SIGHT PIN

- .019 adjustable pin
- Fits Pete Shepley Signature Series sights

DESC	PART #
RED	41673RD
GREEN	41673GN
YELLOW	41673YL



PSE RHEOSTAT UV LIGHT

- Fully adjustable through the entire range of light brightness
- UV light for better pin visibility

DESC	PART #
RHEO	41571



PSE INDIGLO™ UV LIGHT

- UV bulb for better pin visibility

DESC	PART #
INDI	41572



2014 ARCHERY ACCESSORIES ARROW RESTS



2014 **PSE**
new

PSE DOA™ REST

- Smoothest, fastest release we've offered
- Arm stays up completely at full draw
- High quality aluminum components

DESCRIPTION	PART #
DOA-RIGHT	41918R
DOA-LEFT	41918L



PSE PHANTOM™ MICRO DROP-AWAY

- Our finest micro adjust drop-away rest
- Full capture platform
- Falls out of the way for complete arrow clearance
- Independent micro adjustable windage and elevation
- Oversized adjustment screws

DESCRIPTION	PART #
PHANTOM MICRO-RIGHT	41757R
PHANTOM MICRO- LEFT	41757L



PSE TARGET™ MICRO LAUNCHER

- Designed to accommodate all shooting styles
- Adjusts from 20 degree to 45 degree in 5 degree increments
- Micro adjustable for both windage and elevation
- Includes 3 target blades: .008, .010, .012

DESCRIPTION	PART #
TARGET MICRO-RIGHT	41758R
TARGET MICRO-LEFT	41758L



PSE PHANTOM™ DROP-AWAY

- Full capture platform
- Falls away for complete arrow clearance
- Oversized adjustment screws

DESCRIPTION	PART #
PHANTOM RIGHT	41537R
PHANTOM LEFT	41537L



PSE PROWLER™ DROP-AWAY

- Simple, dependable drop-away rest
- Provides complete arrow clearance
- Oversized adjustment screws

DESCRIPTION	PART #
PROWLER RIGHT	41544R
PROWLER LEFT	41544L



PSE RAPID™ REST

- Economical
- Fast set up
- Falls out of the way for complete arrow clearance

DESCRIPTION	PART #
RAPID-RIGHT	41909R
RAPID-LEFT	41909L

2014 **PSE**
new



PSE HORNET™

- Converts easily from right to left hand
- Dovetail windage block makes minor adjustments quick and simple

DESCRIPTION	PART #
HORNET REST	41546



PSE POSSE™

- Works with any bow that has a threaded hole to allow for a screw-in style rest

DESCRIPTION	PART #
POSSE- RIGHT	01084R
POSSE- LEFT	01084L



PSE HERITAGE™ REST

- 12 to a card - 10 right hand and 2 left hand

DESCRIPTION	PART #
HERITAGE CARD	2314CD



2014 ARCHERY ACCESSORIES QUIVERS



PSE X QUIVER™

- Machined aluminum frame with a built-in tree hanger
- Thumb tab arrow gripper makes removing arrows a snap
- No moving parts on the quick detach mounting system
- Works equally well with mechanical and fixed blade broadheads

DESCRIPTION	PART #	OPTION
X QUIVER, 3 ARROW	41668	BU INFINITY
X QUIVER, 3 ARROW	41668SW	SKULLWORKS
X QUIVER, 3 ARROW	41668BK	BLACK
X QUIVER, 5 ARROW	41669	BU INFINITY
X QUIVER, 5 ARROW	41669SW	SKULLWORKS
X QUIVER, 5 ARROW	41669BK	BLACK



PSE DUAL X QUIVER™

- Machined aluminum frame with a built-in tree hanger
- Works equally well with mechanical and fixed blade broadheads
- No moving parts to rattle and make noise during the shot
- Two arrow grippers hold your arrows more secure
- Thumb tab arrow gripper

DESCRIPTION	PART #	OPTION
DUAL X QUIVER, 3 ARROW	41773IF	BU INFINITY
DUAL X QUIVER, 3 ARROW	41773SW	SKULLWORKS
DUAL X QUIVER, 3 ARROW	41773BK	BLACK
DUAL X QUIVER, 5 ARROW	41772	BU INFINITY
DUAL X QUIVER, 5 ARROW	41772SW	SKULLWORKS
DUAL X QUIVER, 5 ARROW	41772BK	BLACK



PSE SHADOW™ QUIVER

- Lightweight, durable, and compact
- Quick-detach quiver bracket

DESCRIPTION	PART #	OPTION
SHADOW QUIVER	01223IF	BU INFINITY
SHADOW QUIVER	01223SW	SKULLWORKS
SHADOW QUIVER	01223BK	BLACK



PSE FLEX 5™

- Lightweight, durable, and compact
- Quick-detach quiver bracket
- Features dual grippers on a flexible composite frame
- Frame can be moved in multiple locations to adjust bow weight distribution

DESCRIPTION	PART #	OPTION
FLEX 5, 5 ARROW	41855IF	BU INFINITY
FLEX 5, 5 ARROW	41855SW	SKULLWORKS



PSE COVERT-X™ QUIVER

- Quiver hood provides up to six adjustable positions for multiple arrow lengths
- Holds five arrows of any size
- Extended arrow clip positions the arrow nocks above the lower cam for protection

DESCRIPTION	PART #	OPTION
COVERT-X QUIVER	01224IF	BU INFINITY
COVERT-X QUIVER	01224SW	SKULLWORKS
COVERT-X QUIVER	01224BK	BLACK



2014 ARCHERY

QUIVERS AND ACCESSORIES



PSE NOCKING LOOP

- 9 pack card of string loops
- White or red

DESCRIPTION	PART #
WHITE, 4-1/4", 9 PACK	2697
WHITE, 4-1/2", 9 PACK	2698
WHITE, 4-3/4", 9 PACK	2699
RED, 4-1/4", 9 PACK	2697RD
RED, 4-1/2", 9 PACK	2698RD
RED, 4-3/4", 9 PACK	2699RD
LOOP, BULK WHITE*	2694
LOOP, BULK RED*	2694RD

*BULK ORDER INCLUDES: 10 EA - 4 1/4", 10 EA - 4 1/2", 30 EA - 4 3/4"



2014 **PSE** new

PSE CRUCIAL™ TWO-PIECE 6 ARROW QUIVER

- Adjustable up and down to fit a wide variety of bows and arrow lengths with a unique one-screw clamping system
- Mounts close to the riser for a sleek and compact profile
- Lightweight and durable construction

DESCRIPTION	PART #	OPTION
CRUCIAL, 6 ARROW	01225IF	BU INFINITY
CRUCIAL, 6 ARROW	01225SW	SKULLWORKS
CRUCIAL, 6 ARROW	01225BK	BLACK



PSE ECLIPSE 2-PIECE QUIVER

- Lightweight design
- Arrows secured by magnets and foam
- Works with almost any size arrow
- Holds six arrows

DESCRIPTION	PART #	OPTION
ECLIPSE TWO-PIECE	01128IF	BU INFINITY
ECLIPSE TWO-PIECE	01128SW	SKULLWORKS



2014 **PSE** new

QUICK-DETACH BRACKET

- WILL FIT PREVIOUS AND CURRENT MODEL PSE QUIVERS (NOT FOR ECLIPSE)

DESCRIPTION	PART #
QD BRACKET	3395



PSE ECLIPSE™ REPL. FOAM

- Fits Eclipse™ quivers
- Integrated magnet strip

DESCRIPTION	PART #
ECLIPSE FOAM	3390E



PSE X QUIVER MOUNT

- Fits X-Quiver™ and Dual X-Quiver™ quivers

DESCRIPTION	PART #
X-QUIVER MOUNT	01177



PSE ECLIPSE™ QUIVER MOUNT

- Fits Eclipse™ one-piece quivers only

DESCRIPTION	PART #
ECLIPSE QUIVER MOUNT	01161



PSE REPLACEMENT QUIVER HOOD FOAM

- Fits quivers shown

DESCRIPTION	PART #
REPLACEMENT FOAM, 4 ARROW (PRIOR TO 2014)	3390S
REPLACEMENT FOAM, 8 ARROW (PRIOR TO 2014)	3390L
REPLACEMENT FOAM, MONGOOSE (PRIOR TO 2014)	3390M
REPLACEMENT FOAM, X QUIVER 3 ARROW	01194
REPLACEMENT FOAM, X QUIVER 5 ARROW	01195
REPLACEMENT FOAM, FIXED BLADE	41922
REPLACEMENT FOAM, MECHANICAL BLADE	41920



2014 ARCHERY ACCESSORIES



PSE MONGOOSE™ 1/4" PEEP SIGHT

- Dozen card
- 100 pack

DESCRIPTION	PART #
MONGOOSE 1/4" PEEP CARD	2822DZ
MONGOOSE 1/4" PEEP 100 PK	2822C



PSE MONGOOSE™ 1/8" PEEP SIGHT

- Includes tubing and peep aligner

DESCRIPTION	PART #
MONGOOSE 1/8" PEEP (EACH)	2820
MONGOOSE 1/8" PEEP (DOZEN)	2820DZ
MONGOOSE 1/8" PEEP (100 PK)	2820C



PSE PETE SHEPLEY PEEP

- Includes tubing and peep aligner
- Replacement tubing - 4 ft.

DESCRIPTION	PART #
PETE SHEPLEY PEEP	2829
PETE SHEPLEY REPLACEMENT TUBING	2817



ECLIPSE™ PETE SHEPLEY WRIST SLING

- Machined aluminum bracket
- Easy to adjust
- Comfortable rope

DESCRIPTION	PART #
ECLIPSE PETE SHEPLEY SLING	01127



PSE B.E.S.T.™ ADJUSTABLE GRIP

- Fits all X-Force riser bows with the B.E.S.T.™ Grip (prior to 2010 models)
- Designed to help eliminate hand torque
- Works on either right or left hand bows
- Easy to install and use

DESCRIPTION	PART #
BEST GRIP	01137



PSE RAPTOR™ ADJUSTABLE GRIP

- Fits all 2011-14 models w/Raptor™ grip

DESCRIPTION	PART #
RAPTOR GRIP	01160



VIBRACHECK™ RUBBER GRIP

- AMBIdextrous GRIP

DESCRIPTION	PART #
RUBBER GRIP	01094



PSE™ NEOPRENE CONVECTOR GRIP

- Fits all 2011-2014 models w/Raptor and B.E.S.T. grip

DESCRIPTION	PART #
NEOPRENE GRIP	41737



PSE WHEEL PEEP

- Dozen (12) card

DESCRIPTION	PART #
PEEP WHEEL	2823DZ



RED EYE PEEP SIGHT

- CNC Machined concave construction
- Convex entrance pupil is larger in size for better light gathering

DESCRIPTION	PART #
RED EYE PEEP-3/16"	41685
RED EYE PEEP-1/4"	41684



TRI VIEW PEEP SIGHT

- Ultralight aluminum peep
- Can be installed 3 different ways
- Guaranteed to square peep to eye with any string angle

DESCRIPTION	PART #
TRI VIEW PEEP- 1/8"	41750
TRI VIEW PEEP- 3/16"	41751
TRI VIEW PEEP- 1/4 "	41752

ADDITIONAL ACCESSORIES NOT SHOWN

DESCRIPTION	PART #
HARD DRAW STOP	01218
DROP AWAY ARROW HOLDER (PACK OF 6)	01110
POSI-LOCK KEYS (DOZEN)	01216



2014 ARCHERY ACCESSORIES

COLORED RUBBER ACCESSORIES



PSE BLACK SET

PSE BLUE SET

PSE GREEN SET

PSE RED SET

PSE PINK SET

PSE ORANGE SET

PSE YELLOW SET

PSE PURPLE SET

PART #

01215BK

PART #

01215BL

PART #

01215GN

PART #

01215RD

PART #

01215PK

PART #

01215OR

PART #

01215YL

PART #

01215PR



SEE NEXT PAGE FOR INDIVIDUAL COLORED RUBBER COMPONENTS



2014 ARCHERY ACCESSORIES

COLORED RUBBER ACCESSORIES

LIMB BANDS



PART #
01203BK



PART #
01203RD



PART #
01203GN



PART #
01203BL



PART #
01203PK



PART #
01203OR



PART #
01203YL



PART #
01203PR

GRIP INSERTS



PART #
01189BK



PART #
01189RD



PART #
01189GN




PART #
01189BL



PART #
01189PK



PART #
01189OR



PART #
01189YL



PART #
01189PR

STRING CHUBS



PART #
01067



PART #
01067RD



PART #
01067GN



PART #
01067BL



PART #
01067PK



PART #
01067OR



PART #
01067YL



PART #
01067PR

CABLE SLIDES



PART #
01163BK



PART #
01163RD



PART #
01163GN



PART #
01163BL



PART #
01163PK



PART #
01163OR



PART #
01163PK



PART #
01163PK

BACKSTOP™ BUMPERS



PART #
01118



PART #
01118RD



PART #
01118GN



PART #
01118BL



PART #
01118PK



PART #
01118OR



PART #
01118YL



PART #
01118PR

FLEX GUARDS



PART #
01204BK



PART #
01204RD



PART #
01204GR



PART #
01204BL



PART #
01204PK



PART #
01204OR



PART #
01204YL



PART #
01204PR

CABLE GUIDE DAMPER



PART #
01097BK



PART #
01097RD



PART #
01097GN



PART #
01097BL



PART #
01097PK



PART #
01097OR



PART #
01097YL



PART #
01097PR



2014 VIBRACHECK™ ACCESSORIES STABILIZERS



VIBRACHECK™ FLEXXTECH™ 2

- Proprietary specially formulated rubber for superior vibration damping

DESCRIPTION	PART #	OPTION
FLEXXTECH 2 STAB	41871BK	BK



VIBRACHECK™ OMEGA™

- Stabilizer with Suspended Rod Technology in a polymer gel

DESCRIPTION	PART #	OPTION
OMEGA 5" STAB-7 OZ	OM5BK	BLACK
OMEGA 5" STAB-7 OZ	OM51F	INFINITY
OMEGA 5" STAB-7 OZ	OM55W	SKULLW

STOKERIZED



VIBRACHECK™ STOKERIZED™ 2.5 OZ WEIGHT

DESCRIPTION	PART #
WEIGHT	41878BK



VIBRACHECK™ 7" ISOLATOR G3 STABILIZER

- Stabilizer with Suspended Rod Technology in a polymer gel
- 6 - 1 oz. removable weights

DESCRIPTION	PART #	OPTION
ISOLATOR G3 STAB	01173BK	BLACK
ISOLATOR G3 STAB	011731F	INFINITY
ISOLATOR G3 STAB	011735W	SKULLW


VIBRACHECK™ ICON™

- 7" long, 7 oz.
- VibaSORB™ insert to dissipate vibration
- Perfect for short, fast hunting bows

DESCRIPTION	PART #	OPTION
ICON STABILIZER	ICON	CAMO
ICON STABILIZER	ICONSW	SKULLW



2014 **PSE** new



VIBRACHECK™ VITRON™

- Allows you to easily increase or reduce weight by removing the four-lobe knob

DESCRIPTION	PART #	OPTION
VITRON STAB	01219BK	BLACK
VITRON STAB	012191F	INFINITY
VITRON STAB	012195W	SKULLW

2014 **PSE** new

DESCRIPTION	PART #	OPTION
OMEGA 8" STAB-9 OZ	OM8BK	BK
OMEGA 8" STAB-9 OZ	OM81F	INFINITY
OMEGA 8" STAB-9 OZ	OM85W	SKULLW



VIBRACHECK™ STOKERIZED™ VB-1 STABILIZER

- Weight adjustable (front and back)

DESCRIPTION	PART #	OPTION
VB-1	41910BK	BLACK
VB-1	41910RD	RED
VB-1	41910SM	SMOKE

2014 **PSE** new

VIBRACHECK™ STOKERIZED™ VB-2 STABILIZER

- 8" Acrylic rod stabilizer
- Saturn damper

DESCRIPTION	PART #	OPTION
VB-2	41907BK	BLACK
VB-2	41907RD	RED
VB-2	419075M	SMOKE





2014 VIBRACHECK™ ACCESSORIES COMPETITION STABILIZERS



PRO CARBON STABILIZER SYSTEM

- 2" removable micro-flex tip. Adjustable weight system
- High-quality carbon, Back-weighted with VibaSORB™ Gel (Length excludes removable flexible tip and weights.)

DESCRIPTION	PART #	OPTION
PRO CARBON STAB	416706	6" - 7.1 OZ.
PRO CARBON STAB	416709	9" - 7.4 OZ.
PRO CARBON STAB	4167015	15" - 8.8 OZ.
PRO CARBON STAB	4167024	24" - 9.9 OZ.
PRO CARBON STAB	4167028	28" - 10.3 OZ.
PRO CARBON STAB	4167030	30" - 10.5 OZ.
PRO CARBON STAB	4167034	34" - 10.9 OZ.

PRO CARBON HUNTER

- 10 1/2" total length, 8 oz. weight 5/16" - 24 thread
- Carbon construction, Back-weighted with VibaSORB™ Gel

DESCRIPTION	PART #	OPTION
PRO CARBON HUNTER	41671	10 1/2"



3-PACK PRO CARBON WEIGHTS

- Three 1 oz. stainless steel weights - 1/8" thickness.
- Fits Pro Carbon and Isolator G3 stabilizers


DESCRIPTION	PART #	OPTION
3-PRO CARBON WTS	41672	SILVER- 1 OZ.
3-PRO CARBON WTS	41672B	BLACK- 1 OZ.



PRO CARBON HUNTER WEIGHT

- One 8 oz. black weight with 5/16" 24 threaded hole
- Fits Pro Hunter, Omega and Freestyle stabilizers

DESCRIPTION	PART #
PRO CARBON WEIGHT	WTB8



OFFSET BRACKET / GORILLA BAR™

- Machined aluminum

DESCRIPTION	PART #
OFFSET BRACKET	EOBB
GORILLA BAR	GBARB



2014 VIBRACHECK™ ACCESSORIES



VIBRACHECK™ QUICK DISCONNECT

- Machined aluminum quick detach for your stabilizer
- Slotted design allows the bow's stabilizer to fold up or down for case storage


DESCRIPTION	PART #	OPTION
QUICK DISCONNECT	QDB	BLACK, STRAIGHT
QUICK DISCONNECT	AQDB	BLACK, 10% OFFSET



VIBRACHECK™ QUICKSTAND™

- Keeps your bow ready and within reach when hunting on the ground or in a blind
- Machined aluminum and high-grade carbon
- Detachable legs screw together for easy quiver storage

DESCRIPTION	PART #
QUICK DISCONNECT	QS1





VIBRACHECK™ BACKSTOP 2™

- Eliminates string vibration
- Rotationally adjustable to center string
- Adjustable length
- Use when length from mounting hole to string is 4 7/8" - 6 3/4"

DESCRIPTION	PART #	OPTION
BACKSTOP 2	01202BKSHT	SHORT
BACKSTOP 2	01202BKLONG	LONG

COLORED RUBBER ACCESSORIES

We offer a full line of colored rubber accessories to customize PSE bows. See the PSE accessories tab for full details!



Visit www.pse-archery.com for detailed information, user reviews and detailed product photos.



PSE NEOPRENE SLING
 • Comfortable neoprene sling with PSE logo

DESCRIPTION	PART #
NEOPRENE SLING	41646



PSE/KING FLEX FOAM™ SLING
 • Secures your bow and prevents fatigue

DESCRIPTION	PART #
NEOPRENE SLING	41249



PSE/KING NYLON SLING
 • Mounts on stabilizer stud

DESCRIPTION	PART #
NYLON SLING	4331



PSE/KING MICRO TAB
 • Designed for the smaller shooter
 • Perfect for right or left handed archers

DESCRIPTION	PART #
KING MICRO TAB	41435



PSE/KING NO PINCH TAB
 • Three layers: calf hair top, rubber moisture barrier, and suede for comfort
 • Right or left hand

DESCRIPTION	PART #
SMALL, LEFT	4110SL
SMALL, RIGHT	4110SR
MEDIUM, LEFT	4110ML
MEDIUM, RIGHT	4110MR
LARGE, LEFT	4110LL
LARGE, RIGHT	4110LR
X-LARGE, LEFT	4110XLL
X-LARGE, RIGHT	4110XLR



PSE/KING DEERSKIN GLOVE
 • The ultimate in comfort
 • Finest quality genuine deerskin
 • Double layered fingertips

DESCRIPTION	PART #
SMALL	4270S
MEDIUM	4270M
LARGE	4270L
X-LARGE	4270XL



PSE/KING TRADITIONAL LEATHER GLOVE
 • Tobacco suede with elastic inserts
 • Leather fingertips
 • Brown leather

DESCRIPTION	PART #
SMALL	4220TOS
MEDIUM	4220TOM
LARGE	4220TOL
X-LARGE	4220TOXL



PSE/KING 7" TUBE ARMGUARD
 • 7" one-piece tube armguard
 • Quickly and easily slips on and off

DESCRIPTION	PART #
TUBE SMALL/MED	41395
TUBE LARGE/XLARGE	41396



COMPRESSION ARMBAND
 • Tucks sleeve away from bow string

DESCRIPTION	PART #
COMP ARMBAND	41505



PSE/KING BLACK/PINK ARMGUARD
 • 6" two-strap
 • Black with pink stitching

DESCRIPTION	PART #
BLACK ARMGUARD	41900



PSE/KING 6" VENTED TWO-STRAP ARMGUARD
 • Triple stave armguard
 • Ideal for hunting or target shooting

DESCRIPTION	PART #
ARMGUARD, 6"	3450CA



PSE/KING 7" THREE-STRAP
 • 7" vented Flex Foam™ body with three quick detach straps
 • Camo only

DESCRIPTION	PART #
ARMGUARD, 7"	41121



PSE/KING 13" FOUR-STRAP
 • Quick detach closure
 • Easy adjustment
 • Flat stave design- Camo only

DESCRIPTION	PART #
ARMGUARD, 13"	41120



PSE/KING 6" TWO-STRAP
 • 6" with two quick detach straps
 • Black Cordura® only

DESCRIPTION	PART #
ARMGUARD, 6"	41117BK



PSE/KING 7" RED ARMGUARD
 • Three-strap

DESCRIPTION	PART #
BLACK ARMGUARD	41901



2014 **PSE**
new

PSE/KING SUPREME X-TECH AMBI QUIVER

- Molded arrow hood
- Oversized accessory pocket with internal organizer
- Easily converts from right to left hand

DESCRIPTION	PART #
SUPREME X-TECH AMBI QUIVER- PINK	41620
SUPREME X-TECH AMBI QUIVER- BLACK	41655BK



2014 **PSE**
new

PSE/KING FIELD QUIVER

- One-piece molded arrow hood
- One XL utility pocket
- External slot for score card and pencil
- Elastic leg strap tie-down
- Right hand only

DESCRIPTION	PART #
FIELD QUIVER- BLACK / RED TRIM	41656RBK



PSE/KING SUPREME LITE QUIVER

- Handy accessory pockets
- Available in black, camo or pink
- Available in right or left hand models

DESCRIPTION	PART #
SUPREME LITE QUIVER CAMO - RIGHT	41115RCA
SUPREME LITE QUIVER CAMO - LEFT	41115LCA
SUPREME LITE QUIVER BLACK	41115RBK
SUPREME LITE QUIVER BLACK/PINK	41115RPK

PSE/KING BRAIDED CAMO SLING

- Aluminum bracket with braided nylon cord
- Convenient set screw adjustment

DESCRIPTION	PART #
BRAIDED SLING	4235CAMO



PSE/KING SUPREME XL QUIVER

- Can be used as right or left hand
- Convenient belt clip


DESCRIPTION	PART #
SUPREME XL QUIVER- CAMO	41114CA
SUPREME XL QUIVER- BLACK	41114BK



PSE/KING ECONOMY QUIVER

- Lightweight vinyl quiver
- Convenient belt clip
- Right or left hand
- Available in black

DESCRIPTION	PART #
ECONOMY QUIVER	1390BK



PSE/KING HUNTER HIP QUIVER

- 5-arrow hip quiver
- Mossy Oak[®] Break Up Infinity[®] Camo
- Designed for bowhunters who prefer to keep their arrows on the hip

DESCRIPTION	PART #
HIP QUIVER	41621



PSE/KING SUPREME QUIVER SYSTEM

- Includes adjustable padded belt
- Accessory and water bottle pocket
- Bow holder

DESCRIPTION	PART #
SUPREME QUIVER SYSTEM	41899



PSE/KING SUPREME X-TECH BOWCASE

- Dimensions: 6" x 18 1/2" x 43"
- Heavy duty outer shell
- 3 XL accessory pockets
- See thru mesh organizer
- Includes ATV tie-downs
- Extra wide interior to accept fully accessorized bows

DESCRIPTION	PART #
SUPREME X-TECH BOWCASE-BLACK	41686



new

PSE/KING MATRIX BACKPACK

- Dimensions: 13" x 18" x 9"
- Dual zippered main compartment with padded laptop / tablet chamber
- Media pocket
- Zippered and elastic side pockets
- Large organization compartment with multiple pockets
- Adjustable padded shoulder straps

DESCRIPTION	PART #
MATRIX BACKPACK	41914



PSE/KING X-TECH LITE BOWCASE

- Dimensions: 4" x 18 1/2" x 43"
- Comes complete with utility rack tie-downs
- External arrow pocket
- External accessory pocket
- Black/Tan

DESCRIPTION	PART #
X-TECH LITE BOWCASE-BLACK & TAN	41675
X-TECH LITE BOWCASE-BLACK & PINK	41898



new

PSE/KING STIFFY SLINGS

- Mount it - Set it - Forget it!
- 100% made and designed in the USA

DESCRIPTION	PART #
STIFFY SLING-BLACK	41906BK
STIFFY SLING-BLUE	41906BL
STIFFY SLING-GREEN	41906GN
STIFFY SLING-ORANGE	41906OR
STIFFY SLING-PINK	41906PK
STIFFY SLING-PURPLE	41906PR
STIFFY SLING-RED	41906RD
STIFFY SLING-YELLOW	41906YL



PSE/KING SUPREME BOWCASE

- 18 1/2" x 43"
- Cordura[®] hard shell
- Comfortable carry shoulder strap

DESCRIPTION	PART #
KING SUPREME BOWCASE- SINGLE CASE	41307
KING SUPREME BOWCASE- DOUBLE CASE	41405

PSE/KING SUPREME BANTAM SINGLE BOWCASE

- Dimensions: 35" x 16"
- Designed for compact and youth models

DESCRIPTION	PART #
SUPREME BANTAM SINGLE BOWCASE	41568



PSE/KING SUPREME SLING W/SIGHT GUARD

- 18 1/2" x 43"
- Cordura[®] hard shell
- Comfortable carry shoulder strap

DESCRIPTION	PART #
SUPREME SLING WITH SIGHT GUARD	41504



PSE/KING DELUXE BOW HOLDER

- Flex Foam[™] with camo fleece lining
- A must for must spot and stalk hunters
- Conveniently holds bow weight and eliminates fatigue

DESCRIPTION	PART #
DELUXE BOW HOLDER	41008



PSE/KING BOWHIDE

- Black
- Dimensions: 5 1/2" x 6 1/2"

DESCRIPTION	PART #
BOWHIDE	2850



BINO HUB

- Provides quick and easy access to your bins and rangefinder
- Built into one complete harness system
- * Quantities are limited

DESCRIPTION	PART #
BINO HUB	41745



PSE/KING SNEEKY PETE FEET[™]

- All new design with ultra thick and quiet sole
- 2 sizes for maximized fit and performance

DESCRIPTION	PART #
SNEEKY FEET SIZES 9-10	41244SMM
SNEEKY FEET SIZES 11-12	41244LXL



X-TECH[™] SIGHT ARMOR

- Ultra thick neoprene sight armor with draw string
- 4 1/4" w x 3 3/4" deep

DESCRIPTION	PART #
SIGHT ARMOR	41778



PSE CONVECTOR NEOPRENE GRIP

- Complete wrap around neoprene non-slip grip cover
- Adds comfort to shooting on cold days

DESCRIPTION	PART #
CONVECTOR GRIP	41737



PSE/KING ARROW BONNET

- Quickly and easily slips over your quiver mounted arrows

DESCRIPTION	PART #
ARROW BONNET	41414



2014 ARCHERY ACCESSORIES RELEASE AIDS



TRU-FIRE™ EDGE FOLDBACK

- Pink Camo Evolution leather foldback
- Evolution buckle strap
- Over 1" length adjustment, which can be locked in place

DESCRIPTION	PART #
TRU-FIRE EDGE-PINK BUCKLE	41902



TRU-FIRE™ HURRICANE EXTREME FOLDBACK

- Fits both right and left hand
- Tru-Fire's Evolution buckle strap
- Foldback design

DESCRIPTION	PART #
TRU FIRE HURRICANE	41089



TRU-FIRE™ EDGE FOLDBACK

- Camo leather foldback
- Evolution buckle strap
- Over 1" length adjustment, which can be locked in place

DESCRIPTION	PART #
TRU FIRE EDGE FOLDBACK	41609



TRU BALL™ STINGER

- Easy loading with spring loaded trigger
- Folds back when not in use
- 360 degree swivel
- Adjusts for length and trigger tension

DESCRIPTION	PART #
TRU BALL STINGER	1882



PSE ECONOMY BY TRU-FIRE™

- Tested at 200 lbs.
- Quick and easy trigger adjustment

DESCRIPTION	PART #
TRU FIRE ECONOMY	41090



PSE ECONOMY JR. BY TRU-FIRE™

- Tested at 200 lbs.
- Quick easy trigger adjustment

DESCRIPTION	PART #
TRU FIRE ECONOMY JR	41091



SCOTT™ LITTLE GOOSE™

- Compact version of the Mongoose
- Camo buckle

DESCRIPTION	PART #
LITTLE GOOSE	41135



SCOTT™ LITTLE BITTY GOOSE™

- Micro-adjust rope connector
- Camo with buckle strap

DESCRIPTION	PART #
LITTLE BITTY GOOSE	45334



SCOTT™ CALIPER™ RELEASE

- Dual caliper
- Camo head with VELCRO®

DESCRIPTION	PART #
CALIPER	41139



2014 ARCHERY ACCESSORIES BROADHEADS



STEELFORCE™ PHAT HEAD

- Cut on contact design
- 1 ¼" cutting diameter
- Stainless steel main blade
- 100 grain / 3 pack

DESCRIPTION	PART #
STEELFORCE PHAT	41472



WASP® BULLET™

- Three .027 blades with SST tip alignment
- 1" cutting diameter
- 100 grain / 3 pack
- Includes 2 sets of replacement blades

DESCRIPTION	PART #
WASP BULLET	41726



ROCKET® WOLVERINE 3P™

- Three .027" stainless steel blades
- 1 ¼" cutting diameter
- Sharpened steel chisel tip
- 75 grain / 3 pack

DESCRIPTION	PART #
ROCKET WOLVERINE	13554



RAMCAT™ SMOKE®

- One-piece stainless steel body
- .032" blades are sharpened front and back
- 1 ¾" cutting diameter

DESCRIPTION	PART #
SMOKE RAMCAT-100 GRAIN	41689
SMOKE RAMCAT-125 GRAIN	41786
RAMCAT REPL. BLADES-100 GRAIN	41921
RAMCAT REPL. BLADES-125 GRAIN	41919



2014 ARCHERY ACCESSORIES



Target not included with replacement darts

48" BLOWGUN

- 48" breakdown blowgun
- .40 caliber aluminum barrel
- An assortment of eighty-two darts



SAUNDERS™ NOCKING POINTS

100 pack

DESCRIPTION	PART #
NOCKING POINTS	2800

DESCRIPTION	PART #
BLOWGUN	5102GUN
100 PACK OF DARTS	5102DART

PSE WHEEL PEEP

12 card

DESCRIPTION	PART #
WHEEL PEEP	2823DZ



PAPER TARGETS

Long lasting 100 lbs. tag paper targets

DESCRIPTION	PART #
36" PAPER TARGETS	1775
48" PAPER TARGETS	1776



36"



48"



2014 ARCHERY

ACCESSORIES



TRUBALL® AXCEL™ AX3000 6" SIGHT

- Finest clicks available - .00156" per click / .06525" per revolution
- Automatic Gib tension system - No screws to adjust
- Removable scope block with 2nd and 3rd axis adjustment
- Ultra smooth hydraulic free elevation adjustment
- Feather light

DESCRIPTION	PART #
AXCEL SIGHT	41607



FINAL STEP COVER SCENTS

- Field proven natural cover scent
- For best results use in addition to your preferred scent free program

DESCRIPTION	PART #
FINAL STEP- CEDAR	41912
FINAL STEP- JUNIPER	41915



QUICK SHOT WHISKER BISCUIT™

- Windage adjustment
- Composite-encased biscuit - 150% stronger than previous models
- Reference marks
- Custom rubber boots silence arrow loading
- Universal right and left hand

DESCRIPTION	PART #
WHISKER- LARGE	41774L
WHISKER- MEDIUM	41774M



SKB® DOUBLE PARALLEL CASE*

- Padded divider w/ rigid core

DESCRIPTION	PART #
SKB CASE	22011

*OVERSIZED ITEMS MAY INCUR ADDITIONAL SHIPPING CHARGE



(SCOPE AND PIN SOLD SEPARATELY)



AXCEL™ AX41-YCS SCOPE

- Axcel™ YCS Scope with true center vision
- 2 mounting points for stronger connection
- Red-ring torque indicator
- Removable scope block with 2nd and 3rd axis adjustment
- Ultra smooth hydraulic free elevation adjustment
- Feather light

AXCEL™ SIGHT PIN

- Green ring pin for AX41-YCS

DESCRIPTION	PART #
AXCEL SCOPE	41769
AXCEL SIGHT PIN	41770



FEATHER VISION® SCOPE LENS

- Superior optical grade polycarbonate lens with an aspheric design
- Proprietary sixteen layer anti-reflective coating
- Transmits 99% of visible light and blocks 99% of UVA rays
- Fits Eclipse Micro, Pro, and most 2" scope housings
- Scratch resistant
- 0.00 diopter
- Approximately 2X

DESCRIPTION	PART #
SCOPE LENS	41744



PSE TAC CROSSBOW CASE*

- Fits the PSE TAC Ordnance, Elite, & original TAC models.

DESCRIPTION	PART #
TAC CASE	01222

*OVERSIZED ITEMS MAY INCUR ADDITIONAL SHIPPING CHARGE



2014 ARCHERY ACCESSORIES

SHOP ACCESSORIES



BOW SNOT™ OIL PEN

- For Cam Axles, Arrow Rests, Cable Slides, Sight brackets, Limb Bolts & Release Parts
- 100% Odorless

DESCRIPTION	PART #
BOW SNOT PEN	41763



STRING SNOT™ STRING WAX

- Engineered to improve performance
- Prevents bow string feathering using heat displacement technology
- 100% odorless and waterproof

DESCRIPTION	PART #
STRING SNOT WAX	41764



ARROW SNOT™ RELEASE FLUID

- Felt tip applicator
- Promotes easy arrow removal from the toughest targets
- Non-toxic, non-flammable
- 100% odorless and waterproof

DESCRIPTION	PART #
STRING SNOT WAX	41765



BOW TUNING FIXTURE

- Flexibility of tipping forward or from side to side
- Ability to lock in at any angle
- Two mounted levels, easy adjust levers, sight mounting holes to level the sight when it is not on the bow

DESCRIPTION	PART #
BOW TUNING FIXTURE	41701



STRING WAX

DESCRIPTION	PART #
ADVANCED STRING WAX	42260



PSE BOW JAM

- The ultimate lubricant for bow assembly

DESCRIPTION	PART #
PSE BOW JAM	41865



DIGITAL BOW SCALE

- Accurate up to 100 lbs.
- Reads peak and holding weight

DESCRIPTION	PART #
DIGITAL BOW SCALE	41413



WEDGE-IT™ ARROW PULLER

- Best arrow puller available
- Works with any shaft size in the toughest targets

DESCRIPTION	PART #
WEDGE-IT PULLER	41663



ACU-LOK™ BOW LOCK

- Keeps bows from being drawn


DESCRIPTION	PART #
ACCU LOK BOW LOCK	41662



PSE FLEX SLIDE

- Only fits 2013-2014 PSE bows that use this feature

DESCRIPTION	PART #
FLEX SLIDE- BLACK	01204BK
FLEX SLIDE- RED	01204RD
FLEX SLIDE- GREEN	01204GN
FLEX SLIDE- BLUE	01204BL
FLEX SLIDE- PINK	01204PK
FLEX SLIDE- PURPLE	01204PR
FLEX SLIDE- ORANGE	01204OR
FLEX SLIDE- YELLOW	01204YL



RS ARCHERY® COMBO LEVEL SET

- NOK-EZ arrow Level
- RS snap-on bow string level

DESCRIPTION	PART #
COMBO LEVEL SET	41390

ADDITIONAL ACCESSORIES

DESCRIPTION	PART #
HARD STOP	01218
DROP AWAY ARROW HOLDER (PACK OF 6)	01110
POSI-LOCK KEYS (DOZEN)	01216



2014 ARCHERY ACCESSORIES SHOP ACCESSORIES



MASTER STRING SERVER W/NO. 18 MONO

- No. 18 monofilament, white

DESCRIPTION	PART #
STRING SERVER	2503



PSE TORX® WRENCH SET BY BONDHUS WRENCH SIZES: T9-T40

- All PSE cams now have Torx screws from the factory. Be ready for the change!

DESCRIPTION	PART #
TORX HEAD WRENCH	41795



PSE ALLEN WRENCH BY BONDHUS

- XL includes size 7/32" hex head needed for PSE limb bolts
- Heavy duty one-piece construction

DESCRIPTION	PART #
XL - SIZES: 1/4", 7/32", 3/16", 5/32", 9/64", 1/8", 7/64", 3/32", 5/64"	41604XL
SMALL - SIZES: 3/16", 5/32", 9/64", 1/8", 7/64", 3/32", 5/64", 1/16", .050"	41604SM



HEX WRENCH

- A necessity for any archer

DESCRIPTION	PART #
HEX WRENCH	2501



SAUNDERS™ NOCKING POINTS

- 100 pack

DESCRIPTION	PART #
NOCKING POINTS	2800



VIPER D-LOOP PLIERS

- D-loop will not slip or turn
- Chrome finish with easy grip handle
- Pre-stretches loop

DESCRIPTION	PART #
D-LOOP PLIERS	41469



PSE WHEEL PEEP

- Dozen (12) card

DESCRIPTION	PART #
PEEP WHEEL	2823DZ



FASTSET GEL CEMENT

- Perfect for Duravanes
- Sets in seconds!
- 9 gram tube

DESCRIPTION	PART #
FAST SET GEL	2813



GOAT TUFF GLUE

DESCRIPTION	PART #
GOAT TUFF 7 GRAM	41610
GOAT TUFF 1 OUNCE	41622



BITZENBURGER® FLETCHING JIG

- Jig with straight clamp

DESCRIPTION	PART #
FLETCHING JIG	17101



PAPER TARGETS

- Long lasting 100 lbs. tag paper targets

DESCRIPTION	PART #
36" PAPER TARGET	1775
48" PAPER TARGET	1776



CARBON FORCE™ ADVANCED PERFORMANCE ADHESIVE

- Superior strength insert adhesive
- Bonds in seconds!

DESCRIPTION	PART #
CARBON FORCE ADHESIVE 3/4 OZ	41166
CARBON FORCE ADHESIVE 2 OZ	41167



BITZENBURGER® NOCK RECEIVER

- Precisely indexed for 60 degrees x 120 degrees
- 4-fletch
- Perfect for re-fletching TAC Arrows
- Will fit all Bitzenburger Dial-O-Range jig frames

DESCRIPTION	PART #
BITZ. NOCK RECEIVER	41766



2014 ARCHERY ACCESSORIES

SHOP ACCESSORIES



PSE MONGOOSE™ 1/4" PEEP SIGHT

DESCRIPTION	PART #
MONGOOSE 1/4" PEEP DOZEN CARD	2822DZ
MONGOOSE 1/4" PEEP 100 PACK	2822C



PSE MONGOOSE™ 1/8" PEEP SIGHT

DESCRIPTION	PART #
MONGOOSE 1/8" PEEP- DOZEN CARD	2820
MONGOOSE 1/8" PEEP- DOZEN CARD	2820DZ
MONGOOSE 1/8" PEEP- 100 PACK	2820C



PSE PETE SHEPLEY PEEP SIGHT
Includes tubing and peep aligner
Replacement tubing - 4 ft.

DESCRIPTION	PART #
PETE SHEPLEY PEEP	2829
REPLACEMENT TUBING	2822C



RED EYE PEEP SIGHT

- CNC machined concave construction
- Convex entrance pupil is larger in size for better light gathering

DESCRIPTION	PART #
RED EYE 3/16"	41685
RED EYE 1/4"	41684



TRI VIEW PEEP SIGHT

- Ultralight aluminum peep
- Can be installed 3 different ways
- Guaranteed to square peep to eye with any string angle

DESCRIPTION	PART #
TRI VIEW 1/8"	41750
TRI VIEW 3/16"	41751
TRI VIEW 1/4"	41752



PSE NOCKING LOOP

- 9 pack card of string loops
- White or red
- Bulk includes: Ten-4¼", Ten-4½", Thirty- 4¾"

DESCRIPTION	COLOR	PART #
4-1/4"	WHITE	2697
4-1/4"	RED	2697RD
4-1/2"	WHITE	2698
4-1/2"	RED	2698RD
4-3/4"	WHITE	2699
4-3/4"	RED	2699RD
BULK	WHITE	2694
BULK	RED	2694RD



PSE B.E.S.T.™ GRIP PANELS- PAIR

DESCRIPTION	COLOR	PART #
B.E.S.T. GRIP PANEL-PAIR	BLACK	01189BK
B.E.S.T. GRIP PANEL-PAIR	RED	01189RD
B.E.S.T. GRIP PANEL-PAIR	GREEN	01189GN
B.E.S.T. GRIP PANEL-PAIR	BLUE	01189BL
B.E.S.T. GRIP PANEL-PAIR	PINK	01189PK
B.E.S.T. GRIP PANEL-PAIR	PURPLE	01189??
B.E.S.T. GRIP PANEL-PAIR	ORANGE	01189??
B.E.S.T. GRIP PANEL-PAIR	YELLOW	01189??



PSE B.E.S.T.™ ADJUSTABLE GRIP

- Fits all X-Force riser bows with the B.E.S.T.™ Grip (prior to 2010 models)
- Designed to help eliminate hand torque
- Works on either right or left hand bows

DESCRIPTION	PART #
B.E.S.T. ADJ. GRIP	01137



PSE RAPTOR™ ADJUSTABLE GRIP

- Fits all models w/Raptor™ grip
- Easy to install and use

DESCRIPTION	PART #
RAPTOR GRIP	01160



VIBRACHECK™ RUBBER AMBIDEXTROUS GRIP

- Fits all X-Force riser bows with the B.E.S.T.™ Grip (prior to 2010 models)
- Designed to help eliminate hand torque

DESCRIPTION	PART #
B.E.S.T. ADJ. GRIP	01094



PSE NEOPRENE CONVEXOR GRIP

- Fits all 2013-14 models w/Raptor™ and B.E.S.T. grip

DESCRIPTION	PART #
CONVECTOR GRIP	41737



2014 ARCHERY ACCESSORIES SHOP ACCESSORIES



PSE CABLE SLIDE

- Only fits PSE bows 2011-2014

DESCRIPTION	PART #
CABLE SLIDE- BLACK	01163BK
CABLE SLIDE- RED	01163RD
CABLE SLIDE- GREEN	01163GN
CABLE SLIDE- BLUE	01163BL
CABLE SLIDE- PINK	01163PK
CABLE SLIDE-PURPLE	01163PK
CABLE SLIDE-ORANGE	01163PK
CABLE SLIDE- YELLOW	01163PK



PSE REPL. PINS WITH 3/16" BASE

SIZE	COLOR	PART #
.019	RED	41225
.019	YELLOW	41226
.019	GREEN	41227
.029	RED	41228
.029	YELLOW	41229
.029	GREEN	41230
.039	RED	41231
.039	YELLOW	41232
.039	GREEN	41233



PSE ADJUSTABLE SIGHT PIN


SIZE	COLOR	PART #
.019	RED	41673RD
.019	YELLOW	41673YL
.019	GREEN	41673GN



ECLIPSE AND GALAXY SIGHT PIN

- .019 adjustable pin
- Over 8" of high quality fiber optic material

COLOR	PART #
RED	01162RD
YELLOW	01162YL
GREEN	01162GN



PSE SIGHT LEVEL

- Fits any sight with a 3/16" pin track

DESCRIPTION	PART #
SIGHT LEVEL	41269



PSE THIRD AXIS LEVEL

- Fits PSE Orion™, Slider™, Pete Shepley Signature, Eclipse™ and Aries™ sights

DESCRIPTION	PART #
THIRD AXIS LEVEL	41573



RHEOSTAT UV LIGHT

- Fully adjustable
- UV light for better pin visibility

DESCRIPTION	PART #
RHEO LIGHT	41571



INDIGLO UV LIGHT

- UV bulb for better pin visibility

DESCRIPTION	PART #
RHEO LIGHT	41572



PSE X QUIVER MOUNT

- Fits Eclipse™ one-piece quivers only

DESCRIPTION	PART #
X QUIVER MOUNT	01177



PSE ECLIPSE™ QUIVER MOUNT

- Fits Eclipse™ one-piece quivers only

DESCRIPTION	PART #
ECLIPSE QUIVER MOUNT	01161



QUICK-DETACH BRACKET

- Will fit previous and current model PSE quivers

DESCRIPTION	PART #
QUICK-DETACH BRACKET	3395



PSE ECLIPSE™ REPL. FOAM

- Fits Eclipse™ quivers
- Integrated magnet strip

DESCRIPTION	PART #
ECLIPSE FOAM	3390E



PSE REPLACEMENT HOOD FOAM

DESCRIPTION	PART #
4-ARROW	3390S
MONGOOSE	3390M
8-ARROW	3390L
MECH. BLADE	41920
FIXED BLASE	41922



PSE REPLACEMENT HOOD FOAM PSE X QUIVERS

DESCRIPTION	PART #
3-ARROW	01194
5-ARROW	01195



2014 ARCHERY ACCESSORIES SIGNATURE SHIRTS



BACK



BACK



BACK

TEAM PSE SHOOTER SHIRT

DESCRIPTION	PART #	SIZE
TEAM PSE SHIRT	41516M	MED
TEAM PSE SHIRT	41516L	LG
TEAM PSE SHIRT	41516XL	XLG
TEAM PSE SHIRT	41516XXL	XXLG
TEAM PSE SHIRT	41516XXXL	XXXLG

MEN'S ULTRA CLUB POLO

DESCRIPTION	PART #	SIZE
ULTRA CLUB POLO	41802M	MED
ULTRA CLUB POLO	41802L	LG
ULTRA CLUB POLO	41802XL	XL
ULTRA CLUB POLO	41802XXL	XXL
ULTRA CLUB POLO	41802XXXL	XXXL

PSE EXP. PERF MICRO SPORT POLO

DESCRIPTION	PART #	SIZE
EXP PERF MICROSPORT	41733M	M
EXP PERF MICROSPORT	41733L	L
EXP PERF MICROSPORT	41733XL	XL
EXP PERF MICROSPORT	41733XXL	XXL
EXP PERF MICROSPORT	41733XXXL	XXXL

MEN'S REPEAT TEE

DESCRIPTION	PART #	SIZE
REPEAT TEE	41879M	M
REPEAT TEE	41879L	L
REPEAT TEE	41879XL	XL
REPEAT TEE	41879XXL	XXL



SEE THE FULL LINE OF PSE CLOTHING AND ACCESSORIES ONLINE!
WWW.PSE-ARCHERY.COM



2014 ARCHERY ACCESSORIES SIGNATURE SHIRTS



2014 PSE new



PSE skullworks GAMO

PSE BOW HUNTING ESTABLISHED TEE

DESCRIPTION	PART #	SIZE
BH ESTABLISHED TEE	41807M	M
BH ESTABLISHED TEE	41807L	L
BH ESTABLISHED TEE	41807XL	XL
BH ESTABLISHED TEE	41807XXL	XXL

PSE BOW HUNTING EXPERIENCE TEE

DESCRIPTION	PART #	SIZE
BH EXPERIENCE TEE	41804M	M
BH EXPERIENCE TEE	41804L	L
BH EXPERIENCE TEE	41804XL	XL
BH EXPERIENCE TEE	41804XXL	XXL
BH EXPERIENCE TEE	41804XXXL	XXXL

PSE COLOR-BLOCK PERFORMANCE TEE

DESCRIPTION	PART #	SIZE
COLOR-BLOCK TEE	14878M	M
COLOR-BLOCK TEE	14878L	L
COLOR-BLOCK TEE	14878XL	XL
COLOR-BLOCK TEE	14878XXL	XXL

PSE SKULLWORKS' TEE

DESCRIPTION	PART #	SIZE
PSE SKULLWORKS TEE	41857M	M
PSE SKULLWORKS TEE	41857L	L
PSE SKULLWORKS TEE	41857XL	XL
PSE SKULLWORKS TEE	41857XXL	XXL
PSE SKULLWORKS TEE	41857XXXL	XXXL



SEE THE FULL LINE OF PSE CLOTHING
AND ACCESSORIES ONLINE!
WWW.PSE-ARCHERY.COM

Note: Styles and colors may vary slightly



2014 ARCHERY ACCESSORIES SIGNATURE SHIRTS

2014 **+PSE-**
new



BACK

2014 **+PSE-**
new



BACK

PSE LONG SLEEVE LOGO T - SHIRT

DESCRIPTION	PART #	SIZE
EXP PERF LONG SLV	41881M	M
EXP PERF LONG SLV	41881L	L
EXP PERF LONG SLV	41881XL	XL
EXP PERF LONG SLV	41881XXL	XXL

PSE MEN'S CREST TEE

DESCRIPTION	PART #	SIZE
MEN'S CREST TEE	41880M	M
MEN'S CREST TEE	41880L	L
MEN'S CREST TEE	41880XL	XL
MEN'S CREST TEE	41880XXL	XXL

PSE EURO TEE

DESCRIPTION	PART #	SIZE
EURO SHORT SLEEVE-BLK	41806M	M
EURO SHORT SLEEVE-BLK	41806L	L
EURO SHORT SLEEVE-BLK	41806XL	XL
EURO SHORT SLEEVE-BLK	41806XXL	XXL
EURO SHORT SLEEVE-BLK	41806XXXL	XXXL

PSE LOGO T - SHIRT

DESCRIPTION	PART #	SIZE
LOGO T- SHORT SLV	41456M	M
LOGO T- SHORT SLV	41456L	L
LOGO T- SHORT SLV	41456XL	XL
LOGO T- SHORT SLV	41456XXL	XXL
LOGO T- SHORT SLV	41456XXXL	XXXL



SEE THE FULL LINE OF PSE CLOTHING
AND ACCESSORIES ONLINE!
WWW.PSE-ARCHERY.COM



BACK

DESIGN YOUR OWN
PSE PRO SHIRT ONLINE!
[WWW.RAYJUS.COM/
PSEARCHERY](http://WWW.RAYJUS.COM/PSEARCHERY)

Note: Styles and colors may vary slightly



2014 ARCHERY ACCESSORIES SIGNATURE CLOTHING



PSE YOUTH SHOOTER SHIRT*

DESCRIPTION	PART #	SIZE
YOUTH SHOOTER SHIRT	41694S	S (6-7)
YOUTH SHOOTER SHIRT	41694M	M (8-10)

*While supplies last

PSE YOUTH LONG SLEEVE TEE

DESCRIPTION	PART #	SIZE
YOUTH LONG SLV TEE	41885S	S (6-7)
YOUTH LONG SLV TEE	41885M	M (8-10)
YOUTH LONG SLV TEE	41885L	L (12-14)

PSE YOUTH TEE SHIRT

DESCRIPTION	PART #	SIZE
YOUTH TEE SHIRT	41591S	S (6-7)
YOUTH TEE SHIRT	41591M	M (8-10)
YOUTH TEE SHIRT	41591L	L (12-14)

PSE EXP.PERF. LONG SLEEVE TEE

DESCRIPTION	PART #	SIZE
TRIBAL LONG SLV TEE	41679M	M
TRIBAL LONG SLV TEE	41679L	L
TRIBAL LONG SLV TEE	41679XL	XL
TRIBAL LONG SLV TEE	41679XXL	XXL



SEE THE FULL LINE OF PSE CLOTHING
AND ACCESSORIES ONLINE!
WWW.PSE-ARCHERY.COM

Note: Styles and colors may vary slightly



2014 ARCHERY ACCESSORIES

SIGNATURE SEASONAL ITEMS

2014 **+PSE-**
new



BACK

PSE TEXTURED SOFT SHELL (TSS) JACKET

DESCRIPTION	PART #	SIZE
BLACK TSS JACKET	41884M	M
BLACK TSS JACKET	41884L	L
BLACK TSS JACKET	41884XL	XL
BLACK TSS JACKET	41884XXL	XXL

2014 **+PSE-**
new



PSE ARCHERY APPLIQUE' SWEATSHIRT

DESCRIPTION	PART #	SIZE
APPLIQUE' SWEATSHIRT	41068M	M
APPLIQUE' SWEATSHIRT	41068L	L
APPLIQUE' SWEATSHIRT	41068XL	XL
APPLIQUE' SWEATSHIRT	41068XXL	XXL

2014 **+PSE-**
new



BACK

PSE ARCHERY TECH FLEECE HOODIE

DESCRIPTION	PART #	SIZE
TECH FLEECE HOODIE	41734M	M
TECH FLEECE HOODIE	41734L	L
TECH FLEECE HOODIE	41734XL	XL
TECH FLEECE HOODIE	41734XXL	XXL



SEE THE FULL LINE OF PSE CLOTHING AND ACCESSORIES ONLINE!
WWW.PSE-ARCHERY.COM



BACK

DESIGN YOUR OWN PSE PRO SHIRT ONLINE!
WWW.RAYJUS.COM/PSEARCHERY



2014 ARCHERY ACCESSORIES

LADIE'S SIGNATURE ITEMS



PSE LADIES HOODIE

DESCRIPTION	PART #	SIZE
TRI MOUNTAIN PERFORMANCE HOODIE	41882M	M
TRI MOUNTAIN PERFORMANCE HOODIE	41882L	L
TRI MOUNTAIN PERFORMANCE HOODIE	41882XL	XL
TRI MOUNTAIN PERFORMANCE HOODIE	41882XXL	XXL



LADIES METALLIC TEE

DESCRIPTION	PART #	SIZE
LADIES METALLIC TEE	41883S	S
LADIES METALLIC TEE	41883M	M
LADIES METALLIC TEE	41883L	L
LADIES METALLIC TEE	41883XL	XL
LADIES METALLIC TEE	41883XXL	XXL



LADIES 2-4-1 LONG SLEEVED TEE

DESCRIPTION	PART #	SIZE
LADIES LONG SLEEVE T	41803M	M
LADIES LONG SLEEVE T	41803L	L
LADIES LONG SLEEVE T	41803XL	XL
LADIES LONG SLEEVE T	41803XXL	XXL



SEE THE FULL LINE OF PSE CLOTHING AND ACCESSORIES ONLINE!
WWW.PSE-ARCHERY.COM



DESIGN YOUR OWN PSE PRO SHIRT ONLINE!
WWW.RAYJUS.COM/PSEARCHERY

Note: Styles and colors may vary slightly



2014 ARCHERY ACCESSORIES SIGNATURE CAPS

◆ STRUCTURED
LOW PROFILE

* UNSTRUCTURED
LOW PROFILE



2014 PSE new

* VINTAGE WAXED CAP

DESCRIPTION	PART #
VINTAGE WAXED	41886



2014 PSE new

* FEATHERWEIGHT CAP

DESCRIPTION	PART #
FEATHERWEIGHT	41887



◆ BOW HUNTING DESIGN

DESCRIPTION	PART #
BOWHUNTING DESIGN	41821



◆ X-MESH CAP

DESCRIPTION	PART #
X-MESH CAP	41823



◆ OLIVE / BLACK 1/4 MESH CAP

DESCRIPTION	PART #
OLIVE/BLACK	41824



◆ OLIVE SPORT MESH BACK CAP

DESCRIPTION	PART #
OLIVE SPORT	41825



* ESTABLISHED BROWN/TAN CAP

DESCRIPTION	PART #
ESTABLISHED CAP	41715



◆ CHARCOAL STORM CAP

DESCRIPTION	PART #
CHARCOAL STORM	41828



◆ EXP. PERF. SANDWICH BILL CAP

DESCRIPTION	PART #
EXP. PERF. SANDWICH	41849



* SPORT MESH WHITE CAP

DESCRIPTION	PART #
SPORT MESH WHITE	41826



* FRAYED PATCH PRE-CURVED BILL

DESCRIPTION	PART #
FRAYED PATCH	41853



* EXPERIENCE. PERFORMANCE. VISOR

DESCRIPTION	PART #
EXP PERF VISOR	41721

Note: Styles and colors may vary slightly



2014 ARCHERY ACCESSORIES SIGNATURE CAPS

♦ STRUCTURED
LOW PROFILE

* UNSTRUCTURED
LOW PROFILE



♦ MOSSY OAK® BREAKUP® INFINITY®

DESCRIPTION	PART #
INFINITY TAN LOGO	41852



♦ MOSSY OAK® BREAK-UP® MESH

DESCRIPTION	PART #
BREAK UP MESH	41511



♦ MOSSY OAK® BREAKUP® INFINITY®

DESCRIPTION	PART #
BREAK UP INFINITY	41661



♦ MOSSY OAK® TREESTAND®*

DESCRIPTION	PART #
TREESTAND MESH	45354

*While supplies last



♦ SKULLWORKS® CAMO CAP

DESCRIPTION	PART #
SKULLWORKS CAP	41822



SKULLWORKS® SKULL CAP

DESCRIPTION	PART #
SKULLWORKS SKULL	41845



KNIT CAP- BLACK

DESCRIPTION	PART #
KNIT CAP- BLACK	41596



KNIT CAP- CAMO

DESCRIPTION	PART #
KNIT CAP- CAMO	41595



♦ LADIES PINK/TAN CAP

DESCRIPTION	PART #
LADIES PINK/TAN	41820



♦ LADIES CAMO/PINK CAP

DESCRIPTION	PART #
LADIES CAMO/PINK	41717



*LADIES FRAYED, PRE CURVED BILL

DESCRIPTION	PART #
LADIES FRAYED	41851



*SHORT BILL SHOOTER'S CAP

DESCRIPTION	PART #
SHORT BILL SHOOTER'S	41913

2014 **new**

Note: Styles and colors may vary slightly



2014 ARCHERY ACCESSORIES SIGNATURE ITEMS



PSE ESTABLISHED BELT BUCKLE

DESCRIPTION	PART #
PSE BELT BUCKLE	41808



PSE WALL CLOCK

DESCRIPTION	PART #
PSE WALL CLOCK	41813



PSE LICENSE PLATE

- Foam plate

DESCRIPTION	PART #
LICENSE PLATE	41814



PSE LICENSE PLATE- SKULLWORKS®

- Aluminum plate

DESCRIPTION	PART #
LIC PLT-SKULLWORKS	41904



PSE LICENSE PLATE FRAME

- Metal frame

DESCRIPTION	PART #
LICENSE FRAME	41815



PSE KEY FOB

- Pewter with steel ring

DESCRIPTION	PART #
KEY FOB	41819



PSE MOUSE PAD

- Neoprene (mouse not included)

DESCRIPTION	PART #
MOUSE PAD	41905



PSE NECK BAND

- Soft high density braided rope

DESCRIPTION	PART #
NECK BAND	41888



PSE FOLDING KNIFE WITH CERAMIC BLADE

DESCRIPTION	PART #
CERAMIC KNIFE	41847



PSE FOLDING KNIFE WITH CLIP

DESCRIPTION	PART #
FOLDING KNIFE	41567



PSE TARGET PINS

- Dozen target pins with logo

DESCRIPTION	PART #
TARGET PINS	41908



PSE UMBRELLA

- 58" Arc • Auto Open

DESCRIPTION	PART #
UMBRELLA	41664



2014 ARCHERY ACCESSORIES SIGNATURE ITEMS



PSE SKULLWORKS® FULL BACK GLASS DECAL

• Size: 20" x 60" (cut-to-fit roll)

DESCRIPTION	PART #
PSE SKULLWORKS BACK GLASS DECAL	41785SW



BREAKUP® INFINITY® FULL BACK GLASS DECAL

• Size: 20" x 60" (cut-to-fit roll)

DESCRIPTION	PART #
BREAKUP INFINITY BACK GLASS DECAL	41785IF



CARBON FULL BACK GLASS DECAL

• Size: 20" x 60" (cut-to-fit roll)

DESCRIPTION	PART #
CARBON BACK GLASS DECAL	41785CRBN



PSE GEL STICKER

• Size: 12" x 7"

DESCRIPTION	PART #
PSE GEL STICKER	41630



PSE ADHESIVE STICKER

• Size: 2" x 2"

DESCRIPTION	PART #
ADHESIVE STICKER	2515PK



PSE EMBROIDERED PATCH

• Size: 1-1/2" x 1-1/2"

DESCRIPTION	PART #
EMBROIDERED PATCH	2516



PSE ARCHERY DECAL

• Size: 5" x 3-3/4"

DESCRIPTION	PART #
PSE DECAL- 25 PACK	41104



PSE EXPERIENCE. PERFORMANCE. DECAL

• 17" wide die-cut vinyl

DESCRIPTION	PART #
PSE EXPR PERF. DECAL	41647



PSE SKULLWORKS® DECAL

• Size: 8" X 5.25"

DESCRIPTION	PART #
PSE SKULLWORKS DECAL	41809



PSE BANNER "EXPERIENCE. PERFORMANCE."

• 8' wide x 2' tall • Vinyl indoor/outdoor

DESCRIPTION	PART #
BANNER - EXP PERF	41657



SEE THE FULL LINE OF PSE CLOTHING
AND ACCESSORIES ONLINE!
WWW.PSE-ARCHERY.COM



PSE TRIBAL BANNER

• 4' wide x 4' tall

DESCRIPTION	PART #
PSE TRIBAL BANNER	41702



DEALER ENTRY WAY DOOR DECAL

SkullWorks® Camo
• Inside Application 30"x24"
• See-thru mesh design

DESCRIPTION	PART #
DEALER DECAL	41858

EXPERIENCE. PERFORMANCE.

*PSE PRO SERIES BOWS • PSE MAINLINE BOWS • PSE BOWFISHING
PSE HERITAGE™ SERIES • CROSSBOWS • SIGHTS • ARROW RESTS
QUIVERS • SIGHT ACCESSORIES • LOOPS/GRIPS/PEEPS
CARBON FORCE™ ARROWS • ARROW ACCESSORIES
VIBRACHECK™ ACCESSORIES • KING™ ACCESSORIES
DISTRIBUTED ACCESSORIES • HUNTING ACCESSORIES
ARCHERY TOOLS • CLOTHING / GEAR
PSE SIGNATURE ITEMS*

PSE
ARCHERY

PRECISION SHOOTING EQUIPMENT, INC. 2727 N. FAIRVIEW TUCSON, ARIZONA 85705 • 520-884-9065 • www.pse-archery.com

