


2015 PRODUCT GUIDE



→PSE

ARCHERY

EXPERIENCE. PERFORMANCE.



2015 **PSE** ARCHERY


PRO SERIES BOWS

ARCHERY

2015 PRO SERIES BOWS

BOW SUMMARY PAGE 1

PSE
PRO
SERIES



Full Throttle™

Dream Season®
Decree™

DNA™ SP

Source™ HD

Premonition™ HD

Premonition™ HD
Siletto

Freak™ SP

Drive™ LT

ATA/BO SPEED	370-362 FPS	355-347 FPS	345-337 FPS	335-327 FPS	345-337 FPS	345-337 FPS	354-346 FPS @33"	336-328 FPS
BRACE HEIGHT	5-1/4"	6"	6"	7"	6-1/4"	6-1/4"	7-1/8"	7"
AXLE-TO-AXLE	33-1/4"	31-3/8"	31-1/4"	33"	30-5/8"	30-5/8"	38"	31"
LETOFF %	70%	75%	75%	80%	80%	80%	75%	75%
DRAW LENGTH RANGE	26-1/2" TO 30"	24-1/2" TO 30"	24-1/2" TO 30"	25-1/2" TO 31-1/2"	24" TO 30"	24" TO 30"	27-1/2" TO 33"	25-1/2" TO 31"
PEAK WEIGHT	50, 60, 65, 70	50, 60, 65, 70	50, 60, 65, 70	60, 70	60, 70	40, 50	60, 70, 80	50, 60, 70
CAM STYLE	FT FULL THROTTLE™	IC-INERTIA™ CAM HYBRID	SC-SOURCE™ CAM	HD-HYPERDRIVE™	HD-HYPERDRIVE™	HD-HYPERDRIVE™	DC-DRIVE™ CAM HYBRID	DC-DRIVE™ CAM HYBRID
MASS WEIGHT	4.1 LBS.	3.7 LBS.	3.8 LBS.	4.1 LBS.	3.9 LBS.	3.9 LBS.	4.3 LBS.	4.3 LBS.
GRIP STYLE	RAPTOR GRIP™	3RD GEN B.E.S.T.	B.E.S.T. RAPTOR™	B.E.S.T. RAPTOR™	RAPTOR™	RAPTOR™	B.E.S.T. RAPTOR™	RAPTOR™
MAX LIMB BOLT TURNS FROM BOTTOM	7	7	10	10	10	10	10	12
COLOR OPTIONS	BREAK-UP® INFINITY®, SKULLWORKS® OR ALL BLACK	COUNTRY®, SKULLWORKS® OR ALL BLACK	BREAK-UP® INFINITY®, SKULLWORKS® OR ALL BLACK	BREAK-UP® INFINITY®, SKULLWORKS® OR ALL BLACK	BREAK-UP® INFINITY®, SKULLWORKS® OR ALL BLACK	PURPLE RAIN	BREAK-UP® INFINITY®, SKULLWORKS® OR ALL BLACK	BREAK-UP® INFINITY®, SKULLWORKS® OR ALL BLACK
PART NUMBER	1431FT	1531IC	1330SC	1532HD	1533HD	1533HD	1335DC	1435DC RTS 1445DC

2015 PRO SERIES BOWS

BOW SUMMARY PAGE 2

PSE
PRO
SERIES



Fever™ 1 Pro

Dominator™ Max

Dominator™
Max MD

Dominator™
3D Max

Dominator™
3D Max DC

Supra™ Max

Phenom™

Phenom™ SD

ATA/IBO SPEED	312-304 FPS @ 29"	323-315 FPS	316-308 FPS	327-319 FPS	318-310 FPS	332-324 FPS	329-321 FPS	316-308 FPS @ 28-1/2"
BRACE HEIGHT	7"	7-3/8"	7-1/8"	7-3/8"	7-3/4"	7"	7"	6-5/8"
AXLE-TO-AXLE	30"	40-1/4"	40-1/4"	36-1/4"	36-1/8"	37-1/4"	36"	36"
LETOFF %	75%	75%	75%	75%	75%	75%	75%	75%
DRAW LENGTH RANGE	18 1/2 - 29	27" TO 31-1/2"	24-1/2" TO 30"	26 - 30-1/2	27-1/2" TO 33"	25-1/2" TO 30"	25-1/2" TO 30"	23" TO 28-1/2"
PEAK WEIGHT	40,50,60,70	50, 60	50, 60	50, 60	50, 60	40, 50, 60, 70*	40, 50, 60	40, 50, 60*
CAM STYLE	MR-MORPH™ CAM	ME-MINI EVO™ HYBRID	MD-MINI DRIVE™	ME-MINI EVO™ HYBRID	DC-DRIVE™ CAM HYBRID	ME-MINI EVO™ HYBRID	ME-MINI EVO™ HYBRID	MD-MINI DRIVE™
MASS WEIGHT	3.7 LBS.	4.7 LBS.	4.6 LBS.	4.5 LBS.	4.5 LBS.	4.5 LBS.	4.3 LBS.	4 LBS.
GRIP STYLE	RAPTOR™	SYMMETRIC RAPTOR™	SYMMETRIC RAPTOR™	SYMMETRIC RAPTOR™	SYMMETRIC RAPTOR™	B.E.S.T. RAPTOR™	RAPTOR™	RAPTOR™
MAX LIMB BOLT TURNS	12	10	10	10	10	10	10	10
COLOR OPTIONS	BREAK-UP® INFINITY®,	BLACK, BLUE OR RED	BLACK, BLUE OR RED	BLACK, BLUE OR RED	BLACK, BLUE OR RED (POLISHED FINISH)	BLACK, BLUE OR RED (SATIN) OR	BLACK, BLUE OR RED (SATIN)	BLACK®, BLUE OR RED (SATIN)
PART NUMBER	1534MR RTS: 1544MR	1336ME	1336MD	1337ME	1337DC	1338ME	1339ME	1339MD



2015 **PRO SERIES** BOWS

BOW DATA SPECIFICATIONS

PRO SERIES DRAW WEIGHT CHART

DRAW WEIGHTS ARE ±2 POUNDS & ROUNDED TO THE NEAREST 1/2 POUND.

PEAK WEIGHT	FULL THROTTLE	DREAM SEASON DECREE	DNA SP	SOURCE HD	PREMONITION HD	PREMONITION STILETTO	FREAK SP	DRIVE LT	FEVER 1 PRO
Limb Bolt Turns:	7	7	10	10	10	10	10	12	12
% Adj. from Peak:	23%	23%	20%	25%	25%	25%	20%	30%	67%
80 lbs.							80 to 64		
70 lbs.	70 to 54	70 to 54	70 to 56	70 to 52.5	70 to 52.5		70 to 56	70 to 49	70 to 23
65 lbs.	65 to 50	65 to 50	65 to 52						
60 lbs.	60 to 46	60 to 46	60 to 48	60 to 45	60 to 45		60 to 48	60 to 42	60 to 20
50 lbs.	50 to 38.5	50 to 38.5	50 to 40	50 to 37.5	50 to 37.5	50 to 37.5		50 to 35	50 to 16.5
40 lbs.						40 to 30			40 to 13

PEAK WEIGHT	DOMINATOR MAX	DOMINATOR MAX MD	DOMINATOR 3D MAX	DOMINATOR 3D MAX DC	SUPRA MAX	PHENOM	PHENOM SD
Limb Bolt Turns:	10	10	10	10	10	10	10
% Adj. from Peak:	20%	20%	20%	20%	20%	25%	25%
70 lbs.					70 to 56	70 to 52.5	
60 lbs.	60 to 48	60 to 48	60 to 48	60 to 48	60 to 48	60 to 45	60 to 45
50 lbs.	50 to 40	50 to 40	50 to 40	50 to 40	50 to 40	50 to 37.5	50 to 37.5
40 lbs.					40 to 32	40 to 30	40 to 30
29 lbs.							29 to 22

PSE Pro Series String Information

*Note: bows with America's Best Bowstrings purchased direct from ABB. All PSE string lengths can be found on our website: www.pse-archery.com

ITEM NUMBER

ITEM DESCRIPTION

SBC999	SBC,2012,STILETTO,ME	:
SBC115	SBC,2013,STILETTO,ME	:
SBC117	SBC,DRIVE,DC	:
SBC118	SBC,PHENOM,ME	:
SBC128	SBC,PHENOM,SD,MD	:
SBC666	SBC,REVENGE,DC	:
SBC777	SBC,SUPRA,ME	:
SBC888	SBC,VENDETTA,DC	:
SBC125	SBC,VERGE,MD	:
SBC135	SBC,VERGE,STILETTO,MD	:

PSE
PRO
SERIES

2015 PRO SERIES BOWS FULL THROTTLE

370
FEET PER SECOND

PSE challenged our engineers to do the impossible and make the ultimate speed bow, but they didn't just meet that challenge, they blew past it at 370 fps! Of course, lightning speed is just one of the amazing things about the PSE Full Throttle™; it also has a comfortable valley and deadly accuracy. It only takes one shot with the PSE Full Throttle™ to know that competitor's bows are just too slow.

"People ask us why we moved to PSE and the answer is easy; we wanted to shoot the best! The Full Throttle™ is proof that only PSE can engineer and manufacture the fastest production bow ever made."
Casey Keefer - Dropped TV

- Brace Height: 5-1/4"
- Axle-to-Axle: 33-1/4"
- ATA/IBO Speed: 370-362 fps
- Letoff: 70%
- Mass Weight: 4.1 lbs.
- Draw Length Range: 26 1/2" - 30" *
- Draw Weights (lbs.): 50, 60, 65, 70
- Max. Limb Bolt Turns From Bottom: 7 Turns
- Shipped in: 29" DL Specific*
- Cam FT

2015 PSE FULL THROTTLE™ ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
FULL THROTTLE™	1431FT	IF	26-1/2 to 30"	50, 60, 65, 70#
FULL THROTTLE™	1431FT	BK	26-1/2 to 30"	50, 60, 65, 70#
FULL THROTTLE™	1431FT	SW	26-1/2 to 30"	50, 60, 65, 70#

more information at pse-archery.com

*[Draw Length Specific]

BACKSTOP 2

Flex
CABLE SLIDE

Best
OF THE
BEST

Best
OF THE
BEST

skullworks
EYEGLASSES

IF ANY GUY
WANTS TO
BEAT US

WE'LL
GIVE YOU
A \$1000

WE'LL
GIVE YOU
A \$1000

PSE
PRO
SERIES

2015 PRO SERIES BOWS

DREAM
SEASON

DECREE®

355
FEET PER SECOND

PSE has issued a decree that changes everything! The 2015 PSE Dream Season® Decree® is the bow you've been waiting for; it's fast and lethal at 355 fps, and thanks to PSE's all-new Inertia Cam™, the Decree still delivers the comfortable draw, high let-off, and solid back wall that you'd expect from the world's best hunting bow. Built on a 7075 forged aluminum riser, the Decree's special 3D structural design increases stability and rigidity, and its all-new 3rd Gen B.E.S.T.™ Grip means shooting the Decree® is as comfortable as it is fast and accurate.

Available in the all-new Mossy Oak® Country® camo!

2015
new

BREAK-UP
COUNTRY

- Brace Height:6"
- Axle-to-Axle:31-3/8"
- ATA/IBO Speed:355-347 fps
- Letoff:75%
- Mass Weight:3.7 lbs.
- Draw Length Range:24-1/2 - 30"
- Draw Weights (lbs.):50, 60, 65, 70
- Max. Limb Bolt Turns From Bottom:7 Turns
- Shipped In:29"
- Cam:IC

"I can't explain it. Every year it gets better and better. The new Dream Season® Decree® is without a doubt the finest bow I have ever shot. All you have to do is shoot it to understand why."

Mark Drury - Drury Outdoors

2015 PSE DECREE ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DECREE™	1531IC	CY	24-1/2 to 30"	50, 60, 65, 70#
DECREE™	1531IC	BK	24-1/2 to 30"	50, 60, 65, 70#
DECREE™	1531IC	SW	24-1/2 to 30"	50, 60, 65, 70#

BAOSTOP 3 **Flex** **CABLE SLIDE** **COUNTRY**



more information at pse-archery.com

PSE
PRO
SERIES

2015 PRO SERIES BOWS
DNA™ SP

345
FEET PER SECOND

We all know that PSE engineers the fastest bow on the planet at 370 fps; so with our speed bow technology it's no surprise that we could also make a bow with a silky-smooth draw and a comfortable valley that still shoots at blazing speed! This is what makes the PSE DNA™ SP so amazing: it's a smooth pull bow that is light, versatile, and still fires an arrow to its target at up to 345 fps with unbelievable accuracy. Other bow companies struggle to make their bows this smooth and this fast, but PSE does it with ease...easy draw, that is.



- Brace Height:6"
- Axle-to-Axle:31-1/4"
- ATA/IBO Speed:345-337fps
- Letoff:75%
- Mass Weight:3.8 lbs.
- Draw Length Range:24-1/2" to 30"
- Draw Weights (lbs.):50, 60, 65, 70
- Max. Limb Bolt Turns From Bottom:10 Turns
- Shipped In:29"
- Cam:SC

"It's simple; when I'm Dropped for 30 days in the bush my bow is my lifeline...it better be light, fast, and extremely dependable. That's why I carry the DNA SP!"
Chris Keefer - Dropped

2015 PSE DNA™ SP ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DNA SP	1330SC	IF	24-1/2"-30"	50, 60, 65, 70#
DNA™ SP	1330SC	SW	24-1/2"-30"	50, 60, 65, 70#
DNA™ SP	1330SC	BK	24-1/2"-30"	50, 60, 65, 70#

more information at pse-archery.com



PSE
PRO
SERIES

2015 PRO SERIES BOWS
SOURCE[®] HD

335
FEET PER SECOND

The Source™ HD is the ideal Pro Series bow for those who still want to strike a balance between speed and shootability, but are looking for a longer axle-to-axle length. You know that when you've put in the hard work to get the kill of a lifetime you need the right bow for the job, and the Source™ HD packs the accuracy, durability, and the hard-hitting punch you need to drop the toughest game.

2015 **PSE**
new

"The Source™ HD simply blew my mind. I love the longer axle-to-axle length for forgiveness and the incredibly smooth draw of the new HD cam. It may be the best bow in the PSE line."

Hank Parker - Hank Parker's Flesh and Blood

- Brace Height: 7"
- Axle-to-Axle: 33"
- ATA/IBO Speed: 335-327 fps
- Letoff: 80%
- Mass Weight: 4.1 lbs.
- Draw Length Range: 25-1/2" to 31-1/2"
- Draw Weights (lbs.): 60, 70
- Max. Limb Bolt Turns From Bottom: 10 Turns
- Shipped In: 29"
- Cam: HD

2015 PSE SOURCE™ HD ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
SOURCEHD	1532HD	IF	25-1/2" to 31-1/2"	60, 70#
SOURCEHD	1532HD	SW	25-1/2" to 31-1/2"	60, 70#
SOURCEHD	1532HD	BK	25-1/2" to 31-1/2"	60, 70#

BACKSTOP 3



more information at pse-archery.com

PSE
PRO
SERIES

2015 PRO SERIES BOWS

PREMONITION HD

345
FEET PER SECOND

The future is now, and the Premonition™ HD sets the standard for what all compact hunting bows should be! With its short axle-to-axle length the Premonition™ HD is the perfect size for hunting in a blind, but with the new center-pull style HD Cam the bow also gives you speeds of up to 345 fps with a comfortable valley and an 80% let-off. This is the compact bow for true hunters - fast, forgiving, and deadly.

2015 **PSE**
new

"After shooting the Premonition™ HD, I realized that PSE was revolutionizing the hybrid cam market. The new HD cam takes the advantages of a single-cam system and gives it the performance of a hybrid cam. It's amazing!"

Rick Kruefer - Beyond the Hunt

- Brace Height: 6-1/4"
- Axle-to-Axle: 30-5/8"
- ATA/IBO Speed: 345-337 fps
- Letoff: 80%
- Mass Weight: 3.9 lbs.
- Draw Length Range: 24" to 30"
- Draw Weights (lbs.): 60, 70
- Max. Limb Bolt Turns From Bottom: 10 Turns
- Shipped in: 29"
- Cam HD

2015 PSE PREMONITION™ HD ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PREMONITION HD	1533HD	IF	24" to 30"	60, 70#
PREMONITION HD	1533HD	SW	24" to 30"	60, 70#
PREMONITION HD	1533HD	BK	24" to 30"	60, 70#

BACKSTOP 3



more information at pse-archery.com

PSE
PRO
SERIES

2015 PRO SERIES BOWS

PREMONITION™ HD *Stiletto™*

345
FEET PER SECOND

The Premonition™ HD sets the standard for what all compact hunting bows should be, and with the new Stiletto™ Edition it's the perfect choice for short draw female archers. With its short axle-to-axle length the bow is perfect for hunting in a blind, while the new center-pull style HD Cam gives you speeds of up to 345 fps with a comfortable valley and an 80% let-off. This bow is fast, forgiving, deadly, and good looking!

2015 **PSE**
new

"If you know me you know I hunt hard. I expect a lot out of myself and a lot out of my equipment. The Premonition™ HD Stiletto™ is the hardest hitting, lightweight, short draw bow available. Count on it...I do!"
Julie Krueger - Beyond the Hunt

- Brace Height: 6-1/4"
- Axle-to-Axle: 30-5/8"
- ATA/IBO Speed: 345-337 fps
- Letoff: 80%
- Mass Weight: 3.9 lbs.
- Draw Length Range: 24" to 30"
- Draw Weights (lbs.): 40, 50
- Max. Limb Bolt Turns From Bottom: 10 Turns
- Shipped In: 29"
- Cam: HD

2015 PSE PREMONITION™ HD STILETTO™ ORDERING INFORMATION

MODEL	PART #	COLOR	DRAW LENGTH	PEAK WEIGHT
PREMONITION HD STILETTO	1533HD	PR	24" to 30"	40, 50#

BACKSTOP 3



more information at pse-archery.com

© PSE

PSE
PRO
SERIES

2015 PRO SERIES BOWS
FREAK™ SP

354
FEET PER SECOND

The biggest hunters need a bow built just for them; a long draw bow with a 27-33" draw length range that has the power to get the job done at 354 fps. Add to that the smooth draw cycle of PSE's DC™ Cam system and you get the Freak™ SP, an exceptionally smooth long draw bow that dominates the competition.



2015 **PSE**
new



"Every archer with a draw length over 30 inches should be shooting the Freak™ SP. Its fast, forgiving and most importantly, the best long draw bow ever made!"
Pedro Ampuero - PSE Pro Staff

- Brace Height: 7-1/8"
- Axle-to-Axle: 38"
- ATA/IBO Speed: 354-346 fps*
- Letoff: 75%
- Mass Weight: 4.3 lbs.
- Draw Length Range: 27-1/2" to 33"
- Draw Weights (lbs.): 60, 70, 80
- Max. Limb Bolt Turns From Bottom: 10 Turns
- Shipped In: 32"
- Cam DC

2015 PSE FREAK SP™ ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
FREAK™ SP	1335DC	IF	27-1/2" to 33"	60, 70, 80#
FREAK™ SP	1335DC	BK	27-1/2" to 33"	60, 70, 80#
FREAK™ SP	1335DC	SW	27-1/2" to 33"	60, 70, 80#

more information at pse-archery.com

*@33"



PSE
PRO
SERIES

2015 PRO SERIES BOWS DRIVE™ LT

Do you want a hardcore bow without paying a hardcore price? Then you need the PSE Drive™ LT, the best compound bow value on the pro market. The Drive™ LT is all about the fundamentals that make for a great PSE Pro Series bow, including X-Tech™ split limb technology, a premium riser, and the smooth performance DC™ Cam, all while still being lean, mean, and affordable.

336
FEET PER SECOND

- Brace Height: 7"
- Axle-to-Axle: 31"
- ATA/IBO Speed: 336-328 fps
- Letoff: 75%
- Mass Weight: 4.3 lbs.
- Draw Length Range: 25-1/2" to 31"
- Draw Weights (lbs.): 50, 60, 70
- Max. Limb Bolt Turns From Bottom: 12 Turns
- Shipped In: 29"
- Cam: DC

2015 PSE DRIVE™ LT ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DRIVE™ LT	1435DC	IF	25-1/2" to 31"	50, 60, 70#
DRIVE™ LT	1435DC	SW	25-1/2" to 31"	50, 60, 70#
DRIVE™ LT	1435DC	BK	25-1/2" to 31"	50, 60, 70#
READY TO SHOOT DRIVE™ LT	1445DC	IF,SW	25-1/2" to 31"	50, 60, 70#

Ready to Shoot (RTS) includes: Gemini Sight, Whisker Biscuit Rest, Flextech 3 Stabilizer, Shadow Quiver, PSE Neoprene Sling, Peep Sight and Nock Loop

"I have worked in or around the archery industry for over 30 years. In that time I have seen and shot thousands of bows; the Drive™ LT is dollar-for-dollar the best buy in the archery industry."
Jeff Probst - PSE Pro Staff



PSE
PRO
SERIES

2015 PRO SERIES BOWS
FEVER ONE PRO

312
FEET PER SECOND

The Fever™ One Pro is a great choice to find success in the field at an affordable price. It has solid speed, high accuracy, a short axle-to-axle length, and delivers Pro Series performance from a single-cam bow. The Fever™ One Pro also sports the most adjustable single-cam ever made and is available up to a 70 lb. draw. PSE knows that having a small budget doesn't mean shooting small, so shoot big with the Fever™ One Pro!

"Everyone knows what a great bow the Fever™ One was in 2014 and for 2015 it's even better. With the new features and the fact that it is available in 70#, the Fever™ One Pro has it all."
Dave Reisner - Drury Outdoor

- Brace Height:7"
- Axle-to-Axle:30"
- ATA/IBO Speed:312-304 fps
- Letoff:75%
- Mass Weight:3.7 lbs.
- Draw Length Range:18-1/2" to 29"
- Draw Weights (lbs.):40, 50, 60, 70
- Max. Limb Bolt Turns From Bottom: ... 12 Turns
- Shipped In:25"
- Cam:MR

2015 PSE FEVER™ 1 PRO ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
FEVER™ 1 PRO	1534MR	IF	18-1/2" to 29"	40, 50, 60, 70#
FEVER™ 1 PRO	1534MR	BK	18-1/2" to 29"	40, 50, 60, 70#
FEVER™ 1 PRO	1534MR	SW	18-1/2" to 29"	40, 50, 60, 70#
READY TO SHOOT FEVER™ 1 PRO	1544MR	IF,SW	18-1/2" to 29"	40, 50, 60, 70#

Ready to Shoot (RTS) includes: Gemini Sight, Whisker Biscuit Rest, Flexxtech 3 Stabilizer, Shadow Quiver, PSE Neoprene Sling, Peep Sight and Nock Loop

PSE

STING STOP

WARRIOR

skullworks

WARRIOR



P. Heavy Golf Peak-Up™ Infinity Limb and Rest



DRT. Skullwork™ Cam Limb and Rest



M. Solid Back Limb and Rest

PSE
PRO
SERIES

2015 PRO SERIES BOWS
DOMINATOR™ MAX

323
FEET PER SECOND
ME/CAM

316
FEET PER SECOND
MD/CAM

2015
PSE
new

"I make my living shooting a bow. I shoot the Dominator™ Max for one simple reason... it allows me to win!"

Chance Beaubouef - PSE Pro Staff

PSE knows that tournament archers want to do more than just win; you want to dominate! That's why PSE created the Dominator™ Max, the most accurate and forgiving target bow ever made. Designed on a shoot-through riser with X-Technology, it's got the pinpoint precision, stability and vibration control you need to be a champion. Shoot it once and you'll know why the world's best target shooters are upgrading to PSE.

Available by popular demand, check out our MD Cam option for shooters who want a firmer back wall and simpler adjustability.

DOMINATOR™ MAX MD

DOMINATOR™ MAX

- Brace Height: 7-3/8"
- Axle-to-Axle: 40-1/4"
- ATA/IBO Speed: 323-315 fps
- Letoff: 75%
- Mass Weight: 4.7 lbs.

- Draw Length Range: 27" to 31-1/2"
- Draw Weights (lbs.): 50, 60
- Max. Limb Bolt Turns From Bottom: ... 10 Turns
- Shipped In: 29"
- Cam ME

DOMINATOR™ MAX MD

- Brace Height: 7-1/8"
- Axle-to-Axle: 40-1/4"
- ATA/IBO Speed: 316-308 fps
- Letoff: 75%
- Mass Weight: 4.6 lbs.

- Draw Length Range: 24-1/2" to 30"
- Draw Weights (lbs.): 50, 60
- Max. Limb Bolt Turns From Bottom: ... 10 Turns
- Shipped In: 29"
- Cam MD

2015 PSE DOMINATOR™ MAX ORDERING INFORMATION (ME AND MD OPTION)

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DOMINATOR™ MAX	1336ME	RD, BL, BK	27" to 31-1/2"	50, 60#
DOMINATOR™ MAX MD	1336MD	RD, BL, BK	24-1/2" to 30"	50, 60#

more information at pse-archery.com

BACKSTOP 2



FLEX
CABLE SLIDE



RD



BL



BK

PSE
PRO
SERIES

2015 PRO SERIES BOWS

DOMINATOR™ 3D MAX

327
FEET PER SECOND
ME CAM

318
FEET PER SECOND
DC CAM

"It's not a coincidence that after changing over to PSE I had my most successful year as a pro. The Dominator™ Max and Dominator™ 3D Max are simply the best bows I have ever shot!"
Tim Gillingham - PSE Pro Staff

With the PSE Dominator™ Max 3D, tournament archers can also dominate the 3D shooting world! PSE took our Dominator™ Max design and applied it to a shorter axle-to-axle geometry so we could make the best 3D tournament bow on the market today. Designed on a shoot-through riser with X-Technology, the Dominator™ Max 3D has the pinpoint precision, stability and vibration control you need to be a champion!

Available by popular demand, check out our Drive™ Cam (DC) option for shooters who want a firmer back wall and a longer draw length.

DOMINATOR™ 3D MAX DC

DOMINATOR™ 3D MAX

- Brace Height: 7-3/8"
- Axle-to-Axle: 36-1/4"
- ATA/IBO Speed: 327-319 fps
- Letoff: 75%
- Mass Weight: 4.5 lbs.

- Draw Length Range: 26" to 30-1/2"
- Draw Weights (lbs.): 50, 60
- Max. Limb Bolt Turns From Bottom: ... 10 Turns
- Shipped In: 29"
- Cam ME

DOMINATOR™ 3D MAX DC

- Brace Height: 7-3/4"
- Axle-to-Axle: 36-1/8"
- ATA/IBO Speed: 318-310 fps
- Letoff: 75%
- Mass Weight: 4.5 lbs.

- Draw Length Range: 27-1/2" to 33"
- Draw Weights (lbs.): 50, 60
- Max. Limb Bolt Turns From Bottom: ... 10 Turns
- Shipped In: 29"
- Cam DC

2015 PSE DOMINATOR™ MAX ORDERING INFORMATION (ME AND DC OPTION)

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DOMINATOR™ 3D MAX	1337ME	RD, BL, BK	26 TO 30-1/2	50, 60#
DOMINATOR™ 3D MAX	1337DC	RD, BL, BK	27-1/2" to 33"	50, 60#

BACKSTOP 2



Flex
CABLE SLIDE



R. RD



A. BK



B. BK

more information at pse-archery.com

PSE
PRO
SERIES

2015 PRO SERIES BOWS
SUPRA™ MAX

332
FEET PER SECOND

They say you can't improve on a classic, but at PSE we don't play by the old rules. We took one of the most popular target shooting bows ever and didn't just make it better, we blew it up and reinvented it. The Supra™ Max is everything you loved about the Supra™; Planar Flex riser, limbs, cams, you-name-it, but with radically improved shooting performance that makes it one of the finest target bows on the market.

"I personally prefer a traditional riser to a shoot-through riser. That's why I shoot the Supra™ Max...that, and the fact that it's the best bow I've ever held in my hands."
Nathan Brooks - PSE Pro Staff

- Brace Height: 7"
- Axle-to-Axle: 37-1/4"
- ATA/IBO Speed: 332-324 fps
- Letoff: 75%
- Mass Weight: 4.5 lbs.
- Draw Length Range: 25-1/2" to 30"
- Draw Weights (lbs.): 40, 50, 60, 70
- Max. Limb Bolt Turns From Bottom: ... 10 Turns
- Shipped In: 29"
- Cam: ME

2015 PSE SUPRA™ MAX ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
SUPRA™ MAX	1338ME	RD	25-1/2" to 30"	40, 50, 60#
SUPRA™ MAX	1338ME	BL	25-1/2" to 30"	40, 50, 60#
SUPRA™ MAX	1338ME	BK	25-1/2" to 30"	40, 50, 60, 70#
SUPRA™ MAX	1338ME	IF	25-1/2" to 30"	60, 70#



more information at pse-archery.com

PSE
PRO
SERIES

2015 PRO SERIES BOWS
PHENOM™

329
FEET PER SECOND

At PSE, we know you want to break your opponents, not the bank. So we stepped up to the challenge of delivering a unique bow at a unique price and got the job done! The Phenom is the ultimate bow for savvy target shooters on a budget. With its X-Technology, pivoting limb pockets, premium riser, and Raptor grip, shooting the Phenom is an incredibly forgiving and accurate experience at a PHENOMenal price.

- Brace Height: 7"
- Axle-to-Axle: 36"
- ATA/IBO Speed: 329-321 fps
- Letoff: 75%
- Mass Weight: 4.3 lbs.
- Draw Length Range: 25-1/2" to 30"
- Draw Weights (lbs.): 40, 50, 60
- Max. Limb Bolt Turns From Bottom: 10 Turns
- Shipped In: 29"
- Cam ME

"The Phenom is one of most impressive bows in the PSE target line. Its amazing the features and quality that the engineers were able to put into this very affordable bow; the Phenom™ will compete on the highest level."
Joseph Goza - PSE Pro Staff, 2014 IBO Shooter of the Year

2015 PSE PHENOM™ ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PHENOM™	1339ME	RD	25-1/2" to 30"	40,50,60#
PHENOM™	1339ME	BL	25-1/2" to 30"	40,50,60#
PHENOM™	1339ME	BK	25-1/2" to 30"	40,50,60#



more information at pse-archery.com

PSE
PRO
SERIES

2015 PRO SERIES BOWS

PHENOM™ SD

316
FEET PER SECOND

PSE stepped up to the challenge of delivering a unique bow at a unique price with the Phenom™ SD and got the job done! This great bow features an upgraded Mini Drive™ Cam for a firmer back wall and more adjustability, but still reigns as the ultimate bow for savvy target shooters on a budget. With its X-Technology™, pivoting limb pockets, premium riser, and Raptor™ grip, shooting the Phenom™ SD is an incredibly forgiving and accurate experience at a PHENOMental price.

"There are a lot of bows that will adjust down to my draw length, but what I love about the Phenom™ SD is that it's engineered for peak performance at shorter draw lengths. The Phenom™ SD is a perfect combination of affordability and performance for short-draw archers."


Paige Pearce - PSE Pro Staff

- Brace Height: 6-5/8"
- Axle-to-Axle: 36"
- ATA/IBO Speed: 316-308 fps*
- Letoff: 75%
- Mass Weight: 4.0 lbs.
- Draw Length Range: 23" to 28-1/2"
- Draw Weights (lbs.): 40, 50, 60*
- Max. Limb Bolt Turns From Bottom: 10 Turns
- Shipped In: 25"
- Cam: MD

2015 PSE PHENOM™ SD ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PHENOM™ SD	1339MD	RD	23" to 28-1/2"	40, 50#
PHENOM™ SD	1339MD	BL	23" to 28-1/2"	40, 50#
PHENOM™ SD	1339MD	BK	23" to 28-1/2"	40, 50, 60#

BACKSTOP 2



*@28.5"

more information at pse-archery.com



2015 **PSE** ARCHERY
MAINLINE BOWS ®

ARCHERY

2015 MAINLINE BOWS

BOW SUMMARY PAGE 1



Bow Madness™ 34

Bow Madness™ 32

Bow Madness™ 30

Surge™

Stinger™ X

Stinger™ X Stiletto

ATA/IBO SPEED	342-334 FPS	340-332 FPS	330-322 FPS	320-312 FPS	316-308 FPS	316-308 FPS
BRACE HEIGHT	6"	6"	6-1/2"	7-1/4"	7-1/8"	7-1/8"
AXLE-TO-AXLE	34-1/4"	32-3/8"	29-3/4"	32-1/2"	32-1/2"	32-1/2"
LETOFF %	80%	80%	80%	75%	75%	75%
DRAW LENGTH RANGE	24-1/2 to 30-1/12"	24" to 30"	23 1/2 to 30"	19-1/2" to 30"	21" to 30"	21" to 30"
PEAK WEIGHT	50, 60, 70	50, 60, 70	50, 60, 70	50, 60, 70	50, 60, 70	40,50
COLOR OPTIONS	BREAK-UP® INFINITY®,	PURPLE RAIN™				
MAX LIMB BOLT TURNS FROM BOTTOM	12	10	10	12	12	12
BOW ONLY PART #	1501MH	1502MH	1503M2	1403MR	1504SX	1504SX
RTS PACKAGE PART #	1511MH	1512MH	1513M2	1413MR	1514SX	1514SX
FR PACKAGE PART #	1521MH	1522MH	1523M2	1423MR	1524SX	-

2015 MAINLINE BOWS

BOW SUMMARY PAGE 2



Fever™



Elation™



Mini Burner™ XT



Tidal Wave™



Discovery™ BF



Discovery™ 2

ATA/IBO SPEED	304-296 FPS @29"	N/A	276-268 FPS @ 28"	N/A	N/A	N/A
BRACE HEIGHT	6-3/8"	6"	7-1/8"	6"	6-1/2"	6-1/2"
AXLE-TO-AXLE	32"	32-1/4"	26-1/2"	32-1/4"	31-1/2"	31-1/2"
LETOFF %	70%	N/A	70%	-	-	-
DRAW LENGTH RANGE	11" to 29"	Up to 30"	11-1/2" to 28"	Up to 30"	Up to 30"	Up to 30"
PEAK WEIGHT	29, 40, 50, 60	29, 40	20, 29, 40, 50	40	29, 40	20, 29
COLOR OPTIONS	BREAK-UP® INFINITY®, ALL BLACK, PURPLE RAIN™ OR SKULLWORKS®	GREEN SKULLWORKS®	BREAK-UP® INFINITY®, ALL BLACK, PURPLE RAIN (NOT 50#) OR SKULLWORKS®	REAPER™ H ₂ O XL	REAPER™ H ₂ O XL	BREAK-UP® INFINITY®, HAMMERTONE BLUE OR HAMMERTONE RED
MAX LIMB BOLT TURNS FROM BOTTOM	12	12	6	12	6	6
BOW ONLY PART #	1405VS	1406MZ	1106VS	1406MZ	0517MZ	0517MZ
RTS PACKAGE PART #	1415VS	-	1116VS	1416MZ (COMBO)	0527MZ (COMBO)	-

RTS = READY TO SHOOT



2015 MAINLINE BOWS

BOW DATA SPECIFICATIONS

MAIN LINE DRAW WEIGHT CHART

DRAW WEIGHTS ARE ±2 POUNDS & ROUNDED TO THE NEAREST 1/2 POUND.

PEAK WEIGHT	BOW MADNESS 34	BOW MADNESS 32	BOW MADNESS 30	SURGE	STINGER X	STINGER X STILETTO
Limb Bolt Turns:	12	10	10	12	12	12
% Adj. from Peak:	30%	25%	25%	67%	54%	54%
70 lbs.	70 to 49	70 to 52.5	70 to 52.5	70 to 23	70 to 32	
60 lbs.	60 to 42	60 to 45	60 to 45	60 to 20	60 to 27.5	
50 lbs.	50 to 35	50 to 37.5	50 to 37.5	50 to 16.5	50 to 23	50 to 23
40 lbs.						40 to 18.5
29 lbs.						
20 lbs.						

DRAW WEIGHTS ARE ±2 POUNDS & ROUNDED TO THE NEAREST 1/2 POUND.

PEAK WEIGHT	FEVER	MINI BURNER XT	DISCOVERY 2	DISCOVERY BF	ELATION	TIDAL WAVE
Limb Bolt Turns:	12	6	6	6	12	12
% Adj. from Peak:	86%	82%	33%	33%	30%	30%
70 lbs.						
60 lbs.	60 to 8.5					
50 lbs.	50 to 7	50 to 9				
40 lbs.	40 to 5.5	40 to 7		40 to 27	40 to 28	40 to 28
29 lbs.	29 to 4	29 to 5	29 to 19.5	29 to 19.5	29 to 20.5	
20 lbs.		20 to 3.5	20 to 13.5			

PSE Mainline String Information

All PSE string lengths can be found on our website:

www.pse-archery.com

Item number	Item description	Item number	Item description
SB555	SB, BM3G, MP	SB516	SB, MOMENTUM, AP
SB444	SB, BMXL, MP	SB006	SB, PROPHECY, AP
SB666	SB, BMXS, MP	SB999	SB, RALLY, OP
SB108	SB, BOWMADNESS30, MZ	SB008	SB, SINISTER, AP
SB515	SB, BOWMADNESSXP, AP	SB717	SB, STINGER, SX
SB777	SB, BRUTE, MP	SB888	SB, STINGER3G, HP
SB010	SB, CHAOS, AD	SB787	SB, SURGE, MR
SB222	SB, CHAOS, FC	SB818	SB, VISION, VS
SB333	SB, CHAOS, NI	SB011	SB, WAVE, HB
SB009	SB, CHAOSONE, HP	SB002	SB, WAVE, NB
SB003	SB, DEERHUNTR, S3, 2440	SB010	SB, BOWMADNESS32, MH
SB004	SB, DEERHUNTR, S3, 2755	SB016	SB, BOWMADNESS34, MH
SB005	SB, DEERHUNTR, S3, 2965		
SB001	SB, DISCOVERY, MZ		
SB313	SB, FEVER, MR		
SB212	SB, FEVER, VS		
SB111	SB, MINIBURN, FC		



2015 MAINLINE BOWS BOW MADNESS 34

342
FEET PER SECOND

For years the PSE Bow Madness™ has been a leader in single-cam, high-performance bows...but all that is about to change. For 2015, PSE is proud to introduce the new Bow Madness™ 34 with the exclusive Madness™ Hybrid Cam! It adjusts like a single cam, but gives you the performance boost you want from a hybrid. The new Bow Madness™ 34 also features a forged riser, 34-1/4" axle-to-axle, 80% let-off, and fires at a blistering 342 fps.

2015 **PSE**
new

- Brace Height:6"
- Axle-to-Axle:34-1/4"
- ATA/IBO Speed:342-334 fps
- Letoff:80%
- Mass Weight:4.1 lbs.
- Draw Length Range:24-1/2" to 30-1/2"
- Draw Weights (lbs.):50, 60, 70
- Max. Limb Bolt Turns From Bottom:12 Turns
- Shipped In:29"
- Cam:MH

"People have been waiting a long time for PSE to put their incredible hybrid cam technology into a main line bow. Well here it is guys, a bow that I am proud to put my name and reputation on."
Terry Drury - Drury Outdoors

2015 PSE BOW MADNESS™ 34 ORDERING INFORMATION

	MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
	BOW MADNESS 34	1501MH	IF,SW,BK	24-1/2 to 30-1/2"	50, 60, 70#
READY TO SHOOT	BOW MADNESS 34	1511MH	IF,SW	24-1/2 to 30-1/2"	50, 60, 70#
FIELD READY	BOW MADNESS 34	1521MH	IF	24-1/2 to 30-1/2"	50, 60, 70#

Ready to Shoot (RTS) includes: Aries Sight, Whisker Biscuit Rest, Flextech 3 Stabilizer, Shadow Quiver, PSE Neoprene Sling, Peep Sight and Nock Loop
Field Ready (FR) includes: All Ready to Shoot accessories above plus: True-Fire Hurricane Release, Supreme Bowcase and a 4-pack of PSE X-Weave Arrows





2015 MAINLINE BOWS BOW MADNESS 32

340
FEET PER SECOND

2015 **PSE**
new

"PSE's hybrid cam technology on a bow that retails for \$5999? I could tell you about how fast, smooth and accurate this bow is... but you'll have to shoot it yourself to really understand."

John O'Dell - Dirty Outdoors

For years the PSE Bow Madness™ has been a leader in single-cam, high-performance bows...but all that is about to change. Meet the new Bow Madness™ 32 with the Madness™ Hybrid Cam! It adjusts like a single cam, but gives you all the performance of a hybrid cam bow. This medium-length, 32-3/8" axle-to-axle bow also features an 80% let-off, and shoots up to 340 fps.

- Brace Height: 6"
- Axle-to-Axle: 32-3/8"
- ATA/IBO Speed: 340-332 fps
- Letoff: 80%
- Mass Weight: 4.1 lbs.
- Draw Length Range: 24" to 30"
- Draw Weights (lbs.): 50, 60, 70
- Max. Limb Bolt Turns From Bottom: 10 Turns
- Shipped In: 29"
- Cam: MH

2015 PSE BOW MADNESS™ 32 ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
BOW MADNESS 32	1502MH	IF,SW,BK	24 to 30"	50, 60, 70#
READY TO SHOOT	BOW MADNESS 32	1512MH	IF,SW	50, 60, 70#
FIELD READY	BOW MADNESS 32	1522MH	IF	50, 60, 70#

Ready to Shoot (RTS) includes: Aries Sight, Whisker Biscuit Rest, Flextech 3 Stabilizer, Shadow Quiver, PSE Neoprene Sling, Peep Sight and Nock Loop
Field Ready (FR) includes: All Ready to Shoot accessories above plus: True-Fire Hurricane Release, Supreme Bowcase and a 4-pack of PSE X-Weave Arrows

more information at pse-archery.com



IF Mossy Oak Break-Up Infinity Limbs and Riser



IF Skullworks Cam Limbs and Riser



IF Solid Black Limbs and Riser

PSE ARCHERY 2015 MAINLINE BOWS
BOW MADNESS 30

330
 FEET PER SECOND

PSE's 2015 Bow Madness™ hybrid models are undoubtedly awesome, but don't think we've forgotten about you single-cam purists out there. The Bow Madness™ 30 is the perfect single-cam bow for the hunter who likes their bows light and compact. Perfect for tree stand hunting, the all-new Bow Madness™ 30 features the Madness™ M2 cam, making the bow adjustable, accurate, and a smooth shot at 330 fps.

2015 **PSE** new

- Brace Height: 6-1/2"
- Axle-to-Axle: 29-3/4"
- ATA/IBO Speed: 330-322 fps
- Letoff: 80%
- Mass Weight: 3.8 lbs.
- Draw Length Range: 23-1/2" to 30"
- Draw Weights (lbs.): 50, 60, 70
- Max. Limb Bolt Turns From Bottom: 10 Turns
- Shipped In: 29"
- Cam: M2

"I don't get to spend the amount of time on the practice range that my dad and Mark get to spend. I want a bow that is easy to shoot, requires little to no maintenance and is built for a freestand. The Bow Madness 30 is the perfect bow for me."
Matt Drury Drury Outdoors

2015 PSE BOW MADNESS™ 30 ORDERING INFORMATION

	MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
	BOW MADNESS 30	1503M2	IF,SW,BK	23 1/2 to 30"	50, 60, 70#
READY TO SHOOT	BOW MADNESS 30	1513M2	IF,SW	23 1/2 to 30"	50, 60, 70#
FIELD READY	BOW MADNESS 30	1523M2	IF	23 1/2 to 30"	50, 60, 70#

Ready to Shoot (RTS) includes: Aries Sight, Whisker Biscuit Rest, Flextech 3 Stabilizer, Shadow Quiver, PSE Neoprene Sling, Peep Sight and Nock Loop
Field Ready (FR) includes: All Ready to Shoot accessories above plus: True-Fire Hurricane Release, Supreme Bowcase and a 4-pack of PSE X-Weave Arrows



Get More Information at pse-archery.com

PSE ARCHERY 2015 MAINLINE BOWS
SURGE

320
 FEET PER SECOND

PSE knows that you want a high-performance hunting bow that won't break the bank, and that's why we engineered the PSE Surge™! The Surge sets the standard for performance in an economical bow; it's lightweight with an incredibly stable split limb design, and also features the most adjustable single-cam on the market. With power, accuracy, stability, and versatility, the Surge™ delivers pro-style performance from an affordable single-cam bow.

"I don't pick a bow based on what will impress my buddies in camp. I want it to be fast, quiet, accurate and reliable. That's the Surge™. It may be the best pure hunting bow in the PSE line."

Ronnie "Cuz" Strickland - Mossy Oak®

- Brace Height: 7-1/4"
- Axle-to-Axle: 32-1/2"
- ATA/IBO Speed: 320-312 fps
- Letoff: 75%
- Mass Weight: 4.3 lbs.
- Draw Length Range: 19-1/2" to 30"
- Draw Weights (lbs.): 50, 60, 70
- Max. Limb Bolt Turns From Bottom: 12 Turns
- Shipped In: 29"
- Cam: MR

2015 PSE SURGE™ ORDERING INFORMATION

	MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
	SURGE	1403MR	IF,SW,BK	19-1/2 to 30"	50, 60, 70#
READY TO SHOOT	SURGE	1413MR	IF,SW	19-1/2 to 30"	50, 60, 70#
FIELD READY	SURGE	1423MR	IF	19-1/2 to 30"	50, 60, 70#

Ready to Shoot (RTS) includes: Gemini Sight, Whisker Biscuit Rest, Flextech 3 Stabilizer, Shodow Quiver, PSE Neoprene Sling, Peep Sight and Nock Loop

Field Ready (FR) includes: All Ready to Shoot accessories above plus: True-Fire Hurricane Release, Supreme Bowcase and a 4-pack of PSE X-Weave Arrows

STING STOP



more information at pse-archery.com

PSE ARCHERY 2015 MAINLINE BOWS STINGER X

316
FEET PER SECOND

The PSE Stinger is the classic workhorse bow for the aspiring hunter, and now the all-new 2015 PSE Stinger X has taken that reputation for affordable performance to a whole new level! Featuring high-performance X-Tech split limbs and the highly-adjustable SX cam, shooting the Stinger X means having a bow that's lighter, faster, delivers a smooth shot and legendary reliability at an unforgettable price.

2015 **PSE** new

- Brace Height: 7-1/8"
- Axle-to-Axle: 32-1/2"
- ATA/IBO Speed: 316-308 fps
- Letoff: 75%
- Mass Weight: 3.5 lbs.
- Draw Length Range: 21" to 30"
- Draw Weights (lbs.): 50, 60, 70
- Max. Limb Bolt Turns From Bottom: 12 Turns
- Shipped In: 29"
- Cam: SX

Our high-end, thousand dollar bows are impressive, but without a doubt, the most revolutionary bow in the PSE line is the all new Stinger X. A split limb, lightweight, hard hitting bow that retails for \$299. Enough said!"
Jan Shepley - PSE President

2015 PSE STINGER™ X ORDERING INFORMATION

	MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
	STINGER X	1504SX	IF,SIN,BK	21 to 30"	50, 60, 70#
READY TO SHOOT	STINGER X	1514SX	IF,SW	21 to 30"	50, 60, 70#
FIELD READY	STINGER X	1524SX	IF	21 to 30"	50, 60, 70#

Ready to Shoot (RTS) includes: Gemini Sight, Whisker Biscuit Rest, Shadow Quiver, Flextech 3 Stabilizer, PSE Neoprene Sling, Peep Wheel and Nock Set
Field Ready (FR) includes: All Ready to Shoot accessories above plus: True-Fire Hurricane Release, Supreme Bowcase and a 4-pack of PSE X-Weave Arrows

Arrows not included in RTS package

STING STOP





2015 MAINLINE BOWS

STINGER X *Stiletto*

316
FEET PER SECOND

The all-new 2015 PSE Stinger X Stiletto Edition has taken the Stinger™ reputation for affordable performance to a whole new level! Featuring a special finish and draw weight range tailored for the lady hunter, the Stinger™ X Stiletto Edition boasts high-performance X-Tech™ split limbs and the highly-adjustable SX cam. Shooting the Stinger™ X Stiletto Edition means having a bow that's lighter, faster, and delivers a smooth shot and legendary reliability at an unforgettable price.

2015 **new**

Arrows not included in RTS package

- Brace Height: 7-1/8"
- Axle-to-Axle: 32-1/2"
- ATA/IBO Speed: 316-308 fps
- Letoff: 75%
- Mass Weight: 3.5 lbs.
- Draw Length Range: 21" to 30"
- Draw Weights (lbs.): 40, 50
- Max. Limb Bolt Turns From Bottom: ... 12 Turns
- Shipped In: 29"
- Cam: SX

"There are a lot of bow companies building women's bows out there for \$700-\$900, but that isn't practical for a woman just getting into the sport. The new Stinger™ X Stiletto has all the features I demand at a fraction of the price."
Jada Johnson - Big Boys Adventure

2015 PSE STINGER™ X STILETTO ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
STINGER X-STILETTO	1504SX	PR	21 to 30"	40, 50#
READY TO SHOOT STINGER X-STILETTO	1514SX	PR	21 to 30"	40, 50#

Ready to Shoot (RTS) includes: Gemini Sight, Whisker Biscuit Rest, Shadow Quiver, Flextech 3 Stabilizer, PSE Neoprene Sling, Peep Wheel and Nock Set

STING STOP



PSE 2015 MAINLINE BOWS
ARCHERY **FEVER™**

304
FEET PER SECOND

Anything worth doing is worth doing right, so when you bring a young hunter into the sport of archery you don't just want them to try it...you want them to catch the Fever! That's why PSE developed the Fever™: it's highly adjustable for growing archers, but still has the big time performance and accuracy of adult bows.

"I'm not a kid anymore, but I am still growing and getting stronger. I need a bow that not only adjusts to fit me, but one that has the power and performance that I need to get the job done on big Midwestern whitetails. The Fever™ does it all."
Wyatt Gregory with Jay Gregory - The Wild Outdoors

- Brace Height: 6-3/8"
- Axle-to-Axle: 32"
- ATA/IBO Speed: 304-296 fps*
- Letoff: 70%
- Mass Weight: 3.6 lbs. @ 29"
- Draw Length Range: 11" to 29"
- Draw Weights (lbs.): 29, 40, 50, 60
- Max. Limb Bolt Turns From Bottom: 12 Turns
- Shipped In: 25"
- Cam: VS

2015 PSE FEVER™ ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
FEVER	1405VS	IF,SW,BK,PR	11 to 29"	29, 40, 50, 60#
READY TO SHOOT FEVER	1415VS	IF,SW,BK,PR	11 to 29"	29, 40, 50, 60#

Ready to Shoot (RTS) includes: Gemini Sight, Whisker Biscuit Rest, Shadow Quiver, Peep Wheel and Nock Set

STING
STOP




new

more information at pse-archery.com

PSE ARCHERY 2015 MAINLINE BOWS
E LATION™

Elation is a state of extreme happiness, of euphoria. It's also what young shooters will experience when they shoot the new Elation™ bow. This bow is designed with a constant draw weight out to 30" so it will fit anyone, from kids to adults. Engineered and built with all the quality you expect from PSE, the Elation™ is the perfect bow for ranges, 4-H clubs, Scout troops or anyone wanting to introduce new archers to the sport.



- Brace Height:6"
- Axle-to-Axle:32-1/4"
- Mass Weight:3.3 lbs.
- Draw Length Range:To 30"
- Draw Weights (lbs.):29, 40
- Max. Limb Bolt Turns From Bottom:12 Turns
- Shipped In:30"
- CamMZ

"There are a lot of bows designed to introduce kids to the sport, but the Elation is a full sized bow with a constant draw weight so that you can introduce teenagers and adults to the sport."
Scott Stames- PSE Pro Staff

2015 PSE ELATION™ ORDERING INFORMATION				
MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
ELATION	1406MZ	GS	Up to 30"	29, 40#





2015 MAINLINE BOWS MINI BURNER™ XT

276
FEET PER SECOND

At PSE we don't make kiddie bows; we want to make sure that even the youngest hunter has a compound bow that rocks! That's why we made the Mini Burner™ XT. With the new adjustable Vision™ cam system and Mini SF limb tech, this bow is designed to grow with your young hunter. The Mini Burner™ XT easily switches from constant peak weight to grow-with-you adjustments without the need for a bow press!

"Introducing a kid to our sport is an investment. It may be one of the most important investments I will ever make. I'm not going to risk that by putting a toy bow in their hands. My kids are worth the Mini Burner™."
Travis Priefert - Backwoods

- Brace Height: 7-1/8"
- Axle-to-Axle: 26-1/2"
- ATA/IBO Speed: 276-268 fps
- Letoff: 70%
- Mass Weight: 2.6 lbs.
- Draw Length Range: 11-1/2" to 28"
- Draw Weights (lbs.): 20, 29, 40, 50*
- Max. Limb Bolt Turns From Bottom: 6 Turns
- Shipped In: 25"
- Cam: XT

2015 PSE MINI BURNER™ XT ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
MINI BURNER XT	1106VS	IF,SW,PR	11-1/2 to 28"	20, 29, 40, 50*#
READY TO SHOOT MINI BURNER XT	1116VS	IF,SW,PR	11-1/2 to 28"	20, 29, 40, 50*#

THE MINI BURNER™ UPGRADE OPTION!

UPGRADE OPTION: Upgrade to the next weight option for \$65.00 plus shipping, handling and service fees.

Ready to Shoot (RTS) includes: Gemini Sight, Whisker Biscuit Rest, Shadow Quiver, Peep Wheel and Nock Set

*50# not available in Purple Rain

more information at pse-archery.com



PSE ARCHERY 2015 MAINLINE BOWS
DISCOVERY 2

Introduce your entire family the joy of archery with the PSE Discovery 2! With a continuous draw cycle of up to 30 inches, the Discovery 2 cam design ramps up to reach the bow's peak weight then holds a constant draw weight, making it the perfect beginner bow for youth and adults alike.

-  CAMPS
-  SCOUTS
-  4-H
-  SCHOOLS
-  FAMILY FUN



- Brace Height: 6-1/2"
- Axle-to-Axle: 31-1/2"
- Mass Weight: 2.7 lbs.
- Draw Length Range: Up to 30"
- Peak Weights (lbs.): 20, 29

"There is nothing more important than introducing kids to the sport of archery and there is no better bow to do that with than the Discovery™ 2. It's the only bow I trust with the future of our sport."
BW Epeards - PSE Pro Staff

2015 PSE DISCOVERY™ 2 ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DISCOVERY 2	0517MZ	IF,BL,RD,	Up to 30"	20, 29#

DISCOVERY™ 2 DRAW PROFILE



more information at pse-archery.com



2015 **PSE** ARCHERY

BOWFISHING BOWS

ARCHERY

PSE ARCHERY 2015 **BOWFISHING** BOWS
TIDAL WAVE™

We know that bowfishing is more than just an off-season hobby, it's a passion. That's why we engineered the PSE Tidal Wave™ – the ultimate bowfishing bow. The Tidal Wave™ is perfect for the boat or the water, pulling a constant draw weight for snap shooting, and featuring a 32" axle-to-axle length for maneuverability.

With its durable design and stainless steel fasteners, the Tidal Wave™ is designed to survive even the toughest conditions, and now it's available in a brand new color for 2015!

2015 **PSE** **new**
 NEW COLOR FOR 2015



- Brace Height: 6"
- Axle-to-Axle: 32-1/4"
- Mass Weight: 3.3 lbs.
- Draw Lengths: To 30"
- Draw Weight: 40 lbs.
- Finish: [DB] Reaper H2O™ XL
- Bow only #: 1406MZ
- Bowfishing Combo #: 1416MZ
- Maximum Limb Bolt Turns From Bottom: 12 Turns

"I take bowfishing very seriously and I demand serious bowfishing equipment. The Tidal Wave™ has all the features I'm looking for and is built to handle the toughest bowfishing conditions."
Billy "Cattish" Parker - Hank Parker's Flesh and Blood

2015 PSE TIDAL WAVE™ ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
TIDAL WAVE™	1406MZ	DB	Out to 30"	40#
TIDAL WAVE™ PKG	1416MZ	DB	Out to 30"	40#

Combo includes: AMS bowfishing reel with line, Snap Shot rest, 2 bowfishing arrows with safety slide and bowfishing points






2015 BOWFISHING BOWS DISCOVERY™ BOWFISHING

When you told us that you loved using the Discovery™ bow for bowfishing, we knew you were on to something good. That's why the Discovery™ Bowfishing compound bow has become a fixture in the PSE line.

The Discovery™ Bowfishing features a light, compact design, a constant draw weight out to 30", and an economical price, making it ideal for reeling in the big ones on a budget.



"For years people have been converting hunting bows into bowfishing bows to save money. Now with the Discovery™ Bowfishing bow you can have a real bowfishing bow at a very affordable price."
Blake Shelby- PSE Vice President- Sales and Marketing

- Brace Height: 6-1/2"
- Axle-to-Axle: 31-1/2"
- Mass Weight: 2.7 lbs.
- Draw Lengths: To 30"
- Draw Weight: 29, 40 lbs.
- Finish: Reaper H2O™XL
- Bow only #: 0517MZ
- Bowfishing Combo #: 0527MZ
- Maximum Limb Bolt Turns From Bottom: 6 Turns

2015 PSE DISCOVERY™ BOWFISHING ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DISCOVERY BF	0517MZ	REAPER H2O XL	Out to 30"	29, 40#
DISCOVERY BF PKG	0527MZ	REAPER H2O XL	Out to 30"	29, 40#

Combo includes: AMS bowfishing reel with line, Snap Shot rest, 2 bowfishing arrows with safety slide and bowfishing points





2015 BOWFISHING BOWS KINGFISHER™

2015 BOWFISHING ACCESSORIES



KINGFISHER™ BOWFISHING KIT

Kit includes:

- Kingfisher™ bow in 40#, 45# or 50#
- Front mounted reel
- 50 feet of 80 lb. test line
- 31" solid fiberglass arrow
- Bowfishing arrow with point
- Snap Shot rest
- All season camo finish
- Right hand only

BOW ONLY	PART #
KINGFISHER 40#	0884RAS6040
KINGFISHER 45#	0884RAS6045
KINGFISHER 50#	0884RAS6050

KINGFISHER KIT	PART #
KINGFISHER KIT 40#	1229RAS6040
KINGFISHER 45#	1229RAS6045
KINGFISHER 50#	1229RAS6050



PSE SNAP SHOT ARROW REST

- Perfect for the beginner or veteran shooter.
- High grade aluminum and stainless steel

DESCRIPTION	PART #
SNAP SHOT REST	421178K



BOWFISHING ARROW

- Safety slide included
- Piranha point

DESCRIPTION	PART #
BOWFISHING ARROW	41234



AMS® SAFETY SLIDE KIT

- Designed specifically for bowfishing arrows
- Includes safety slide, bumper and arrow nock


DESCRIPTION	PART #
SAFETY SLIDE KIT, 2 PACK	41284



AMS® RETRIEVER REEL KIT

- Retriever reel
- Two bowfishing arrows with safety slide
- Bowfishing arrow rest

DESCRIPTION	PART #
AMS RETRIEVER REEL	41103



2015 **PSE** ARCHERY
CROSSBOWS [®]

ARCHERY

PSE ARCHERY 2015 **CROSSBOWS**
TAC ORDNANCE™

The PSE TAC Ordnance™ takes the original TAC 15 design to a whole new level and has been designed to be more accurate, more efficient and more durable than ever before. It easily converts most standard AR-15 lowers into the most accurate and powerful crossbow on the market!



**Lower receiver not included



PSE TAC ORDNANCE™ SPECIFICATIONS

- SPEED405-395 fps (425gr arrow)
- KINETIC ENERGY 155 ft-lbs (425 grain arrow)
- PEAK WEIGHT..... 150 lbs.
- OVERALL WIDTH.....22"
(measured from cam-to-cam)
- AXLE-TO-AXLE.....17" at brace
- POWERSTROKE.....17 3/4"
- FINISH.....Hard anodized aluminum for maximum durability
- MASS WEIGHT.....7.2 lbs.
(without lower and accessories)
- OVERALL LENGTH34 3/4" (unmounted)



WARNING: PSE TAC arrows are the only approved projectiles for the TAC series of crossbows.

TAC SERIES

INCLUDES:
 TAC CASE, SCOPE, BIPOD
 AND THREE TAC ARROWS



2015 PSE TAC ORDNANCE™ ORDERING INFORMATION

MODEL	PART #
TAC ORDNANCE	01208
TAC MAINTENANCE KIT	01209

PSE 2015 **CROSSBOWS**
ARCHERY TAC ELITE™

All the revolutionary features and benefits of the PSE TAC Ordnance™ are available in the PSE TAC Elite™. PLUS, the Elite™ features a fully adjustable stock and a crisp trigger. The PSE TAC Elite™ takes the original TAC 15i design to a whole new level and has been designed to be more accurate, more efficient and more durable than ever before!



PSE TAC ELITE™

PSE TAC ELITE™ SPECIFICATIONS

- SPEED 405-395 fps (425 grain arrow)
- KINETIC ENERGY 155 ft-lbs (425 grain arrow)
- PEAK WEIGHT 150 lbs.
- OVERALL WIDTH 22" (measured from cam-to-cam)
- AXLE-TO-AXLE 17" at brace
- POWERSTROKE 17 ¼"
- FINISH Hard anodized aluminum for maximum durability
- MASS WEIGHT 9 lbs.
- OVERALL LENGTH 41 ½" - 45"

PSE XTECH

WARNING: PSE TAC arrows are the only approved projectiles for the TAC series of crossbows.

TAC SERIES

INCLUDES:
 TAC CASE, SCOPE, BIPOD
 AND THREE TAC ARROWS

2015 PSE TAC ELITE™ ORDERING INFORMATION

MODEL	PART #
TAC ELITE	01207
TAC MAINTENANCE KIT	01209






2015 CROSSBOWS TAC ACCESSORIES



PSE TAC WHISKER BISCUIT™ REST

DESCRIPTION	PART #
WHISKER BISCUIT REST	41202R



PSE TAC MAINTENANCE KIT

Includes: 2 split harness buss cables,
1 string with nock loop installed,
1 draw cord and 1 release slide tape

DESCRIPTION	PART #
TAC MAINTENANCE KIT	01209



PSE TAC RUBBER BUMPER REPLACEMENT

DESCRIPTION	PART #
TAC BUMPER REPL.	01118



PSE TAC CRANK

Replacement crank for all TAC crossbows.

DESCRIPTION	PART #
TAC CRANK	01171

PSE TAC CASE

• Fits the PSE TAC Ordnance and Elite

DESCRIPTION	PART #
TAC CASE	01222

*OVERSIZED ITEMS MAY INCUR ADDITIONAL SHIPPING CHARGE



3D DURAVANES™

DESCRIPTION	PACK	PART #
DURAVANES-BLACK	50 PACK	41652
DURAVANES-WHITE	50 PACK	41652WH



BIPOD

DESCRIPTION	PART #
BIPOD	41687



PSE COVERT-X™ QUIVER

- Quiver hood provides up to six adjustable positions for multiple arrow lengths
- Holds five arrows of any size
- Extended arrow clip positions the arrow nocks above the lower cam for protection

DESCRIPTION	PART #	OPTION
COVERT-X QUIVER	01224IF	BU INFINITY
COVERT-X QUIVER	012245W	SKULLWORKS
COVERT-X QUIVER	01224BK	BLACK



PSE TAC ARROWS & SHAFTS

- 6 PACK - 26-1/4" LONG
(includes 85 grain points)
- Straightness + -.006
- Grain weight: 342 without point
- Grain weight: 325 with 85 grain point

WARNING: PSE TAC arrows are the only approved projectiles for the TAC series of crossbows.

DESCRIPTION	PART #
PSE TAC ARROWS	1960RHX15
PSE TAC SHAFTS	1960RHX15S



PSE TAC QUIVER MOUNT

Required to mount one-piece 4-arrow quiver.

DESCRIPTION	PART #
PSE TAC QUIVER MOUNT	01172BK



PSE TAC INSERTS AND NOCKS

DESCRIPTION	PART #
PSE TAC INSERTS DOZEN PACK	1401TACT15
PSE TAC NOCK DOZEN PACK- BLACK	1403TDBK

PSE 2015 **CROSSBOWS**
ARCHERY **FANG™**

345
FEET PER SECOND

PSE knows what our customers want, and when it comes to crossbows you want a rig that has high-end crossbow features but also offers you extreme value.

Impossible? Never.

PSE has completely re-engineered its crossbow line for 2015 in order to bring you the new PSE Fang™! The Fang™ offers incredible value with many desirable features often found above \$500. With a speed of 345 FPS, a mass weight of only 6.8 lbs., an anti-dry fire trigger, and a removable 4x32 scope, the Fang™ has all the features you need: versatile, lightweight and affordable... all in one package!

Fang™ package includes:

- 4X32 Scope
- Cocking Rope
- 5 Bolt Quiver
- 3-20" Carbon Bolts with half moon nocks
- 3- 100 gr Bullet points
- Anti-Dry Fire & Auto Safety Trigger (4 lb. pull)
- Foot Stirrup
- String Stops
- Rail Lube



2015 **PSE** new



Power Stroke:..... 14-1/4"
Axle-to-Axle length: 19-1/4"
Overall Length w/Stirrup: 35"
Mass Weight: 6.8 lbs.

Speed:..... 345-335 fps
with 400gr bolt
Kinetic Energy: 106 ft. lbs.
Draw Weight:..... 155 lbs.

*"The new Fang™ is destined to be the Stinger™ X of crossbows. It has every feature you could possibly want at a very affordable price."
Mark and Taylor Drury - Drury Outdoors*

2015 PSE FANG™ CROSSBOW ORDERING INFORMATION

MODEL	PART #
FANG	012461F
FANG CABLE	42130
FANG STRING	42131

PSE ARCHERY 2015 CROSSBOWS VECTOR™ 310

The exciting world of crossbow shooting shouldn't be limited by size; that's why PSE has re-engineered its 2015 crossbow line to deliver the new PSE Vector™ 310.

With its efficient design and two-turn weight adjustment, the Vector™ 310 is the perfect solution for youth and female shooters, or anyone looking for a high-performance, compact crossbow. But don't let its size fool you, the Vector delivers a bolt at 310 fps and is built with a fully-machined, 3 lb. precision trigger system, an upgraded cam system, and built-in string stops.

Vector™ 310 Package Includes:

- 4X32 Scope
- Anti-Dry Fire & Auto Safety Trigger (3 lb. pull)
- Sling
- 3-20' Charger™ Carbon Bolts with half-moon nocks
- 3- 85gr Bullet points
- Cocking Rope
- 5 Bolt Quiver
- Rail Lube
- Foot Stirrup



"The Vector™ 310 is extremely lightweight and easy to handle. It's the perfect crossbow for young hunters, women, or anyone shooting out of a ground blind."

Jon Shepley - PSE President Ayden Shepley

Power Stroke: 11-1/4"
 Axle-to-Axle length: 18-1/4"
 Overall Length w/Stirrup: 32"
 Mass Weight: 6.3 lbs.

Speed: 310-300 fps
 with 400gr bolt
 Kinetic Energy: 85 ft. lbs.
 Draw Weight: 150/125 lbs.

2015 PSE VECTOR™ 310 CROSSBOW ORDERING INFORMATION

MODEL	PART #	FINISH/COLOR
VECTOR 310	01242IF	INFINITY
VECTOR 310	01242PR	BLACK WITH PURPLE ACCENTS
VECTOR 310 CABLE	42132	
VECTOR 310 STRING	42133	

Notes: Back out two turns for weight adjustment.

Release date: January, 2015

2015 PSE new



© Acety One® Break-Up® Infinity™
Limbs and Rail



PR Back with purple accents



2015 CROSSBOWS



RDX™ 365


PSE has teamed with Drury Outdoors to deliver an elite crossbow experience like no other!

Like a precision rifle, the 2015 Dream Season® RDX™ 365 is built on an independent machined aluminum barrel and composite stock that are mounted together to create a perfectly-balanced, accurate shot. The field-serviceable RDX™ also features a reverse-draw cam system and a crisp trigger with a 3 lb. pull that fires the crossbow at an amazing 365 fps.

Make your dream season happen with the all-new PSE Dream Season® RDX™ 365 crossbow!

RDX™ package includes:

- String Stops
- 3X32 Scope with illuminated reticles
- Anti-Dry Fire & Auto Safety Trigger (3 lb. pull)
- 5 Bolt Quiver
- 3-20" Charger™ Carbon Bolts
- 3- 85gr Bullet points
- Sling
- Cocking Rope
- Rail Lube
- Foot Stirrup



"This is the first time we have ever put our name on a crossbow, and there's a good reason why. The RDX™ is the best hunting crossbow we've ever shot!"
Mark Drury - Drury Outdoors

Power Stroke: 14-1/2"
 Axle-to-Axle length: 20"
 Overall Length w/Stirrup: 37-1/2"
 Mass Weight: 7.6 lbs.

Speed: 365-355 fps
 with 400gr bolt
 Kinetic Energy: 118 ft. lbs.
 Draw Weight: 165 lbs.

2015 PSE RDX™ 365 CROSSBOW ORDERING INFORMATION

MODEL	PART #	FINISH
RDX 365	01237CY	BREAKUP COUNTRY
RDX 365	01237SW	SKULLWORKS
RDX 365 CABLE AND STRING	01267	

2015 PSE new



Release date: January, 2015



PSE ARCHERY 2015 **CROSSBOWS**
ZOMBIE DEFENSE™

The zombie Apocaly**PSE** is upon us!

When the dead rise from their graves (and they will), PSE has just the thing for the zombie apocalypse—the Zombie Defense Pistol Crossbow! Even when the zombie hordes are walking the Earth, you'll never fear a dark hallway with the mounted LED flashlight and red-dot sight. Whether you're shooting at traditional slow zombies, or fast, raging zombies, the walking dead can't outrun a bolt fired at 170 fps!

The undead plague isn't here quite yet, so use your crossbow safely for target practice... but when it does arrive, our advice is to make your first shot count!

PACKAGE INCLUDES:

- PSE Zombie Defense™ Crossbow
- Red Dot Scope
- LED Flashlight
- Simple and Safe Self-Cocking Mechanism
- Includes four 6-1/2" bolts



L.E.D. FLASHLIGHT



RED DOT SCOPE



RUBBER COATED GRIP



INCLUDES STRINGER AND STRINGER INSTRUCTIONS

2015 PSE ZOMBIE DEFENSE™ ORDERING INFORMATION

MODEL	PART #
ZOMBIE DEFENSE	41872
REPL. BOLTS-10 PK	41240

PSE ARCHERY 2015 CROSSBOW ACCESSORIES

QAD EXODUS™ CROSSBOW BROADHEAD- FULL 3 BLADES

- One-piece stainless steel ferrule
- .40" thick blades for bone-crushing strength
- 1.25" cutting diameter

new



DESCRIPTION	PART #
EXODUS XBOW FULL- 100 GRAIN	41942100
EXODUS XBOW FULL- 125 GRAIN	41942125

QAD EXODUS™ CROSSBOW BROADHEAD- SWEPT 3 BLADES

- One-piece stainless steel ferrule
- .40" thick blades for bone-crushing strength
- 1.25" cutting diameter

new



DESCRIPTION	PART #
EXODUS XBOW SWEPT- 100 GRAIN	41943100
EXODUS XBOW SWEPT- 125 GRAIN	41943125

QAD EXODUS™ XBOW REPLACEMENT BLADES

- One-piece stainless steel ferrule
- .40" thick blades for bone-crushing strength
- 1.25" cutting diameter
- 3 Pack

DESCRIPTION	PART #
EXODUS XBOW <u>FULL</u> REPLACEMENT BLADES- 100 GR	41942100R
EXODUS XBOW <u>SWEPT</u> REPLACEMENT BLADES- 100 GR	41943100R



HANDHELD CROSSBOW

- Simple and safe self-cocking
- "Auto" safety engages when cocked

DESCRIPTION	PART #
HANDHELD CROSSBOW WITH BOLTS	41239
REPLACEMENT BOLTS- 10 PACK	41240

CARBON FORCE™ CHARGER™ CROSSBOW BOLTS

DESCRIPTION	PART #
CHARGER-6 PACK - FLAT NOCK 20"	#1960CHA20FF
CHARGER-6 PACK - HALF MOON NOCK 20"	#1960CHA20FM
CHARGER-6 PACK - HALF MOON NOCK 22"	#1960CHA22FM
CHARGER-6 DOZEN PACK - FLAT NOCK 20"	#1960CHA20FF
CHARGER-6 DOZEN PACK - HALF MOON NOCK 20"	#1960CHA20FM
CHARGER-6 DOZEN PACK - HALF MOON NOCK 22"	#1960CHA22FM
CHARGER- HALF MOON NOCKS, 12	#41644
CHARGER INSERTS	#41645

VIPER™ SERIES ALUMINUM CROSSBOW BOLTS

- 2216 shafts with plastic nocks and three 4" vanes

DESCRIPTION	PART #
VIPER- 20" 6 PACK	#41209PK
VIPER-20" 6 DOZEN	#41209
VIPER-17" 6 PACK	#41196PK
VIPER-17" 6 DOZEN	#41196



4X32 SCOPE

- Water and shock resistant
- Click windage and elevation adjustment
- 4 Reticle lines

DESCRIPTION	PART #
4X32 SCOPE	01198



PSE SCOPE 3-9 X 42

- Glass etched 4 line reticle
- Fully coated HD lens system
- 1/8" M.O.A. fingertip turrets
- Waterproof, shockproof & fog proof
- Flip end caps

DESCRIPTION	PART #
PSE SCOPE	01213



CROSSBOW CASE

- Soft case to protect your crossbow
- Check your state regulations. Some states require that all crossbows be transported via case

DESCRIPTION	PART #
CROSSBOW CASE	41788



COCKING STRAP

- Relieves up to 50% of the crossbow draw weight
- Comfortable molded handle

DESCRIPTION	PART #
COCKING STRAP	41615



HHA SPEED DIAL

- No more guessing and gapping!
- Fits most of today's crossbows

DESCRIPTION	PART #
HHA SPEED DIAL	41783



2015 **PSE** ARCHERY
HERITAGE SERIES ®

ARCHERY



2015 HERITAGE SERIES

X-APPEAL™ RECURVE



"I've traveled all over the world competing, and from the World Games to World Championships, my bow has never let me down. That's why I count on the most accurate recurve ever made, my X-Appeal™."
Jenny Hardy - World Medalist, PSE Pro Staff



Choose from three beautiful, polished and anodized colors!

The limb alignment system on the PSE X-Appeal™ is designed to provide micro-adjustable limb alignment and positive locking in an easy to use, robust mechanism. The limb alignment screws thread directly into the steel limb anchor block and the locking screws are easily accessible for quick, positive adjustments.



PSE X-APPEAL™ RISER

DESCRIPTION	SIZE	COLOR	PART #
X-APPEAL RISER (RIGHT)	23"	RED	10123RRD
X-APPEAL RISER (RIGHT)	23"	BLUE	10123RBL
X-APPEAL RISER (RIGHT)	23"	BLACK	10123RBK
X-APPEAL RISER (LEFT)	23"	RED	10123LRD
X-APPEAL RISER (LEFT)	23"	BLUE	10123LBL
X-APPEAL RISER (LEFT)	23"	BLACK	10123LBK
X-APPEAL RISER (RIGHT)	25"	RED	10125RRD
X-APPEAL RISER (RIGHT)	25"	BLUE	10125RBL
X-APPEAL RISER (RIGHT)	25"	BLACK	10125RBK
X-APPEAL RISER (LEFT)	25"	RED	10125LRD
X-APPEAL RISER (LEFT)	25"	BLUE	10125LBL
X-APPEAL RISER (LEFT)	25"	BLACK	10125LBK

PSE X-PRESSION™ LIMBS

DESCRIPTION	PART #
X-PRESSION LIMBS	3736X
LIMB LENGTH ON 25" HANDLE	WEIGHT OPTIONS #
66"	30 32 34 36 38 40 42 44 46
68"	30 32 34 36 38 40 42 44 46
70"	32 34 36 38 40 42 44

PSE COMPETITION LIMBS

DESCRIPTION	PART #
COMPETITION LIMBS	3732W
LIMB LENGTH ON 25" HANDLE	WEIGHT OPTIONS #
66"	26 28 30 32 34 36
68"	30 32 34 36 38 40

X-PRESSION™ LIMB - AVAILABLE SIZES


66"	30# TO 46# IN 2# INCREMENTS
68"	30# TO 46# IN 2# INCREMENTS
70"	32# TO 44# IN 2# INCREMENTS

NOTE: Sizes above based on 25" riser. On 23" riser assembled, the bow will be 2" shorter and approximately 2 lbs. heavier draw weight.

PSE ARCHERY 2015 HERITAGE SERIES X-3™ RECURVE

The new X3™ recurve from PSE is the perfect solution for recurve shooters who want a high-performance competition bow, in a complete package.

Engineered on a 25", 100% carbon riser, and featuring special carbon/graphite composite limbs, shooting the PSE X3™ is a balanced and nearly vibration-free experience that will help you take your game to the next level!



INFITEC® CHALLENGER™ SIGHT

- Sight block & Frame: Aluminum
- Extension: Carbon
- Vertical Frame: 5.5 inch
- Extension: 9 inch
- Sight Pin Thread: 10 - 32 or 8 - 32

DESCRIPTION	COLOR	PART #
CHALLENGER SIGHT	BLACK	41944BK
CHALLENGER SIGHT	BLUE	41944BL

PSE X3™ BOW WITH LIMBS BLACK (LEFT HAND)

DESCRIPTION	PART #
X3 KIT, LEFT, BLACK, 28#	41956LBN6628K
X3, KIT, LEFT, BLACK, 30#	41956LBN6630K
X3, KIT, LEFT, BLACK, 32#	41956LBN6632K
X3, KIT, LEFT, BLACK, 34#	41956LBN6634K
X3, KIT, LEFT, BLACK, 36#	41956LBN6636K
X3, KIT, LEFT, BLACK, 38#	41956LBN6638K
X3, KIT, LEFT, BLACK, 40#	41956LBN6640K
X3, KIT, LEFT, BLACK, 42#	41956LBN6642K
X3, KIT, LEFT, BLACK, 44#	41956LBN6644K
X3, KIT, LEFT, BLACK, 46#	41956LBN6646K
X3, KIT, LEFT, BLACK, 48#	41956LBN6648K

PSE X3™ BOW WITH LIMBS BLACK (RIGHT HAND)

DESCRIPTION	PART #
X3, KIT, RIGHT, BLACK, 28#	41956RBN6628K
X3, KIT, RIGHT, BLACK, 30#	41956RBN6630K
X3, KIT, RIGHT, BLACK, 32#	41956RBN6632K
X3, KIT, RIGHT, BLACK, 34#	41956RBN6634K
X3, KIT, RIGHT, BLACK, 36#	41956RBN6636K
X3, KIT, RIGHT, BLACK, 38#	41956RBN6638K
X3, KIT, RIGHT, BLACK, 40#	41956RBN6640K
X3, KIT, RIGHT, BLACK, 42#	41956RBN6642K
X3, KIT, RIGHT, BLACK, 44#	41956RBN6644K
X3, KIT, RIGHT, BLACK, 46#	41956RBN6646K
X3, KIT, RIGHT, BLACK, 48#	41956RBN6648K

PSE X3™ RISERS/HANDLES

DESCRIPTION	PART #
X3 BLACK RIGHT HANDLE	41956RBK
X3 BLACK LEFT HANDLE	41956LBK
X3 BLUE RIGHT HANDLE	41956RBL
X3 BLUE LEFT HANDLE	41956LBL

PSE X3™ BOW WITH LIMBS BLUE (LEFT HAND)

DESCRIPTION	PART #
X3 KIT, LEFT, BLUE, 28#	41956LBN6628K
X3, KIT, LEFT, BLUE, 30#	41956LBN6630K
X3, KIT, LEFT, BLUE, 32#	41956LBN6632K
X3, KIT, LEFT, BLUE, 34#	41956LBN6634K
X3, KIT, LEFT, BLUE, 36#	41956LBN6636K
X3, KIT, LEFT, BLUE, 38#	41956LBN6638K
X3, KIT, LEFT, BLUE, 40#	41956LBN6640K
X3, KIT, LEFT, BLUE, 42#	41956LBN6642K
X3, KIT, LEFT, BLUE, 44#	41956LBN6644K
X3, KIT, LEFT, BLUE, 46#	41956LBN6646K
X3, KIT, LEFT, BLUE, 48#	41956LBN6648K

PSE X3™ BOW WITH LIMBS BLUE (RIGHT HAND)

DESCRIPTION	PART #
X3, KIT, RIGHT, BLUE, 28#	41956RBN6628K
X3, KIT, RIGHT, BLUE, 30#	41956RBN6630K
X3, KIT, RIGHT, BLUE, 32#	41956RBN6632K
X3, KIT, RIGHT, BLUE, 34#	41956RBN6634K
X3, KIT, RIGHT, BLUE, 36#	41956RBN6636K
X3, KIT, RIGHT, BLUE, 38#	41956RBN6638K
X3, KIT, RIGHT, BLUE, 40#	41956RBN6640K
X3, KIT, RIGHT, BLUE, 42#	41956RBN6642K
X3, KIT, RIGHT, BLUE, 44#	41956RBN6644K
X3, KIT, RIGHT, BLUE, 46#	41956RBN6646K
X3, KIT, RIGHT, BLUE, 48#	41956RBN6648K

PSE X3™ LIMBS

DESCRIPTION	PART #
X3 WHITE LIMB, 66-28	41956LIMB28
X3 WHITE LIMB, 66-30	41956LIMB30
X3 WHITE LIMB, 66-32	41956LIMB32
X3 WHITE LIMB, 66-34	41956LIMB34
X3 WHITE LIMB, 66-36	41956LIMB36
X3 WHITE LIMB, 66-38	41956LIMB38
X3 WHITE LIMB, 66-40	41956LIMB40
X3 WHITE LIMB, 66-42	41956LIMB42
X3 WHITE LIMB, 66-44	41956LIMB44
X3 WHITE LIMB, 66-46	41956LIMB46
X3 WHITE LIMB, 66-48	41956LIMB48

2015 PSE new



2015 HERITAGE SERIES OPTIMA™ SERIES

DESCRIPTION	PART #
OPTIMA 56" RIGHT, BLUE, 15#	3726RBL5615K
OPTIMA 56" LEFT, BLUE, 15#	3726LBL5615K
OPTIMA 56" RIGHT, BLUE, 20#	3726RBL5620K
OPTIMA 56" LEFT, BLUE, 20#	3726LBL5620K
OPTIMA 56" RIGHT, RED, 15#	3726RRD5615K
OPTIMA 56" LEFT, RED, 15#	3726LRD5615K
OPTIMA 56" RIGHT, RED, 20#	3726RRD5620K
OPTIMA 56" LEFT, RED, 20#	3726LRD5620K

Optima Bow Sizing Chart



RECOMMENDED HEIGHT

- 56" bow: up to 5'5" (165.1 CM)
- 62" bow: up to 5'7" (170.2 CM)
- 66" bow: 5'10" (177.8 CM)

• 56" BOW: RECOMMENDED HEIGHT: UP TO 5'5" (165.1 CM)
 • 62" BOW: RECOMMENDED HEIGHT: UP TO 5'7" (170.2 CM)
 • 66" BOW: RECOMMENDED HEIGHT: 5'10" (177.8 CM)

PSE OPTIMA™ LIMBS

DESCRIPTION	PART #
LIMBS, SHORT, 15#	3726SH15
LIMBS, SHORT, 20#	3726SH20
LIMBS, LONG, 20#	3726LN20
LIMBS, LONG, 25#	3726LN25
LIMBS, LONG, 30#	3726LN30
LIMBS, LONG, 35#	3726LN35

PSE OPTIMA™ RISERS

DESCRIPTION	PART #
RISER, SHORT, RIGHT, BLUE	3726SHRBL
RISER, SHORT, LEFT, BLUE	3726SHLBL
RISER, SHORT, RIGHT, RED	3726SHRRD
RISER, SHORT, LEFT, RED	3726SHLRD
RISER, LONG, RIGHT, BLUE	3726LNRBL
RISER, LONG, LEFT, BLUE	3726LNLBL
RISER, LONG, RIGHT, RED	3726LNRRD
RISER, LONG, LEFT, RED	3726LNLRD

DESCRIPTION	PART #
OPTIMA 62" RIGHT, BLUE, 20#	3726RBL6220K
OPTIMA 62" LEFT, BLUE, 20#	3726LBL6220K
OPTIMA 62" RIGHT, BLUE, 25#	3726RBL6225K
OPTIMA 62" LEFT, BLUE, 25#	3726LBL6225K
OPTIMA 62" RIGHT, BLUE, 30#	3726RBL6230K
OPTIMA 62" LEFT, BLUE, 30#	3726LBL6230K
OPTIMA 62" RIGHT, RED, 20#	3726RRD6220K
OPTIMA 62" LEFT, RED, 20#	3726LRD6220K
OPTIMA 62" RIGHT, RED, 25#	3726RRD6225K
OPTIMA 62" LEFT, RED, 25#	3726LRD6225K
OPTIMA 62" RIGHT, RED, 30#	3726RRD6230K
OPTIMA 62" LEFT, RED, 30#	3726LRD6230K

INTERCHANGEABLE COMPONENTS MAKE THE OPTIMA™ THE MOST VERSATILE BOW IN THE PSE HERITAGE™ LINE.

OPTIMA™ FEATURES AT-A-GLANCE

- Precision-machined aluminum riser
- Two riser models: short or long
- Three length configurations: 56", 62", 66"
- Choose from red or blue hammerstone powder-coated finishes

DESCRIPTION	PART #
OPTIMA 66" RIGHT, BLUE, 20#	3726RBL6620K
OPTIMA 66" LEFT, BLUE, 20#	3726LBL6620K
OPTIMA 66" RIGHT, BLUE, 25#	3726RBL6625K
OPTIMA 66" LEFT, BLUE, 25#	3726LBL6625K
OPTIMA 66" RIGHT, BLUE, 30#	3726RBL6630K
OPTIMA 66" LEFT, BLUE, 30#	3726LBL6630K
OPTIMA 66" RIGHT, BLUE, 35#	3726RBL6635K
OPTIMA 66" LEFT, BLUE, 35#	3726LBL6635K
OPTIMA 66" RIGHT, RED, 20#	3726RRD6620K
OPTIMA 66" LEFT, RED, 20#	3726LRD6620K
OPTIMA 66" RIGHT, RED, 25#	3726RRD6625K
OPTIMA 66" LEFT, RED, 25#	3726LRD6625K
OPTIMA 66" RIGHT, RED, 30#	3726RRD6630K
OPTIMA 66" LEFT, RED, 30#	3726LRD6630K
OPTIMA 66" RIGHT, RED, 35#	3726RRD6635K
OPTIMA 66" LEFT, RED, 35#	3726LRD6635K



PSE RECURVE CASE 64"

- Will fit one-piece or takedown bows

DESCRIPTION	PART #
RECURVE CASE 64"	41861



2015 HERITAGE SERIES RECURVE BOWS

PSE SUMMIT- G2

- International limb fit
- 23" Cast aluminum handle
- Draw weights: 20,24,28,32,36
- Red or Blue
- Left or Right hand



66"

PSE SUMMIT- G2 KITS (RIGHT HAND)

DESCRIPTION	PART #
SUMMIT G2 KIT, 20#, RIGHT, BLUE	42106RBL6620
SUMMIT G2 KIT, 24#, RIGHT, BLUE	42106RBL6624
SUMMIT G2 KIT, 28#, RIGHT, BLUE	42106RBL6628
SUMMIT G2 KIT, 32#, RIGHT, BLUE	42106RBL6632
SUMMIT G2 KIT, 36#, RIGHT, BLUE	42106RBL6636
SUMMIT G2 KIT, 20#, RIGHT, RED	42106RRD6620
SUMMIT G2 KIT, 24#, RIGHT, RED	42106RRD6624
SUMMIT G2 KIT, 28#, RIGHT, RED	42106RRD6628
SUMMIT G2 KIT, 32#, RIGHT, RED	42106RRD6632
SUMMIT G2 KIT, 36#, RIGHT, RED	42106RRD6636

PSE SUMMIT- G2 KITS (LEFT HAND)

DESCRIPTION	PART #
SUMMIT G2 KIT, 20#, LEFT, BLUE	42106LBL6620
SUMMIT G2 KIT, 24#, LEFT, BLUE	42106LBL6624
SUMMIT G2 KIT, 28#, LEFT, BLUE	42106LBL6628
SUMMIT G2 KIT, 32#, LEFT, BLUE	42106LBL6632
SUMMIT G2 KIT, 36#, LEFT, BLUE	42106LBL6636
SUMMIT G2 KIT, 20#, LEFT, RED	42106LRD6620
SUMMIT G2 KIT, 24#, LEFT, RED	42106LRD6624
SUMMIT G2 KIT, 28#, LEFT, RED	42106LRD6628
SUMMIT G2 KIT, 32#, LEFT, RED	42106LRD6632
SUMMIT G2 KIT, 36#, LEFT, RED	42106LRD6636

PSE SUMMIT- G2 LIMBS & RISERS

DESCRIPTION	PART #
SUMMIT G2 LIMBS, 20#	42106LIMB20
SUMMIT G2 LIMBS, 24#	42106LIMB24
SUMMIT G2 LIMBS, 28#	42106LIMB28
SUMMIT G2 LIMBS, 32#	42106LIMB32
SUMMIT G2 LIMBS, 36#	42106LIMB36
SUMMIT G2 RISER, RIGHT, BLUE	42106RBL
SUMMIT G2 RISER, LEFT, BLUE	42106LBL
SUMMIT G2 RISER, RIGHT, RED	42106RRD
SUMMIT G2 RISER, LEFT, RED	42106LRD

PSE MUSTANG-

- Take-down recurve
- Stabilizer bushing
- Threaded for cushion plunger
- Black Walnut and Cherry riser with Maple limbs
- Length: 60"
- Brace height: 7" to 7-1/2"
- Weights @ 28" draw



60"

PSE MUSTANG- LIMBS & RISERS

DESCRIPTION	PART #
MUSTANG, RIGHT, 40#	41576R6040
MUSTANG, RIGHT, 45#	41576R6045
MUSTANG, RIGHT, 50#	41576R6050
MUSTANG, RIGHT, 55#	41576R6055
MUSTANG, LEFT, 40#	41576L6040
MUSTANG, LEFT, 45#	41576L6045
MUSTANG, LEFT, 50#	41576L6050
MUSTANG, LEFT, 55#	41576L6055

PSE MUSTANG- LIMBS & RISERS

DESCRIPTION	PART #
MUSTANG LIMBS, 40#	41756LIMB40
MUSTANG LIMBS, 45#	41756LIMB45
MUSTANG LIMBS, 50#	41756LIMB50
MUSTANG LIMBS, 55#	41756LIMB55
MUSTANG RISER, RIGHT	41756R
MUSTANG RISER, LEFT	41756L



PSE RECURVE TAKEDOWN CASE

DESCRIPTION	PART #
RECURVE TAKEDOWN CASE	41863

2015 **new**



2015 HERITAGE SERIES

RECURVE BOWS



PSE STALKER™

- Perfect recurve bow for entry level hunters
- Riser made of Beech wood, Burma white wood, and Bintangor wood
- Limbs made of Maple wood and Macquarie wood
- Length: 60"
- Brace height: 7-1/4 to 7-1/2"
- Weights @ 28" draw

DESC	PART #
STALKER, RIGHT, 35#	41760R6035
STALKER, RIGHT, 40#	41760R6040
STALKER, RIGHT, 45#	41760R6045
STALKER, RIGHT, 50#	41760R6050
STALKER, LEFT, 35#	41760L6035
STALKER, LEFT, 40#	41760L6040
STALKER, LEFT, 45#	41760L6045
STALKER, LEFT, 50#	41760L6050

PSE STALKER™ LIMBS & RISERS

DESC	PART #
STALKER LIMBS, 35#	41760LIMB35
STALKER LIMBS, 40#	41760LIMB40
STALKER LIMBS, 45#	41760LIMB45
STALKER LIMBS, 50#	41760LIMB50
STALKER RISER, RIGHT	41760R
STALKER RISER, LEFT	41760L

60"



PSE HONOR™


- Handcrafted by skilled craftsmen
- Riser made of Zebra Wood
- Limbs made of black fiberglass and hard maple
- Length: 56"
- Brace Height: 7-1/4"
- Weights @ 28" draw

DESC	PART #
HONOR, RIGHT, 35#	41873RS635
HONOR, RIGHT, 40#	41873RS640
HONOR, RIGHT, 45#	41873RS645
HONOR, RIGHT, 50#	41873RS650
HONOR, LEFT, 35#	41873LS635
HONOR, LEFT, 40#	41873LS640
HONOR, LEFT, 45#	41873LS645
HONOR, LEFT, 50#	41873LS650

PSE HONOR™ LIMBS & RISERS

DESC	PART #
HONOR LIMBS, 35#	41873LIMBS635
HONOR LIMBS, 40#	41873LIMBS640
HONOR LIMBS, 45#	41873LIMBS645
HONOR LIMBS, 50#	41873LIMBS650
HONOR RISER, RIGHT	41873R
HONOR RISER, LEFT	41873L

56"



PSE COYOTE™

- Machined aluminum riser
- Mossy Oak® Break-Up Infinity™ Camo
- Accepts the PSE 2-piece quiver
- Length: 60"
- Brace height: 6-3/8"
- Weights @ 28" draw

DESC	PART #
COYOTE, RIGHT, 40#	0999RIF6040K
COYOTE, RIGHT, 45#	0999RIF6045K
COYOTE, RIGHT, 50#	0999RIF6050K
COYOTE, RIGHT, 55#	0999RIF6055K
COYOTE, LEFT, 40#	0999LIF6040K
COYOTE, LEFT, 45#	0999LIF6045K
COYOTE, LEFT, 50#	0999LIF6050K
COYOTE, LEFT, 55#	0999LIF6055K

PSE COYOTE™ LIMBS & RISERS

DESC	PART #
COYOTE LIMBS, 40#	3724IFD6040
COYOTE LIMBS, 45#	3724IFD6045
COYOTE LIMBS, 50#	3724IFD6050
COYOTE LIMBS, 55#	3724IFD6055
COYOTE RISER, RIGHT	3724RIF
COYOTE RISER, LEFT	3724LIF

60"

2015 HERITAGE SERIES RECURVE BOWS



PSE SNAKE™

- 60" one-piece composite bow
- Black or Silver (while supplies last)
- Ambidextrous design - works for right or left hand shooters
- Draw weight - 22 lb. only
- Almost indestructible!
- Brace height: 8-3/4"

DESCRIPTION	PART #
SNAKE, SILVER, 22#*	41859
SNAKE, BLACK, 22#	41850

*WHILE SUPPLIES LAST



PSE RECURVE REPLACEMENT STRINGS

- Replacement strings for PSE recurve bows shown in this Heritage bow section.

DESCRIPTION	PART #
STRING FOR 46"	STR46
STRING FOR 48"	STR48
STRING FOR 54"	STR54
STRING FOR 56"	STR56
STRING FOR 58"	STR58
STRING FOR 60"	STR60
STRING FOR 62"	STR62
STRING FOR 64"	STR64
STRING FOR 66"	STR66
STRING FOR 68"	STR68
LONGBOW STRING FOR 68"	STR68

60"



PSE JUNIOR™ SET

- 54" composite take-down
- Draw weight: 20#
- Red handle, black limbs
- Includes arrow rest, bow stringer, armguard, finger tab, 3 carbon arrows and a target
- The clamshell can also be used as a bowcase!
- Recommended heights: Up to 5'0" (152.4 CM)
- Brace height: 7"

DESCRIPTION	PART #
JUNIOR SET, RIGHT	41590RH
JUNIOR SET, LEFT	41590LH



54"



PSE BLACKHAWK™

- One-piece
- Beautiful hardwood laminated riser
- Length: 60"
- Brace height: 7" to 7-1/2"
- Weights @ 28" draw

DESCRIPTION	PART #
BLACKHAWK, RIGHT, 35#	41583R35
BLACKHAWK, RIGHT, 40#	41583R40
BLACKHAWK, RIGHT, 45#	41583R45
BLACKHAWK, RIGHT, 50#	41583R50
BLACKHAWK, LEFT, 35#	41583L35
BLACKHAWK, LEFT, 40#	41583L40
BLACKHAWK, LEFT, 45#	41583L45
BLACKHAWK, LEFT, 50#	41583L50

60"



2015 HERITAGE SERIES BOW PACKAGES



54"

PSE RAZORBACK JR.™

- Riser: Made of Walnut wood, Burma White Wood, and Beech Wood
- Limbs: Made of Maple wood and fiberglass
- Stabilizer and sight bushings
- Recommended height: Up to 5'0" (152.4 CM)
- Brace height: 6-1/2"
- Weights @ 28" draw

DESCRIPTION	PART #
RAZORBACK JR., RIGHT, 15#	41574R5415
RAZORBACK JR., RIGHT, 20#	41574R5420
RAZORBACK JR., RIGHT, 25#	41574R5425
RAZORBACK JR., LEFT, 15#	41574L5415
RAZORBACK JR., LEFT, 20#	41574L5420
RAZORBACK JR., LEFT, 25#	41574L5425

PSE RAZORBACK JR.™ LIMBS & RISERS

DESCRIPTION	PART #
RAZORBACK JR. LIMBS, 15#	41574LIMB15
RAZORBACK JR. LIMBS, 20#	41574LIMB20
RAZORBACK JR. LIMBS, 25#	41574LIMB25
RAZORBACK JR. RISER, RIGHT	41754R
RAZORBACK JR. RISER, LEFT	41754L

AVAILABLE AS A SET

- Includes:
- Three Razorback arrows
 - Armguard
 - Finger tab
 - Target

DESCRIPTION	PART #
RAZORBACK JR. SET, RIGHT, 20#	01244R5420
RAZORBACK JR. SET, LEFT, 20#	01244L5420



62"

PSE RAZORBACK™

- Riser: Made of Walnut wood, Burma White Wood, and Beech Wood
- Limbs: Made of Maple wood and fiberglass
- Stabilizer and sight bushings
- Recommended height: Up to 5'7" (170.2 CM)
- Brace height: 7"
- Weights @ 28" draw

DESCRIPTION	PART #
RAZORBACK, RIGHT, 20#	41575R6220
RAZORBACK, RIGHT, 25#	41575R6225
RAZORBACK, RIGHT, 30#	41575R6230
RAZORBACK, RIGHT, 35#	41575R6235
RAZORBACK, LEFT, 20#	41575L6220
RAZORBACK, LEFT, 25#	41575L6225
RAZORBACK, LEFT, 30#	41575L6230
RAZORBACK, LEFT, 35#	41575L6235

PSE RAZORBACK™ LIMBS & RISERS

DESCRIPTION	PART #
RAZORBACK LIMBS, 20#	41575LIMB20
RAZORBACK LIMBS, 25#	41575LIMB25
RAZORBACK LIMBS, 30#	41575LIMB30
RAZORBACK LIMBS, 35#	41575LIMB35
RAZORBACK RISER, RIGHT	41575R
RAZORBACK RISER, LEFT	41575L

AVAILABLE AS A SET

- Includes:
- Three Razorback arrows
 - Armguard
 - Finger tab
 - Target

DESCRIPTION	PART #
RAZORBACK SET, RIGHT, 30	01245R6230
RAZORBACK SET, LEFT, 30	01245L6230



2015 HERITAGE SERIES LONGBOWS



PSE SEQUOIA™

The riser is made of maple and the limbs are made of maple and clear fiberglass. Available for left and right hand shooters.

- Length: 68"
- Brace height: 6 1/2" - 7"
- Weights @ 28" draw

DESCRIPTION	PART #
SEQUOIA, RIGHT, 40#	41579R6840
SEQUOIA, RIGHT, 45#	41579R6845
SEQUOIA, RIGHT, 50#	41579R6850
SEQUOIA, RIGHT, 55#	41579R6855
SEQUOIA, LEFT, 40#	41579L6840
SEQUOIA, LEFT, 45#	41579L6845
SEQUOIA, LEFT, 50#	41579L6850
SEQUOIA, LEFT, 55#	41579L6855

68"



PSE WOLVERINE™

The perfect long bow fit for smaller hands

- Made from Rosewood and Walnut with Maple limbs
- Right hand only
- Brace height: 7"
- Weights @ 28" draw

DESCRIPTION	PART #
WOLVERINE, RIGHT, 25#	41709R6025
WOLVERINE, RIGHT, 30#	41709R6030
WOLVERINE, RIGHT, 35#	41709R6035

60"



PSE CHIEF™

- 51" length and 20 lbs.
- For right or left hand

Includes:

- 2 wood arrows, Target, Hip quiver and Armguard
- Brace height: 7-1/4"
- Weights @ 28" draw

DESC	PART #
CHIEF	10026

51"



PSE LONGBOW CASE

• Available in 63" or 68"

DESCRIPTION	PART #
LONGBOW CASE 63"	41864
LONGBOW CASE 68"	41862



2015 HERITAGE SERIES

YOUTH BOW SETS



2015 **PSE** new

PSE GUIDE™ COMPOUND BOW

Includes:

- Quiver
- Armguard
- 2 Fiberglass arrows
- 3 Finger rollers
- Pin sight
- Arrow rest

42105RRD

- Right Hand compound bow
- Recommended for ages 10+
- Draw Weight: 12-29 pounds
- Draw Length: 16 1/2" – 26"
- Axle to Axle: 25 1/4"
- Brace Height: 7"

PSE CODY™ RECURVE BOW

Includes:

- Hunting quiver
- Armguard
- 2 Fiberglass arrows
- Finger tab
- Pin sight
- Arrow rest

41870R

- Right Hand Youth Recurve Bow
 - Recommended for ages 5+
 - Bow Length: 48" tip to tip
- Draw Weights:
- 10 pounds @ 23" draw
 - 15 pounds @ 26" draw



2015 **PSE** new

PSE EXPLORER™ RECURVE BOW

Includes:

- Target quiver
- Armguard
- 2 Fiberglass arrows
- 3 Finger rollers
- Pin sight
- Arrow rest

41948RD

- Ambidextrous youth recurve bow
 - Recommended for ages 5+
 - Bow length: 45.5" tip to tip
- Draw Weights:
- 20 pounds @ 24" draw
 - 15 pounds @ 21" draw
 - 10 pounds @ 17" draw



2015 **PSE** new



2015 **PSE** new

PSE EXPLORER™ COMPOUND BOW

Includes:

- Target quiver
- Armguard
- 2 Fiberglass arrows
- 3 Finger rollers
- Pin sight
- Arrow rest

41949RD

- Ambidextrous youth compound bow
- Recommended for ages 5+
- Axle to Axle: 33"
- Draw Weight: 15 pounds

PSE ARCHERY 2015 HERITAGE SERIES ACCESSORIES



PSE/KING YOUTH MICRO TAB

DESCRIPTION	PART #
YOUTH MICRO TAB	4143S



PSE/KING TRADITIONAL GLOVE

DESCRIPTION	PART #	OPTION
TRAD GLOVE	4220TOS	SMALL
TRAD GLOVE	4220TOM	MED
TRAD GLOVE	4220TOL	LARGE
TRAD GLOVE	4220TOXL	X LG



PSE DEERSKIN GLOVE

DESCRIPTION	PART #	OPTION
LEATHER GLOVE	4270S	SMALL
LEATHER GLOVE	4270M	MED
LEATHER GLOVE	4270L	LARGE
LEATHER GLOVE	4270XL	X LG



QUICKSHOT FINGER SAVER

DESCRIPTION	PART #
QUICKSHOT (PAIR)	41736



PSE GROUND HOLDER

- All steel rod construction
- Perfect for schools and backyard shooting
- The loop holds up to 12 arrows
- Curved hooks hold your bow securely.

DESCRIPTION	PART #
GROUND HOLDER	41654



PSE/KING 6" TWO-STRAP QUICK DETACH ARMGUARD

DESCRIPTION	PART #
ARMGUARD, 6"	41117BK



PSE HERITAGE STICK-ON REST

- Dozen card - 10 RH/2 LH

DESCRIPTION	PART #
STICK ON REST	2314CD



PSE POSSE™ REST

DESCRIPTION	PART #
POSSE-RIGHT	01084R
POSSE-LEFT	01084L



CUSHION PLUNGER

- Dependability at an affordable price
- Aluminium body with nylon plunger tip

DESCRIPTION	PART #
PLUNGER	41700



ARROW REST

- Smooth movement
- One support arm

DESC	PART #
REST-RH	41699
REST-LH	41699LH



JUNIOR TARGET SIGHT

- Great value for the money
- Aluminum construction
- Quick detach bar

DESCRIPTION	PART #
TARGET SIGHT	41698



FLEX PRO LONGBOW STRINGER

- The most efficient way to string a longbow
- Mar-resistant grippers provide superior grip eliminating limb twist

DESCRIPTION	PART #
LONGBOW STRINGER	41742
RECURVE STRINGER	41930



FIBERGLASS ARROWS AND REPLACEMENT POINTS

DESCRIPTION	PART #
72 ASSORTED ARROWS	41340
72 ARROWS, 26"	1601
72 ARROWS, 28"	1602
REPLACEMENT POINTS (NOT SHOWN)	41585



RAZORBACK™ CARBON ARROWS WITH FEATHERS

Fletched with 2 1/4" Gateway Feathers

- 25" arrows work best with a recurve bow up to 54" in length AT 20 LBS
- 28" arrows work best with a recurve bow up to 62" in length AT 30 LBS

DESCRIPTION	PART #
RAZORBACK ARROWS-25" QTY 72	1960RAZBK2554
RAZORBACK ARROWS-28" QTY 72	1960RAZBK2862
RAZORBACK ARROWS-25" QTY 6	1960RZBK25F
RAZORBACK ARROWS-28" QTY 6	1960RZBK28F



2015 **PSE** ARCHERY

CARBON FORCE ARROWS

ARCHERY



WHAT MAKES CARBON FORCE BETTER?

Quality. At Carbon Force we are obsessed with quality. We are always looking for a better manufacturing process that will allow us to build a better quality arrow. From our revolutionary Radial X Weave shafts to our new EXT line of small diameter shafts, you can feel confident because every shaft has the attention to detail that is necessary to create the best arrow shafts available today.



Radial X Weave™ arrows deliver unparalleled performance and are built using a high-tech computerized process that wraps carbon fibers at precise angles to form the arrow shaft. The end result is an arrow made of a woven pattern of carbon fiber – and a shaft that is almost 30% stronger and consistently straighter than conventional carbon arrow shafts.



"Better arrows result in better accuracy and better on game performance. We only trust our shot of a lifetime to the absolute finest arrows on the market - we only shoot Carbon Force!"

Terry and Mark Drury

Pete Shepley



WHAT IS QUIETCOAT™?

QuietCoat™ is PSE's custom process that increases penetration by reducing resistance. QuietCoat™ allows the arrow to slide over virtually any type of rest with very little noise, and makes removing the arrows from the target much easier. The proprietary process integrates the coating into the material used to make the surface of the arrow, to create an extremely durable finish.



2015 CARBON FORCE CARBON ARROWS

WHICH CARBON FORCE ARROW IS RIGHT FOR YOU?

Arrow Size	Grains per inch for: Pro, Bow Madness & STL Hunter
100	6.6
200	7.5
300	8.6
400	9.2



QUIETCOAT

RADIAL X WEAVE™ PRO

Straightness ± .001 and grain weight matched to ±1 one grain per dozen

- Shafts or fletched arrows
- .2437 ID
- QuietCoat™

DESCRIPTION	SIZE	PART #
DOZEN RADIAL X WEAVE PRO SHAFTS	100	1990RX2P1Q
DOZEN RADIAL X WEAVE PRO SHAFTS	200	1990RX2P2Q
DOZEN RADIAL X WEAVE PRO SHAFTS	300	1990RX2P3Q
DOZEN RADIAL X WEAVE PRO DURAVANES	100	1990KXP1FQ
DOZEN RADIAL X WEAVE PRO DURAVANES	200	1990KXP2FQ
DOZEN RADIAL X WEAVE PRO DURAVANES	300	1990KXP3FQ
DOZEN RADIAL X WEAVE PRO BLAZER VANES	100	1990RX2P1BQ
DOZEN RADIAL X WEAVE PRO BLAZER VANES	200	1990RX2P2BQ
DOZEN RADIAL X WEAVE PRO BLAZER VANES	300	1990RX2P3BQ

RADIAL X WEAVE™ BOW MADNESS™

Straightness ±.004

- Grain weight matched to 5 grains per dozen
- Shafts or fletched arrows
- .2437 ID
- QuietCoat™

QUIETCOAT

DESCRIPTION	SIZE	PART #
1/2 DOZEN BOW MADNESS PRO-FUSION VANES	200	1960MAD2F3Q
1/2 DOZEN BOW MADNESS PRO-FUSION VANES	300	1960MAD3F3Q
DOZEN BOW MADNESS SHAFTS	200	1990MAD2Q
DOZEN BOW MADNESS SHAFTS	300	1990MAD3Q
DOZEN BOW MADNESS PRO-FUSION VANES	200	1990MAD2F3Q
DOZEN BOW MADNESS PRO-FUSION VANES	300	1990MAD3F3Q

GRAINS PER INCH	SPINE
200=7.5	.424
300=8.6	.369



CARBON FORCE ARROW CHART							
ADJUSTED DRAW WEIGHT	A R R O W L E N G T H						
	25"	26"	27"	28"	29"	30"	31"
30-35#	●	●	●	●	●	●	●
36-39#	●	●	●	●	●	●	●
40-45#	●	●	●	●	●	●	●
46-51#	●	●	●	●	●	●	●
52-57#	●	●	●	●	●	●	●
58-63#	●	●	●	●	●	●	●
64-69#	●	●	●	●	●	●	●
70-75#	●	●	●	●	●	●	●
76-81#	●	●	●	●	●	●	●
82-87#	●	●	●	●	●	●	●
88-93#	●	●	●	●	●	●	●

QUIETCOAT

QuietCoat™ is PSE's custom process that increases penetration by reducing resistance. QuietCoat™ allows the arrow to slide over virtually any type of rest with very little noise, and makes removing the arrows from the target much easier. The proprietary process integrates the coating into the material used to make the surface of the arrow, to create an extremely durable finish.



2015 CARBON FORCE CARBON ARROWS

RADIAL X WEAVE™ STL HUNTER™

Straightness ± .006

- Grain weight matched to 5 grains per dozen
- Shafts or fletched arrows
- 4" feathers
- .2437 ID
- New QuietCoat™
- Nock and inserts included

FEATHERED- STL HUNTER™

DESCRIPTION	SIZE	PART #
1/2 DOZEN RADIAL X WEAVE STL HUNTER- FEATHERS	100	1960RXH1FEQ
1/2 DOZEN RADIAL X WEAVE STL HUNTER- FEATHERS	200	1960RXH2FEQ
1/2 DOZEN RADIAL X WEAVE STL HUNTER- FEATHERS	300	1960RXH3FEQ
1/2 DOZEN RADIAL X WEAVE STL HUNTER- FEATHERS	400	1960RXH4FEQ
DOZEN RADIAL X WEAVE STL HUNTER- FEATHERS	100	1990RXH1FEQ
DOZEN RADIAL X WEAVE STL HUNTER- FEATHERS	200	1990RXH2FEQ
DOZEN RADIAL X WEAVE STL HUNTER- FEATHERS	300	1990RXH3FEQ
DOZEN RADIAL X WEAVE STL HUNTER- FEATHERS	400	1990RXH4FEQ
72 COUNT- RADIAL X WEAVE STL HUNTER- FEATHERS	100	1980RXH1FEQ
72 COUNT- RADIAL X WEAVE STL HUNTER- FEATHERS	200	1980RXH2FEQ
72 COUNT- RADIAL X WEAVE STL HUNTER- FEATHERS	300	1980RXH3FEQ
72 COUNT- RADIAL X WEAVE STL HUNTER- FEATHERS	400	1980RXH4FEQ

GRAINS PER INCH	SPINE
100=6.6	.520
200=7.5	.424
300=8.6	.359
400=9.2	.337



STL HUNTER™ BLAZER™ 72 ARROWS

- Straightness ± .006
- Fletched arrows using Blazer™ vanes
- .245 ID
- Nocks and inserts included
- New QuietCoat™

DESCRIPTION	PART #
STL 100-72 PACK	1960RXH1BQ
STL 200-72 PACK	1960RXH2BQ
STL 300-72 PACK	1960RXH3BQ
STL 400-72 PACK	1960RXH4BQ

GRAINS PER INCH	SPINE
100=6.6	.520
200=8.6	.424
300=10.2	.359
400=9.2	.337

WHICH CARBON FORCE ARROW IS RIGHT FOR YOU?

Arrow Size	Grains per inch for: Pro, Bow Madness & STL Hunter
100	6.6
200	7.5
300	8.6
400	9.2

RADIAL X WEAVE™ BLACK MAMBA™

Straightness ± .004

- 10.5 grains per inch kinetic energy tube included
- Stainless steel collars and inserts
- Shafts or fletched arrows
- .2437 ID
- New QuietCoat™
- Nock and inserts included

DESCRIPTION	SIZE	PART #
DOZEN RADIAL X WEAVE BLACK MAMBA SHAFTS	400	1990RXBMQ
DOZEN RADIAL X WEAVE BLACK MAMBA-DURAVANES	400	1990RXBMFQ

GRAINS PER INCH	SPINE
400=9.2	.337



ADJUSTED DRAW WEIGHT	CARBON FORCE ARROW CHART						
	ARROW LENGTH						
	25"	26"	27"	28"	29"	30"	31"
30-35#	●	●	●	●	●	●	●
36-39#	●	●	●	●	●	●	●
40-45#	●	●	●	●	●	●	●
46-51#	●	●	●	●	●	●	●
52-57#	●	●	●	●	●	●	●
58-63#	●	●	●	●	●	●	●
64-69#	●	●	●	●	●	●	●
70-75#	●	●	●	●	●	●	●
76-81#	●	●	●	●	●	●	●
82-87#	●	●	●	●	●	●	●
88-93#	●	●	●	●	●	●	●



2015 CARBON FORCE

EXT CARBON ARROWS

WHICH CARBON FORCE ARROW IS RIGHT FOR YOU?

Arrow Size	Grains per inch for: Pro, Bow Madness & STL Hunter
100	6.6
200	7.5
300	8.6
400	9.2

EXT HUNTER SHAFTS

The PSE EXT Hunter arrows may be the best hunting arrows ever made.

Features include:

- Small diameter and extra thick for exceptional strength and penetration.
- Guaranteed to $\pm .001$ straightness and a 1/2 grain variance per dozen shafts.
- Each arrow is guaranteed to be the same spine and within ± 3 grains, even if you buy the arrows months or years apart.
- Coated to glide quietly over the arrow rest and allow easier removal from targets.
- All shafts feature a spine alignment mark for easy and accurate fletching.

EXT HUNTER SHAFTS

- Straightness $\pm .001$
- .166 ID

DESCRIPTION	SPINE	PART #
DOZEN VAP EXT HUNTER SHAFTS WITH INSERTS	350	1990EXTH350
DOZEN VAP EXT HUNTER SHAFTS WITH INSERTS	400	1990EXTH400
DOZEN VAP EXT HUNTER SHAFTS WITH INSERTS	500	1990EXTH500

VAP EXT TARGET SHAFTS

PSE now offers the best target arrows on the market.

PSE VAP EXT Target arrows features:

- Offered in four popular spine deflections.
- Guaranteed to $\pm .001$ straightness and a 1/2 grain variance per dozen shafts.
- Each arrow is guaranteed to be the same spine and within ± 3 grains, even if you buy the arrows months or years apart.
- Coated to glide quietly over the arrow rest and allow easier removal from targets.
- All shafts feature a spine alignment mark for easy and accurate fletching.
- Include pin bushings, pin nocks.
- Points are sold separately. (.166 inner diameter)

EXT TARGET SHAFTS

- Straightness $\pm .001$
- .166 ID

DESCRIPTION	SPINE	PART #
DOZEN VAP EXT TARGET SHAFTS WITH BUSHINGS AND PIN NOCKS	400	1990EXTT400
DOZEN VAP EXT TARGET SHAFTS WITH BUSHINGS AND PIN NOCKS	450	1990EXTT450
DOZEN VAP EXT TARGET SHAFTS WITH BUSHINGS AND PIN NOCKS	500	1990EXTT500
DOZEN VAP EXT TARGET SHAFTS WITH BUSHINGS AND PIN NOCKS	600	1990EXTT600

GRAINS PER INCH	SPINE
400= 7.1	.400
450= 6.8	.450
500= 6.1	.500
600= 5.5	.600

EXT TARGET/HUNTER POINTS (NOT SHOWN)

DESCRIPTION	PART #
EXT TARGET/HUNTER POINTS 80 GRAIN	41829
EXT TARGET/HUNTER POINTS 100 GRAIN	41830
EXT TARGET/HUNTER POINTS 120 GRAIN	41831

EXT TARGET ARROW COMPONENTS

DESCRIPTION	PART #
A) DOZEN PK EXT BUSHING PIN-SMALL	41832
B) DOZEN PK PIN NOCK- RED, 5 GRAIN	41842



EXT HUNTER ARROW COMPONENTS

DESCRIPTION	PART #
DOZEN PK RUBY RED NOCKS	41843
DOZEN PK PENETRATOR INSERT	41844516

Recurve Bow	Compound Bow Weight	Arrow Length															
		22.1	23.5	25.0	26.5	27.5	28.5	29.5	30.5	31.5	32.5	33.5	34.5	35.5	36.5	37.5	
12-14																	600
14-16																	600
16-18																	600
18-22	14-18																600
22-30	18-22	14-18															600
27-31	22-26	18-22															600
32-36	27-31	22-26															600
37-41	32-36	27-31															600
42-46	37-41	32-36	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600
47-51	42-46	37-41	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600
52-56	47-51	42-46	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600
57-61	52-56	47-51	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600
62-66	57-61	52-56	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600
	62-66	57-61	450	450	450	450	450	450	450	450	450	450	450	450	450	450	450
	67-72	62-66	450	450	450	450	450	450	450	450	450	450	450	450	450	450	450
	73-78	67-72	450	450	450	450	450	450	450	450	450	450	450	450	450	450	450
	79-84	73-78	450	450	450	450	450	450	450	450	450	450	450	450	450	450	450
	85-90	79-84	450	450	450	450	450	450	450	450	450	450	450	450	450	450	450
	91-95	85-90	450	450	450	450	450	450	450	450	450	450	450	450	450	450	450
	96-100	90-95	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350
	101-105	95-100	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350

Based on 100 GR Point. These are general guidelines. Please visit an authorized PSE dealer for proper fitting. Notes: 125 GR Point - If your draw length and/or bow percentage falls on the edge of a spine with a 125 GR point choose the stiffer spine. 80 GR Point - If your draw length and bow percentage falls on the edge of a spine with an 80 GR point choose the weaker spine.



2015 CARBON FORCE

EXT CARBON ARROWS

WHICH CARBON FORCE ARROW IS RIGHT FOR YOU?

Arrow Size	Grains per inch for: Pro, Bow Madness & STL Hunter
100	6.6
200	7.5
300	8.6
400	9.2

EXT TARGET SHAFTS- 2300 / 2700

PSE is proud to offer the best target arrow shafts on the market, the PSE EXT Target Shafts. Available in three popular diameters, PSE EXT Target Shafts are produced to $\pm .001$ straightness and a $\frac{1}{2}$ grain variance per dozen, giving you the confidence that you're shooting with one of the most consistent arrow shafts available. Every PSE EXT target arrow is also spine matched to ensure consistency throughout the life of your shafts. PSE EXT arrows are also built with our exclusive Fast Recovery System (FRS) technology, and coated with Whisper Coating, allowing for easier removal from targets, and feature a spine alignment mark for accurate fletching. From design, to production, to usability, PSE EXT Target Shafts are designed for pure performance.

EXT 2300 TARGET SHAFTS

- Straightness $\pm .001$
- Shafts
- .325 ID .365 OD

DESCRIPTION	SPIKE	PART #
DOZEN EXT 2300 SHAFTS WITH INSERTS AND PIN NOCKS	300	19902300400

GRAINS PER INCH
300= 8.0

SPIKE
.300

EXT 2700 TARGET SHAFTS

- Straightness $\pm .001$
- Shafts
- .383 ID .421 OD

DESCRIPTION	SPIKE	PART #
DOZEN EXT 2700 SHAFTS WITH BUSHINGS AND PIN NOCKS	200	19902700200


GRAINS PER INCH
200= 9.5

SPIKE
.200



EXT 2700 TARGET ARROW COMPONENTS

DESCRIPTION	PART #
A) DOZEN PK EXT 2700 BUSHING PIN, 12 GR	41841
B) DOZEN PK PIN NOCK- RED, 5 GR	41842
C) DOZEN PK EXT 2700 POINTS, 100 GR	41837
C) DOZEN PK EXT 2700 POINTS, 150 GR	41838
C) DOZEN PK EXT 2700 POINTS, 200 GR	41839
C) DOZEN PK EXT 2700 POINTS, 250 GR	41840



EXT 2300 TARGET ARROW COMPONENTS

DESCRIPTION	PART #
A) DOZEN PK EXT 2300 BUSHING PIN	41836
B) DOZEN PK PIN NOCK- RED, 5 GR	41842
C) DOZEN PK EXT 2300 POINTS, 80 GR	41833
C) DOZEN PK EXT 2300 POINTS, 100 GR	41834
C) DOZEN PK EXT 2300 POINTS, 180 GR	41835

Recurve Bow	Compound Bow Weight		Arrow Length													
	Mid Cam 800-1140 FPS ±10 FPS	Hard Cam 800-1000 FPS ±10 FPS	22.5"	23"	24"	25"	25.5"	26"	27"	28"	28.5"	29"	29.5"	30"	30.5"	31"
12-14																808
14-15																808
15-15																808
18-22	14-18															808
22-26	18-22	14-18														808
27-31	22-26	19-22														808
32-36	27-31	22-26														808
37-41	32-36	27-31														808
42-46	37-41	32-36														808
47-51	42-46	37-41														808
52-56	47-51	42-46														808
57-61	52-56	47-51														808
62-66	57-61	52-56														808
	62-66	57-61														808
	67-72	62-66														808
	73-78	67-72														808
	79-84	73-78														808
	85-90	79-84														808
	91-95	85-90														808
	96-100	91-95														808
	101-105	96-100														808
	106-110	101-105														808

Based on 100 GR Point. These are general guidelines. Please visit an authorized PSE dealer for proper fitting.
 Notes: 125 GR Point - If your draw length and bow poundage falls on the edge of a spine with a 125 GR point choose the stiffer spine.
 80 GR Point - If your draw length and bow poundage falls on the edge of a spine with an 80 GR point choose the weaker spine.



2015 CARBON FORCE CARBON ARROWS

WHICH CARBON FORCE ARROW IS RIGHT FOR YOU?

Arrow Size	Grains per inch for: Pro, Bow Madness & STL Hunter
100	6.6
200	7.5
300	8.6
400	9.2



RAZORBACK

▲ RAZORBACK™ ARROWS

- 70 grains / Straightness ± .003
- Fletched arrows with 2-1/4" Gateway feathers
- .165 ID

DESCRIPTION	SPINE	PART #
1/2 DOZEN- RAZORBACK 25" ARROWS FLETCHED	.1200	1960RZBK25F
1/2 DOZEN- RAZORBACK 28" ARROWS FLETCHED	.1000	1960RZBK28F
1/2 GROSS- RAZORBACK 25" ARROWS FLETCHED	.1200	1980RAZBK25F
1/2 GROSS- RAZORBACK 28" ARROWS FLETCHED	.1000	1980RAZBK28F

▲ SNIPER™ 2 SHAFTS IN SKULLWORKS®

- Economical Hunting Shafts
- Skullworks Camo
- Straightness ± .006
- Shafts or Fletched with 2" Blazer Vanes
- .2437 ID



DESCRIPTION	SIZE	PART #
DOZEN SNIPER™ SHAFTS	200	1990SW2II
DOZEN SNIPER™ SHAFTS	300	1990SW3II
DOZEN SNIPER™ BLAZER VANES	200	1990SW2IIR
DOZEN SNIPER™ BLAZER VANES	300	1990SW3IIR

GRAINS PER INCH	SPINE
200=8.2	.400
300=8.9	.340

▲ SNIPER™ 2

- Straightness ± .006
- Economical Hunting Shafts
- Fletched arrows with 2" Blazer Vanes
- .2437 ID



DESCRIPTION	SIZE	PART #
1/2 DOZEN- SNIPER 2 ARROWS WITH BLAZER VANES	200	1960SNII12B
1/2 DOZEN- SNIPER 2 ARROWS WITH BLAZER VANES	300	1960SNII13B
DOZEN- SNIPER 2 ARROWS WITH BLAZER VANES	200	1990SNII12B
DOZEN- SNIPER 2 ARROWS WITH BLAZER VANES	300	1990SNII13B
72 PACK- SNIPER 2 ARROWS WITH BLAZER VANES	200	1980SNII12B
72 PACK- SNIPER 2 ARROWS WITH BLAZER VANES	300	1980SNII13B

GRAINS PER INCH	SPINE
200= 8.2	.400
300= 8.9	.340

GRAINS PER INCH	SPINE
3.53	.1200
4.31	.1000

RAZORBACK™ NOCKS, POINTS AND FEATHERS

DESCRIPTION	PART #
DOZEN RAZORBACK NOCKS- ORANGE	41945
DOZEN RAZORBACK 80 GRAIN GLUE-IN POINTS	41952
DOZEN RAZORBACK FEATHERS- WHITE	41951WH
DOZEN RAZORBACK FEATHERS- RED	41951RD



▲ DESPERADO™

- Carbon youth arrow
- Fletched with 3" vanes
- Maximum bow peak weight of 50 lbs.
- Pre-cut lengths available in 26", 28" and 30"
- Includes 75 grain point .245 ID

DESCRIPTION	LENGTH	PART #
1/2 DOZEN DESPERADO ARROWS WITH VANES	28"	1960DES8F
DOZEN DESPERADO ARROWS WITH VANES	26"	1990DES6F
DOZEN DESPERADO ARROWS WITH VANES	28"	1990DES8F
DOZEN DESPERADO ARROWS WITH VANES	30"	1990DES3F
DESPERADO GLUE-IN POINTS	-	41250

SNIPER™ 2 COMPONENTS

DESCRIPTION	QTY	PART #
SNIPER INSERTS	DOZ	41780DZ
GREEN NOCKS	DOZ	41779DGR
RED NOCKS	DOZ	41779DRD
WHITE NOCKS	DOZ	41779DWH
YELLOW NOCKS	DOZ	41779DYL

◀ FIBERGLASS ARROWS AND REPLACEMENT POINTS*

DESCRIPTION	PART #
72 ASSORTED ARROWS	41340
72 ARROWS, 26"	1601
72 ARROWS, 28"	1602
REPLACEMENT POINTS (NOT SHOWN)	41585

while supplies last**

PSE DESPERADO™ 72 ARROWS ▶

- Includes arrow display to hold 72 arrows
- Includes 75 grain glue in field points

DESCRIPTION	PART #
DESPERADO, 72 PACK, 26"	1980DES6F
DESPERADO, 72 PACK, 28"	1980DES8F
DESPERADO, 72 PACK, 30"	1980DES0F
DESPERADO, 72 PACK, MIX ASSORTMENT	1980DESMX





2015 CARBON FORCE ARROWS & ACCESSORIES

CARBON FORCE™ ARROW INSERTS

- 12 grain
- Krulred inserts fits all Carbon Force™ Radial X-Weave shaft sizes

DESCRIPTION	PART #
DOZ. ARROW INSERTS	01211
100 PK ARROW INSERTS	01212



CARBON FORCE™ ARROW INSERTS

(NOT SHOWN)

DESCRIPTION	PART #
DOZ. ARROW INSERTS	1401
100 PK ARROW INSERTS	1404
1000 PK ARROW INSERTS	1405



FASTSET™ GEL CEMENT

- Perfect for Duravanes
- Sets in seconds!
- 9 gram tube

DESCRIPTION	PART #
FLETCH TITE	2813



GOAT TUFF™ GLUE

- Perfect for vanes
- Sets in seconds!

DESCRIPTION	PART #
GOAT TUFF- 7 GRAM	41610
GOAT TUFF- 1 OUNCE	41622



AAE PRO MAX VANES

- TAKE IT TO THE MAX!
- 2.1" long x .590" high x .024 thick
- High Profile design is proven for optimized broadhead flight

DESCRIPTION	COLOR	PART #
AAE PRO MAX VANES	YELLOW	41890YL
AAE PRO MAX VANES	ORANGE	41890OR
AAE PRO MAX VANES	GREEN	41890GR
AAE PRO MAX VANES	WHITE	41890WH



CARBON FORCE™ ADVANCED PERFORMANCE ADHESIVE

- Superior strength insert adhesive
- Bonds in seconds!

DESCRIPTION	PART #
ADHESIVE 3/4 OZ	41166
ADHESIVE 2 OZ	41167



NORWAY® FUSION™ VANES

- 3" Vinyl
- 36 Pack

DESCRIPTION	COLOR	PART #
FUSION VANES	WHITE	41632
FUSION VANES	RED	41633
FUSION VANES	YELLOW	41634
FUSION VANES	LIME	41631

SCREW-IN FIELD POINTS

- Available in three weights to fit Carbon Force™ arrows

DESCRIPTION	PART #
POINTS 85 GR	41047
POINTS 100 GR	41048
POINTS 125 GR	41049



4" GATEWAY FEATHERS

- For Carbon Force Radial X-Weave shafts

DESCRIPTION	PART #
DOZ. 4" FEATHERS, YELLOW	41957YL
DOZ. 4" FEATHERS, RED	41957RD
DOZ. 4" FEATHERS, GREEN	41957GN
DOZ. 4" FEATHERS, WHITE	41957WH



AAE™ PRO MAX HUNTER VANES

- 1.7" x .460" High Profile
- Perfect for 3D Arrows and mechanical broadheads
- Super Tough Max material for durability

DESCRIPTION	COLOR	PART #
AAE HUNTER VANES	GREEN	41897GR
AAE HUNTER VANES	ORANGE	41897OR
AAE HUNTER VANES	YELLOW	41897YL
AAE HUNTER VANES	WHITE	41897WH
AAE HUNTER VANES	PINK	41897PK



NORWAY® 3D DURAVANES™- 3"

- No primer on the vane
- Used on TAC Series arrows
- 50 Pack

DESCRIPTION	COLOR	PART #
3D DURAVANES	BLACK	41652
3D DURAVANES	WHITE	41652WH



CARBON FORCE™ FLUORESCENT NOCKS

- 13 grain
- Fits all Carbon Force™ Radial X-Weave and Sniper™ arrows

DESCRIPTION	COLOR	PART #
FLO NOCKS, DOZ	GREEN	1403DGM
FLO NOCKS, DOZ	ORANGE	1403DOR
FLO NOCKS, DOZ	RED	1403DRD
FLO NOCKS, DOZ	WHITE	1403DWH
FLO NOCKS, 100 PK	GREEN	1403CGN
FLO NOCKS, 100 PK	ORANGE	1403COR
FLO NOCKS, 100 PK	RED	1403CRD
FLO NOCKS, 100 PK	WHITE	1403CWH



AFTER BURN™ NOCK

- 24 grain


DESCRIPTION	PART #
AFTER BURN GREEN LIGHTED NOCK - 3PK	41748G
AFTER BURN RED LIGHTED NOCK - 3PK	41748R
AFTERBURN PRACTIC NOCK- 3PK	41749



BOHNING® ARCHERY BLAZER VANES™

- Extreme durability
- Provides excellent arrow guidance
- Maximum accuracy and silent in flight
- 3 dozen pack
- Sizes: 2"

DESC	COLOR	PART #
BLAZER 2" VANES	RED	41775
BLAZER 2" VANES	FLO GREEN	41483
BLAZER 2" VANES	FLO ORANGE	41484
BLAZER 2" VANES	FLO YELLOW	41482
BLAZER 2" VANES	WHITE	41470



2015 **PSE** ARCHERY

ARCHERY ACCESSORIES

ARCHERY



2015 PSE ACCESSORIES

ACCESSORY PACKAGES

2015 **new**

CUSTOM PACKAGED ACCESSORIES

We've put together our most popular accessories into easy-to-buy packages. Camo patterns and/or sights vary in each package.

PSE ACCESSORY PACKAGE TWO

- Shadow™ Quiver Skullworks® camo
- Vibracheck™ Flextech™ 3 Stabilizer
- Gemini™ Sight
- QS Whisker Biscuit
- PSE Neoprene Sling
- Nock Loop - 4 1/2"
- Mongoose™ Peep and Tubing

DESCRIPTION	PART #
PSE ACCESSORY PACKAGE TWO	01264SW



PSE ACCESSORY PACKAGE ONE

- Shadow™ Quiver Skullworks® camo
- Vibracheck™ Flextech™ 3 Stabilizer
- Aries™ Sight
- QS Whisker Biscuit
- PSE Neoprene Sling
- Nock Loop - 4 1/2"
- Mongoose™ Peep and Tubing

DESCRIPTION	PART #
PSE ACCESSORY PACKAGE ONE	01263SW



PSE ACCESSORY PACKAGE FOUR

- Shadow™ Quiver Black
- Vibracheck™ Flextech™ 3 Stabilizer
- Aries™ Sight
- QS Whisker Biscuit
- PSE Neoprene Sling
- Nock Loop - 4 1/2"
- Mongoose™ Peep and Tubing

DESCRIPTION	PART #
PSE ACCESSORY PACKAGE FOUR	01263BK



PSE ACCESSORY PACKAGE THREE

- Shadow™ Quiver Break-Up® Infinity®
- Vibracheck™ Flextech™ 3 Stabilizer
- Aries™ Sight
- QS Whisker Biscuit
- PSE Neoprene Sling
- Nock Loop - 4 1/2"
- Mongoose™ Peep and Tubing

DESCRIPTION	PART #
PSE ACCESSORY PACKAGE THREE	01263IF



PSE ACCESSORY PACKAGE FIVE

- Shadow™ Quiver Black
- Vibracheck™ Flextech™ 3 Stabilizer
- Gemini™ Sight
- QS Whisker Biscuit
- PSE Neoprene Sling
- Nock Loop - 4 1/2"
- Mongoose™ Peep and Tubing

DESCRIPTION	PART #
PSE ACCESSORY PACKAGE FIVE	01264BK





2015 PSE ACCESSORIES BOW SIGHTS



2015 PSE new

skullworks CAMO

▲ PSE X-FORCE HUNTER™ SIGHT

- Black Maxx™ soft feel coat finish for vibration dampening
- 1 3/4" light weight wire frame housing
- Five .019" lightning fire fiber optic stainless steel tube pins
- Bubble level for precision shooting
- Fixed plate mount extends from 2 1/2" to 3 3/4"
- Purple Haze™ adjustable rheostat sight light included
- Black (BK) or PSE Skullworks® camo (SW)
- Right or left hand

DESCRIPTION	PART #	OPTION
XF HUNTER SIGHT	01239BK	BLACK
XF HUNTER SIGHT	01239SW	SKULLWORKS



▲ PSE X-FORCE™ DRIVE MAX™ SIGHT

- Black Maxx™ soft coat finish for vibration dampening
- [4] .019" full capture pins
- 1 3/4" light weight wire frame housing
- All parts are CNC machined and hand-fit to exact tolerances
- Silent bushing system eliminates rattle and makes smooth adjustments
- 2nd & 3rd Axis adjustments for long range accuracy
- Tool-less micro drive adjustments for windage & elevation
- X-Force™ speed dial allows user to quickly adjust the sight for long distances
- Compatible with Archer's Advantage™ software
- Yardage indicator pin and elevation lock
- Bubble level for precision long-range shooting
- Purple Haze™ adjustable rheostat light included
- Accepts optional lens kit for 2X, 3X, 4X, or 6X
- Right or left hand

DESCRIPTION	PART #	OPTION
XF DRIVE MAX SIGHT	01235BK	BLACK



2015 PSE new

▲ PSE X-FORCE LEGEND™ SIGHT

- Black Maxx™ soft feel coat finish for vibration dampening
- 1 3/4" light weight wire frame housing
- All parts are CNC machined and hand fit to exact tolerances
- Silent bushing system eliminates rattle and makes smooth adjustments
- Five .019" Lightning Fire™ fiber optic stainless steel tube pins
- 2nd & 3rd Axis adjustments for long range accuracy
- Tool-less micro drive adjustments for windage & elevation
- Bubble level for precision shooting
- Mount extends from 4" to 8 3/4"
- Purple Haze™ adjustable Rheostat Sight Light included
- Accepts optional lens kit for 2X, 3X, 4X, or 6X
- Right or left hand

DESCRIPTION	PART #	OPTION
LEGEND SIGHT	01238BK	BLACK



2015 PSE new

▲ PSE SLIDER™ SIGHT

- Satin black finish
- One .019" full capture pin
- 1-3/4" diameter housing for an enlarged field of view
- All parts are CNC machined and hand fit to exact tolerances
- Bubble level for precision shooting
- Purple haze adjustable rheostat light included
- Fixed plate mount extends from 4 1/2" to 5 1/2"
- Accepts optional lens kit for 2X, 3X, 4X, or 6X
- Right or left hand

DESCRIPTION	PART #	OPTION
SLIDER SIGHT	01241BK	BLACK



2015 PSE new

PSE LENS AND LENS RETAINER PACKAGE

- Polycarbonate lens with retainer ring
- Compatible with the X-Force Legend, X-Force Slider, & X-Force Drive Max

DESCRIPTION	PART #	BASE	MAP
2X POWER LENS	42124X2	49.99	79.99
3X POWER LENS	42124X3	49.99	79.99
4X POWER LENS	42124X4	49.99	79.99
6X POWER LENS	42124X6	49.99	79.99



2015 PSE new

▲ PSE SUN SHADE

- Compatible with the X-Force Legend, X-Force Slider, & X-Force Drive Max

DESCRIPTION	PART #
SUN SHADE	42125BK



2015 PSE ACCESSORIES

BOW SIGHTS & ACCESSORIES



2015 PSE new

▲ PSE AMP™ SIGHT

- Satin black finish for black sights
- Five .019" full capture pins
- 2" diameter housing for an enlarged field of view
- Bubble level for precision shooting
- Blue Flame™ light included
- Fixed plate mount extends from 3 1/4" to 4"
- Black (BK) or Mossy Oak® BreakUp® Infinity® camo (IF)
- Right or left hand

DESCRIPTION	PART #	OPTION
AMP SIGHT	01240BK	BLACK
AMP SIGHT	01240IF	INFINITY CAMO



▲ PSE REPLACEMENT SIGHT PINS

- 3/16" base- for F Series, Gemini, Aries and Orion sights

DESC	PART #
.019 RED	41225
.019 YELLOW	41226
.019 GREEN	41227
.029 RED	41228
.029 YELLOW	41229
.029 GREEN	41230



▲ PSE ADJUSTABLE SIGHT PIN

- .019 adjustable pin
- Fits Pete Shepley Signature Series sights

DESC	PART #
RED	41673RD
GREEN	41673GN
YELLOW	41673YL
GREEN	42113GN
ORANGE	42113OR



2015 PSE new

▲ PSE AURORA™ SIGHT

- Five .029" fiber optic sight pins
- Includes sight light
- Phosphorescent glo ring
- Sight level

DESCRIPTION	PART #
AURORA SIGHT	42119BK



2015 PSE new

▲ PSE GEMINI™ SIGHT

- Three .029 fiber optic sight pins
- Injection molded true radius pin guard
- Angled pin track for true pin alignment
- Phosphorescent glo ring

DESCRIPTION	PART #
GEMINI SIGHT	41586



▲ PSE ECLIPSE™ AND GALAXY™ SIGHT PIN

.019 adjustable pin. Over 8" of high quality fiber optic material

DESC	PART #
RED	01162RD
GREEN	01162GN
YELLOW	01162YL



The bottom pin is a "slider" that can be adjusted easily without tools.



2015 PSE new

▲ PSE ADJUSTABLE SIGHT PIN

- .019 adjustable pin
- For the Legend, Drive Max, and Hunter sights

DESC	PART #
GREEN	42113GN
ORANGE	42113OR



▲ PSE SIGHT LEVEL

- Fits any sight with a 3/16" pin track

DESC	PART #
LEVEL	41269



▲ PSE THIRD AXIS LEVEL

- Fits PSE Orion™, Slider™, Pete Shepley Signature, Eclipse™ and Aries™ sights

DESC	PART #
3RD LEVEL	41573



2015 PSE new

◀ PSE RHEOSTAT BLUE LIGHT

- Fully adjustable through the entire range of light brightness
- UV light for better pin visibility

DESC	PART #
RHEO BLUE	42115BL



◀ PSE INDIGLO™ UV LIGHT

- UV bulb for better pin visibility

DESC	PART #
INDI	41572



▲ PSE THIRD AXIS LEVEL

- Fits Slider™, Drive Max™, Legend™, sights

DESC	PART #
3RD LEVEL	42114OR

PSE ARCHERY 2015 PSE ACCESSORIES

ARROW RESTS



PSE ULTRA™ HDX

- Total Arrow Containment
- Convenient Thumbwheel
- Noise-reducing design
- Break away safety feature
- Precision CNC aluminum, stainless steel, & Delrin™ components
- Right or Left hand

DESCRIPTION	PART #
QAD ULTRA HDX-BLACK, RIGHT	41938RBK
QAD ULTRA HDX-BLACK, LEFT	41938LBK
QAD ULTRA HDX-RED, RIGHT	41938RRD
QAD ULTRA HDX-RED, LEFT	41938LRD
QAD ULTRA HDX-CAMO, RIGHT	41938RCA
QAD ULTRA HDX-CAMO, LEFT	41938LCA

PSE TARGET™ MICRO LAUNCHER

- Designed to accommodate all shooting styles
- Adjusts from 20 degree to 45 degree in 5 degree increments
- Micro adjustable for both windage and elevation
- Includes 3 target blades: .008, .010, .012

DESCRIPTION	PART #
TARGET MICRO-RIGHT	41758R
TARGET MICRO-LEFT	41758L

PSE HORNET™

- Converts easily from right to left hand
- Dovetail windage block makes minor adjustments quick and simple

DESCRIPTION	PART #
HORNET REST	41546

PSE RAPID™ REST

- Economical and fast to set up
- Falls out of the way for complete arrow clearance

DESCRIPTION	PART #
RAPID-RIGHT	41909R
RAPID-LEFT	41909L



PSE PROWLER™ DROP-AWAY

- Simple, dependable drop-away rest
- Provides complete arrow clearance
- Oversized adjustment screws

DESCRIPTION	PART #
PROWLER RIGHT	41544R
PROWLER LEFT	41544L



PSE PHANTOM™ MICRO DROP-AWAY

- Our finest micro adjust drop-away rest
- Full capture platform
- Falls out of the way for complete arrow clearance
- Independent micro adjustable windage and elevation
- Oversized adjustment screws

DESCRIPTION	PART #
PHANTOM MICRO-RIGHT	41757R
PHANTOM MICRO- LEFT	41757L



PSE PHANTOM™ DROP-AWAY

- Full capture platform
- Falls away for complete arrow clearance
- Oversized adjustment screws

DESCRIPTION	PART #
PHANTOM RIGHT	41537R
PHANTOM LEFT	41537L



PSE SNAP SHOT™ BOWFISHING REST

- Perfect for the beginner or veteran shooter
- High grade aluminum and stainless steel

DESCRIPTION	PART #
SNAP SHOT REST	42117BK



PSE POSSE™

- Works with any bow that has a threaded hole to allow for a screw-in style rest

DESCRIPTION	PART #
POSSE- RIGHT	01084R
POSSE- LEFT	01084L



2015 PSE ACCESSORIES BOW QUIVERS



◀ PSE X QUIVER™

- Machined aluminum frame with a built-in tree hanger
- Thumb tab arrow gripper makes removing arrows a snap
- No moving parts on the quick detach mounting system
- Works equally well with mechanical and fixed blade broadheads

DESCRIPTION	PART #	OPTION
X QUIVER, 5 ARROW	41669	BU INFINITY
X QUIVER, 5 ARROW	41669SW	SKULLWORKS
X QUIVER, 5 ARROW	41669BK	BLACK



◀ PSE SHADOW™ QUIVER

- Lightweight, durable, and compact
- Quick-detach quiver bracket

DESCRIPTION	PART #	OPTION
SHADOW QUIVER	01223IF	BU INFINITY
SHADOW QUIVER	01223SW	SKULLWORKS
SHADOW QUIVER	01223BK	BLACK



◀ PSE DUAL X QUIVER™

- Machined aluminum frame with a built-in tree hanger
- Works equally well with mechanical and fixed blade broadheads
- No moving parts to rattle and make noise during the shot
- Two arrow grippers hold your arrows more secure
- Thumb tab arrow gripper

DESCRIPTION	PART #	OPTION
DUAL X QUIVER, 5 ARROW	41772IF	BU INFINITY
DUAL X QUIVER, 5 ARROW	41772SW	SKULLWORKS
DUAL X QUIVER, 5 ARROW	41772BK	BLACK
DUAL X QUIVER, 5 ARROW	41772CY	COUNTRY



◀ PSE FLEX 5™

- Lightweight, durable, and compact
- Quick-detach quiver bracket
- Features dual grippers on a flexible composite frame
- Frame can be moved in multiple locations to adjust bow weight distribution

DESCRIPTION	PART #	OPTION
FLEX 5, 5 ARROW	41855IF	BU INFINITY
FLEX 5, 5 ARROW	41855SW	SKULLWORKS
FLEX 5, 5 ARROW	41855CY	COUNTRY

◀ PSE COVERT-X™ QUIVER

- Quiver hood provides up to six adjustable positions for multiple arrow lengths
- Holds five arrows of any size
- Extended arrow clip positions the arrow nocks above the lower cam for protection

DESCRIPTION	PART #	OPTION
COVERT-X QUIVER	01224IF	BU INFINITY
COVERT-X QUIVER	01224SW	SKULLWORKS
COVERT-X QUIVER	01224BK	BLACK

◀ PSE CRUCIAL™ TWO-PIECE 6 ARROW QUIVER

- Adjustable up and down to fit a wide variety of bows and arrow lengths with a unique one-screw clamping system
- Mounts close to the riser for a sleek and compact profile
- Lightweight and durable construction

DESCRIPTION	PART #	OPTION
CRUCIAL, 6 ARROW	01225IF	BU INFINITY
CRUCIAL, 6 ARROW	01225SW	SKULLWORKS
CRUCIAL, 6 ARROW	01225BK	BLACK

◀ PSE ECLIPSE™ 2-PIECE QUIVER

- Lightweight design
- Arrows secured by magnets and foam
- Works with almost any size arrow
- Holds six arrows

DESCRIPTION	PART #	OPTION
ECLIPSE TWO-PIECE	01128IF	BU INFINITY
ECLIPSE TWO-PIECE	01128SW	SKULLWORKS



2015 PSE ACCESSORIES

ACCESSORIES AND PARTS



- ▲ **PSE NOCKING LOOP**
- 9 pack card of string loops
 - White or red

DESCRIPTION	PART #
WHITE, 4-1/4", 9 PACK	2697
WHITE, 4-1/2", 9 PACK	2698
WHITE, 4-3/4", 9 PACK	2699
RED, 4-1/4", 9 PACK	2697RD
RED, 4-1/2", 9 PACK	2698RD
RED, 4-3/4", 9 PACK	2699RD
LOOP, BULK WHITE*	2694
LOOP, BULK RED*	2694RD

*BULK ORDER INCLUDES: 10 EA - 4 1/4", 10 EA - 4 1/2", 30 EA - 4 3/4"



- ▲ **QUICK-DETACH BRACKET**
- Will fit previous and current model PSE quiverS (Not for eclipse)

DESCRIPTION	PART #
QD BRACKET	3395



- ▲ **PSE ECLIPSE™ REPL. FOAM**
- Fits Eclipse™ quivers
 - Integrated magnet strip

DESCRIPTION	PART #
ECLIPSE FOAM	3390E



- ▲ **PSE REPLACEMENT QUIVER HOOD FOAM**
- Fits quivers shown

DESCRIPTION	PART #
REPLACEMENT FOAM, 4 ARROW (PRIOR TO 2014)	3390S
REPLACEMENT FOAM, 8 ARROW (PRIOR TO 2014)	3390L
REPLACEMENT FOAM, MONGOOSE (PRIOR TO 2014)	3390M
REPLACEMENT FOAM, X QUIVER 3 ARROW	01194
REPLACEMENT FOAM, X QUIVER 5 ARROW	01195
REPLACEMENT FOAM, FIXED BLADE	41922
REPLACEMENT FOAM, MECHANICAL BLADE	41920



- ◀ **PSE ECLIPSE™ QUIVER MOUNT**
- Fits Eclipse™ one-piece quivers only

DESCRIPTION	PART #
ECLIPSE QUIVER MOUNT	01161



▲ **PSE / TREELIMB™ X QUIVER RISER MOUNT**

Designed to mount directly into the upper "through hole" in the riser. Allows Treelimb quivers to be mounted higher on the bow and eliminates clearance issues with a sight.

DESCRIPTION	PART #
EXTENDED QUIVER MOUNT	41903



- ▲ **PSE X QUIVER MOUNT**
- Fits X-Quiver™ and Dual X-Quiver™ quivers

DESCRIPTION	PART #
X-QUIVER MOUNT	01177



- ▲ **QAD™ REST CABLE CLAMP KIT**
- The QAD Ultra-Rest Replacement Cable Clamp Kit will help you set the timing on your QAD Ultra-Rest. The kit includes a clamp as well as a piece of timing cord 12 inches long so you can make sure your Ultra-Rest is timed perfectly everytime you shoot.

DESCRIPTION	PART #
X-QUIVER MOUNT	41940



- ▲ **QAD™ REPLACEMENT FELT KIT**
- The QAD Ultra-Rest HDX replacement felt will go on the launcher fork and capture bar of your HDX rest to keep your draw completely silent so you will not spook your game when drawing your bow back.

DESCRIPTION	PART #
REPL. FELT BLACK	41939BK
REPL. FELT CAMO	41939CA



2015 PSE ACCESSORIES

PEEP SIGHTS, GRIPS & STOPS



◀ PSE MONGOOSE™ 1/4" PEEP SIGHT

- Dozen card
- 100 pack



DESCRIPTION	PART #
MONGOOSE 1/4" PEEP CARD	2822DZ
MONGOOSE 1/4" PEEP 100 PK	2822C

◀ PSE MONGOOSE™ 1/8" PEEP SIGHT

- Includes tubing and peep aligner

DESCRIPTION	PART #
MONGOOSE 1/8" PEEP (EACH)	2820
MONGOOSE 1/8" PEEP (DOZEN)	2820DZ
MONGOOSE 1/8" PEEP (100 PK)	2820C

◀ PSE PETE SHEPLEY PEEP

- Includes tubing and peep aligner
- Replacement tubing - 4 ft.

DESCRIPTION	PART #
PETE SHEPLEY PEEP	2829
PETE SHEPLEY REPLACEMENT TUBING	2817

◀ ECLIPSE™ PETE SHEPLEY WRIST SLING

- Machined aluminum bracket
- Easy to adjust
- Comfortable rope

DESCRIPTION	PART #
ECLIPSE PETE SHEPLEY SLING	01127



◀ PSE WHEEL PEEP

- Dozen (12) card

DESCRIPTION	PART #
PEEP WHEEL	2823DZ



◀ RED EYE PEEP SIGHT

- CNC Machined concave construction
- Convex entrance pupil is larger in size for better light gathering

DESCRIPTION	PART #
RED EYE PEEP-3/16"	41685
RED EYE PEEP-1/4"	41684



◀ TRI VIEW PEEP SIGHT

- Ultralight aluminum peep
- Can be installed 3 different ways
- Guaranteed to square peep to eye with any string angle

DESCRIPTION	PART #
TRI VIEW PEEP- 1/8"	41750
TRI VIEW PEEP- 3/16"	41751
TRI VIEW PEEP- 1/4 "	41752

PSE LONG VALLEY HARD STOPS ▶

- Designed for PSE performance Hybrid Cams
- Will increase the draw length of the bow approximately 1/8 inch
- Includes one short and one long stop

DESCRIPTION	PART #
LONG VALLEY HARD STOP-SHORT	01265
LONG VALLEY HARD STOP-LONG	

ADDITIONAL ACCESSORIES NOT SHOWN

DESCRIPTION	PART #
DROP AWAY ARROW HOLDER (PACK OF 6)	01110
POSI-LOCK KEYS (DOZEN)	01216
HARD DRAW STOP	01218



◀ PSE B.E.S.T.™ ADJUSTABLE GRIP

- Fits all X-Force riser bows with the B.E.S.T.™ Grip (prior to 2010 models)
- Designed to help eliminate hand torque
- Works on either right or left hand bows
- Easy to install and use

DESCRIPTION	PART #
BEST GRIP	01137



◀ PSE RAPTOR™ ADJUSTABLE GRIP

- Fits all 2011-14 models w/Raptor™ grip

DESCRIPTION	PART #
RAPTOR GRIP	01160



◀ VIBRACHECK™ RUBBER GRIP

- AMBIdextrous GRIP

DESCRIPTION	PART #
RUBBER GRIP	01094



◀ PSE NEOPRENE CONVECTOR GRIP

- Fits all 2011-2014 models w/Raptor and B.E.S.T. grip

DESCRIPTION	PART #
NEOPRENE GRIP	41737



2015 PSE ACCESSORIES

ACCESSORIES AND PARTS



PSE BLACK SET

PART #
01215BK

PSE BLUE SET

PART #
01215BL

PSE GREEN SET

PART #
01215GN

PSE RED SET

PART #
01215RD

PSE PINK SET

PART #
01215PK

PSE ORANGE SET

PART #
01215OR

PSE YELLOW SET

PART #
01215YL

PSE PURPLE SET

PART #
01215PR



SEE NEXT PAGE FOR INDIVIDUAL COLORED RUBBER COMPONENTS



2015 PSE ACCESSORIES

ACCESSORIES AND PARTS

LIMB BANDS



	PART #
EACH	01203BK
BULK (40)	01204BK



	PART #
	01203RD



	PART #
	01203GN



	PART #
	01203BL



	PART #
	01203PK



	PART #
	01203OR



	PART #
	01203YL



	PART #
	01203PR

GRIP INSERTS



	PART #
	01189BK



	PART #
	01189RD



	PART #
	01189GN



	PART #
	01189BL



	PART #
	01189PK



	PART #
	01189OR



	PART #
	01189YL



	PART #
	01189PR

STRING CHUBS



	PART #
	01067



	PART #
	01067RD



	PART #
	01067GN



	PART #
	01067BL



	PART #
	01067PK



	PART #
	01067OR



	PART #
	01067YL



	PART #
	01067PR

CABLE SLIDES



	PART #
	01163BK



	PART #
	01163



	PART #
	01163GN



	PART #
	01163BL



	PART #
	01163PK



	PART #
	01163OR



	PART #
	01163YL



	PART #
	01163PR

BACKSTOP™ BUMPERS



	PART #
	01118



	PART #
	01118RD



	PART #
	01118GN



	PART #
	01118BL



	PART #
	01118PK



	PART #
	01118OR



	PART #
	01118YL



	PART #
	01118PR


FLEX GUARDS



	PART #
	01204BK



	PART #
	01204RD



	PART #
	01204GR



	PART #
	01204BL



	PART #
	01204PK



	PART #
	01204OR



	PART #
	01204YL



	PART #
	01204PR

CABLE GUIDE DAMPER



	PART #
	01097



	PART #
	01097RD



	PART #
	01097GN



	PART #
	01097BL



	PART #
	01097PK



	PART #
	01097OR



	PART #
	01097YL



	PART #
	01097PR

2015 **PSE** ARCHERY

VIBRACHECK ACCESSORIES

ARCHERY



2015 VIBRACHECK™ STABILIZERS



2015 **new**

VIBRACHECK™ FLEXTECH™ 3

- Proprietary specially formulated rubber for superior vibration damping

DESC	PART #	OPTION
FLEXTECH 3	41972	BLACK



2015 **new** **OF** COUNTRY

VIBRACHECK™ OMEGA™

- Stabilizer with Suspended Rod Technology in a polymer gel

DESCRIPTION	PART #	OPTION
OMEGA 5", 7 OZ	OMSB	BLACK
OMEGA 5", 7 OZ	OMSIF	INFINITY
OMEGA 5", 7 OZ	OMSSW	SKULLWORKS
OMEGA 5", 7 OZ	OMSCY	COUNTRY

DESCRIPTION	PART #	OPTION
OMEGA 8", 9 OZ	OM8B	BLACK
OMEGA 8", 9 OZ	OM8IF	INFINITY
OMEGA 8", 9 OZ	OM8SW	SKULLWORKS



VIBRACHECK™ 7" ISOLATOR™ G3 STABILIZER

- Stabilizer with Suspended Rod Technology in a polymer gel
- 6 - 1 oz. removable weights

DESCRIPTION	PART #	OPTION
ISOLATOR G3 STAB	01173BK	BLACK
ISOLATOR G3 STAB	01173IF	INFINITY
ISOLATOR G3 STAB	01173SW	SKULLWORKS



2015 **new** **OF** COUNTRY



VIBRACHECK™ VITRON™

- Allows you to easily increase or reduce weight by removing the four-lobe knob
- 6-1/2" Long, 8 oz.

DESCRIPTION	PART #	OPTION
VITRON STABILIZER	01219BK	BLACK
VITRON STABILIZER	01219IF	INFINITY
VITRON STABILIZER	01219SW	SKULLWORKS
VITRON STABILIZER	01219CY	COUNTRY



VIBRACHECK™ ICON™

- 7" long, 7 oz.
- VibaSORB™ insert to dissipate vibration
- Perfect for short, fast hunting bows

DESCRIPTION	PART #	OPTION
ICON STABILIZER	ICON	CAMO
ICON STABILIZER	ICONSW	SKULLWORKS



2015 **VIBRACHECK™**

COMPETITION STABILIZERS



PRO CARBON STABILIZER SYSTEM

- 2" removable micro-flex tip. Adjustable weight system
- High-quality carbon. Back-weighted with VibaSORB™ Gel (Length excludes removable flexible tip and weights.)

DESCRIPTION	PART #	OPTION
PRO CARBON STAB	416706	6" - 7.1 OZ.
PRO CARBON STAB	416709	9" - 7.4 OZ.
PRO CARBON STAB	4167015	15" - 8.8 OZ.
PRO CARBON STAB	4167024	24" - 9.9 OZ.
PRO CARBON STAB	4167028	28" - 10.3 OZ.
PRO CARBON STAB	4167030	30" - 10.5 OZ.
PRO CARBON STAB	4167034	34" - 10.9 OZ.

PRO CARBON HUNTER

- 10 1/2" total length, 8 oz. weight 5/16" - 24 thread
- Carbon construction, Back-weighted with VibaSORB™ Gel

DESCRIPTION	PART #	OPTION
PRO CARBON HUNTER	41671	10 1/2"



OFFSET BRACKET / GORILLA BAR™

- Machined aluminum

DESCRIPTION	PART #		
OFFSET BRACKET	E0BB		
GORILLA BAR	GBARB		

3-PACK PRO CARBON WEIGHTS

- Three 1 oz. stainless steel weights - 1/8" thickness.
- Fits Pro Carbon and Isolator G3 stabilizers

DESCRIPTION	PART #	OPTION
3-PRO CARBON WTS	41672	SILVER- 1 OZ.
3-PRO CARBON WTS	416728	BLACK- 1 OZ.

PRO CARBON HUNTER WEIGHT

- One 8 oz. black weight with 5/16" 24 threaded hole
- Fits Pro Hunter, Omega and Freestyle stabilizers

DESCRIPTION	PART #
PRO CARBON WEIGHT	WT88



2015 VIBRACHECK™ ACCESSORIES



VIBRACHECK™ QUICK DISCONNECT

- Machined aluminum quick detach for your stabilizer
- Slotted design allows the bow's stabilizer to fold up or down for case storage

DESCRIPTION	PART #	OPTION
QUICK DISCONNECT	QDB	BLACK, STRAIGHT
QUICK DISCONNECT	AQDB	BLACK, 10% OFFSET

VIBRACHECK™ STOKERIZED™ VB-1 STABILIZER

- Weight adjustable (front and back)
- Adjustable bracket (up and down)
- Adjustable rod (front and back)

DESCRIPTION	PART #	OPTION
VB-1 STAB	41910BK	BLACK
VB-1 STAB	41910RD	RED
VB-1 STAB	41910SM	SMOKE



STOKERIZED

VIBRACHECK™ STOKERIZED™ VB-2 STABILIZER

- 8" Acrylic rod stabilizer
- Saltum damper

DESCRIPTION	PART #	OPTION
VB-2 STAB	41907BK	BLACK
VB-2 STAB	41907RD	RED
VB-2 STAB	41907SM	SMOKE



VIBRACHECK™ STOKERIZED™ 2.5 OZ WEIGHT

DESCRIPTION	PART #
2.5 OZ WEIGHT	41878BK



VIBRACHECK™ QUICKSTAND™

- Keeps your bow ready and within reach when hunting on the ground or in a blind
- Machined aluminum and high-grade carbon
- Detachable legs screw together for easy quiver storage

DESCRIPTION	PART #
QUICK DISCONNECT	QS1



VIBRACHECK™ BACKSTOP™ 3

Please use this chart when ordering Backstop™ 3's:

BACKSTOP 3 PART #	HANDLE-TO-STRING DISTANCE	APPROX. BRACE HEIGHT
01266BKSHT	4-7/8" to 5-5/8"	6" to 6-3/4"
01266BKMED	5-3/8" to 6-1/8"	6-1/2" to 7-1/4"
01266BKLONG	5-7/8" to 6-5/8"	7" to 7-3/4"



VIBRACHECK™ BACKSTOP™ 2

Please use this chart when order Backstop™ 2's:

BACKSTOP 2 PART #	HANDLE-TO-STRING DISTANCE	APPROX. BRACE HEIGHT
01202BKSHT	4-7/8" to 6-3/4"	6" to 7-7/8"
01202BKLONG	5-1/2" to 7-3/8"	6-5/8" to 8-1/2"





2015 **PSE** ARCHERY
SIGNATURE ITEMS®

ARCHERY



2015 PSE ACCESSORIES

SIGNATURE ITEMS

PSEARCHERYSTORE.COM

NEW FOR 2015!

It's 2015 and the PSE brand is stronger than ever! For PSE shooters, our brand name means more than just a bow; it represents a lifestyle. PSE customers live our brand 24/7 through shirts, hats, gear, and other PSE-branded accessories. We've dramatically expanded our Signature Series line with an exciting selection of new products...so don't wait, increase your sales by offering PSE customers our lucrative lifestyle brand of apparel and other Signature Series items. To view the entire line go to www.psearcherystore.com.



*PSE PRO SERIES BOWS • PSE MAINLINE BOWS • PSE BOWFISHING
PSE HERITAGE™ SERIES • CROSSBOWS • SIGHTS • ARROW RESTS
QUIVERS • SIGHT ACCESSORIES • LOOPS/GRIPS/PEEPS
CARBON FORCE™ ARROWS • ARROW ACCESSORIES
VIBRACHECK™ ACCESSORIES • KING™ ACCESSORIES
DISTRIBUTED ACCESSORIES • HUNTING ACCESSORIES
ARCHERY TOOLS • CLOTHING / GEAR
PSE SIGNATURE ITEMS*



PRECISION SHOOTING EQUIPMENT, INC. 2727 N. FAIRVIEW TUCSON, ARIZONA 85705 • 520-884-9065 • www.pse-archery.com



©2015 PRECISION SHOOTING SHOOTING EQUIPMENT, INC.

PSE PART #42129