



**PSE**  
ARCHERY

**2019 PRODUCT GUIDE**

2019





# PSE REINVENTED THE WAY YOU BUY BOWS.



Comfort behind the bow is the key characteristic of a shootable bow. What creates comfort? Control. PSE's Evolve line seamlessly blends comfort and control without sacrificing speed. Our first-in-class engineering continues to expand our comfort-cam technologies, creating smooth movements with quick action.



Acceleration is part of PSE's DNA. Fueled by our passion for speed, we've developed the Vapor line to deliver powerful bows that pack a punch. High speed equates to intense power, building the momentum you need to get the results you want. We've shattered speeds in the archery world for 49 years, and we're not going to stop now.



Adapt your bow to your ability. At PSE, we engineer our Adapt line of equipment for one reason: the adjustability to fit...forever. Gone are the days of feeling forced to buy a new bow as soon as you advance your skills. Adapt bows are built to last...and take you from novice to experienced. Why change when you can adapt?



Your bow should be a reliable tool that produces consistent results. The PSE Target line is designed to provide precision that you can count on...every time. It is our dedication to dependability that creates trust and eliminates doubt. With your Target bow in hand, you will be confident in its accuracy, and secure the victory. Again. And again. And again.



PSE knows that a bow is only as good as the string and cables that you put on it. Historically, in order to make a quality bowstring you needed a really strong stringing operator placing as much tension on the string as possible and then serving the string. Unfortunately, humans are only so strong, and they get fatigued. Was your string made the first thing in the morning, or at the end of the day when the operator is tired?

That is why the best strings and cables were made by custom string makers, otherwise it was impossible to get the quality needed when mass producing strings...  
**UNTIL NOW!**


Our proprietary LiveWire™ bowstring machines use a fully automated, computer controlled process that is capable of stretching each individual strand of the string to the optimal tension -- stretched to capacity but short of the point of creating fatigue. The machine then wraps the bundle under that optimal tension and serves the string under full load at tensions previously impossible to achieve.

In addition, LiveWire™ strings and cables use only the finest premium BCY materials available and builds each string from a single bundle of 452x string material and Halo serving material. The result is bowstrings and cables that are ultra-long lasting, have almost zero stretch, and virtually no peep rotation.


Livewire premium strings and cables are the ultimate evolution of the bowstring, and the only strings and cables worthy of the PSE Pro Series name.

## LIVEWIRE™


### BOW STRINGS & CABLES



PSE's exclusive LiveWire™ bowstring machine stretches each individual strand to it's optimal tension.



The LiveWire™ machine then wraps the string under full load, serving throughout the entire process at tensions previously impossible to achieve.



This automated process results in strings that have virtually zero stretch or peep rotation and are ultra-long lasting.



PSE Evolve Cam Modules give YOU the power to choose how your bow shoots! Choose the ultimate comfort of the HL module, the hard-hitting speed of the FL module, or the target-optimized LL module. The decision is yours! Please see the Accessories Section for purchasing information.



#### FL MODULE (EF CAMS)

(65-75% Let-Off)

- For shooters who want pure performance
- Increased Speed, Reduced Let-Off
- Comes Standard on the Carbon Air® Stealth EF



#### HL MODULE (SE, EF AND EC CAMS)

(80%-90% Let-Off)

- For shooters who want ultimate comfort.
- Super High Let-Off
- Comes Standard on the Evolve®28, Evokes®, Carbon Air® EC and SE



#### LL MODULE (SE CAMS)

(65-75% Let-Off)

- Designed for the target shooter
- Comfortable Lower Let-Off
- Comes Standard on the Perform X, Perform X 3D, Shootdown and Supra Focus




#### HL MODULE (SE CAMS)

(80%-90% Let-Off)

- For shooters who want ultimate comfort
- Super High Let-Off
- Optional after-market module for Perform X, Perform X 3D, Shootdown and Supra Focus



Look for the KolorFusion logo on select premium PSE bow models. This fantastic process produces an incredibly realistic finish!



**FRS**  
FLEX ROD SYSTEM

## FRS TORQUE REDUCING SYSTEM

PSE's Flex Rod System (FRS) is specially engineered to eliminate torque during your draw cycle, delivering an incredibly stable shooting experience under any weather conditions. The FRS is highly adjustable for precise tuning and clearance, and is designed to work with PSE's new RollerGlide™ or a traditional cable slide. The flexible rod can also be swapped out with a solid carbon or aluminum rod for additional tuning options.



**rollerglide**  
CABLE GUARD


## PSE ROLLERGLIDE™ SYSTEM

The PSE RollerGlide™ is the smoothest cable slide on the market, rolling with your cable to eliminate cable friction. It's compatible with Flexxslide™ 1 and Flexxslide™ 2 bows, or any standard 3/8" diameter cable guard rod. The RollerGlide™ is a leap forward in cable guard technology.

## PSE LATERAL ADJUSTMENT SYSTEM

PSE shook up the target bow market with the first ever Lateral Adjustment System (L.A.S.) for compound bows and it now features our improved Micro-Adjust Lateral Adjustment System.

The Micro L.A.S. offers advanced tuning capabilities and makes adjusting center shot and tuning bows more simple than ever before with a single micro-adjust screw.



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)





VAPOR SERIES



SUMMARY



**Carbon Air® Stealth EF**

**Xpedite™**

**Bow Madness® Unleashed®**

ATA/IBO SPEED	350-342 FPS	360-352 FPS	340-332 FPS
BRACE HEIGHT	6"	5-1/4"	6"
AXLE-TO-AXLE	33"	33"	32-3/8"
LETOFF %	65-75%	80%-90%	85%
DRAW LENGTH RANGE	25-1/2" TO 31"	24-1/2" TO 30"	25" TO 30-1/2"
PEAK WEIGHT	60, 70#	60, 65, 70#	60, 70#
MASS WEIGHT	3.3 LBS.	4.4 LBS.	3.9 LBS.
MAX LIMB BOLT TURNS FROM BOTTOM	10	10	13
COLOR OPTIONS	MOSSY OAK® COUNTRY®, KUIU® VERDE®, BLACK	MOSSY OAK® COUNTRY®, REALTREE® EDGE®, KUIU® VERDE®, CHARCOAL, BLACK, KRYPTEK® ALTITUDE®, TAN	MOSSY OAK® COUNTRY®, KRYPTEK® HIGHLANDER, BLACK
PART #	1833EF	1837EF	19013B
RTS PART #	N/A	N/A	19113B





# VAPOR SERIES COLORS

These color options are not available on all models. Check the bow ordering section for colors available.




**KH**  
**KRYPTEK® HIGHLANDER®**



**CY/MC\***  
**MOSSY OAK® COUNTRY®**  
\* KOLORFUSION®



**KV**  
**KUIU® VERDE®**




**KA**  
**KRYPTEK® ALTITUDE®**



**CH**  
**CHARCOAL**



**BK**  
**BLACK**



**RE**  
**REALTREE® EDGE®**



**TN**  
**TAN**



# CARBON AIR® STEALTH EF

The 2019 PSE Carbon Air® Stealth reigns supreme as the most advanced carbon bow ever made. Engineered on an upgraded monocoque carbon riser, the Stealth is built from a single piece of carbon, making it stiffer and stronger than other carbon risers...and with our proprietary S-RAC technology core, this bow is both unbelievably light at 3.3 lbs. and dead in the hand. The Stealth also features PSE's Wedge Lock Pockets for easier tuning, our new precision Flex Rod System, titanium hardware, and ultra-premium LiveWire™ strings.

## 350 FPS

### Carbon Air® Stealth EF Specifications

Brace Height:	6"
Axle-to-Axle:	33"
ATA/IBO Speed:	350-342 fps
Letoff:	65-75%
Mass Weight:	3.3 lbs.
Draw Length Range:	25-1/2" - 31"
Draw Weights (lbs.):	60, 70
Max. Limb Bolt Turns From Bottom:	10 Turns
Shipped In:	29
Cam	EF



2019 **new**  
camo patterns



The Carbon Air® Stealth EF model is built for speed and comfort, powered by PSE's Evolve® Cam System (ECS) and FL module, shooting a powerfully fast 350 fps with up to 75% Let-Off.

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
CA STEALTH EF	1833EF	CY, BK, KV	25-1/2 TO 31"	60, 70#
INNER MOD	01311HL	65-75%	LET-OFF (LOW) WILL LOSE APPROX 4 FPS	
INNER MOD	01327EFHL	80-90%	LET-OFF (HIGH) WILL LOSE APPROX 8 FPS + 1/4" DL	

Pete Shepley  
PSE FOUNDER



WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)




# XPEDITE™

PSE's acclaimed Evolve Cam System flexes its muscles with the 2019 PSE Xpedite™!

The Xpedite™ is built on a radically redesigned caged-reflex riser designed to produce higher speeds while still delivering comfort. If you prefer a more balanced shooting experience, the Xpedite™ can shoot 352\* fps at up to 90% let-off with the factory-installed HL module. But if you're looking to crank things up, install the optional FL module to shoot a blazing 360 fps!

\* The Xpedite comes standard with the HL module at 352 fps.  
The optional EFL module provides speeds up to 360 fps



Kolorfusion®  
Mossy Oak® Country®

## 360 FPS\*

### Xpedite™ Specifications

Brace Height:	5-1/4"
Axle-to-Axle:	33"
ATA/IBO Speed:	360-352 fps
Letoff:	80 - 90%
Mass Weight:	4.4 lbs.
Draw Length Range:	24-1/2" - 30"
Draw Weights (lbs.):	60, 65, 70
Max. Limb Bolt Turns From Bottom:	10 Turns
Shipped In:	29
Cam	EF



2019 **new**  
camo patterns




JOHN O'DELL  
DRURY OUTDOORS

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
XPEDITE	1837EF	BK, CH, TN	24-1/2 TO 30"	60, 65, 70#
KOLORFUSION	1837EF	MC, KV, KA, RE	24-1/2 TO 30"	60, 65, 70#
INNER MOD	01311HL	65-75% LET-OFF (LOW)	WILL GAIN APPROX 4 FPS	
INNER MOD	01327EFL	65-75% LET-OFF (FAST)	WILL GAIN APPROX 8 FPS + 1/4" DL	



# BOW MADNESS<sup>®</sup> UNLEASHED<sup>®</sup>

Unleash the madness with PSE Archery and Drury Outdoors! The new 2019 Bow Madness<sup>®</sup> Unleashed<sup>®</sup> is a pure whitetail hunting bow through and through. Engineered on an angled riser and our incredibly smooth new 3-track binary cam, the Unleashed<sup>®</sup> delivers amazing let-off (85%), smoother pull, and a super-solid back wall, all while still taking down your target at 340 fps!



Mossy Oak<sup>®</sup> Country<sup>®</sup>

## 340 FPS

### Bow Madness<sup>®</sup> Unleashed<sup>®</sup> Specifications

Brace Height:..... 6"  
 Axle-to-Axle: ..... 32-3/8"  
 ATA/IBO Speed: ..... 340-332 fps  
 Letoff: ..... 85%  
 Mass Weight:..... 3.9 lbs.  
 Draw Length Range: ..... 25" TO 30-1/2"  
 Draw Weights (lbs.):..... 60, 70  
 Max. Limb Bolt Turns From Bottom: ..... 13 Turns  
 Shipped In:..... 29  
 Cam ..... 3B  
 Right-Hand Only



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
BOW MADNESS UNLEASHED	19013B	CY, BK, KH	25 TO 30-1/2"	60, 70#
READY TO SHOOT PRO (SHOWN)	19113B	CY, KH	25 TO 30-1/2"	60, 70#

READY TO SHOOT PRO INCLUDES: AMP MICRO SIGHT, PHANTOM DROP-AWAY REST, 8" SPIRE STABILIZER WITH WEIGHTS, RAVEN QUIVER, PSE NEOPRENE SLING, RED ALUMINUM PEEP SIGHT AND NOCK LOOP

2019 **new**



Terry Drury  
DRURY OUTDOORS





EVOLVE



ARCHERY



TARGET

EVOLVE SERIES



ADAPT

**SUMMARY**



new



new

**Carbon Air® Stealth EC**

**Carbon Air® Stealth SE**

**Carbon Air® Stealth 35 SE**

**Carbon Air® Stealth 35 EC**

ATA/IBO SPEED	342-334 FPS	340-332 FPS @29-1/2"	335-327 FPS	328-320 FPS
BRACE HEIGHT	6"	5-7/8"	6-1/2"	6-3/4"
AXLE-TO-AXLE	33"	33"	35"	35"
LETOFF %	80 - 90%	80 - 90%	80 - 90%	80 - 90%
DRAW LENGTH RANGE	25" TO 30-1/2"	24" TO 29-1/2"	25" TO 30-1/2"	26" TO 31-1/2"
PEAK WEIGHT	50, 60, 65, 70	40, 50, 60, 70	60, 70	60, 70
MASS WEIGHT	3.3 LBS.	3.3 LBS.	3.5 LBS.	3.5 LBS.
MAX LIMB BOLT TURNS FROM BOTTOM	10	10	10	10
COLOR OPTIONS	MOSSY OAK® COUNTRY®, BLACK, KUIIU® VERDE®	MOSSY OAK® COUNTRY®, BLACK, KUIIU® VERDE®	MOSSY OAK® COUNTRY®, BLACK, KUIIU® VERDE®	MOSSY OAK® COUNTRY®, BLACK, KUIIU® VERDE®
PART #	1833EC	1833SE	1933SE	1933EC





**SUMMARY**



**Evoke® 35 SE**



**Evoke® 35 EC**



**Evoke® 31 EC**



**Evolve® 28**

ATA/IBO SPEED	335-327 FPS	328-320 FPS	342-336 FPS	335-327 FPS
BRACE HEIGHT	6-3/4"	6-7/8"	6"	7"
AXLE-TO-AXLE	35"	35"	31"	28"
LETOFF %	80-90%	80-90%	80-90%	80-90%
DRAW LENGTH RANGE	25" TO 30-1/2"	26-1/2" TO 32"	24-1/2" TO 30"	24-1/2" TO 30"
PEAK WEIGHT	50, 60, 65, 70	60, 70, 80	50, 60, 65, 70, 80	60, 70
MASS WEIGHT	4.5 LBS.	4.5 LBS.	4.2 LBS.	4.1 LBS.
MAX LIMB BOLT TURNS FROM BOTTOM	10	10	10	10
COLOR OPTIONS	MOSSY OAK® COUNTRY®, BLACK, KUIU® VERDE®, CHARCOAL, GREEN, PLATINUM, KRYPTEK® ALTITUDE®, REALTREE® EDGE®, TAN	MOSSY OAK® COUNTRY®, BLACK, KUIU® VERDE®, REALTREE® EDGE®, TAN	MOSSY OAK® COUNTRY®, KUIU® VERDE®, CHARCOAL, KRYPTEK® ALTITUDE®, REALTREE® EDGE®, TAN	MOSSY OAK® COUNTRY®, KUIU® VERDE®, CHARCOAL, KRYPTEK® ALTITUDE®, REALTREE® EDGE®, BLACK, TAN
PART #	1935SE	1935EC	1931EC	1828EC



**SUMMARY**



new



**Drive® 3B**

**Beast™ ECS**

**Response™**

**Ferocity™**

ATA/IBO SPEED	330-322 FPS	328-320 FPS 358-350 @ 33"	330-322 FPS	328-320 FPS
BRACE HEIGHT	7"	7"	7"	6-1/2"
AXLE-TO-AXLE	29-1/2"	38"	33"	30-3/4"
LETOFF %	85%	80% - 90%	80-90%	80%
DRAW LENGTH RANGE	25-1/2" TO 31"	27-1/2" TO 33	26" TO 31-1/2"	24" TO 30"
PEAK WEIGHT	60, 70#	60, 70, 80#	60, 70	60, 70
MASS WEIGHT	3.7 LBS.	4.7 LBS.	3.9 LBS.	3.5 LBS.
MAX LIMB BOLT TURNS FROM BOTTOM	15	10	13	8
COLOR OPTIONS	MOSSY OAK® COUNTRY®, KUIIU® VERDE®, CHARCOAL, BLACK, TAN	MOSSY OAK® COUNTRY®, KUIIU® VERDE®, CHARCOAL, BLACK	MOSSY OAK® COUNTRY®, BLACK, KUIIU® VERDE®	MOSSY OAK® COUNTRY®, KRYPTER® HIGHLANDER® BLACK, CHARCOAL
BOW ONLY PART #	19053B	1836EC	1838EC	1802FH
RTS PART #	N/A	N/A	N/A	1812FH
RTS PRO PART #	19153B	N/A	N/A	1813FH



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# EVOLVE SERIES COLORS

These color options are not available on all models. Check the bow ordering section for colors available.



**CY**  
MOSSY OAK® COUNTRY®



**KH**  
KRYPTEK® HIGHLANDER®



**KV**  
KUIU® VERDE®



**PT**  
PLATINUM



**RE**  
REALTREE® EDGE®



**CH**  
CHARCOAL




**BK**  
BLACK



**GN**  
GREEN MATTE



**TN**  
TAN



**KA**  
KRYPTEK® ALTITUDE®



Look for the Kolorfusion logo on select models.  
This fantastic process produces an incredibly realistic finish!

# CARBON AIR® STEALTH EC

The 2019 PSE Carbon Air® Stealth reigns supreme as the most advanced carbon bow ever made. Engineered on an upgraded monocoque carbon riser, the Stealth is built from a single piece of carbon, making it stiffer and stronger than other carbon risers...and with our proprietary S-RAC technology core, this bow is both unbelievably light at 3.3 lbs. and dead in the hand. The Stealth also features PSE's Wedge Lock Pockets for easier tuning, our new precision Flex Rod System, titanium hardware, and ultra-premium LiveWire™ strings. The Carbon Air Stealth EC model is powered by PSE's Evolve® Cam System (ECS) and HL module, shooting at 342 fps with up to 90% Let-Off.



## 342 FPS

### Carbon Air® Stealth EC Specifications

Brace Height:	6"
Axle-to-Axle:	33"
ATA/IBO Speed:	342-334 fps
Letoff:	80-90%
Mass Weight:	3.3 lbs.
Draw Length Range:	25" - 30-1/2"
Draw Weights (lbs.):	50, 60, 65, 70
Max. Limb Bolt Turns From Bottom:	10 Turns
Shipped In:	29
Cam:	EC



The Carbon Air Stealth EC model is powered by PSE's Evolve® Cam System (ECS) and HL module, shooting at 342 fps with up to 90% Let-Off.

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
CA STEALTH EC	1833EC	CY, BK, KV	25-1/2 TO 31"	50, 60, 65, 70#
INNER MOD	01311HL	65-75% LET-OFF (LOW)	WILL GAIN APPROX 4 FPS	
INNER MOD	01327EFL	65-75% LET-OFF (FAST)	WILL GAIN APPROX 8 FPS + 1/4" DL	

Pete Shepley  
PSE FOUNDER



WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# CARBON AIR® STEALTH SE

The 2019 PSE Carbon Air® Stealth reigns supreme as the most advanced carbon bow ever made. Engineered on an upgraded monocoque carbon riser, the Stealth is built from a single piece of carbon, making it stiffer and stronger than other carbon risers...and with our proprietary S-RAC technology core, this bow is both unbelievably light at 3.3 lbs. and dead in the hand. The Stealth also features PSE's Wedge Lock Pockets for easier tuning, our new precision Flex Rod System, titanium hardware, and ultra-premium LiveWire™ strings. The Carbon Air Stealth® SE model is powered by PSE's Small Evolve® Cam (SEC) and HL module, shooting at 340 fps with up to 90% Let-Off



Mossy Oak® Country®

## 340 FPS

### Carbon Air® Stealth SE Specifications

Brace Height:	5-7/8"
Axle-to-Axle:	33"
ATA/IBO Speed:	340-332 fps @29-1/2
Letoff:	80-90%
Mass Weight:	3.3 lbs.
Draw Length Range:	24" - 29-1/2"
Draw Weights (lbs.):	40, 50, 60, 70
Max. Limb Bolt Turns From Bottom:	10 Turns
Shipped In:	26
Cam	SE

The Carbon Air Stealth® SE model is powered by PSE's Small Evolve® Cam (SEC) and HL module, shooting at 340 fps with up to 90% Let-Off.



EVOLVE

**PSE**  
ARCHERY

Don Shelley  
PSE FOUNDER

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
CA STEALTH SE	1833SE	CY, BK, KV	24 TO 29-1/2"	40, 50, 60, 70#
INNER MOD	01325SELL	65-75%	LET-OFF (LOW) WILL GAIN APPROX 4 FPS	



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



# CARBON AIR® STEALTH 35 SE

The most advanced carbon bow ever made is now available in a longer axle-to-axle model! The 2019 PSE Carbon Air® Stealth features a 35" axle-to-axle length for greater stability and unparalleled forgiveness. Engineered on an upgraded monocoque carbon riser, the Carbon Air® Stealth is made to be stiffer and stronger than other carbon risers. Combined with our proprietary S-RAC technology core, this bow is both unbelievably light at 3.5 lbs. and dead in the hand. The Stealth also features PSE's Wedge Lock Pockets for easier tuning, our new precision Flex Rod System, titanium hardware, and ultra-premium LiveWire™ strings.

The Carbon Air Stealth® 35 SE model is powered by PSE's Small Evolve® Cam (SEC) and HL module, shooting at 335 fps with up to 90% Let-Off.



## 335 FPS

### Carbon Air® Stealth 35 SE Specifications

Brace Height:	6-1/2"
Axle-to-Axle:	35"
ATA/IBO Speed:	335 - 327 fps
Letoff:	80 - 90%
Mass Weight:	3.5 lbs.
Draw Length Range:	25" - 30-1/2"
Draw Weights (lbs.):	60, 70
Max. Limb Bolt Turns From Bottom:	10 Turns
Shipped In:	29
Cam:	SE



2019 **new**



Pete Shepley  
PSE FOUNDER

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
CA STEALTH 35	1933SE	CY, BK, KV	25 TO 30-1/2"	60, 70#
INNER MOD	01325SELL	65-75% LET-OFF (LOW)	WILL GAIN APPROX 4 FPS	



WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# CARBON AIR® STEALTH 35 EC

The most advanced carbon bow ever made is now available in a longer axle-to-axle model! The 2019 PSE Carbon Air® Stealth features a 35" axle-to-axle length for greater stability and unparalleled forgiveness. Engineered on an upgraded monocoque carbon riser, the Carbon Air® Stealth is made to be stiffer and stronger than other carbon risers. Combined with our proprietary S-RAC technology core, this bow is both unbelievably light at 3.5 lbs. and dead in the hand. The Stealth also features PSE's Wedge Lock Pockets for easier tuning, our new precision Flex Rod System, titanium hardware, and ultra-premium LiveWire™ strings.

The Carbon Air Stealth 35 EC model is powered by PSE's Evolve® Cam System (ECS) and HL module, shooting at 342 fps with up to 90% Let-Off.



## 328 FPS

### Carbon Air® Stealth 35 EC Specifications

Brace Height:	6-3/4"
Axle-to-Axle:	35"
ATA/IBO Speed:	328 - 320 fps
Letoff:	80 - 90%
Mass Weight:	3.5 lbs.
Draw Length Range:	26" - 31-1/2"
Draw Weights (lbs.):	60, 70
Max. Limb Bolt Turns From Bottom:	10 Turns
Shipped In:	29
Cam:	EC



2019 **new**



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
CA STEALTH 35	1933EC	CY, BK, KV	26 TO 31-1/2"	60, 70#
INNER MOD	01311HL	65-75%	LET-OFF (LOW) WILL GAIN APPROX 4 FPS	
INNER MOD	01327EFL	65-75%	LET-OFF (FAST) WILL GAIN APPROX 8 FPS + 1/4" DL	



WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# EVOKE™ 35 SE

PSE changed the archery industry two years ago with the release of the PSE Evolve 35, and now we've taken the original platform to the next level with the 2019 PSE Evoke 35 SE! When you think of PSE's Evolve Cam System (ECS), it brings to mind unparalleled comfort and shootability with 90% let-off, but now PSE has engineered the ECS onto a caged riser for upgraded stiffness, strength, and 335 fps of shooting speed!



2019 **new**



## 335 FPS

### Evoke™ 35 SE Specifications

Brace Height.....	6-3/4"
Axle-to-Axle .....	35"
ATA/IBO Speed .....	335-327 fps
Letoff.....	80-90%
Mass Weight:.....	4.5 lbs.
Draw Length Range: .....	25" - 30-1/2"
Draw Weights (lbs.):.....	50, 60, 65, 70
Max. Limb Bolt Turns From Bottom: .....	10 Turns
Shipped In:.....	29
Cam.....	SE



LEFT HAND ESTIMATED DELIVERY DATE: JANUARY 15, 2019

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
EVOKE 35	1935SE	BK, CH, TN, GN, PT	25 TO 30-1/2"	50, 60, 65, 70#
KOLORFUSION	1935SE	MC, KV, KA, RE	25 TO 30-1/2"	50, 60, 65, 70#
INNER MOD	01325SELL	65-75% LET-OFF (LOW)	WILL GAIN APPROX 4 FPS	

Casey Keefer  
DROPPED




WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



# EVOKE™ 35 EC

PSE changed the archery industry two years ago with the release of the PSE Evolve 35, and now we've taken the original platform to the next level with the 2019 PSE Evoke 35 EC! When you think of PSE's Evolve Cam System (ECS), it brings to mind unparalleled comfort and shootability with 90% let-off, but now PSE has engineered the ECS onto a caged riser for upgraded stiffness, strength, and 328 fps of shooting speed!



RealTree® Edge®

## 328 FPS

### Evoke™ 35 EC Specifications

Brace Height.....	6-7/8"
Axle-to-Axle .....	35"
ATA/IBO Speed .....	328-320 fps
Letoff .....	80-90%
Mass Weight.....	4.5 lbs.
Draw Length Range .....	26-1/2" - 32"
Draw Weights (lbs.).....	60, 70, 80
Max. Limb Bolt Turns From Bottom .....	10 Turns
Shipped In.....	29
Cam .....	EC



2019 **new**



LEFT HAND ESTIMATED DELIVERY DATE: JANUARY 15, 2019

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
EVOKE 35EC	1935EC	BK,TN	26-1/2 TO 32"	60, 70, 80#
KOLORFUSION	1935EC	MC, KV, RE	26-1/2 TO 32"	60, 70, 80#
INNER MOD	01311HL	65-75% LET-OFF (LOW)	WILL GAIN APPROX 4 FPS	
INNER MOD	01327EFL	65-75% LET-OFF (FAST)	WILL GAIN APPROX 8 FPS + 1/4" DL	



WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# EVOKE™ 31

PSE changed the archery industry two years ago with the release of the PSE Evolve, and now we've taken the original platform to the next level with the 2019 PSE Evoke 31! When you think of PSE's Evolve Cam System (ECS), it brings to mind unparalleled comfort and shootability with 90% let-off, but now PSE has engineered the ECS onto a caged riser for upgraded stiffness, strength, and 342 fps of shooting speed!



Kypetek® Altitude®

## 342 FPS

### Evoke™ 31 Specifications

Brace Height:	6"
Axle-to-Axle:	31"
ATA/IBO Speed:	342-336 fps
Letoff:	80 - 90%
Mass Weight:	4.2 lbs.
Draw Length Range:	24-1/2" - 30"
Draw Weights (lbs.):	50, 60, 65, 70, 80
Max. Limb Bolt Turns From Bottom:	10 Turns
Shipped In:	29
Cam:	EC



2019 **new**



Chris Keefer  
DROPPED

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
EVOKE 31	1931EC	CH,TN	24-1/2 TO 30"	50, 60, 65, 70, 80#
KOLORFUSION	1931EC	MC,KV,KA,RE	24-1/2 TO 30"	50, 60, 65, 70, 80#
INNER MOD	01311HL	65-75% LET-OFF (LOW)	WILL GAIN APPROX 4 FPS	
INNER MOD	01327EFL	65-75% LET-OFF (FAST)	WILL GAIN APPROX 8 FPS + 1/4" DL	



WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# EVOLVE® 28

The 2018 PSE Evolve® 28 delivers the smooth draw, high-letoff, and solid back wall you've come to expect from the greatest cam system ever made, but now PSE is giving you all of that in the ultra-forgiving and pinpoint accurate 28" axle-to-axle bow that you demanded! The Evolve® 28 is the perfect bow for shooting from a treestand, ground blind, or for anyone who wants to shoot a lightweight and highly maneuverable bow.



Tan

## 335 FPS

### Evolve® 28 Specifications

Brace Height.....	7"
Axle-to-Axle .....	28"
ATA/IBO Speed .....	335-327 fps
Letoff.....	80-90%
Mass Weight.....	4.1 lbs.
Draw Length Range .....	24-1/2" -30"
Draw Weights (lbs.).....	60, 70
Max. Limb Bolt Turns From Bottom .....	10 Turns
Shipped In.....	29
Cam.....	EC
RIGHT HAND ONLY	



2019 new



Mark Drury  
DRURY OUTDOORS

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
EVOLVE 28	1828EC	CH,TN, BK	24-1/2 TO 30"	60, 70#
KOLORFUSION	1828EC	MC, KV, KA, RE	24-1/2 TO 30"	60, 70#
INNER MOD	01311HL	65-75% LET-OFF (LOW)	WILL GAIN APPROX 4 FPS	
INNER MOD	01327EFL	65-75% LET-OFF (FAST)	WILL GAIN APPROX 8 FPS + 1/4" DL	



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



# RESPONSE®

You asked PSE for an Evolve Cam System (ECS) bow at a more affordable price, and here's our response! The 2019 PSE Response® is the ideal choice for hunters looking for Evolve® Cam System (ECS) comfort and performance at a lower price. Built on an exclusive new riser design and weighing only 3.9 lbs., the PSE Response® is lightweight and plenty fast, shooting up to 330 fps with 90% let-off



Mossy Oak® Country®

## 330 FPS

### Response® Specifications

Brace Height:.....7"  
 Axle-to-Axle: .....33"  
 ATA/IBO Speed: .....330-322 fps  
 Letoff:.....80-90%  
 Mass Weight:.....3.9 lbs.  
 Draw Length Range: .....26" - 31-1/2"  
 Draw Weights (lbs.):.....60, 70  
 Max. Limb Bolt Turns From Bottom: .....13 Turns  
 Shipped In:.....29  
 Cam .....EC

**LIVEWIRE**  
BOW STRINGS & CABLES



**EVOLVE**  
cam system

HANDCRAFTED IN THE  
**USA**



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
RESPONSE	1838EC	CY, BK, KV	26 TO 31-1/2"	60, 70#

Dave Reisner  
DRURY OUTDOORS





# DRIVE<sup>®</sup> 3B

Year after year, the PSE Drive™ sets the standard for value performance in pro-level hunting bows, and the new 2019 Drive™ 3B raises the bar even higher. We've taken our redesigned forged riser and added a 3-track binary cam to engineer a bow that delivers rock-solid shot stability, amazing let-off (85%) and incredible accuracy at an unheard of price. The Drive™ 3B also shoots a fast 330 fps. Available in our Ready to Shoot Pro package.

2019 new



Mossy Oak® Country®

## 330 FPS

### Drive<sup>®</sup> 3B Specifications

Brace Height.....	7"
Axle-to-Axle .....	29-1/2"
ATA/IBO Speed .....	330-322 fps
Letoff .....	85%
Mass Weight.....	3.7 lbs.
Draw Length Range .....	25-1/2" - 31"
Draw Weights (lbs.).....	60, 70
Max. Limb Bolt Turns From Bottom .....	15 Turns
Shipped In.....	29
Cam .....	3B

**LIVELWIRE**  
BOW STRINGS & CABLES



LEFT HAND ESTIMATED DELIVERY DATE: DECEMBER 1, 2018

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DRIVE 3B	19053B	CY,BK,KV,CH,TN	25-1/2 TO 31"	60, 70#
READY TO SHOOT PRO	19153B	CY, KV	25-1/2 TO 31"	60, 70#

READY TO SHOOT PRO INCLUDES: AMP MICRO SIGHT, PHANTOM DROP-AWAY REST, 8" SPIRE STABILIZER WITH WEIGHTS, COVERT QUIVER, PSE NEOPRENE SLING, RED ALUMINUM PEEP SIGHT AND NOCK LOOP



Brad Lockwood  
LOVE OF THE HUNT



# BEAST™

The 2019 PSE Beast™ is the ultimate long-draw comfort bow. Powered by our acclaimed EVOLVE™ Cam System (ECS) and engineered on our shutdown riser platform, this bow delivers up to 328 fps and 90% let-off, offering unmatched shot stability and precision in an ultra-long draw bow.



Mossy Oak® Country®

## 328 FPS

### Beast™ Specifications

Brace Height:	7"
Axle-to-Axle:	38"
ATA/IBO Speed:	328-320 fps
Letoff:	80% TO 90%
Mass Weight:	4.7 lbs.
Draw Length Range:	27-1/2" - 33"
Draw Weights (lbs.):	60, 70, 80
Max. Limb Bolt Turns From Bottom:	10 Turns
Shipped In:	33
Cam	EC

**LIVEWIRE**  
BOW STRINGS & CABLES



HANDCRAFTED IN THE  
**USA**



2019 **new**  
camo patterns



**BILL EPEARDS**  
PSE PRO STAFF

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
BEAST	1836EC	CY, BK, KV, CH	27-1/2 TO 33"	60, 70, 80#





# FEROCITY™

Get savage with the 2019 PSE Ferocity™! Engineered on an exclusive riser design, short-limb platform, and PSE's all-new three track Ferocity™ cam, the Ferocity™ offers incredibly smooth shooting, improved feel, and delivers shooting speeds up to 328 fps with an amazing 80% let-off. The Ferocity™ also features a 6-1/2" brace height and an unbelievably light mass weight of 3.5 lbs., making this an impressive whitetail bow at an impressively low price.



Kryptek® Highlander®

**LIVEWIRE**  
BOW STRINGS & CABLES

**KRYPTTEK**

**BREAK-UP**  
**COUNTRY**  
MOSSY OAK

HANDCRAFTED IN THE  
**USA**

## 328 FPS

### Ferocity™ Specifications

Brace Height:	6-1/2"
Axle-to-Axle:	30-3/4"
ATA/IBO Speed:	328-320 fps
Letoff:	80%
Mass Weight:	3.5 lbs.
Draw Length Range:	24-1/2 - 30"
Draw Weights (lbs.):	60, 70
Max. Limb Bolt Turns From Bottom:	8 Turns
Shipped In:	29
Cam:	FH

Matt Drury  
DRURY OUTDOORS

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
FEROCITY	1802FH	CY, BK, KH, CH	24-1/2 TO 30"	60, 70#
RTS PACKAGE	1812FH	CY, KH	24-1/2 TO 30"	60, 70#
RTS PRO	1813FH	CY, KH	24-1/2 TO 30"	60, 70#

READY TO SHOOT INCLUDES: AMP SIGHT, WHISKER BISCUIT REST, FX4 STABILIZER, RAVEN QUIVER, PSE NEOPRENE SLING, RED ALUMINUM PEEP SIGHT AND NOCK LOOP

READY TO SHOOT PRO INCLUDES: AMP MICRO SIGHT, PHANTOM DROP-AWAY REST, SPIRE STABILIZER WITH WEIGHTS, RAVEN QUIVER, PSE NEOPRENE SLING, RED ALUMINUM PEEP SIGHT AND NOCK LOOP





ADAPT SERIES



## SUMMARY



2019  
**new**



**Ramped™**

**Stinger™ Extreme**

**Uprising™**


**Mini Burner™**

ATA/IBO SPEED	318-310 FPS	316-308 FPS	310-302 FPS	-
BRACE HEIGHT	6-1/2"	7-1/8"	6-5/8"	6-5/8"
AXLE-TO-AXLE	30-3/4"	32-1/2"	30"	26"
LETOFF %	80%	75%	70%	70%
DRAW LENGTH RANGE	24" TO 30"	21-1/2" TO 30"	14" TO 30"	16" TO 26-1/2"
PEAK WEIGHT	60, 70#	55, 70#	70#	29, 40#
MASS WEIGHT	3.5 LBS.	3.8 LBS.	3.2 LBS.	2.5 LBS.
MAX LIMB BOLT TURNS FROM BOTTOM	8	15	8	10
COLOR OPTIONS	MOSSY OAK® COUNTRY®, KRYPTER® HIGHLANDER®	MOSSY OAK® COUNTRY®, KRYPTER® HIGHLANDER®, CHARCOAL, MUDDY GIRL®, PURPLE, WHITE, OR BLACK (ALL COME WITH BLACK LIMBS)	MOSSY OAK® COUNTRY®, MUDDY GIRL®, BLACK (ALL WITH BLACK LIMBS)	MOSSY OAK® COUNTRY®, MUDDY GIRL®, LIME GREEN OR BLACK (ALL WITH BK LIMBS) (LIME GREEN RH ONLY)
BOW ONLY PART #	N/A	1804SX	N/A	N/A
RTS PART # RTS PRO PART #	1843RC N/A	1814SX 1817SX	1919UP N/A	1818 N/A
FR PART #	N/A	1824SX	N/A	N/A



# ADAPT SERIES COLORS


These color options are not available on all models. Check the bow ordering section for colors available.



**KH**  
**KRYPTEK® HIGHLANDER®**



**CY**  
**MOSSY OAK® COUNTRY®**




**WH**  
**WHITE**



**MG**  
**MUDDY GIRL®**




**CH**  
**CHARCOAL**



**PR**  
**PURPLE**



**BK**  
**BLACK**



**LG**  
**LIME GREEN**



# RAMPED®

Last year, PSE ramped up expectations for affordable hunting bow performance, and now the bestselling Ramped™ is back for 2019. Engineered on a short-limb platform and featuring a super-adjustable Drive-style cam, the PSE Ramped™ delivers smooth shooting and great feel at an unparalleled price range. With a 30" Axle-to-Axle and an increased draw-length range, this unbelievably light mass weight of 3.5 lbs. bow won't bog you down in a tree stand or a spot and stalk...and when it's time to take your prey, the Ramped gets it done at 318 fps!



## 318 FPS

### Ramped® Specifications

Brace Height:..... 6-1/2"  
 Axle-to-Axle: ..... 30-3/4"  
 ATA/IBO Speed: ..... 318-310 fps  
 Letoff:..... 80%  
 Mass Weight:..... 3.5 lbs.  
 Draw Length Range: ..... 24-30"  
 Draw Weights (lbs.):..... 60, 70  
 Max. Limb Bolt Turns From Bottom: ..... 8 Turns  
 Shipped In:..... 29  
 Cam ..... RC  
 RIGHT HAND ONLY

**LIVEWIRE**  
BOW STRINGS & CABLES

**KRYPTER**

**BREAK-UP  
COUNTRY**  
MOSSY OAK

**HANDCRAFTED IN THE  
USA**

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
RAMPED RTS	1843RC	CY, KH	24 TO 30"	60, 70#
READY TO SHOOT INCLUDES: AMP SIGHT, WHISKER BISCUIT REST, FX4 STABILIZER, HUNTER QUIVER, PSE NEOPRENE SLING, MONGOOSE PEEP SIGHT AND NOCK LOOP				



Rick Kreuter  
BEYOND THE HUNT



# STINGER™ EXTREME

The PSE Stinger™ name is legendary when it comes to delivering the best shooting experience on the market at an unbelievable price, and the Stinger is back in the extreme for 2019. The 316 fps Stinger™ Extreme features an improved riser for rigidity and stability and enhanced limb pockets for shooting performance.

Add to that our high-performance SX cam, and you have a bow that destroys all other hunting bows in this price range!



\* MUDDY GIRL AND PURPLE  
AVAILABLE IN 55# ONLY



## 316 FPS

### Stinger™ Extreme Specifications

Brace Height:	7-1/8"
Axle-to-Axle:	32-1/2"
ATA/IBO Speed:	316-308 fps
Letoff:	75%
Mass Weight:	3.8 lbs.
Draw Length Range:	21-1/2 - 30"
Draw Weights (lbs.):	55, 70
Max. Limb Bolt Turns From Bottom:	15 Turns
Shipped In:	29
Cam:	SX

Cuz Strickland  
MOSSY OAK

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
STINGER EXTREME	1804SX	CY, BK, KH, CH, WT, PR*, MG*	21-1/2 TO 30"	55, 70#
RTS	1814SX	CY, BK, KH	21-1/2 TO 30"	55, 70#
RTS PRO (SHOWN)	1817SX	CY, KH, MG*	21-1/2 TO 30"	55, 70#
FIELD READY	1824SX	CY	21-1/2 TO 30"	55, 70#

READY TO SHOOT INCLUDES: GEMINI SIGHT, WHISKER BISCUIT REST, FX4 STABILIZER, HUNTER QUIVER, MONGOOSE PEEP SIGHT AND NOCK LOOP

READY TO SHOOT PRO INCLUDES: AMP MICRO SIGHT, PHANTOM DROP-AWAY REST, SPIRE STABILIZER, RAVEN QUIVER, PSE NEOPRENE SLING, MONGOOSE PEEP SIGHT AND NOCK LOOP

FIELD READY (FR) INCLUDES: READY TO SHOOT ACCESSORIES ABOVE PLUS: RAPID RELEASE, ELEMENT BOWCASE AND A 4-PACK OF ARROWS



# UPRISING®

Start a bowhunting revolution in your family with the new 2019 PSE Uprising™! This incredible compound bow value is designed to be ultra-adjustable without the need of a bow press, the Uprising™ features an adjustable draw length of 14"-30" and an adjustable draw weight from 15 to 70 lbs. This is the perfect bow starter bow for anyone who wants to get into archery and is looking for a bow that adapts to them...and with up to 310 fps of shooting power, this bow is sure to fill some tags too!



2019 **new**



## 310 FPS

### Uprising® Specifications

Brace Height.....	6-5/8"
Axle-to-Axle .....	30"
ATA/IBO Speed .....	310 - 302 fps
Letoff .....	70%
Mass Weight.....	3.2 lbs.
Draw Length Range .....	14 - 30"
Draw Weight Range (lbs.).....	15 - 70
Max. Limb Bolt Turns From Bottom .....	8 Turns
Shipped In.....	27
Cam .....	UP



To adjust draw length, simply place the screw in the draw length desired on each cam



Muddy Girl  
CAMOUFLAGE

ESTIMATED DELIVERY DATE: DECEMBER 15, 2018

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
UPRISING™ RTS	1919UP	CY, BK, MG	14 TO 30"	70#

PACKAGE INCLUDES: 3 PIN SIGHT, ARROW REST, 5-ARROW QUIVER, 6" STABILIZER, 3-CARBON ARROWS



Julie Kreuter  
BEYOND THE HUNT

**ADAPT**  
SERIES



# MINI BURNER™

Every kid remembers their first compound bow, so make the experience one to remember with the 2019 PSE Mini-Burner™! With a highly adjustable draw length range of 16" to 26-1/2" and an accessory package including a 3-pin sight, arrow rest, arrow quiver, stabilizer, and three carbon arrows, the PSE Mini-Burner™ is the perfect first bow for any young shooter.



## Mini Burner™ Specifications

Brace Height:	6-5/8"
Axle-to-Axle:	26"
Letoff:	65%
Mass Weight:	2.5 lbs.
Draw Length Range:	16" TO 26-1/2"
Draw Weights (lbs.):	29, 40
Max. Limb Bolt Turns From Bottom:	10 Turns
Shipped In:	25"
*Lime Green- RH Only	

## DISRUPTIVE™ REPLACEMENT CARBON ARROWS

DESCRIPTION	PART #
ARROW,DPV,28,1/2DZ,FLTCH	1960DPV28F
NOCK,CF,DPV,DZ,PK,GREEN	42422GN
POINT,DES,75GR,GLUE-IN,DZ	42318DZ

GRAINS PER INCH	SPINE
7.3	.500



Katalina Nobbly

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
MINI BURNER PACKAGE	1818	CY, LG*, BK	16 TO 26-1/2"	29, 40#
PACKAGE INCLUDES: 3 PIN SIGHT, ARROW REST, 5-ARROW QUIVER, 6" STABILIZER, 3-CARBON ARROWS				





VAPOR

**PSE**

ARCHERY



EVOLVE



**TARGET**



ADAPT

TARGET SERIES

**SUMMARY**



	Perform-X™	Perform-X™ 3D	Shutdown™	Supra™ Focus	Phenom™ XT-MD*	Phenom™ XT-DC*
ATA/IBO SPEED	332-324 FPS	338-330 FPS	334-326 FPS	328-320 FPS	310-306 FPS @ 29"	345-338 FPS @ 33"
BRACE HEIGHT	7"	6-1/2"	7"	7"	7"	7-5/8"
AXLE-TO-AXLE	40"	36"	37"	37"	35-1/2"	35-1/2"
LETOFF %	65-75%	65-75%	65-75%	65-75%	75%	75%
DRAW LENGTH RANGE	26-1/2" TO 32"	25" TO 30-1/2"	26" TO 31-1/2"	26" TO 31-1/2"	23-1/2" TO 29"	27-1/2" TO 33"
PEAK WEIGHT	50, 60#	40, 50, 60#	40, 50, 60, 70#	50, 60, 70#	40, 50#	50, 60, 70#
MASS WEIGHT	5.2 LBS.	5 LBS.	4.7 LBS.	4.7 LBS.	4 LBS.	4 LBS.
MAX LIMB BOLT TURNS FROM BOTTOM	10	10	10	10	13	13
COLOR OPTIONS	IMPERIAL PURPLE, PLATINUM TITANIUM, ELECTRIC LIME, BLACK ONYX, SATIN MERCURY, PEARL WHITE, HIGH VOLTAGE GOLD, ROSE GOLD, SKY BLUE, BLACK CHERRY, ADMIRAL BLUE	IMPERIAL PURPLE, PLATINUM TITANIUM, ELECTRIC LIME, BLACK ONYX, SATIN MERCURY, PEARL WHITE, HIGH VOLTAGE GOLD, ROSE GOLD, SKY BLUE, BLACK CHERRY, RICH BRONZE, ADMIRAL BLUE	IMPERIAL PURPLE, PLATINUM TITANIUM, ELECTRIC LIME, BLACK ONYX, SATIN MERCURY, PEARL WHITE, HIGH VOLTAGE GOLD, ROSE GOLD, SKY BLUE, BLACK CHERRY, RICH BRONZE, ADMIRAL BLUE	IMPERIAL PURPLE, PLATINUM TITANIUM, ELECTRIC LIME, BLACK ONYX, SATIN MERCURY, PEARL WHITE, HIGH VOLTAGE GOLD, ROSE GOLD, SKY BLUE, BLACK CHERRY, RICH BRONZE, ADMIRAL BLUE	IMPERIAL PURPLE, PLATINUM, ELECTRIC LIME, BLACK, PEARL WHITE, ROSE GOLD	MOSSY OAK® COUNTRY®, IMPERIAL PURPLE, PLATINUM, ELECTRIC LIME, BLACK, PEARL WHITE, ROSE GOLD
PART #	1840SE	1841SE	1836SE	1936SE	1739MD	1739DC

\*In Germany the Phenom is sold as the Prospect



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



All PSE color risers are anodized at our anodizing facility- Precision Finishing, Inc. (PFI) in Tucson.



PFI has been the leader in Type II and Type III Aluminum Anodizing in Arizona for over 35 years, thanks to our large tank capacity and unrivaled color selection.

By controlling the colors and quality, PFI/PSE offers the most beautiful anodized finishes in the archery industry.

[www.anodizingtucson.com](http://www.anodizingtucson.com)

\*Pearl White and Rose Gold are not anodized finishes

## TARGET SERIES COLORS



**GD**  
High Voltage Gold




**GN**  
Electric Lime



**PR**  
Imperial Purple



**PT**  
Platinum Titanium



**BC**  
Black Cherry



**PW**  
Pearl White



**RG**  
Textured Rose Gold




**BK**  
Black Onyx



**SM**  
Satin Mercury



**BL**  
Admiral Blue



**RB**  
Rich Bronze



**SB**  
Sky Blue

# PERFORM-X™

The 2019 PSE Perform-X™ takes your target game to a whole new level! Engineered on PSE's latest unbelievably stiff and strong shoot-through riser, the Perform-X™ offers an unrivaled target shooting experience. Combined with PSE's SE cam and L.A.S. Wedge Lock Pockets, the Perform-X™ bow platform delivers faster speeds, better hold, advanced tuning capabilities, and greater precision with true center-pull technology!



## 332 FPS

### Perform-X™ Specifications

Brace Height:.....7"  
 Axle-to-Axle: .....40"  
 ATA/IBO Speed: .....332-324 fps  
 Letoff:.....65-75%  
 Mass Weight:.....5.2 lbs.  
 Draw Length Range: .....26-1/2" - 32"  
 Draw Weights (lbs.):.....50, 60  
 Max. Limb Bolt Turns From Bottom: .....10 Turns  
 Shipped In:.....29  
 Cam.....SE



Stephan Hansen  
PSE ELITE STAFF

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PERFORM-X	1840SE	PR, PT, GN, BK, SM, SB, PW, GD, RG, BL, BC	26-1/2 -32"	50, 60#
INNER MOD	01325SEHL	80-90% LET-OFF (LOW) WILL LOSE APPROX 4 FPS		



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# PERFORM X™ 3D

Take on your 3D competition with peak performance from the 2019 PSE Perform-X™ 3D! Engineered on a shorter brace-height version of our Perform-X™ shoot-through riser, this bow is unbelievably stiff, strong, and fast, delivering an unbelievable target shooting experience at 338 fps. Combined with PSE's SE cam and L.A.S. Wedge Lock Pockets, the Perform-X™ 3D offers faster speeds, better hold, advanced tuning capabilities, and greater precision with true center-pull technology!

## 338 FPS

### Perform-X™ 3D Specifications

Brace Height:.....6-1/2"  
 Axle-to-Axle: .....36"  
 ATA/IBO Speed: .....338-330 fps  
 Letoff:.....65-75%  
 Mass Weight:.....5 lbs.  
 Draw Length Range: .....25" - 30-1/2"  
 Draw Weights (lbs.):.....40, 50, 60  
 Max. Limb Bolt Turns From Bottom: .....10 Turns  
 Shipped In:.....29  
 Cam.....SE



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PERFORM X 3D	1841SE	PR, PT, GN, BK, SM, SB, PW, GD, RG, BL, BC, RB	25 TO 30-1/2"	40, 50, 60#
INNER MOD	01325SEHL	80-90% LET-OFF (LOW) WILL LOSE APPROX 4 FPS		



Michael Braden  
PSE ELITE STAFF



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# SHOOTDOWN™

Do you want championship target performance without a shoot-through riser design? PSE has granted your wish with the 2019 PSE Shootdown™! Developed on a new caged riser for superior shot stability and steady hold, the Shootdown™ is powered by the same SE cam and LAS Wedge Lock Pockets found on our Perform-X™ target bows, making it a world-class competition bow with true center-pull technology and fantastic tuning capabilities.

## 334 FPS

### Shootdown™ Specifications

Brace Height:	7"
Axle-to-Axle:	37"
ATA/IBO Speed:	334-326 fps
Letoff:	65-75%
Mass Weight:	4.7 lbs.
Draw Length Range:	26" - 31-1/2"
Draw Weights (lbs.):	40, 50, 60, 70
Max. Limb Bolt Turns From Bottom:	10 Turns
Shipped In:	29
Cam	SE



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
SHOOTDOWN	1836SE	PR, PT, GN, BK, SM, SB, PW, GD, RG, BL, BC, RB	26 TO 31-1/2"	40, 50, 60, 70#
INNER MOD	01325SEHL	80-90% LET-OFF (LOW)	WILL LOSE APPROX 4 FPS	

Louis Holmes  
PSE ELITE STAFF



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# SUPRA™ FOCUS

It takes intense focus to beat the competition and stand at the top of the podium; that's why PSE has re-engineered our Supra target bow to achieve unparalleled shootability and ease of aiming, allowing you to keep your focus where it needs to be. The 2019 Supra Focus features a deflexed riser specifically designed to help you achieve a rock-solid stance that reduces pin float and keeps your sight on target.

The Supra Focus also features PSE's all-new shorter Wide-Track™ target limbs, a center pull design, and PSE's unparalleled SE cam, ensuring that this bow delivers less lateral flex, perfect nock travel, and a smooth and steady back wall shot after shot.



## 328 FPS

### Supra™ Focus Specifications

Brace Height:	7"
Axle-to-Axle:	37"
ATA/IBO Speed:	328-320 fps
Letoff:	65% TO 75%
Mass Weight:	4.7 lbs.
Draw Length Range:	26" - 31-1/2"
Draw Weights (lbs.):	50, 60, 70
Max. Limb Bolt Turns From Bottom:	10 Turns
Shipped In:	29
Cam	SE



LEFT HAND ESTIMATED DELIVERY DATE: JANUARY 1, 2019

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
SUPRA FOCUS	1936SE	PR, PT, GN, BK, SM, SB, PW, GD, RG, BL, BC, RB	26 TO 31-1/2"	50, 60, 70#
LEFT HAND	1936SE	GN, BC, BK, PT, RG	26 TO 31-1/2"	60#
INNER MOD	01325SEHL	80-90% LET-OFF (LOW) WILL LOSE APPROX 4 FPS		

2019 **new**



Christine Harrelson  
PSE ELITE STAFF



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# PHENOM™\* XT-DC

High-level competition doesn't always mean a high price, and the 2019 PSE Phenom™ XT-DC is one of the best-priced performance target bows on the market! Engineered on a sleek deflexed riser, making it lighter, more accurate, and more forgiving, the Phenom™ XT-DC also features an upgraded Drive™ Cam for a firm back wall, adjustability, and steady and stable performance shot after shot. It's our best performing Phenom™ bow ever!

## 345 FPS

### Phenom™ \*XT-DC Specifications

Brace Height:..... 7-5/8"  
 Axle-to-Axle: ..... 35-1/2"  
 ATA/IBO Speed: ..... 345-338 fps @33"  
 Letoff:..... 75%  
 Mass Weight:..... 4 lbs.  
 Draw Length Range: ..... 27-1/2" - 33"  
 Draw Weights (lbs.):..... 50, 60, 70  
 Max. Limb Bolt Turns From Bottom: ..... 13 Turns  
 Shipped In:..... 33  
 Cam ..... DC

**LIVEWIRE**  
BOW STRINGS & CABLES

HANDCRAFTED IN THE  
**USA**

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PHENOM™* XT	1739DC	CY	27-1/2 TO 33"	60, 70#
PHENOM™ *XT	1739DC	GN, PW, PT, BK, RG, PR	27-1/2 TO 33"	50, 60#

\*In Germany the Phenom™ is sold as the Prospect™

Scott Starnes  
PSE ELITE STAFF



# PHENOM™ XT-MD

Who says high-level competition means a higher price? The 2019 PSE Phenom™ XT-MD is the best priced short-draw performance target bow on the market, and it's our best performing Phenom™ bow ever! Engineered on a sleek deflexed riser, making it lighter, more accurate, and more forgiving, the Phenom™ XT-MD also features an upgraded Drive™ Cam for a firm back wall, adjustability, and steady and stable performance shot after shot!



## 310 FPS

### Phenom™ XT-MD Specifications

Brace Height:	7"
Axle-to-Axle:	35-1/2"
ATA/IBO Speed:	310-306 fps @29"
Letoft:	75%
Mass Weight:	4 lbs.
Draw Length Range:	23-1/2 - 29"
Draw Weights (lbs.):	40, 50
Max. Limb Bolt Turns From Bottom:	13 Turns
Shipped In:	25
Cam	MD



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PHENOM™ XT-MD	1739MD	GN, PR, PW, RG, BK, PT	23-1/2 TO 29"	40, 50#

\*In Germany the Phenom™ is sold as the Prospect™

Dee Starnes  
PSE ELITE STAFF





BOWFISHING



SUMMARY




**Mudd Dawg™**

**D3™**


**Kingfisher™**

BRACE HEIGHT	6"	6-5/8"	7-1/2" - 7-3/4"
AXLE-TO-AXLE	32-1/4"	30"	N/A
DRAW LENGTH RANGE	UP TO 30"	14" TO 30"	N/A
MAX LIMB BOLT TURNS FROM BOTTOM	15	8	N/A
PEAK WEIGHT	40#	40#	35, 40, 45, 50#
MASS WEIGHT	3.6 LBS.	3.2 LBS.	2.5 LBS.
COLOR OPTIONS	WHITE DK'D, BLUE DK'D, ORANGE	BLUE DK'D, YELLOW OR GREEN	FLO GREEN DK'D
BOW ONLY PART #	1806BF	1904D3	BOW: 42294RGN
PACKAGE PART #	RT-3500 PACKAGE: 1816BF (SHOWN)	RT-3500 PACKAGE: 1914D3 (SHOWN)	PACKAGE: 01316RGN


# BOWFISHING COLORS



**GN**  
GREEN



**OR**  
ORANGE




**YL**  
YELLOW



**DK**  
DK'D BLUE



**WH**  
DK'D WHITE



**GN**  
DK'D GREEN





# MUDD DAWG™



**PSE**  
**RED TIDE**  
BOWFISHING

HANDCRAFTED IN THE  
**USA**

**OKA**  
ROBUST

2019 **new**

## CAJUN PKG INCLUDES:

- One Cajun Winch Pro Bottle Reel With Line
- One Snap Shot Rest
- One Fish Stick Arrow With Ring Slide
- Finger Savers

## REEL PKG INCLUDES:

- One RT-3500 Spin Reel & Seat
- One Snap Shot Rest
- One Fish Stick Arrow with Safety Stop & Safety Slide

You need a serious bow to do some serious bowfishing, but you don't want to break the bank? Then the PSE Mudd Dawg™ is the bowfishing rig for you! On the boat or knee deep in the water, the PSE Mudd Dawg™ gets it done in the toughest conditions with its durable design, stainless steel hardware, and with PSE's bowfishing-optimized BF cam, this bow is perfect for snap shooting.

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
MUDD DAWG™	1806BF	WH, OR, DK	UP TO 30"	40#
RT3500 PKG	1816BF	WH, OR, DK	UP TO 30"	40#
CAJUN PKG (RH)	1826BF	WH, OR, DK	UP TO 30"	40#

## Mudd Dawg® Specifications

Brace Height:	6"
Axle-to-Axle:	32 1/4"
Mass Weight:	3.6 lbs.
Draw Length Range:	Up to 30"
Draw Weights (lbs.):	40
Max. Limb Bolt Turns From Bottom:	15 Turns
Cam	BF

**Billy "Catfish" Parker**  
FLESH AND BLOOD



WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**D3™**



2019 **new**

2019 **new**



ESTIMATED DELIVERY DATE:  
MARCH 15, 2019

**CAJUN PKG INCLUDES:**

- One Cajun Winch Pro Bottle Reel With Line
- One Snap Shot Rest
- One Fish Stick Arrow With Ring Slide
- Finger Savers

**REEL PKG INCLUDES:**

- One RT-3500 Spin Reel & Seat
- One Snap Shot Rest
- One Fish Stick Arrow with Safety Stop & Safety Slide

The bowfishing bow for everyone is finally here at an unbelievable price! The new 2019 PSE D3™ bowfishing bow is designed to be ultra-adjustable with a draw length of up to 30" and peak weights of 29" and 40". The D3 also ships with a locked 50 lb. cam module for snap shooting and is available with a reel and accessory package, making it the ultimate value for anyone who wants to get into the growing sport of bowfishing!

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
D3™	1904D3	DK, YL, GN	14 TO 30"	40#
RT3500 PKG	1914D3	DK, YL, GN	14 TO 30"	40#
CAJUN PKG (RH)	1924D3	DK, YL, GN	14 TO 30"	40#

**D3™ Bowfishing Specifications**

Brace Height:..... 6-5/8"  
 Axle-to-Axle:..... 30"  
 Mass Weight:..... 3.2 lbs.  
 Draw Length Range:..... 14 to 30"  
 Draw Weights (lbs.):..... 40  
 Max. Limb Bolt Turns From Bottom: ... 8 Turns  
 Cam ..... D3

Blake Shelby  
PSE VP SALES / MARKETING



# KINGFISHER™ 56

The Kingfisher recurve bow is back and now in an ideal 56" length for bowfishing. The bow comes with a precision-machined riser and the limbs are finished in PSE's exclusive Flo Green DK'd pattern.

The bow comes in right hand : 35, 40, 45, and 50 lbs.



Kingfisher™ 56 package includes:

- One Fish Stick Arrow with Safety Stop & Safety Slide
- Drum Reel with 66 feet of 60 pound test line
- Tide Chaser Rest
- Finger Savers
- Green DK'd finish
- RH Only



KINGFISHER 56 BOW ONLY	PART #
KINGFISHER 56- 35#	42294RGN5635
KINGFISHER 56- 40#	42294RGN5640
KINGFISHER 56- 45#	42294RAS5645
KINGFISHER 56- 50#	42294RAS5650

KINGFISHER 56 KIT	PART #
KINGFISHER 56 KIT 35#	01316RGN5635
KINGFISHER 56 KIT 40#	01316RGN5640
KINGFISHER 56 KIT 45#	01316RGN5645
KINGFISHER 56 KIT 50#	01316RGN5650



DEALERS: BUY 10 KINGFISHERS AND  
GET A 10% DISCOUNT OFF BASE PRICE FOR QUALIFYING BOWS.  
BUY 36 KINGFISHERS AND GET 12% DISCOUNT



### RED TIDE RT-3500 SPIN REEL

- Rugged duty design for extreme bowfishing
- Dual pick-up lines
- Gear ratio 3:4:1
- Durable drive system
- Changeable right- or left-hand retrieve
- Preinstalled with 150' of 150 lb. braided tournament fishing line



DESCRIPTION	PART #
RED TIDE RT-3500 REEL	42213

### RED TIDE RT-3500 REPLACEMENT LINE


DESCRIPTION	PART #
FROGS HAIR™ LINE, DYNEEMA 200# HI VIS ORANGE BRAID, 75 FT SPOOL	42418OR
FROGS HAIR™ LINE, DYNEEMA 200# HI VIS FLO GREEN BRAID, 75 FT SPOOL	42418GN



### PSE 2-PIECE BOWFISHING QUIVER

Mounts in riser tooling holes


DESCRIPTION	PART #
2 PC BF QUIVER	42203



### ANGLER REEL SEAT

- Designed for small to medium-sized fish
- Fits most common bowfishing reels including Muzzy XD, Zebco 808, & Shakespeare Synergy (sold separately)
- Measures approximately 5 3/4" in length when mounted

DESCRIPTION	PART #
REEL SEAT	42207



### TANGO 4 BARB BOWFISHING POINT

- 4 barb bowfishing point for big fish
- 5/16" thread
- Stainless iron body
- Unscrew point for fish removal

DESCRIPTION	PART #
4 BARB POINT	42426



### PSE EASY FLOW ROD

- 5" stainless steel construction for durability
- Improves shooting accuracy
- Heavy duty tip with stainless steel insert

DESCRIPTION	PART #
EASY FLOW ROD	42195



### PSE SNAP SHOT® ARROW REST

- Perfect for the beginner or veteran shooter
- High grade aluminum and stainless steel

DESCRIPTION	PART #
SNAP SHOT	42117BK

### PSE FISH STICK™ CARBON ARROW

- Durable carbon & fiberglass construction
- PSE Ring Slide System & Muddy Point included
- Length: 32"

DESCRIPTION	PART #
CARBON FISH STICK	42410GN
5/16" NOCK,GN,DZ	42412GN



### PSE RING SLIDE SYSTEM REPLACEMENT

- PSE's new slide system for a smooth arrow shot and easy retrieval
- Just ensure the line is tied to the half moon part of the slide.
- Designed for arrow shafts that are 5/16" in diameter.

DESCRIPTION	PART #
RING SLIDE SYSTEM 4 PK REPLACEMENT	42413

- System includes:
- 4 ring slides
  - 4 stainless steel screws
  - 4 bowfishing nocks



### PSE TIDE CHASER™ ARROW REST

The Tide Chaser™ Bowfishing Rest is PSE's new full containment bowfishing rest design with a machined aluminum bracket and Polydelrin® finish on the roller so it is resistant to rust. Fits on most recurve and compound bow risers.

DESCRIPTION	PART #
TIDE CHASER	42301



### CAJUN WINCH PRO BOTTLE REEL

- Strong and rugged reel for hardcore bowfishing
- Solid aluminum mounting brackets
- Stainless steel hardware
- Rugged aluminum frame
- 25 yards of high-visibility, 250-lb. test line
- Fighting brake
- Anti-reverse - prevents tangling

DESCRIPTION	PART #
CAJUN REEL	42430(R/L)

### PSE FINGER SAVERS

These are a great alternative to using a mechanical release, finger tab, or shooting glove. Threading pin included.

DESC	PART #
FINGER SAVER (PAIR)	42239



### FISH STICK™ BOWFISHING ARROW

- Durable fiberglass construction
- PSE Ring Slide System & Muddy Point included
- Length: 32"

DESCRIPTION	PART #
FISH STICK	01276
FISH STICK W/POINT- NO SLIDE OR SCREW	42425



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)





***CROSSBOW***

**PSE®**  
**ARCHERY**

***CROSSBOWS***

**SUMMARY**



**Fang™ LT**



**Fang™ 350 XT**



**Thrive™ 365**



**Thrive™ 400**



**Insight™**

ATA/IBO SPEED	330-320 FPS (WITH 400 GR. BOLT)	350-340 FPS (WITH 400 GR. BOLT)	365-355 FPS (WITH 400 GR. BOLT)	400-390 FPS (WITH 400 GR. BOLT)	160 FPS
KINETIC ENERGY	97 FT. LBS.	109 FT. LBS.	118 FT. LBS.	142 FT. LBS.	N/A
AXLE-TO-AXLE LENGTH	19-1/8"	19-1/8"	18"	18-1/4"	COCKED: 22" UNCOCKED: 26-5/8"
OVERALL LENGTH W/ STIRRUP	32"	33-5/8"	FULL LENGTH: 35" FOLDED: 32"	FULL LENGTH: 35" FOLDED: 32"	31"
POWER STROKE	12-3/4"	14-1/8"	14-5/8"	17"	10-3/4"
DRAW WEIGHT	165 LBS.	165 LBS.	165 LBS.	175 LBS.	60 LBS.
MASS WEIGHT	5.8 LBS.	6.25 LBS.	6.7 LBS.	6.7 LBS.	4.6 LBS.
FINISHES AVAILABLE	MOSSY OAK® COUNTRY® OR MUDDY GIRL®	MOSSY OAK® COUNTRY®	MOSSY OAK® COUNTRY®	KRYPTER® HIGHLANDER®	BLACK
PART #	01320	01304CY	01302CY	01305KH	01287



# FANG™ LT

330 FPS



CY  
Mossy Oak® Country®

**Muddy Girl!**  
CAMOUFLAGE

**BREAK-UP**  
**COUNTRY**  
MOSSY OAK

The Fang™ LT is a super compact and lightweight crossbow that shoots up to 330 FPS, delivering high performance in an extreme value package!

MODEL	PART #	FINISH
FANG LT	01320CY	COUNTRY
FANG LT	01320MG	MUDDY GIRL
FANG LT, XT, CABLES- 21.5"	42250	N/A
FANG 350 , LT, XT STRING- 38-3/8"	42249	N/A

## THE FANG™ LT PACKAGE INCLUDES:

- String Stops
- 4X32 MR Scope
- Anti-Dry Fire & Auto Safety Trigger
- Five Bolt Quiver
- Three 20" Carbon Bolts with 100 grain Bullet Points
- Cocking Rope
- Rail Lube
- Foot Stirrup
- Soft Coat Trigger Grip

## Fang™ LT Specifications

Speed .....	330-320 fps (with 400gr Bolt)
Power Stroke .....	12 3/4"
Axle-To-Axle Length.....	19 1/8"
Overall Length w/Stirrup .....	32"
Mass Weight .....	5.8 lbs
Kinetic Energy.....	97 ft.lbs.
Draw Weight.....	165 lbs.



# FANG™ XT

350 FPS



Shooting at 350 FPS and upgraded with an all-new buttstock design for improved shootability and balance, the Fang™ XT has also been tricked out with enhanced string stops, a compact new scope for better visibility, and is 1.25" shorter than previous models, making it ideal for hunting in a blind or a tree stand.

MODEL	PART #	FINISH
FANG XT	01304CY	COUNTRY
FANG LT, XT, CABLES- 21.5"	42250	N/A
FANG 350 , LT, XT STRING- 38-3/8"	42249	N/A

## THE FANG™ XT PACKAGE INCLUDES

- String Stops
- Green limb dampers
- 4X32 MR Scope
- Anti-Dry Fire & Auto Safety Trigger
- Five Bolt Quiver
- Three 20" Carbon Bolts with 100gr Bullet Points
- Cocking Rope
- Rail Lube
- Rubber-Coated Foot Stirrup
- Soft Coat Trigger Grip

## Fang™ XT Specifications

Speed:	350-340 fps (with 400gr bolt)
Power Stroke:	14-1/8"
Axle-to-Axle length:	19-1/8"
Overall Length w/Stirrup:	33-5/8"
Mass Weight:	6.25 lbs.
Kinetic Energy:	109 ft. lbs.
Draw Weight:	165 lbs.



# THRIVE™ 400

**400 FPS**



The Thrive™ features a new folding stirrup that provides a stand and shortens the overall length for storage.



## THE THRIVE™ 400 PACKAGE INCLUDES:

- 5- Bolt Quiver
- 4- 22" Carbon Thunder Bolts With 100 GR Bullet Points
- 1- 22" Discharge Bolt
- String Stops
- 4X32 Illuminated Multi-Reticle Scope
- Limb Bands
- Cocking Rope
- Rubber Coated, Folding Foot Stirrup
- Rail Lube
- Soft Touch Grip & Cheek Rest

The all-new PSE Thrive™ 400 takes the Thrive crossbow platform to the next level! Engineered with reverse cam technology to shoot at a sizzling 400 FPS in speed, and enhanced with an upgraded accessory package, the Thrive™ 400 delivers unbelievable performance value.

MODEL	PART #	FINISH
THRIVE 400	01305KH	KRYPTTEK
THRIVE 400 CABLES/STRING	42347	N/A
STRING- 35-3/4", CABLES- 20-1/4"		

## Thrive™ 400 Specifications

Speed:	400-390 FPS (with 400gr bolt)
Kinetic Energy:	142 Ft. Lbs.
Draw Weight:	175 Lbs
Mass Weight:	6.7 Lbs.
Axle-To-Axle:	18-1/4"
Power Stroke:	17"
Length:	32" (folded stirrup) - 35" (full length)
Trigger:	Auto Safety & ADF
Color:	Kryptek Highlander

# THRIVE™ 365

**365 FPS**



The Thrive™ features a new folding stirrup that provides a stand and shortens the overall length for storage.



## THE THRIVE™ 365 PACKAGE INCLUDES:

- 5-Bolt Quiver
- 6-20" Carbon Bolts With 100 GR Bullet Points
- String Stops
- 4X32 Illuminated Multi-Reticle Scope
- Limb Bands
- Cocking Rope
- Sling
- Rubber Coated, Folding Foot Stirrup
- Rail Lube
- Soft Touch Grip & Cheek Rest

Capable of launching a bolt at 365 fps, the PSE Thrive™ 365 delivers unparalleled features and performance value with a mass weight of only 6.7 lbs., making it a best in class performer.

MODEL	PART #	FINISH
THRIVE 365	01302CY	COUNTRY
THRIVE 365 CABLES- 20-1/4"	42349	N/A
THRIVE 365 STRING- 37"	42348	N/A

## Thrive™ 365 Specifications

Speed:	365-355 FPS (with 400gr bolt)
Kinetic Energy:	118 Ft. Lbs.
Draw Weight:	165 Lbs
Mass Weight:	6.7 Lbs.
Axle-To-Axle:	18"
Power Stroke:	14-5/8"
Length:	32" (folded stirrup) - 35" (full length)
Trigger:	Auto Safety & ADF
Color:	Mossy Oak Country



# INSIGHT™

## THE INSIGHT™ CROSSBOW PACKAGE INCLUDES:

- Adjustable buttstock
- 4-bolt quiver
- Rubber-coated foot stirrup
- Open sight system
- Recurve stringer
- Cocking rope
- Wax stick
- 4X16" aluminum bolts with field points



**160** FPS

LIMITED QUANTITIES

### INSIGHT™ BOLTS

- 16" LENGTH
- 328 GRAINS WITH 93 GRAIN POINT; 235 GRAINS WITHOUT POINT
- FLETCHED WITH THREE 2.5" PLASTIC VANES
- ID .204 (2018 SHAFT)

### INSIGHT™ BOLT POINTS

- 11/32"
- 94 grain
- Dozen

### Insight™ Specifications

- Power Stroke..... 10-3/4"
- Limb Tip-To-Tip Width ..... 22" Cocked (26-5/8" Uncocked)
- Speed..... 160 FPS
- Mass Weight ..... 4.6 Lbs
- Draw Weight..... 60 Lbs.
- Overall length ..... 31"

The Insight™ crossbow is the ideal crossbow for teaching youth and beginners the basics of crossbow operation and safety. This longbow style crossbow was designed to provide a safer and user friendly crossbow experience for all ages. Endorsed by the ATA as a part of the Explore Bowhunting program!

MODEL	PART #
INSIGHT	01287
REPLACEMENT BOLTS (6)	1960INS16FM
STRING- 26.57"	42251
INSIGHT BOLT POINTS (12)	42304

# ZOMBIE™ REACT



RED DOT / GREEN DOT SCOPE



ANTI-DRY FIRE  
MECHANISM FOR SAFETY

## The Zombie ApocalyPSE is upon us!

When the dead rise from their graves (and they will), PSE has just the thing for the zombie apocalypse—the Zombie React™ Pistol Crossbow! Whether you're shooting at traditional slow zombies, or fast, raging zombies, the walking dead can't outrun a bolt fired at 215 fps!

The undead plague isn't here quite yet, so use your crossbow safely for target practice... but when it does arrive, our advice is to make your first shot count!

### PACKAGE INCLUDES:

- Red Dot / Green Dot scope (choose red or green illuminated reticle with 4 different styles)
- 5-bolt armband quiver
- 50# Draw
- Auto Safety & Anti-Dry Fire trigger
- Integrated cocking mechanism with safety lock which serves as a 2nd safety
- Finger guards for hand safety
- Durable fiberglass limb
- Track-style rail for precision shooting
- 3 Frenzy bolts

For ages 18 and over (Under 18- Parental Supervision Required)



MODEL	PART #
ZOMBIE REACT	42224
REPLACEMENT BOLTS- 12 PK	42235
STRING- 17"	42255



# VIPER™ SS



REAR SIGHT WITH ELEVATION  
ADJUSTMENT



FRONT SIGHT PIN



NEW ANTI-DRY FIRE  
MECHANISM FOR SAFETY

MODEL	PART #
VIPER SS HAND-HELD CROSSBOW	42199
REPLACEMENT BOLTS- 12 PK	42235
STRING- 17"	42255



## Hand-Held Crossbow Fun

One the most popular recreational crossbows on the market is back for 2019! The Viper™ SS hand-held is easy to use and fun to shoot, and it rockets our Frenzy bolts to your target at up to 215 FPS.

### PACKAGE INCLUDES:

- 50# Draw
- Auto Safety & Anti-Dry Fire trigger
- Integrated cocking mechanism with safety lock which serves as a 2nd safety
- Finger guards for hand safety
- Durable fiberglass limbs
- Track-style rail for precision shooting
- Includes 3 Frenzy bolts

For ages 18 and over  
(Under 18- Parental Supervision Required)





## THUNDER BOLT™ CROSSBOW BOLTS

- 20" and 22" lengths available
- $\pm .003$  Straightness
- 300 Grains without point
- Fletched with 2.6" AAE Stealth vanes
- ID .300"
- Quiet Coat™ finish



DESCRIPTION	PACK QTY	PART #
20" THUNDER BOLT WITH HALF MOON NOCKS	6 PACK	1960THU20FM
22" THUNDER BOLT WITH HALF MOON NOCKS	6 PACK	1960THU22FM
20" THUNDER BOLT WITH HALF MOON NOCKS	6 DOZEN	1980THU20FM
THUNDER BOLT NOCKS, HALF MOON	DOZEN	42145
THUNDER BOLT BRASS INSERTS- 92 GR	DOZEN	42172



## FRENZY HAND-HELD CROSSBOW REPLACEMENT BOLTS

12 Pack- Length: 6 1/2", Compatible with Viper SS and Zombie React handheld crossbows

- Reinforced plastic helical vanes
- CNC machined points

DESCRIPTION	PART #
FRENZY REPLACEMENT BOLTS (DOZEN)	42235



## 20" FANG™ CROSSBOW BOLTS

- Half moon nocks
- $\pm .005$  Straightness
- 400 Grains with Bullet Point / 300 Grains without Point
- Fletched With 3" Plastic Vanes
- ID .283"


DESCRIPTION	PACK QTY	PART #
20" FANG BOLTS, HALF MOON NOCKS	3 PACK	1930FNG20FM
20" FANG BOLTS, HALF MOON NOCKS	6 DOZEN	1980FNG20FM
FANG BOLT NOCKS	DOZEN	42168
FANG BOLT ALUMINUM INSERTS	DOZEN	42169



## 22" DISCHARGE BOLT

- Durable Construction Allows Bolt To Withstand Multiple Shots
- Blunt Tip Keeps Bolt From Burrowing Under the Surface
- Includes Half Moon Nock

DESCRIPTION	PART #
PSE DISCHARGE BOLT- QTY 1	42151



## 16" INSIGHT™ CROSSBOW BOLTS

- 16" Length
- 2018 Aluminum Shafts With Half Moon Nocks & Three 2.5" Vanes
- Includes Six 93 Grain Field Points
- Weight: 320 Grains With Field Points
- Ideal Replacement Bolts For Insight™ Crossbow

DESCRIPTION	PART #
INSIGHT REPLACEMENT BOLTS (6 PACK)	1960INS16FM



## AAE™ STEALTH VANES

- Sleek 2.7" Profile, 9.2 GR each
- Whisper Quiet

DESCRIPTION	COLOR	PART #
AAE STEALTH VANES, 40 PACK	RED	42146RD
AAE HUNTER VANES, 40 PACK	WHITE	42146WH



## HHA SPEED DIAL

- No more guessing and gapping!
- Fits most of today's crossbows

DESCRIPTION	PART #
HHA SPEED DIAL	41703



## CROSSBOW RAIL LUBE

- No need to wax the serving that makes contact with the rail
- Odor free and waterproof

DESCRIPTION	PART #
RAIL LUBE	41969



## PSE 2 PACK LIMB DAMPERS

- Compatible With Fang, Fang LT, Fang 350 XT, and Thrive Crossbows

DESCRIPTION	PART #
LIMB DAMPERS	42287





2019 new

### PSE HDV-425 1.5-5X32 CROSSBOW SCOPE

- Etched glass ballistic reticle
- Dual color illumination, red & green
- Fully coated lens for clarity & brightness
- Variable zoom for speeds from 250-425 FPS
- Precise 1/2 MOA clicks at 100 yards
- 2.8-3.1" eye relief

DESCRIPTION	PART #
HDV-425 SCOPE	42365



### PSE ULTRA SOFT CROSSBOW CASE

- Dimensions: 41" X 25" X 11"
- Ample side pocket for accessory storage
- Fits PSE crossbow models (Fang 350, Fang XT, Fang LT, Insight, Vector 310)

DESCRIPTION	PART #
ULTRA SOFT CROSSBOW CASE	42221



LIMITED QUANTITIES

### PSE BRV-425 1.5-5X32 CROSSBOW SCOPE

- Etched glass ballistic reticle
- Dual color illumination, red & green
- Fully Coated Len For Clarity & Brightness
- Variable Zoom For Speeds From 250-425 FPS
- Precise 1/2 MOA Clicks at 100 yards
- 2.8-3.1" Eye Relief


DESCRIPTION	PART #
BRV-425 SCOPE	42293



### PSE COMPACT 4X32 CROSSBOW SCOPE

- Waterproof, shockproof, & fogproof
- Windage & elevation adjustments (1/2 MOA Clicks at 100 yards)
- Fully coated lens for brightness
- 3 1/4" eye relief
- Optimized for 350 FPS crossbows

DESCRIPTION	PART #
COMPACT 4X32 SCOPE	42292



LIMITED QUANTITIES

### PSE CROSSBOW BIPOD SHOOTING STICKS

- Lightweight, durable construction allows for easy transportation
- Telescoping aluminum legs adjust to accommodate a variety of shooting positions
- Rotating V-shaped rest cradles the bow to help the shooter stay on target

DESCRIPTION	PART #
CROSSBOW BIPOD	42147



### PSE DRAW JACK™

- Fits into top of butt stock- designed for the original Fang 350 and Thrive 400
- Winch style crank allows easy cocking

DESCRIPTION	PART #
PSE DRAW JACK	42288



### PSE SPEED LOADER

- Adjustable butt stock mount fits current PSE crossbows: Fang 350 XT, Fang LT, Vector 310, RDX 365, and RDX 400, and Insight
- Winch style crank allows the shooter to easily cock the crossbow

DESCRIPTION	PART #
SPEED LOADER	42149
SPEED LOADER HANDLE	42196



### PSE DELUXE CROSSBOW CASE

- Soft shell case constructed of 600 Denier Polyester & 420 Denier Ripstop Nylon for durability
- Plush padding for extra protection
- Carry strap included
- Oversized accessory pockets
- Compatible with current PSE crossbows:
- Dimensions: 41 3/4" X 20 1/2" X 11 1/5"

DESCRIPTION	PART #
DELUXE CROSSBOW CASE	42156

### PSE DELUXE NEOPRENE

#### NO SLIP SLING

- Neoprene construction for comfort
- No-slip grip to prevent slipping of sling during transport

DESCRIPTION	PART #
CROSSBOW STRAP	42150



2019 new

HANDCRAFTED IN THE  
USA

### PSE RIFLES CROSSBOW SADDLE

- Precision machined aluminum body and knob
- No-slip grippers for stable shooting
- Mounts to any tripod or bipod

DESCRIPTION	PART #
GUN SADDLE	01328



### PSE CROSSBOW COCKING ROPE

DESCRIPTION	PART #
COCKING ROPE	41615



### VALUE CROSSBOW ACCESSORY KIT

Kit includes:

- Deluxe No Slip Crossbow Sling
- Six Fang Bolts with 100 grain bullet points
- 1 Ultra Soft Case
- 1 Crossbow Rail Lube Stick



### SILVER CROSSBOW ACCESSORY KIT

Kit includes:

- 1 Speed Loader Cocking Device
- 1 Ultra Soft Crossbow Case
- Six 20" Fang Crossbow Bolts with 100 grain bullet points
- 1 Deluxe Neoprene Crossbow Sling



### DELUXE CROSSBOW ACCESSORY KIT

Kit includes:

- 1 Draw Jack™ Cocking Device
- Six 20" Thunder Boltz Crossbow Bolts with Half Moon Nocks and 100 Grain Bullet Points
- 1 Deluxe Crossbow Case
- Scorpion Venom Rail Lube
- 22" Discharge Bolt with half moon nock

DESCRIPTION	PART #
VALUE CROSSBOW KIT	01300V

DESCRIPTION	PART #
SILVER CROSSBOW KIT	01300S

DESCRIPTION	PART #
DELUXE CROSSBOW KIT	01300D





# HERITAGE

**PSE**<sup>®</sup>  
ARCHERY

*HERITAGE SERIES*

# ACHIEVE™


They say the classics never go out of style, and the PSE Achieve™ is the classical competition recurve bow resurrected for 2018. This is the return of the high performance competition recurve bow that you demanded, and PSE has delivered a truly world-class shooting bow!

The PSE Achieve™ platform is built on a precision-machined forged riser designed and evaluated for all-important critical factors including vibration, efficient shot execution, and a user-friendly limb alignment system.

*The only question is, what will you achieve shooting it?*



The PSE Achieve is also easy to tune thanks to our precision-machined riser and micro-adjustable limb system. Unlike a locking screw system which is cumbersome and unintuitive, adjustments on the PSE Achieve are made via the limb alignment system to help you quickly and easily set up your bow... and shoot your way onto the podium!



BO  
BURNT ORANGE



GN  
GREEN

BK  
BLACK

BL  
BLUE



## PSE ACHIEVE™ HANDLE AND LIMBS

DESCRIPTION	PART #
RH OR LH 25" HANDLE	42347 (R OR L) (BK, BL, GN, BO)
66" SHORT LIMBS	42347LIMB66 (30, 32, 34, 36, 38, 40, 42, 44)
68" MEDIUM LIMBS	42347LIMB68 (30, 32, 34, 36, 38, 40, 42, 44, 46)
70" LONG LIMBS	42347LIMB70 (32, 34, 36, 38, 40, 42, 44)

## PSE ACHIEVE™ PRO LIMBS

DESCRIPTION	PART #
PRO LIMBS 66"	42420LIMB66 (30, 32, 34, 36, 38, 40, 42, 44)
PRO LIMBS 68"	42420LIMB68 (30, 32, 34, 36, 38, 40, 42, 44, 46)
PRO LIMBS 70"	42420LIMB70 (32, 34, 36, 38, 40, 42, 44)

## PSE ACHIEVE™ STRINGS

16 STRAND BCY DYNAFLIGHT MERCURY STRINGS MADE IN POP COLORS TO COMPLEMENT NEW ACHIEVE™ RISER COLORS

DESCRIPTION	PART #
66" STRINGS	STR66C(COLOR) (BK, BL, GN)
68" STRINGS	STR68C(COLOR) (BK, BL, GN, OR)
70" STRINGS	STR70C(COLOR) (BK, BL, GN)

The Achieve™ Pro limbs are constructed of premium carbon and foam core materials guaranteed to deliver the elite performance you are seeking. The high performance limbs promote a quick and crisp release giving you the accuracy shot after shot.



# THEORY™ FX

The PSE Theory™ FX competition recurve bow is ideal for the competitive archer. This bow has been updated with 3 new fade color patterns in both right hand and left hand options and has kept the pro tuning features along with a pro look. Great design and features available at an entry level price!

- International limb fit
- Tiller adjustable & limb alignment
- 25" Cast aluminum riser
- Limbs crafted from quality hardwoods
- Length: 66" or 68"
- Brace height: 7-1/2" – 7-5/8"
- Draw weights 20, 24, 28, 32, & 36
- Right hand & left hand

66" or 68"

## PSE THEORY™ FX KITS

DESCRIPTION	PART #
COMPLETE BOW RIGHT OR LEFT HAND RED, BLUE, PURPLE, GREEN	42291(R OR L) (RD, BL, PR, GR) (66, 68) (20, 24, 28, 32, 36)K
66" LIMBS ONLY	42291LIMB66 (20, 24, 28, 32, 36)
68" LIMBS ONLY	42291LIMB68 (20, 24, 28, 32, 36)
HANDLE ONLY	42291(R OR L) (RD, BL, PR, GR)
STRING, RECURVE, 66" THEORY	STR66C
STRING, RECURVE, 68" THEORY	STR68C



**HERITAGE** SERIES



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## MUSTANG™

- Take-down recurve
- Stabilizer bushing
- Threaded for cushion plunger
- Crafted from hand-selected woods
- Length: 60"
- Brace height: 7" to 7-1/2"
- Weights @ 28" draw

### PSE MUSTANG (RH ONLY)

DESCRIPTION	PART #
COMPLETE BOW RIGHT HAND ONLY	41576R60 (40, 45, 50, 55)
REPL. STRING	STR60

While supplies last

## NIGHTHAWK™

- Take-down recurve
- Stabilizer bushing
- Threaded for cushion plunger
- Crafted from hand-selected woods
- Brace Height: 7 1/4" - 7 1/2"
- Length: 62"
- Weights @ 28" draw

### PSE NIGHTHAWK™ HANDLES/LIMBS

DESCRIPTION	PART #
COMPLETE BOW RIGHT HAND	42178R62 (20, 25, 30, 35, 40, 50)
COMPLETE BOW LEFT HAND	42178L62 (30, 35, 40, 45, 50)
LIMBS ONLY	42178LIMB (20, 25, 30, 35, 40, 50)
HANDLE ONLY	42178(R OR L)
REPL. STRING	STR62BK

## ANTHEM™

- One-piece design
- Crafted from hand-selected woods
- Length: 60"
- Brace height: 7" to 7-1/2"
- Weights @ 28" draw
- Includes horse hair rest & recurve bow case

DESCRIPTION	PART #
COMPLETE BOW RIGHT OR LEFT HAND	42202(R OR L)60 (35, 40, 45, 50)
STRING FOR 60"	STR60

### PSE RECURVE REPLACEMENT STRINGS

- Replacement strings for PSE recurve bows shown in the Heritage bow section

DESCRIPTION	PART #
STRING FOR 46"	STR46
STRING FOR 56"	STR56
STRING FOR 58"	STR58
STRING FOR 64"	STR64
STRING FOR 66"	STR66
STRING FOR 68"	STR68

60"

62"

60"



**HERITAGE** SERIES



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## SEQUOIA™

- Crafted from hand-selected woods
- Available for left and right hand shooters.
- Length: 68"
- Brace height: 7 1/2" - 7 3/4"
- Weights @ 28" draw

DESC.	PART #
BOW RIGHT HAND	41579R68 (45, 50, 55)
REPL. STRING 68"	STRL68BK

While supplies last

68"

## ORYX™

- Crafted from hand-selected woods
- Available for Right or Left hand shooters
- Length: 68"
- Brace height: 7-1/2" - 7-3/4"
- Weights @ 28" draw
- Includes horse hair rest and a longbow case

DESC.	PART #
BOW RIGHT OR LEFT HAND	42200 (R OR L)68 (40, 45, 50, 55)
REPL. STRING, 68"	STRL68BK

68"

## TERRA™

- Crafted from hand-selected woods
- Available for Right or Left hand shooters
- Length: 64"
- Brace height: 7-1/2" - 7-3/4"
- Weights @ 28" draw
- Includes horse hair rest and a longbow case

DESC.	PART #
BOW RIGHT HAND	42240R64 (30, 35, 40, 45, 50, 55)
BOW LEFT HAND	42240L64 (45, 50, 55)
REPL. STRING	STRL64BK

64"



## SNAKE™

- Length: 60"
- Draw Weight: 25 Lbs.
- Brace Height: 8 3/4"
- Right or Left Hand
- Durable Construction
- Perfect bow for outdoor recreation or shooting flu flu arrows at aerial targets
- 12 bows Per Case

DESC.	PART #
BLACK SNAKE BOW	42405BK

60"



**HERITAGE** SERIES



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Buying a quality starter bow should be easy, that's why we made the PSE Pro Max™. Packed with value, this attractive and all-inclusive bow package gives you everything you need to get started in the sport of archery.

## PRO MAX™ 54

### PACKAGE INCLUDES:

- 54" length recurve bow @ 20 lb draw
- Plastic stick-on rest
- Adjustable sight
- Three 28" carbon arrows with 3" turkey feathers
- Armguard
- Recurve stringer
- Hip quiver
- Finger Savers

DESCRIPTION	PART #
COMPLETE BOW SET RIGHT OR LEFT HAND	42230 (R OR L) 54 (15, 20, 25)

54"

## PRO MAX™ 62

### PACKAGE INCLUDES:

- 62" length recurve bow @ 25 lb draw
- Plastic stick-on rest
- Adjustable sight
- Three 28" carbon arrows with 3" turkey feathers
- Armguard
- Recurve stringer
- Hip quiver
- Finger Savers

DESC	PART #
COMPLETE BOW SET RIGHT OR LEFT HAND	42230 (R OR L) 62 (20, 25, 30, 35)

62"





## LIL' RAZORBACK™

- Crafted from quality hardwoods
- Stabilizer and sight bushings  
Threaded for cushion plunger
- Brace height: 7"
- Weights @ 24" draw
- Available for right and left hand shooters

### PSE LIL' RAZORBACK™

DESCRIPTION	PART #
COMPLETE BOW RIGHT HAND	42197R48 (10, 12, 14, 16, 18, 20)
COMPLETE BOW LEFT HAND	42197L48 (16, 18, 20)
LIMBS ONLY	42197LIMB (10, 12, 14, 16, 18, 20)
HANDLE ONLY	42197 (R OR L)
REPL. STRING	STR48

48"

## RAZORBACK™ JR.

- Crafted from quality hardwoods
- Stabilizer and sight bushings
- Threaded for cushion plunger
- Brace height: 6-1/2"
- Weights @ 28" draw

### PSE RAZORBACK JR.™

DESCRIPTION	PART #
COMPLETE BOW RIGHT OR LEFT HAND	41574 (R OR L)54 (15, 20, 25)
LIMBS ONLY	41574LIMB (15, 20, 25)
HANDLE ONLY	41574 (R OR L)
REPL. STRING	STR54

54"

## RAZORBACK™

- Crafted from hand-selected woods
- Stabilizer and sight bushings
- Brace height: 7"
- Weights @ 28" draw

### PSE RAZORBACK™ BOW ONLY

DESCRIPTION	PART #
COMPLETE BOW RIGHT OR LEFT HAND	41575(R OR L)62 (15, 20, 25, 30, 35)
LIMBS ONLY	41575LIMB (15, 20, 25, 30, 35)
HANDLE ONLY	41575(R OR L)
REPL. STRING	STR62

62"



**HERITAGE** SERIES



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## PSE GUIDE™ COMPOUND BOW

Includes:

- Quiver
- 2 Fiberglass arrows
- 3 Finger rollers
- Pin sight
- Arrow rest

42105RRD

- Right Hand compound bow
- Recommended for ages 10 +
- Draw Weight: 12-29 pounds
- Draw Length: 16 1/2" - 26"
- Axle to Axle: 25 1/4"
- Brace Height: 7"



## PSE EXPLORER YOUTH TARGET

- 1.8 lb. Dense foam target
- Stops arrows from youth bows up to 29 lbs. of draw weight
- Includes target face, 4 target pins and stand

DESCRIPTION	PART #
EXPLORER YOUTH TARGET	42257



## PSE EXPLORER™ RECURVE BOW

INCLUDES:

- Target quiver, 2 Fiberglass arrows,
- 3 Finger rollers, Pin sight, Arrow rest

41948RD

- Ambidextrous youth recurve bow
- Recommended for ages 5 +
- Bow length: 45.5" tip to tip
- Draw Weights:
- 20 pounds @ 24" draw
- 15 pounds @ 21" draw
- 10 pounds @ 17" draw



## PSE EXPLORER™ COMPOUND BOW

Includes:

- Target quiver, 2 Fiberglass arrows, 3 Finger rollers,
- Pin sight, Arrow rest

42238

- Ambidextrous youth compound bow
- Recommended for ages 5+
- Axle to Axle: 33"
- Draw Weight: 15 pounds
- Max draw: 23"
- Max weight: 15#



## PSE QUANTUM™ TOY CROSSBOW

- Includes 6 safety suction cup darts
- Recommended for ages 6 and up

DESCRIPTION	PART #
QUANTUM XBOW	42234
BLAZER 8-PACK SAFETY DARTS	42233



## PSE PHANTOM™ 2-PACK BLOWGUN SET

- Includes 10 safety darts (5 per blowgun)
- Includes one-way mouthpiece to prevent inhalation of darts
- Includes paper target.

DESCRIPTION	PART #
PHANTOM BLOWGUN	42232
BLAZER 8-PACK SAFETY DARTS	42233





**PSE RECURVE TAKEDOWN CASE**

DESCRIPTION	PART #
RECURVE TAKEDOWN CASE	41863



**PSE RECURVE CASE 64"**

- Will fit one-piece or takedown bows

DESCRIPTION	PART #
RECURVE CASE 64"	41861



**PSE 6" TWO-STRAP  
QUICK DETACH ARMGUARD**

DESCRIPTION	PART #
ARMGUARD, 6"	41117BK



**PSE YOUTH MICRO TAB**

- Designed for the smaller shooter
- Perfect for right or left hand archers

DESCRIPTION	PART #
YOUTH MICRO TAB	4143S



**PSE DEERSKIN GLOVE**

- The ultimate in comfort
- Finest quality genuine deerskin
- Double layered fingertips
- Small (S), Medium (M), Large (L), X-Large (XL)

DESCRIPTION	PART #
DEERSKIN GLOVE	4270(SIZE)



**PSE TRADITIONAL LEATHER GLOVE**

- Tobacco suede with elastic inserts
- Leather fingertips
- Brown leather
- Small (S), Medium (M), Large (L), X-Large (XL)

DESCRIPTION	PART #
TRAD. LEATHER GLOVE	4220TO(SIZE)



## PSE RECURVE STRINGER

- The most efficient way to string a recurve
- Mar-resistant grippers provide superior grip eliminating limb twist

DESCRIPTION	PART #
RECURVE STRINGER	41930



## PSE RECURVE / LONGBOW STRINGER

- Makes the task of stringing your bow efficient and safe.
- Leather grippers provide a secure hold of the bow and helps prevent limb twist.

DESCRIPTION	PART #
STRINGER	42164



## TRIUMPH ARROW REST

- For recurve bows
- Durable offset support return arm
- Dual adjustment system for positioning
- Right or left hand

DESC	PART #
TRIUMPH REST-BLACK	42302BK
TRIUMPH REST-BLUE	42302BL
TRIUMPH REST-RED	42302RD



## EDGE CUSHION PLUNGER

- Made from precision-machined parts
- Harmonic stainless steel springs
- Micro-click spring tension adjustment

DESC	PART #
EDGE PLUNGER	42167

## PSE FINGER SAVERS

These are a great alternative to using a mechanical release, finger tab, or shooting glove. Threading pin included.


DESC	PART #
PSE FINGER SAVER (PAIR)	42239



## VALOR CLICKER

- Fits recurve handles with a 4mm mounting hole (Theory FX Riser)
- Stainless steel spring
- Sleeve on end of clicker ensures a smooth draw

DESC	PART #
VALOR CLICKER	42303



## ESSENTIAL TARGET SIGHT

- Compact lightweight design
- Adjustable Sight Pin
- Quick detach bar
- Right or left hand

DESC	PART #
ESSENTIAL SIGHT	42163



## PSE HERITAGE STICK-ON REST

- Dozen card - 10 RH/2 LH

DESCRIPTION	PART #
STICK ON REST	2314CD



## PSE POSSE™ REST

DESCRIPTION	PART #
PSE POSSE REST (L/R)	01084





## TIMBER™ ARROWS

- Straightness:  $\pm .003$
- Length: 31.5"
- ID: .204"
- Spines: .400, .500 & .600
- Weight Tolerance:  $\pm 2$  grains
- Arrows Fletched With 4" Gateway Barred Shield Cut Feathers
- Nocks And Inserts Included
- 400 spine, size (400), 500 spine, size (500), 600 spine, size (600)

GRAINS PER INCH	SPINE
6.87	0.600
7.87	0.500
8.72	0.400

DESCRIPTION	PART #
ARROW,DZ,FEATHERS	1990T(SIZE)F
NOCK,CF,TIMBER,DZ,PK,WHITE	42315WHDZ
INSERT,CF,.204ID,DZ,PK	42421



## PSE RAZORBACK™ NOCKS

- Red
- Dozen pack

DESCRIPTION	PART #
RAZORBACK NOCKS	41945DZ



## PSE RAZORBACK™ GLUE-IN POINTS

- 80 grain
- Dozen pack

DESCRIPTION	PART #
GLUE-IN POINTS	41952DZ



## EXPLORER™ YOUTH ARROWS

- Size 26 or 28

DESCRIPTION	PART #
ARROW, 3 PACK	1930FG(LENGTH)
ARROW, 1/2 GR	1980FG(LENGTH)



## RAZORBACK™ CARBON ARROWS WITH FEATHERS

- Fletched with 3" turkey feathers
- Straightness  $\pm .003$
- .165 Inner Diameter
- 30" arrows in .800 spine work best with a recurve or longbow between 30 and 40 lbs of draw weight
- 30" arrows in .600 spine work best with a recurve or longbow between 40 and 50 lbs of draw weight
- 25" arrows best with a recurve or long bow up to 54" in length and up to 20 lbs of draw weight
- 28 arrows work best with a recurve or long bow up to 30 lbs of draw weight

DESCRIPTION	PART #
RAZORBACK ARROWS-30" QTY 6	1960RZBK3OF800
RAZORBACK ARROWS-30" QTY 6	1960RZBK3OF600
RAZORBACK ARROWS-25" QTY 6	1960RZBK25F
RAZORBACK ARROWS-28" QTY 6	1960RZBK28F
RAZORBACK ARROWS-25" QTY 72	1980RAZBK2554
RAZORBACK ARROWS-28" QTY 72	1980RAZBK2862
RAZORBACK ARROWS-30" QTY 72	1980RZBK3OF600
RAZORBACK ARROWS-30" QTY 72	1980RZBK3OF800

GRAINS PER INCH	SPINE	GRAINS PER INCH	SPINE
3.53	.1200	6.02	.800
4.31	.1000	6.96	.600



**CARBON FORCE**

***ARROWS***  
***AND ACCESSORIES***

***ARROWS***





## 2019 CARBON FORCE ARROWS



CARBON FORCE

TRUWEAVE TECHNOLOGY™

Carbon Force TruWeave™ arrows are made using a computerized process that wraps layers of high modulus carbon fibers at precise angles to form the arrow shaft. The end result is a woven arrow and shaft that is 30% stronger and consistently straighter than conventional carbon arrows.



## 2019 CARBON FORCE PACKAGING



ARROWS  
& ACCESSORIES



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)





## 2019 CARBON FORCE ARROWS

# HD HUNTER™

Carbon Force's new HD Hunter™ shafts are made of high modulus carbon fiber with our new TruWeave™ technology to create a tough, accurate, and affordable arrow. Each packaged set is sorted and matched by weight and spine for reliability.

### TRUWEAVE™ HD HUNTER SHAFTS & ARROWS

- Straightness:  $\pm .006$
- Length: 31.5"
- ID: .2437"
- Spines: .300 (size 300), .359 (size 350), .424 (size 400), & .520 (size 500)
- Weight Tolerance:  $\pm 5$  grains
- Arrows Fletched With 2" Blazer Vanes
- Nocks And Inserts Included

GRAINS PER INCH	SPINE
6.6	0.520
7.5	0.424
8.6	0.359
9.3	0.300

DESCRIPTION	PART #
SHAFT,HNTR,DZ	1990TWH(SIZE)
ARROW,HNTR,DZ,BLZ	1990TWH(SIZE)B
ARROW,HNTR,1/2GR,BLZ	1980TWH(SIZE)B



CARBON FORCE  
TRUWEAVE TECHNOLOGY™

### CARBON FORCE FLUORESCENT NOCKS

- 13 Grains
- Fits All Carbon Force TruWeave Shafts
- Green (GN), Orange (OR), Red (RD), White (WH)



DESCRIPTION	PART #
NOCK,CARBON,FORCE,100PK	1403C(COLOR)
NOCK,CARBON,FORCE,DZ	1403D(COLOR)

### CARBON FORCE ARROW INSERTS

- 11 grain knurled inserts. Fit: HD Hunter and HD Hunter Select



DESCRIPTION	PART #
DOZ. ARROW INSERTS,11 GRAIN	1401
100 PK ARROW INSERTS,11 GRAIN	1404
1000 PK ARROW INSERTS,11 GRAIN	1405

### CARBON FORCE TRUWEAVE INSERTS

- 12 grain anodized aluminum inserts. Fit: HD Hunter and HD Hunter Select



DESCRIPTION	PART #
DOZ. ARROW INSERTS, 12 GRAIN	01211
100 PK ARROW INSERTS, 12 GRAIN	01212

Compound Bow		ARROW LENGTH						
IBO Speed		25"	26"	27"	28"	29"	30"	31"
275-300	301-+							
Adjusted Draw Weight								
29-35#		520	520	520	520	520	520	424
35-40#	29-35#	520	520	520	520	520	424	424
40-45#	35-40#	520	520	520	520	424	424	424
45-50#	40-45#	520	520	520	424	424	424	359
50-55#	45-50#	520	520	424	424	424	359	359
55-60#	50-55#	520	424	424	424	359	359	359
60-65#	55-60#	424	424	424	359	359	300	300
65-70#	60-65#	424	424	359	359	359	300	300
70-76#	65-70#	424	359	359	359	300	300	300
76-82#	70-76#	359	359	300	300	300	300	300

\*\*FOR HUNTER HD, HUNTER HD SELECT



ARROWS  
& ACCESSORIES



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)





## 2019 CARBON FORCE ARROWS

# HD HUNTER™ *Select*

The HD Hunter™ Select is Carbon Force's upgraded HD Hunter™ shaft. The Select represents an even more reliable, accurate shaft thanks to precise sorting and matching, resulting in a straightness of + .001. If you want the best accuracy from our toughest standard diameter arrow, then the HD Hunter™ Selects are for you.

### TRUWEAVE™ HD HUNTER SELECT SHAFTS & ARROWS

- Straightness: +.001
- Length: 31.5"
- ID: .2437"
- Spines: .300 (size 300), .359 (size 350), .424 (size 400), & .520 (size 500)
- Weight Tolerance: +/- 5 grains
- Arrows Fletched With 2" Blazer Vanes
- Nocks And Inserts Included

GRAINS PER INCH	SPINE
6.6	0.520
7.5	0.424
8.6	0.359
9.3	0.300

DESCRIPTION	PART #
SHAFT,HNTRSEL,DZ	1990TWHS(SIZE)
ARROW,HNTRSELDZ,BLZ	1990TWHS(SIZE)B



TRUWEAVE TECHNOLOGY™

### CARBON FORCE FLUORESCENT NOCKS

- 13 Grains
- Fits All Carbon Force TruWeave Shafts
- Green (GN), Orange (OR), Red (RD), White (WH)



DESCRIPTION	PART #
NOCK,CARBON,FORCE,100PK	1403C(COLOR)
NOCK,CARBON,FORCE,DZ	1403D(COLOR)

### CARBON FORCE ARROW INSERTS

- 11 grain knurled inserts. Fit: HD Hunter and HD Hunter Select



DESCRIPTION	PART #
DOZ. ARROW INSERTS,11 GRAIN	1401
100 PK ARROW INSERTS,11 GRAIN	1404
1000 PK ARROW INSERTS,11 GRAIN	1405

### CARBON FORCE TRUWEAVE INSERTS

- 12 grain anodized aluminum inserts. Fit: HD Hunter and HD Hunter Select



DESCRIPTION	PART #
DOZ. ARROW INSERTS, 12 GRAIN	01211
100 PK ARROW INSERTS, 12 GRAIN	01212

Compound Bow		ARROW LENGTH						
IBO Speed		25"	26"	27"	28"	29"	30"	31"
Adjusted Draw Weight								
275-300	301-+	520	520	520	520	520	520	424
29-35#		520	520	520	520	520	424	424
35-40#	29-35#	520	520	520	520	424	424	424
40-45#	35-40#	520	520	520	424	424	424	359
45-50#	40-45#	520	520	520	424	359	359	359
50-55#	45-50#	520	424	424	424	359	359	359
55-60#	50-55#	520	424	424	359	359	359	359
60-65#	55-60#	424	424	424	359	359	359	300
65-70#	60-65#	424	424	359	359	359	300	300
70-76#	65-70#	424	359	359	359	300	300	300
76-82#	70-76#	359	359	300	300	300	300	300

\*\*FOR HUNTER HD, HUNTER HD SELECT

**ARROWS  
& ACCESSORIES**



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)







## 2019 CARBON FORCE ARROWS

# XP™ ARROWS

Carbon Force Is Pleased To Feature Its Newest Addition To Its Hunting Arrows! The XP With An Inner Diameter Of .204" . This Thin Diameter Arrow Is Hard Hitting Achieving Extreme Penetration And Its Flight Is Less Affected By The Wind.

### XP™ ARROWS

- Straightness:  $\pm .003$
- Length: 31.5"
- ID: .204"
- Weight Tolerance:  $\pm 2$  grains
- Arrows Fletched With 2" Blazer Vanes
- Nocks And Inserts Included
- 300 spine, size (300), 350 spine, size (350), 400 spine, size (400), spine 500, size (500)

GRAINS PER INCH	SPINE
6.9	0.500
7.4	0.400
8.2	0.350
8.6	0.300

DESCRIPTION	PART #
SHAFT,DZ	1990XP(SIZE)
ARROW,DZ,BLAZER	1990XP(SIZE)B
NOCK,CF,YL,DZ,PK	42315YL
NOCK,CF,GN,DZ,PK	42315GN
NOCK,CF,RD,DZ,PK	42315RD
INSERT,CF,TIMBER/XP,DZ,PK	42421

Compound Bow		ARROW LENGTH						
IBO Speed		25"	26"	27"	28"	29"	30"	31"
Adjusted Draw Weight								
29-35#	301-+	520	520	520	520	520	520	428
35-40#	29-35#	520	520	520	520	520	428	428
40-45#	35-40#	520	520	520	520	428	428	428
45-50#	40-45#	520	520	520	428	428	428	359
50-55#	45-50#	520	520	428	428	359	359	359
55-60#	50-55#	520	428	428	428	359	359	359
60-65#	55-60#	428	428	428	359	359	359	300
65-70#	60-65#	428	428	359	359	359	300	300
70-76#	65-70#	428	359	359	359	300	300	300
76-82#	70-76#	359	359	300	300	300	300	300

\*\* VANDAL SHAFTS/ARROWS



**ARROWS**  
& ACCESSORIES



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)





## 2019 CARBON FORCE ARROWS

# VANDAL™

Carbon Force's all new entry level hunting arrow is extremely accurate for a standard diameter hunting shaft. The improved, press-fit nocks ensure full string capture with a snug fit and are completely indexable. These arrows are designed to offer exceptional strength, durability, and performance.

### VANDAL™ ARROWS

- Straightness:  $\pm .006$
- Length: 31.5"
- ID: .245"
- Weight Tolerance:  $\pm 2$  grains
- Arrows Fletched With 2" Blazer Vanes
- Nocks And Inserts Included
- 300 spine, size (300), 340 spine, size (340), 400 spine, size (400), spine 500, size (500)

GRAINS PER INCH	SPINE
6.88	0.500
7.64	0.400
8.02	0.340
8.68	0.300

DESCRIPTION	PART #
ARROW, 1/2DZ, BLAZER	1960VAN(SIZE)B
ARROW, DZ, BLAZER	1990VAN(SIZE)B
ARROW, 1/2GR, BLAZER	1980VAN(SIZE)B
INSERT, CF, HDHNT, VAN, DZ, PK	42316DZ
NOCK, CF, VANDAL, DZ, PK, RED	42394

Compound Bow IBO Speed		ARROW LENGTH						
275-300	301+	25"	26"	27"	28"	29"	30"	31"
Adjusted Draw Weight								
29-35#		520	520	520	520	520	520	428
35-40#	29-35#	520	520	520	520	520	428	428
40-45#	35-40#	520	520	520	520	428	428	428
45-50#	40-45#	520	520	520	428	428	428	359
50-55#	45-50#	520	520	428	428	359	359	359
55-60#	50-55#	520	428	428	359	359	359	359
60-65#	55-60#	428	428	428	359	359	359	300
65-70#	60-65#	428	428	359	359	359	300	300
70-76#	65-70#	428	359	359	359	300	300	300
76-82#	70-76#	359	359	300	300	300	300	300

\*\* VANDAL SHAFTS/ARROWS



**ARROWS  
& ACCESSORIES**



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)





## 2019 CARBON FORCE ARROWS

# TIMBER™

Carbon Force's traditional hunting arrows are here in carbon fiber with a simulated wood grain pattern for a classical look. The Timber delivers the durability, performance, and accuracy of carbon in a thinner diameter arrow for solid penetration.



### TIMBER™ ARROWS

- Straightness:  $\pm .003$
- Length: 31.5"
- ID: .204"
- Weight Tolerance:  $\pm 2$  grains
- Arrows Fletched With 4" Gateway Barred Shield Cut Feathers
- Nocks And Inserts Included
- 400 spine, size (400), 500 spine, size (500), 600 spine, size (600)

GRAINS PER INCH	SPINE
6.87	0.600
7.87	0.500
8.72	0.400

DESCRIPTION	PART #
ARROW,DZ,FEATHERS	1990T(SIZE)F
NOCK,CF,TIMBER,DZ,PK,WHITE	42315WHDZ
INSERT,CF,.204ID,DZ,PK	42421

Traditional Bow		ARROW LENGTH						
Recurve	Longbow	25"	26"	27"	28"	29"	30"	31"
Draw Weight								
25-30#	40-45#	600	600	600	600	600	600	600
30-35#	45-50#	600	600	600	600	600	600	600
35-40#	50-55#	600	600	600	600	600	500	500
40-45#	55-60#	600	600	500	500	500	500	500
45-50#	60-65#	600	500	500	500	500	500	500
50-55#	65-70#	500	500	500	500	500	400	400
55-60#	70-76#	500	500	400	400	400	400	400
60-65#	76-82#	400	400	400	400	400	400	400
65-70#		400	400	400	400	400	400	400

**ARROWS**  
& ACCESSORIES



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)





## 2019 CARBON FORCE ARROWS

# RAZORBACK™

Razorback™ carbon arrows are the smart choice for a thin, reliable recreational arrow for traditional bows. These come in a variety of lengths and spines suited for different traditional bow draw weights.

### RAZORBACK™ NOCKS AND POINTS

DESCRIPTION	PART #
RAZORBACK NOCKS (DZ)	41945DZ
RAZORBACK GLUE-IN POINTS (DZ)	41952DZ

### RAZORBACK™ CARBON ARROWS WITH FEATHERS

- Fletched with 3" turkey feathers
- Straightness  $\pm .006$
- .165 Inner Diameter
- 30" arrows in .800 spine work best with a recurve or longbow between 30 and 40 lbs of draw weight
- 30" arrows in .600 spine work best with a recurve or longbow between 40 and 50 lbs of draw weight
- 25" arrows best with a recurve or longbow up to 54" in length and up to 20 lbs of draw weight
- 28" arrows work best with a recurve or longbow up to 30 lbs of draw weight

DESCRIPTION	SPINE	PART #
ARROWS-30", 1/2 DZ	.1200	1960RZBK3OF800
ARROWS-30", 1/2 DZ	.1000	1960RZBK3OF600
ARROWS-25", 1/2 DZ	.1200	1960RZBK25F
ARROWS-28", 1/2 DZ	.1000	1960RZBK28F
ARROWS-25", 1/2 GR	.1200	1980RAZBK2554
ARROWS-28", 1/2 GR	.1000	1980RAZBK2862
ARROWS-30", 1/2 GR	.600	1980RZBK3OF600
ARROWS-30", 1/2 GR	.800	1980RZBK3OF800

GRAINS PER INCH	SPINE	GRAINS PER INCH	SPINE
3.53	.1200	6.02	.800
4.31	.1000	6.96	.600

Arrow Length				
Draw Weight lbs.	25"	28"	30"	
	>20	1200	1000	
	21-25		1000	
	25-30		1000	
	30-35			800
	35-40			800
	40-45			600
	45-50			600

**ARROWS**  
& ACCESSORIES



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)





## 2019 CARBON FORCE ARROWS

# DISRUPTIVE™

These arrows are ideal for the Mini Burner™ youth compound or any youth bow max draw weight up to 40lbs.

### DISRUPTIVE™ CARBON ARROWS

- Straightness:  $\pm .006$
- Lengths: 28"
- ID: .245"
- Spine: .500
- Weight Tolerance:  $\pm 8$  grains
- Arrows Fletched With 3" Vanes
- Nocks And Glue-In Points Included

DESCRIPTION	PART #
ARROW,28,1/2 DZ,FLETCH	1960DPV28F
NOCK,DZ,GREEN	42422GN
POINT,75GR,DZ	42318DZ

GRAINS PER INCH	SPINE
7.3	.500

**ARROWS**  
& ACCESSORIES



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)





2019 CARBON FORCE ARROWS

# DESPERADO™ YOUTH ARROWS

Desperado™ arrows are the perfect starter carbon arrows for youth archers shooting compound bows. These are an affordable option when looking for durable, lightweight arrows.

## DESPERADO™ YOUTH ARROWS

- Straightness:  $\pm .006$
- Lengths: 26", 28", & 30"
- ID: .245"
- Spine: .600
- Weight Tolerance:  $\pm 8$  grains
- Arrows Fletched With 3" Vanes
- Nocks And Inserts Included
- 26" (26), 28" (28), 30" (30)
- 1/2 GR only mix of lengths (MX)

GRAINS PER INCH	SPINE
8.87	0.600

DESCRIPTION	PART #
ARROW, 1/2DZ, FLETCH	1960DES(LENGTH)F
ARROW, 1/2GR, FLETCH	1980DES(LENGTH)F
ARROW, DZ, FLETCH	1990DES(LENGTH)F
NOCK, DZ, ORANGE	42314ORDZ
POINT, 75GR, DZ	42318DZ

# EXPLORER™ YOUTH ARROWS

The Explorer™ fiberglass arrows are ideal for youth archers shooting beginner model bows.

PSA- EXPLORER YOUTH

## EXPLORER™ YOUTH ARROWS

- 26" (26), 28" (28)

DESCRIPTION	PART #
ARROW, 3 PACK	1930FG(LENGTH)
ARROW, 1/2 GR	1980FG(LENGTH)



ARROWS  
& ACCESSORIES



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## 2019 ARROW ACCESSORIES



### FASTSET™ GEL CEMENT

- Perfect for Duravanes
- Sets in seconds!
- 9 gram tube

DESCRIPTION	PART #
FLECH TITE	2813



### TARGET & ARROW RELEASE FLUID

- Suitable for all arrow types
- Odor-Free and Waterproof

DESCRIPTION	PART #
RELEASE FLUID	41966



### SCREW-IN FIELD POINTS

- Available in three weights to fit Carbon Force™ arrows

DESCRIPTION	PART #
POINTS 85 GR	41047
POINTS 100 GR	41048
POINTS125 GR	41049



### 4" GATEWAY FEATHERS

- For Carbon Force Radial X-Weave shafts

DESCRIPTION	PART #
DOZ. 4" FEATHERS, YELLOW	41957YL
DOZ. 4" FEATHERS, RED	41957RD
DOZ. 4" FEATHERS, GREEN	41957GN
DOZ. 4" FEATHERS, WHITE	41957WH



### AAE™ PRO MAX VANES

- 2.1" long x .590" high x .024 thick
- High Profile design is proven for optimized broadhead flight
- 40 pack

DESCRIPTION	COLOR	PART #
AAE PRO MAX VANES	YELLOW	41890YL
AAE PRO MAX VANES	ORANGE	41890OR
AAE PRO MAX VANES	GREEN	41890GR
AAE PRO MAX VANES	WHITE	41890WH
AAE PRO MAX VANES	RED	41890RD



### AAE™ STEALTH VANES

- 40 pack
- Sleek 2.7" Profile.

DESCRIPTION	COLOR	PART #
AAE STEALTH VANES	RED	42146RD
AAE HUNTER VANES	WHITE	42146WH



### BOHNING® ARCHERY

#### BLAZER VANES™

- Extreme durability
- Provides excellent arrow guidance
- Maximum accuracy and silent in flight
- 3 dozen pack
- Sizes: 2"

DESC	COLOR	PART #
BLAZER 2" VANES	RED	41775
BLAZER 2" VANES	FLO GREEN	41483
BLAZER 2" VANES	FLO ORANGE	41484
BLAZER 2" VANES	FLO YELLOW	41482
BLAZER 2" VANES	WHITE	41470



### AAE™ PRO MAX HUNTER VANES

- 1.7" x .460" High Profile
- Perfect for 3D Arrows and mechanical broadheads
- 40 pack

DESCRIPTION	COLOR	PART #
AAE HUNTER VANES	GREEN	41897GN
AAE HUNTER VANES	ORANGE	41897OR
AAE HUNTER VANES	YELLOW	41897YL
AAE HUNTER VANES	WHITE	41897WH
AAE HUNTER VANES	PINK	41897PK
AAE HUNTER VANES	RED	41897RD





*ACCESSORIES*



*ACCESSORIES*



## PSE AMP MICRO PRO ACCESSORY PACKAGE

- 5" Black/Red Spire™ Stabilizer
- Amp™ Micro Pro Sight
- Phantom Drop-Away Rest
- PSE Neoprene Sling
- Nock Loop - 5"
- Aluminum Red Peep Sight

DESCRIPTION	PART #
PRO ACCESSORY PACKAGE-RIGHT HAND	01299PRO
PRO ACCESSORY PACKAGE-LEFT HAND	01299PROL



## PSE AMP ACCESSORY PACKAGE

- 5" Black/Red Spire™ Stabilizer
- Amp™ 2G Sight
- QS Whisker Biscuit™
- PSE Neoprene Sling
- Nock Loop - 5"
- Mongoose™ Peep and Tubing

DESCRIPTION	PART #
AMP ACCESSORY PACKAGE	01299GD



## PSE BASIC ACCESSORY PACKAGE

- PSE FX Stabilizer
- Amp™ Sight
- PSE Hunter™ Quiver (Black)
- QS Whisker Biscuit™
- PSE Neoprene Sling
- Nock Loop - 5"
- Mongoose™ Peep and Tubing

DESCRIPTION	PART #
BASIC ACCESSORY PACKAGE	01310



# BOW SIGHTS

## PSE AMP™ 2G SIGHT


- Satin black finish
- Five .019" full capture pins
- 2" diameter housing for an enlarged field of view
- Bubble level for precision shooting
- True Blue sight light included
- Fixed plate mount extends 3-1/4" to 4"
- Right or left hand



DESCRIPTION	PART #
AMP 2G SIGHT	42217BK
REPLACEMENT PIN- GREEN	42212GN
REPLACEMENT PIN- RED	42212RD

## PSE GEMINI™ SIGHT

- Three .029 Fiber Optic Sight Pins
- Injection molded true radius pin guard
- Angled pin track for true pin alignment
- Phosphorescent glo ring
- Sight level




DESCRIPTION	PART #
GEMINI SIGHT	41586
REPLACEMENT PIN- .019 RED	41225
REPLACEMENT PIN- .029 RED	41228
REPLACEMENT PIN- RED	41673RD
REPLACEMENT PIN- GREEN*	41673GN
REPLACEMENT PIN- YELLOW*	41673YL



## ▲ PSE AMP SIGHT LEVEL

- For Amp™ 2G and Amp™ Micro sights

DESC	PART #
LEVEL	42400



## ▲ PSE SIGHT LEVEL


- Fits any sight with a 3/16" pin track

DESC	PART #
LEVEL	41269


While supplies last

## PSE AMP™ MICRO SIGHT

- Satin black finish
- Micro adjust windage & elevation
- Five .019" full capture pins
- 2" diameter housing for an enlarged field of view
- Bubble level for precision shooting
- True Blue sight light included
- Fixed plate mount extends from 4" to 4 3/4"
- Right or left hand



DESCRIPTION	PART #
AMP MICRO SIGHT	42218BK
REPLACEMENT PIN- GREEN	42212GN
REPLACEMENT PIN- RED	42212RD



## PSE X-FORCE HUNTER™ SIGHT PINS

DESCRIPTION	PART #	OPTION
REPLACEMENT PIN- .019	42113GN	GREEN
REPLACEMENT PIN- .019	42113OR	ORANGE



## ▲ PSE INDIGLO™ UV LIGHT

- UV bulb for better pin visibility
- Compatible with Galaxy, Slider, Orion, Compact, and Pete Shepley Long Range Sight

DESC	PART #
INDIGLO	41572




## ▲ PSE TRUE BLUE LIGHT

- UV light for Gemini and Aurora sights

DESC	PART #
TRU BLU	42175





## ◀ PSE RAVEN™ QUIVER

- Hold 5 arrows
- Lightweight, compact design
- Includes a tree hanger
- Quick-detach quiver bracket
- Carbon rod frame with dual grippers
- The frame can be moved to multiple locations to optimize weight distribution

2019 new  
CAMO COLLECTION

DESCRIPTION	PART #
RAVEN QUIVER CY, BK, KH, MG, RE, KV	42142(COLOR)
RAVEN REPLACEMENT HOOD FOAM	42174



## ▲ PSE HUNTER™ LT QUIVER QUIVER

- Lightweight and compact
- Quick-detach quiver bracket
- Includes tree hanger
- Holds 5 arrows

DESCRIPTION	PART #	OPTION
HUNTER LT QUIVER	42226BK	BLACK
HUNTER LT QUIVER	42226MG	MUDDY GIRL

## ▲ PSE REPLACEMENT QUIVER HOOD FOAM

DESCRIPTION	PART #
FOAM, 4 ARROW (PRIOR TO 2014)	3390S
FOAM, 8 ARROW (PRIOR TO 2014)	3390L
FOAM, MONGOOSE (PRIOR TO 2014)	3390M



## PSE TREKKER™ 2-PC QUIVER

- Lightweight design
- Works with almost any size arrow
- Holds 6 arrows

DESCRIPTION	PART #	OPTION
TREKKER 2-PC QUIVER	42225BK	BLACK
TREKKER 2-PC QUIVER	42225CY	COUNTRY



## ▲ BOW SLING

- Neoprene Construction For Comfort
- Quick Detach Swivels
- Fits Evolve® 28, Evoke® 31 and Evoke® 35

DESCRIPTION	PART #
BOWSLING	42431



## ▲ PSE ECLIPSE™ REPLACEMENT FOAM

- Fits Eclipse™ quivers
- Integrated magnet strip

DESCRIPTION	PART #
ECLIPSE FOAM	3390E



## ▲ QUICK-DETACH BRACKET

- Will fit previous and current model PSE quivers (Not for eclipse)

DESCRIPTION	PART #
QD BRACKET	3395



# ACCESSORIES



## ▲ PSE PHANTOM™ DROP-AWAY REST

- Full capture platform
- Falls away for complete arrow clearance
- Oversized adjustment screws

DESCRIPTION	PART #
PHANTOM (HAND)	41537(R,L)
ARROW HOLDER-6 PK	01110



## ▲ PSE RAPID™ DROP-AWAY REST

- Economical and fast to set up
- Falls out of the way for complete arrow clearance

DESCRIPTION	PART #
RAPID (HAND)	41909(R,L)



## ▲ PSE HORNET™ REST

- Converts easily from right to left hand
- Dovetail windage block makes minor adjustments quick and simple

DESCRIPTION	PART #
HORNET REST	41546



## ▲ PSE PROWLER™ DROP-AWAY REST

- Simple, dependable drop-away rest
- Provides complete arrow clearance
- Oversized adjustment screws

DESCRIPTION	PART #
PROWLER LEFT	41544L

WHILE SUPPLIES LAST



## ◀ PSE MONGOOSE™ 1/4" PEEP SIGHT

- Dozen card
- 100 pack



DESCRIPTION	PART #
MONGOOSE 1/4" PEEP CARD	2822DZ
MONGOOSE 1/4" PEEP 100 PK	2822C



## ▲ PSE WHEEL PEEP

- Dozen (12) card

DESCRIPTION	PART #
PEEP WHEEL	2823DZ



## ▲ PSE QUICKLOCK QUIVER BRACKET

- Fits Hunter LT, Fang and Raven quivers

DESCRIPTION	PART #
QUICKLOCK BKT	42186



## ◀ PSE MONGOOSE™ 1/8" PEEP SIGHT

- Includes tubing and peep aligner


DESCRIPTION	PART #
MONGOOSE 1/8" PEEP (EACH)	2820
MONGOOSE 1/8" PEEP (DOZEN)	2820DZ
MONGOOSE 1/8" PEEP (100 PK)	2820C



## ◀ PSE PETE SHEPLEY PEEP

- Includes tubing and peep aligner
- Replacement tubing - 4 ft.

DESCRIPTION	PART #
PETE SHEPLEY PEEP	2829
PETE SHEPLEY REPLACEMENT TUBING	2817



BK RD BL PR GN

## ▲ 13TH ELEMENT ALUMINUM PEEP

- Precision CNC machined aluminum


DESCRIPTION	PART #
ELEMENT PEEP, 1/4"	42161(COLOR)
ELEMENT PEEP, 1/8"	42159(COLOR)
ELEMENT PEEP, 3/16"	42160(COLOR)



### ▲ PSE NOCKING LOOP

- 9 pack card of string loops
- White or red

DESCRIPTION	PART #	BASE	MAP
WHITE, 4-1/4", 9 PACK	2697	31.99	45.99
RED, 4-1/4", 9 PACK	2697RD	31.99	45.99



### ▲ PSE FLEX SLIDE

- Only fits 2013-2015 PSE bows that use this feature

DESCRIPTION	PART #
FLEX SLIDE- RED	01204RD
FLEX SLIDE- GREEN	01204GN
FLEX SLIDE- BLUE	01204BL
FLEX SLIDE- PINK	01204PK
FLEX SLIDE- PURPLE	01204PR
FLEX SLIDE- ORANGE	01204OR
FLEX SLIDE- YELLOW	01204YL

WHILE SUPPLIES LAST



### PSE HIGH LET-OFF INNERCAM FOR SE CAM

- For PSE SE cam bows to achieve 80-90% Let Off
- Uses the same draw stop
- Ambidextrous

DESCRIPTION	PART #
HIGH LET-OFF INNERCAM, SE	01325SEHL



### PSE HIGH LET-OFF INNERCAM FOR EC-EF CAM

- For PSE EC cam bows to achieve 80-90% Let Off
- Uses the same draw stop
- Ambidextrous

DESCRIPTION	PART #
HIGH LET-OFF INNERCAM, EC-EF	01327EFHL



### PSE FAST, LOW LET OFF INNERCAM FOR EC-EF CAM

- For PSE EC cam bows to achieve 65-75% Fast Let Off
- Uses the same draw stop
- Ambidextrous

DESCRIPTION	PART #
LOW, FAST LET-OFF INNERCAM, EC-EF	01327EFLL



### PSE FRS CABLE GUARD SYSTEM

- Replacement option for the 2017 TRS Cable Guard System
- Can be used on any bow using the Flex Slide System

DESCRIPTION	PART #
(A) FRS CABLE GUARD, 6"	01322
(B) FRS CABLE GUARD, 6-1/8" TO 6-1/2"	01323
(C) FRS CABLE GUARD, 6-5/8" TO 7"	01324



### BOW TUNING FIXTURE

- Flexibility of tipping forward or from side to side
- Ability to lock in at any angle
- Two mounted levels, easy adjust levers, sight mounting holes to level the sight when it is not on the bow

DESCRIPTION	PART #
BOW TUNING FIXTURE	41701



### PSE LOW LET OFF INNERCAM FOR SE CAM

- For PSE SE cam bows to achieve 65-75% Let Off
- Uses the same draw stop
- Ambidextrous

DESCRIPTION	PART #
LOW LET-OFF INNERCAM, SE	01325SELL



### PSE LOW LET OFF INNERCAM FOR EC CAM

- For PSE EC cam bows to achieve 65-75% Let Off
- Uses the same draw stop
- Ambidextrous

DESCRIPTION	PART #
LOW LET-OFF INNERCAM, EC	01311HL



### PSE DEALER HARDWARE KIT

The dealer hardware kit every shop should have!  
Contains, a variety of axles, half rounds, cable slides, washers, screws, e clips, spacers, cable guard clamps

DESCRIPTION	PART #
DEALER HARDWARE KIT	01268



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



***SPORT LINE***  
***ACCESSORIES***



***SPORT LINE***

# 2019 PSE SPORT LINE ACCESSORIES



## PSE NEOPRENE SLING

- Comfortable neoprene sling with PSE logo

DESCRIPTION	PART #
NEOPRENE SLING	41646



## PSE FLEX FOAM™ SLING

- Camo soft touch sling

DESCRIPTION	PART #
FLEX FOAM SLING	41249CA



Limited Quantities

## PSE BRAIDED CAMO SLING

- Aluminum bracket with braided nylon cord
- Convenient set screw adjustment

DESCRIPTION	PART #
BRAIDED SLING	4335CAMO



## PSE STIFFY SLINGS

- Mount it – Set it – Forget it!
- 100% made and designed in the USA
- Blue (BL), Green (GN), Orange (OR), Pink (PK), Yellow (YL), Black (BK)

DESCRIPTION	PART #
STIFFY SLING	41906(COLOR)



## PSE DEERSKIN GLOVE

- The ultimate in comfort
- Finest quality genuine deerskin
- Double layered fingertips
- Small (S), Medium (M), Large (L), X-Large (XL)

DESCRIPTION	PART #
DEERSKIN GLOVE	4270(SIZE)



## PSE TRADITIONAL LEATHER GLOVE

- Tobacco suede with elastic inserts
- Leather fingertips
- Brown leather
- Small (S), Medium (M), Large (L), X-Large (XL)

DESCRIPTION	PART #
TRAD. LEATHER GLOVE	4220TO(SIZE)



## PSE MICRO TAB

- Designed for the smaller shooter
- Perfect for right or left handed archers

DESCRIPTION	PART #
MICRO TAB	41435



## PSE NO PINCH TAB

- Three layers: calf hair top, rubber moisture barrier, and suede for comfort
- Right or left hand
- Small left (SL), Small right (SR), Medium left (ML), Medium right (MR), Large left (LL), Large right (LR), X-large left (XLL), X-large right (XLR)

DESCRIPTION	PART #
NO PINCH TAB	4110(SIZE)



## PSE 7" VENTED TWO-STRAP ARMGUARD

- Triple stave armguard
- Ideal for hunting or target shooting

DESCRIPTION	PART #
ARMGUARD, 7"	3450CA



## PSE 8" VENTED THREE-STRAP

- 8" vented Flex Foam™ body with three quick detach straps
- Camo only

DESCRIPTION	PART #
ARMGUARD, 8"	41121



## PSE 13" FOUR-STRAP

- Quick detach closure
- Easy adjustment
- Flat stave design- Camo only

DESCRIPTION	PART #
ARMGUARD, 13"	41120



## PSE 6" TWO-STRAP

- 6" with two quick-detach straps
- Black Cordura® only

DESCRIPTION	PART #
ARMGUARD, 6"	41117BK



## PSE 7" RED ARMGUARD

- 7" with three quick-detach straps
- Red Cordura®

DESCRIPTION	PART #
RED ARMGUARD	41901







## PSE AMBI LITE QUIVER

- Handy accessory pockets
- Converts from right hand to left hand
- Comes with adjustable belt

DESCRIPTION	PART #
PSE AMBI LITE QUIVER	42205BK



## PSE TOUR SERIES AMBI QUIVER

- Easily converts from right hand to left hand
- Oversized accessory pocket with internal organizer
- Comes with adjustable belt

DESCRIPTION	PART #
PSE TOUR SERIES AMBI QUIVER	42204BK



## PSE TOUR SERIES QUIVER SYSTEM

- Includes adjustable padded belt
- Has ample pocket for accessory or water bottle
- Bow holder
- Compatible with Tour Series quiver or Ambi Lite quiver

DESCRIPTION	PART #
SUPREME XL QUIVER- BLACK	42206BK



## PSE ECONOMY QUIVER

- Lightweight vinyl quiver
- Convenient belt clip
- Right or left hand
- Available in black

DESCRIPTION	PART #
ECONOMY QUIVER	1390BK



## PSE DELUXE BOW HOLDER

- Flex Foam™ with camo fleece lining
- A must for spot and stalk hunters
- Conveniently holds bow to eliminate fatigue

DESCRIPTION	PART #
DELUXE BOW HOLDER	41008

Limited Quantities



## PSE RIGID HUNTER BOWCASE

- Dimensions: 44-7/8" X 14-3/4" X 6-1/8"
- Rigid duty outer shell
- Exterior storage pocket
- 3 large interior storage pockets
- 2 cam protectors
- 4 bow tie-downs with Velcro® closure
- Adjustable 6 arrow quiver that holds arrow diameters of all sizes
- 2 heavy duty web straps to keep bow case open when storing or removing bow and accessories

DESCRIPTION	PART #
RIGID HUNTER BOW CASE - BLACK	42210BK



## PSE X-TECH LITE BOWCASE

- Dimensions: 4"x18 1/2"x43"
- Comes complete with utility rack tie-downs
- External arrow pocket
- External accessory pocket

DESCRIPTION	PART #
X-TECH LITE BOWCASE-BLACK & PINK	41898

Limited Quantities



## PSE CARBON AIR BOWCASE

DESCRIPTION	PART #
PSE CARBON AIR BOWCASE	42236



## PSE ELEMENT BOWCASE

- Dimensions: 42" L X 15" W
- Designed for compact and youth models

DESCRIPTION	PART #
ELEMENT BOWCASE	42296GN



***DISTRIBUTED***  
***ACCESSORIES***

**PSE<sup>®</sup>**  
**ARCHERY**

***DISTRIBUTED***



## T.R.U. BALL® FANG™

- Two triggers included
- Two sensitivity adjustment springs included for lighter or heavier trigger feel
- Buckle Strap

DESCRIPTION	PART #
TRU BALL FANG	41936BK



## T.R.U. BALL® ASSASSIN

- Small size caliper
- Drop-away solid rod globo-swivel connection with draw length adjustment
- Buckle Strap

DESCRIPTION	PART #
TRU BALL ASSASSIN-BLACK	41932BK



## PSE ECONOMY BY TRU-FIRE™

- Tested at 200 lbs.
- Quick and easy trigger adjustment

DESCRIPTION	PART #
PSE TRU FIRE ECONOMY	41090



## PSE ECONOMY JR. BY TRU-FIRE™

- Tested at 200 lbs.
- Quick easy trigger adjustment

DESCRIPTION	PART #
PSE TRU FIRE ECONOMY JR	41091



## X-TEND™ RELEASE

- Torque Free Swivel Connection
- Quick Adjust Strap For Desired Draw Length Position

DESCRIPTION	PART #
XTEND RELEASE	42424GN



## T.R.U. BALL® SHOOTER™

- Designed specifically with youth in mind
- Quick lock connection system to provide easy adjustment for any anchor point.
- Rope style connection and Velcro® Strap

DESCRIPTION	PART #
TRU BALL SHOOTER	42123BL



NOCKTURNAL TOOL

2019 new

## NOCKTURNAL NOCKS

- Exclusive Patent pending bow string activated linear switch
- For fool proof operation in any conditions
- Long Life Lithium Battery
- Super Bright LEDs for superior illumination
- Unsurpassed Reliability

DESCRIPTION	COLOR	PART #
NOCK, NOKTURNAL, S, GN, 3 PACK	GREEN	42153SGN
NOCK, NOKTURNAL, S, RD, 3 PACK	RED	42153SRD
NOCK, PREDATOR, XBOW, S71, GN 3 PACK	GREEN	42155GN
NOCK, PREDATOR, XBOW, S71, RD 3 PACK	RED	42155RD
NOCK, NOKTURNAL, TOOL, INSTALL	-	42419

## NOCKTURNAL FITTING GUIDE:

Nockturnal S - Carbon Force TrueWeave Hunter and Hunter Select  
Predators - ThunderBoltz

NOCKTURNAL PREDATOR



## GOAT TUFF™ GLUE

- The purest, strongest, fastest setting and easiest glue to work with

DESCRIPTION	PART #
GOAT TUFF-7 GRAM	41610



## FASTSET™ GEL CEMENT

- Perfect for Duravanes
- Sets in seconds!
- 9 gram tube

DESCRIPTION	PART #
FLETCH TITE	2813



## TARGET & ARROW RELEASE FLUID

- Suitable for all arrow types
- Odor-Free and Waterproof

DESCRIPTION	PART #
RELEASE FLUID	41966



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)





## ULTRA™ HDX REST

- Total Arrow Containment
- Convenient Thumbwheel
- Noise-reducing design
- Breakaway safety feature
- Precision CNC aluminum, stainless steel, & Delrin™ components
- Right or Left hand

DESCRIPTION	PART #
QAD ULTRA HDX-BLACK, RIGHT	41938RBK
QAD ULTRA HDX-BLACK, LEFT	41938LBK
QAD ULTRA HDX-RED, RIGHT	41938RRD
QAD ULTRA HDX-RED, LEFT	41938LRD
QAD ULTRA HDX-CAMO, RIGHT	41938RCA
QAD ULTRA HDX-CAMO, LEFT	41939LCA



## COMPRESSION LYCRA® ARMBAND

- Tucks sleeve away from bow string
- Lycra® is a synthetic fiber known for its exceptional elasticity

DESCRIPTION	PART #
COMP ARMBAND	41505



## PSE ELEVATION NERVE™ FIELD QUIVER

- 3-Stage Arrow Divider
- Carbon Point Plate
- Storage Pockets
- D-Rings

DESCRIPTION	PART #
ELEVATION NERVE QUIVER	42421RD



## ▲ QAD™ REPLACEMENT FELT KIT

The QAD Ultra-Rest HDX replacement felt will go on the launcher fork and capture bar of your HDX rest to keep your draw completely silent.

DESCRIPTION	PART #
REPL. FELT BLACK	41939BK
REPL. FELT CAMO	41939CA



## QUICK SHOT WHISKER BISCUIT™

- Windage adjustment
- Reference marks
- Custom rubber boots silence arrow loading
- Universal right and left hand

DESCRIPTION	PART #
WHISKER- LARGE	41774L
WHISKER- MEDIUM	41774M
POSI-LOCK KEYS (DOZEN)	01216



## ▲ QAD™ REST CABLE CLAMP KIT

The QAD Ultra-Rest Replacement Cable Clamp Kit will help you set the timing on your QAD Ultra-Rest. The kit includes a clamp as well as a piece of timing cord 12 inches long so you can make sure your Ultra-Rest is timed perfectly everytime you shoot.

DESCRIPTION	PART #
QAD CLAMP KIT	41940



## SCREW-IN FIELD POINTS

- Available in three weights to fit Carbon Force™ arrows

DESCRIPTION	PART #
POINTS 85 GR	41047
POINTS 100 GR	41048
POINTS 125 GR	41049





## PSE ALLEN WRENCH BY BONDHUS™

- XL includes size 7/32" hex head needed for PSE limb bolts
- Heavy duty one-piece construction

DESCRIPTION	PART #
XL - SIZES: 1/4", 7/32", 3/16", 5/32", 9/64", 1/8", 7/64", 3/32", 5/64"	41604XL
SMALL - SIZES: 3/16", 5/32", 9/64", 1/8", 7/64", 3/32", 5/64", 1/16", .050"	41604SM



## PSE TORX® WRENCH SET BY BONDHUS

### WRENCH SIZES: T9-T40

- All PSE cams now have Torx screws from the factory.


DESCRIPTION	PART #
TORX HEAD WRENCH	41795



## HEX WRENCH

- A necessity for any archer or archery shop

DESCRIPTION	PART #
HEX WRENCH	2501



## RS ARCHERY® COMBO LEVEL SET

- NOK-EZ arrow Level
- RS snap-on bow string level

DESCRIPTION	PART #
COMBO LEVEL SET	41390



## ADVANCED STRING WAX


DESCRIPTION	PART #
ADVANCED STRING WAX	42260



## HHA SPEED DIAL

- No more guessing and gapping!
- Fits most of today's crossbows

DESCRIPTION	PART #
HHA SPEED DIAL	41703



## CROSSBOW RAIL LUBE

- No need to wax the serving that makes contact with the rail
- Odor free and waterproof

DESCRIPTION	PART #
RAIL LUBE	41969



## PSE COCKING SLED PRO

- Works great for crossbow models with longer power strokes (>15") including the Thrive 400

DESCRIPTION	PART #
PSE COCKING SLED PRO	42420



## PSE CROSSBOW COCKING ROPE

DESCRIPTION	PART #
COCKING STRAP	41615







***VIBRACHECK***  
***ACCESSORIES***

***VIBRACHECK***



## ACCESSORIES

### VIBRACHECK™ SPIRE™ STABILIZER

The Spire™ stabilizer features a precision-machined aluminum tube supported by a rubber core that eliminates vibration and noise as the bow is shot. Threaded for 1/4" X 20 Add-On Weights.

DESCRIPTION	PART #	COLORS
SPIRE, BK/BK, 5", 6 OZ	42143	BLACK/BLACK
SPIRE, BK/RD, 5", 6 OZ	42143BK	BLACK/RED
SPIRE, BK/CY, 5", 6 OZ	42143CY	BLACK/COUNTRY
SPIRE, PR/BK, 5", 6 OZ	42143PR	PURPLE/BLACK
SPIRE, MG, 5", 6 OZ	42143MG	MUDDY GIRL
SPIRE, KH, 5", 6 OZ	42143KH	KRYPTEC HIGHLANDER
SPIRE, KH, 5", 6 OZ	42143RE	REALTREE EDGE
SPIRE, KH, 5", 6 OZ	42143KV	KUIIU VERDE
*SPIRE, BK/RD, 8", 8.6 OZ	42158BK	BLACK/RED
SPIRE, BK/CY, 8", 8.6 OZ	42158CY	BLACK/COUNTRY
SPIRE, PR/BK, 8", 8.6 OZ	42158PR	PURPLE/BLACK
SPIRE, BK/CY, 8", 8.6 OZ	42158RE	REALTREE EDGE
SPIRE, PR/BK, 8", 8.6 OZ	42158KV	KUIIU VERDE



\*WHILE SUPPLIES LAST



### VIBRACHECK™ CARBON VIBE™ WEIGHTS

- Three 1 oz. steel weights
- Fits Carbon Vibe Stabilizer
- Thread Size: 5/16" X 24

DESCRIPTION	PART #
CARBON VIBE WEIGHTS	42237

\*WHILE SUPPLIES LAST



### VIBRACHECK™ ROLLERGLIDE™

- Fits all bows with a cable guard.
- Right or left hand

DESCRIPTION	PART #
ROLLERGLIDE	01308



### VIBRACHECK™ SPIRE™ 8" STABILIZER WITH WEIGHTS

Machined aluminum with rubberized core. Includes weights.

DESCRIPTION	PART #	COLORS
SPIRE 8" STABILIZER W/WEIGHTS	42158BKW	BLACK



### VIBRACHECK™ FX™ 4 STABILIZER

- Proprietary specially formulated rubber for superior vibration damping
- 6" long, 7 oz.

DESCRIPTION	PART #	COLORS
FX 4 STABILIZER, BK	42298	BLACK

### VIBRACHECK™ BACKSTOP™ 4

- Improved string capture
  - A multitude of adjustments can be achieved
- Please use this chart when ordering Backstop™ 4:

PART #	HANDLE-TO-STRING DISTANCE	APPROX. BRACE HEIGHT
01286BKXLNG	6" TO 6-5/8"	7" TO 7-3/4"
01286BK LNG	5-1/2" TO 6-1/8"	6-1/2" TO 7-1/4"
01286BK MED	5" TO 5-5/8"	6" TO 6-3/4"
01286BK SHT	4-1/2" TO 5-1/8"	5-1/2" TO 6-1/4"
01286BKXSHT	4-1/4" TO 4-7/8"	5-1/4" TO 6"



Fits on standard cable guides



Fits on PSE Flex Slides







# COLORED RUBBER SETS

## SHOCK MODS™ LIMB DAMPERS



PART #

01291BK



PART #

01291RD



PART #

01291GN



PART #

01291BL



PART #

01291PK



PART #

01291OR



PART #

01291PR

## GEN-X LIMB DAMPERS



PART #

01318BK



PART #

01318RD



PART #

01318GN

## FULL STOP BUMPER

Only for 2017 Backstop 4 and newer



PART #

01331BK



## RISER DUMBBELLS

- 6 pack
- Fits 2017 and newer PSE bows with this feature



PART #

01306BK



PART #

01306RD



PART #

01306GN



PART #

01306BL



PART #

01306PK



PART #

01306OR



PART #

01306PR

## BACKSTOP™ 4 BUMPERS

Only for 2016 Backstop 4 and newer



PART #

01289BK



PART #

01289RD



PART #

01289GN



PART #

01289BL



PART #

01289PK



PART #

01289OR



PART #

01289PR



PART #

01289PR

## CABLE SLIDES



PART #

01163BK



PART #

01163



PART #

01163GN



PART #

01163BL



PART #

01163PK



PART #

01163OR



PART #

01163PR



PART #

01163YL

**VIBRACHECK**  
ACCESSORIES



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# COLORED ACCESSORIES

## STRING CHUBS



PART #  
01067



PART #  
01067BL



PART #  
01067PK



PART #  
01067OR



PART #  
01067YL



PART #  
01067PR

## BACKSTOP™ BUMPERS For 2015 Backstop and older \*Limited Quantities



PART #  
01118GN



PART #  
01118BL



PART #  
01118PK



PART #  
01118OR



PART #  
01118YL



PART #  
01118PR

## FLEX GUARDS \*WHILE SUPPLIES LAST



PART #  
01204RD



PART #  
01204GN



PART #  
01204BL



PART #  
01204PK



PART #  
01204OR



PART #  
01204YL



PART #  
01204PR



PART #  
01204BK

## CABLE DAMPERS



PART #  
01097



PART #  
01097RD



PART #  
01097GN



PART #  
01097BL



PART #  
01097PK



PART #  
01097OR



PART #  
01097YL



PART #  
01097PR

## GRIP INSERTS \*WHILE SUPPLIES LAST



PART #  
01189BK



PART #  
01189RD



PART #  
01189GN



PART #  
01189BL



PART #  
01189PK



PART #  
01189OR



PART #  
01189YL



PART #  
01189PR







*BLACK MOUNTAIN*



## CARBON XD™ 5-ARROW QUIVER

- Extreme duty & light weight
- Carbon lay up Technology For Durable, Strong Quiver
- Mounting Bracket & Top Gripper Adjust Up Or Down
- Specially Formulated Dual Grippers for Thin & Thick Diameter Arrows
- 3 Green LED Lights Inside Hood For Illumination Inside and Outside Of Hood (3 Stage Settings)
- LED Lights Are Powered By A CR-2032 Battery (Battery Included)
- Heavy Duty Cable Hanger

**\*\*LIFETIME WARRANTY**

DESCRIPTION	PART #
CARBON XD QUIVER	42307
REPLACEMENT HOOD FOAM	42327



## TORMENT™ 5-ARROW QUIVER

- Lightweight, Compact Design
- Mounting Bracket & Top Gripper Adjust Up Or Down
- Dual Grippers Fit Large And Small Diameter Arrows
- Heavy Duty Cable Hanger

**\*\*LIFETIME WARRANTY**

DESCRIPTION	PART #
TORMENT QUIVER	42308
REPLACEMENT HOOD FOAM	42328



## CARBON FATE™ 5-ARROW QUIVER

The Carbon Fate 5-Arrow Quiver by Black Mountain Outfitters is our latest best-in-class design; remarkably lightweight for a full-length quiver, this durable and sleek accessory features scratch-resistant construction.

- Frame and hood constructed of carbon
- 5 LED lights inside hood for illumination inside and outside of hood (CR2032 batteries included)
- Lightweight, compact design
- Mounting bracket & top gripper adjusts up or down
- Specially formulated gripper for thin & thick diameter arrows
- Heavy duty cable hanger

**\*\*LIFETIME WARRANTY**

DESCRIPTION	PART #
CARBON FATE 5-ARROW QUIVER	42415BK
CARBON FATE HOOD FOAM	42416



## RIGID™ 6-1/4" STABILIZER

- Precision-machined aluminum housing
- 6-1/4" Long, 6.7 oz.
- Includes 3 disc weights
- Pelletized TPE damping technology
- Hush damper

**\*\*LIFETIME WARRANTY**

DESCRIPTION	PART #
RIGID STABILIZER	42306



## CARBON CROWN™ STABILIZER

- Precision-Machined Carbon Housing
- 7-5/8" Long, 6 oz.
- Includes 3 disc weights
- Crown™ damper

**\*\*LIFETIME WARRANTY**

DESCRIPTION	PART #
CARBON CROWN STABILIZER	42414BK

**new**







## CARBON DR™ DRIVER SIGHT

- Includes (4) .019" Full Capture Pins
- Dovetail Mount with 6-1/2" Carbon Bar
- 4 Stage Press Button Sight Light for Varying Light Intensity (Batteries Included)
- 1-3/4" Lightweight Scope
- 2nd & 3rd Axis Adjustments For Long-Range Accuracy
- Tool-less Micro Drive Adjustments For Windage
- Speed Dial Glides Easily Up Or Down For Varying Distances
- Indexable Yardage Indicator With Elevation Tension Lever
- Adjustable Micro Bubble Level
- Includes 22 Sight Tapes
- Lens Capable - Includes Lens Retainer (Lenses Sold Separately)
- 90 Degree Rear-Facing Sight Scale
- Right Hand

LIFETIME WARRANTY

DESCRIPTION	PART #
CARBON DR DRIVER SIGHT	42305
REPLACEMENT .019 PIN GREEN	42326GN
REPLACEMENT .019 PIN RED	42326RD
REPLACEMENT .019 PIN YELLOW	42326YL



2019 new

## CARBON DR™ SIGHT LIGHT

DESCRIPTION	PART #
SIGHT LIGHT	42346



## CARBON DR™ SIGHT RING

DESCRIPTION	PART #
CARBON DR RING	42325GN



## MAX FORCE™ SIGHT LIGHT KIT

The Black Mountain™ Max Force™ Sight Light Kit delivers high value and quality for your dollar with solid construction and a 4-stage UV light for varying levels of light intensity. The Max Force™ Sight Light Kit fits most bow sights that have a scope with fiber optic pins and is ideal for hunting or target shooting.

- Weather-resistant technology
- 4-Stage light settings for varying intensity
- Auto power-off after 2 Minutes
- 3/8-32 thread fits most scopes
- Ideal for hunting or target shooting
- Approximately 20 hours of effective battery life at max brightness
- 2 CR-2032 batteries required (batteries included)

LIMITED ONE YEAR WARRANTY

DESCRIPTION	PART #
MAX FORCE SIGHT LIGHT KIT	42398



2019 new

## CARBON SIGHT LEVEL

DESCRIPTION	PART #
SIGHT LEVEL	42408



**GEAR**

**PSE**  
**ARCHERY**

**PSE GEAR**



For PSE shooters, our brand name means more than just a bow; it represents a lifestyle. PSE customers live our brand 24/7 through shirts, hats, gear, and other PSE-branded accessories. We've dramatically expanded our PSE Signature Series line with an exciting selection of new products, plus a huge new selection of ladies and youth gear... so don't wait, increase your sales by offering PSE customers our lucrative lifestyle brand of apparel and other Signature Series Items. Contact 1-877-717-9152 for dealer pricing today. To view the entire line go to **[www.psearcherystore.com](http://www.psearcherystore.com)**



**All items shown are examples of items available to purchase online. Check the site for the latest items!**

## 2019 PSE GEAR



**PSE RED T-SHIRT**

DESCRIPTION	PART #
T-SHIRT,PSE,RED,S	41678S
T-SHIRT,PSE,RED,M	41678M
T-SHIRT,PSE,RED,L	41678L
T-SHIRT,PSE,RED,XL	41678XL
T-SHIRT,PSE,RED,XXL	41678XXL
T-SHIRT,PSE,RED,XXXL	41678XXXL



**PSE BLACK T-SHIRT**

DESCRIPTION	PART #
T-SHIRT,PSE,BLACK,S	41761S
T-SHIRT,PSE,BLACK,M	41761M
T-SHIRT,PSE,BLACK,L	41761L
T-SHIRT,PSE,BLACK,XL	41761XL
T-SHIRT,PSE,BLACK,XXL	41761XXL
T-SHIRT,PSE,BLACK,XXXL	41761XXXL



**BACK**



**PROMO SHIRT**

DESCRIPTION	PART #
SHIRT,PROMO,S	41802S
SHIRT,PROMO,M	41802M
SHIRT,PROMO,L	41802L
SHIRT,PROMO,XL	41802XL
SHIRT,PROMO,XXL	41802XXL
SHIRT,PROMO,XXXL	41802XXL



**FLEECE JACKET**

DESCRIPTION	PART #
JACKET,PSE,FLEECE,M	41510L
JACKET,PSE,FLEECE,L	41510L
JACKET,PSE,FLEECE,XL	41510XL
JACKET,PSE,FLEECE,XXL	41510XXL



**PSE EURO T-SHIRT SHORT SLEEVE**

DESCRIPTION	PART #
T-SHIRT,PSE,EURO,S	41806S
T-SHIRT,PSE,EURO,M	41806M
T-SHIRT,PSE,EURO,L	41806L
T-SHIRT,PSE,EURO,XL	41806XL
T-SHIRT,PSE,EURO,XXL	41806XXL
T-SHIRT,PSE,EURO,XXXL	41806XXXL

**PSE EURO T-SHIRT LONG SLEEVE**

DESCRIPTION	PART #
T-SHIRT,PSE,LONG,SLV,EURO,S	41805S
T-SHIRT,PSE,LONG,SLV,EURO,M	41805M
T-SHIRT,PSE,LONG,SLV,EURO,L	41805L
T-SHIRT,PSE,LONG,SLV,EURO,XL	41805XL
T-SHIRT,PSE,LONG,SLV,EURO,XXL	41805XXL
T-SHIRT,PSE,LONG,SLV,EURO,XXXL	41805XXXL



**PSE FIELD STAFF SHIRT**

DESCRIPTION	PART #
SHIRT,FIELD,STAFF,L	41552L
SHIRT,FIELD,STAFF,XL	41552XL
SHIRT,FIELD,STAFF,XXL	41552XXL



**FLEECE VEST**

DESCRIPTION	PART #
VEST,PSE,FLEECE,S	41599S
VEST,PSE,FLEECE,M	41599M
VEST,PSE,FLEECE,L	41599L
VEST,PSE,FLEECE,XL	41599XL
VEST,PSE,FLEECE,XXL	41599XXL
VEST,PSE,FLEECE,XXXL	41599XXXL



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)





**PSE MOSSY OAK CAMO CAP**

DESCRIPTION	PART #
CAPPSE,MO	41661



**PSE SKULLWORKS 2 CAP**

DESCRIPTION	PART #
CAPPSE,SW	41822



**PSE BLACK/RED MESH CAP**

DESCRIPTION	PART #
CAPPSE,X-MESH	41823



**PSE BLACK CAP**

DESCRIPTION	PART #
CAPPSE,BLACK	41821



**PSE LED HANGING SIGN**

Shown with power on. Sign is machined logo into clear acrylic

DESCRIPTION	PART #
SIGN,PSE,HANGING,LED	42263



**PSE SIGNATURE CERAMIC FOLDING KNIFE**

DESCRIPTION	PART #
KNIFE,PSE,FOLDING,CERAMIC	41847



**PSE SIGNATURE FOLDING KNIFE**

DESCRIPTION	PART #
KNIFE,PSE,FOLDING,SIGNATURE	41553



**PSE SPORTSMAN'S TOWEL**

• Terry cloth towel with PSE logo

DESCRIPTION	PART #
TOWEL,HAND,TEAM PSE	41506

2019 new



**PSE PLUSH CARPET FLOOR MAT**

DESCRIPTION	PART #
MAT,PSE,2'X3'	42264



**PSE BELT BUCKLE**

- Stylish PSE buckle in silver and gold
- Made by Montana Silversmiths

DESCRIPTION	PART #
BUCKLE,PSE	41808

2019 new



**PSE HAT CLIP**

Plasma-cut PSE logo hat clip

DESCRIPTION	PART #
CLIP,BRIM,PSE	42428

2019 new



**PSE METAL HANGING SIGN**

Plasma-cut metal sign. Measures 38" wide x 16" tall

DESCRIPTION	PART #
SIGN,METAL,PSE	42258



WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)