



BLACK EAGLE ARROWS

BLACK EAGLE ARROWS


PRODUCT CATALOG // TWENTY EIGHTEEN

2018



THE ONLY PRO SHOP
EXCLUSIVE ARROW COMPANY

BLACKEAGLEARROWS.com



BLACK EAGLE ARROWS

THE ONLY **PRO SHOP**

EXCLUSIVE ARROW COMPANY



HOW DOES IT WORK? Our business model is simple, we provide our Black Eagle Arrows Authorized Retailers the opportunity to **MAXIMIZE VALUE AND CUSTOMER SERVICE BY ELIMINATING BIG-BOX STORE COMPETITION.** This gives every retailer in our network the best product pricing instead of pricing models which require pro shops to subsidize their competition. We are the only arrow company in the industry who sustains these values. We have worked to build and maintain a trusted network of only independently owned and operated pro shops. With no minimums and superior customer service we give every pro shop large and small the opportunity to thrive. We work hard at producing quality products and just as hard at building quality relationships with our partners.





CHRIS PASCUA

ZOMBIESLAYER

**480 GRAIN
STRAIGHTNESS .001**

WHAT DO OUR DEALERS HAVE TO SAY?



GREAT LAKES OUTDOOR SUPPLY BAINBRIDGE, MADISON, MIDDLEFIELD, CHESTERLAND

"For us at Great Lakes the choice to sell and support Black Eagle Arrows was simple when they offer an arrow with unmatched weight and straightness tolerances coming from genuine people that aren't just business partners, but our friends as well."



XXX ARCHERY

RAINIER, OR

"Your bow is only as good as your arrow that's why I shoot and sell Black Eagle Arrows. They have the best tolerances and the best value in the industry."



LANCASTER ARCHERY SUPPLY

LEOLA, PA

"We have been a Black Eagle Arrow distributor since 2012 as it was a natural fit with their commitment to innovating and building the best arrows for both 3D target and bow hunting."



SOUTH SHORE ARCHERY SUPPLY RIVerview, FLORIDA

"Little did I know [becoming a dealer] was one of the best business moves I had made in the 12 years of running South Shore. I am proud to be a dealer of Black Eagle arrows."



DEALER APPLICATION



DEALER INFORMATION

BUSINESS NAME

BUSINESS ADDRESS

CITY **STATE** **ZIP CODE**

PHONE **MOBILE**

TAX I.D. NUMBER

FAX

EMAIL

DATE OF INCORPORATION

BILLING INFORMATION

BUSINESS NAME

BUSINESS ADDRESS

CITY **STATE** **ZIP CODE**

I/We the undersigned declare that the above application is true and correct and agree to the Terms and Conditions as outlined in the current dealer price list. I/We accept the Trading Terms its being strictly COD/CC unless otherwise agreed with an Authorized Officer of Black Eagle Arrows LLC. I/We are personally guarantee to pay in full for any goods which have been received by the above mentioned and are held personally liable for any outstanding debts at any stage.

To maintain an exclusive authorized Black Eagle Arrow dealership protected area, you must have a store front and purchase a minimum of \$10,000 annually in Black Eagle Arrow products.

NAME

REFERRED BY

POSITION

PHONE

SIGNATURE / DATE

SEND VIA EMAIL

TAKE A PHOTO OF THE APP AND SEND TO:
DEALERINQUIRY@BLACKEAGLEARROWS.com

BLACK EAGLE ARROWS, LLC.

152 Bluffs Court
Canton, GA. 30144

T: (678) 208-3429
F: (678) 716-2336
E: Info@BLACKEAGLEARROWS.com

PLEASE ATTACH A COPY OF YOUR VENDORS LICENCE ALSO

ARROW SELECTION GUIDE

INDOOR

3D

FIELD

HUNTING

TRADITIONAL

CROSSBOW

PS27

27/64" | .001"



PS26

26/64" | .001"



PS23

23/64" | .001"

Challenger

23/64" | .001" & .003"



X-IMPACT

15/64" | .001"



Deep Impact

15/64" | .001" & .003"



RAMPAGE

17/64" | .001" & .003"



RENEGADE

17/64" | .005"



SPARTAN

18/64" | .001" & .003"



OUTLAW

19/64" | .005"



CARNIVORE

19/64" | .001" & .003"



ZOMBIESLAYER

19/64" | .001" & .003"



VINTAGE

19/64" | .005"



INSTINCT

15/64" | .005"



OUTLAW

19/64" | .005"



EXECUTIONER

22/64" | .001" & .003"



ZOMBIESLAYER

22/64" | .001" & .003"



WHAT MAKES OUR CARBON ARROWS BETTER?



PRECISION TOLERANCES

The most important consideration for making deadly accurate shots is arrow consistency. Our customers frequently report tolerances tighter than we specify across the whole dozen. You will notice the difference.

.001 STRAIGHTNESS OR STRAIGHTER ± 1 GRAIN WEIGHT TOLERANCE $\pm .010$ SPINE DEVIATION ACROSS DOZEN



— BLACK EAGLE MEASURES STRAIGHTNESS ACROSS THE WHOLE SHAFT - OTHER COMPANIES MEASURE 28" CENTER —

SPINE MATCHED GROUPED TOGETHER TECHNOLOGY

We employ Grouped Together Technology to spine match each dozen arrows. This ensures precise consistency.

WEIGHT SORTED

We weigh and group all shafts to ensure the perfect match. On our premium shafts we only allow for weight tolerances $+/ - 1$ grain across the dozen.

SHAFT STRAIGHTNESS

Unlike other companies in the industry, who measure a 28" of the shaft or less, we measure the full length. We also guarantee our shafts are as straight or straighter than we specify.





HUNTING ARROWS

CARNIVORE

○ 19/64" | STANDARD DIAMETER

The Carnivore is our premium **100% carbon hunting / 3-D shaft**. Its flight characteristics were designed by experienced professional shooters to optimize speed, kinetic energy, and penetration for a wide range of environments. The Carnivores are each weight-sorted and spine-matched to offer the most consistent grouping. This shaft's exceptional durability and accuracy is sure to bring home the trophy.

AVAILABLE AS **FLETCHED OR SHAFTS**

.001 / .003"

± 1 GRAIN

32"

OR STRAIGHTER

WEIGHT TOLERANCE

SHAFT LENGTH

INCLUDED

- Black Eagle Arrows Standard Nock - 10 Grains
- Carnivore Inserts - 14 Grains
- Bohning Blazer Vanes - 18 Grains **[Fletched Only]**
- Shipped in Carnivore Box **[Fletched Only]**

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
250	.2445"	.303"	9.7
300	.2445"	.296"	8.5
350	.2445"	.291"	7.5
400	.2445"	.287"	6.8

ULTRA-LIGHT ARROWS / SHAFTS*

Perfect for those who shoot a lighter 30-50 lb draw weight.

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
30-50 lb	.2445"	.281"	5.9

*DISCLAIMER / Do not exceed 50 lb draw weight limit. It may damage the shaft and cause serious injury to you or others around you.





Tom Nelson

THE AMERICAN ARCHER
CARNIVORE .001

HUNTING ARROWS

ZOMBIESLAYER

○ 19/64" | STANDARD DIAMETER

Everyone knows the (Zombie, Walker, Living Dead) apocalypse is just around the corner. Get ready by filling your arsenal with Zombie Slayers our **100% carbon hunting / 3-D shaft**. These shafts are engineered with speed and kinetic energy, designed to cause the maximum zombie face damage. These carbon Zombie Slayer arrows are manufactured with the tightest .001" or .003" straightness or straighter tolerances, to ensure you never miss that critical head shot. Don't entrust your family's survival with some second rate shaft, unless you like getting eaten alive.

AVAILABLE AS **FLETCHED OR SHAFTS**

.001 / .003"

± 1 GRAIN

32.5"

OR STRAIGHTER

WEIGHT TOLERANCE

SHAFT LENGTH

INCLUDED

- Available with fluorescent yellow cresting or bare carbon finish shafts
- Black Eagle Arrows Standard Nocks - 10 Grains
- Zombie Slayer Inserts - 14 Grains
- Bohning Blazer Vanes - 18 Grains **[Fletched Only]**
- Zombie Emergency Survival Arrow Box **[Fletched Only]**

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
300	.2445"	.298"	9.2
350	.2445"	.293"	8.0
400	.2445"	.291"	7.5
500	.2445"	.286"	6.7

Note: Cresting adds .01 GPI.

ZOMBIE SLAYERS ARE NOT TOYS. THESE ARE REAL ARROWS AND CROSSBOW BOLTS INTENDED ONLY FOR REAL ZOMBIES, WALKERS, LIVING DEAD, ETC. NOT FOR USE ON LIVING HUMANS.





CAM SUTHERLAND ZOMBIE SLAYER HUNTING ARROWS





HUNTING ARROWS

OUTLAW

○ 19/64" | STANDARD DIAMETER

The Outlaw **100% carbon arrow** was created for the hunter looking for the ultimate in strength and durability. This shaft provides the highest level of performance with a focus on affordability. This versatile shaft is the perfect choice for any serious hunter.

AVAILABLE AS **CRESTED, FLETCHED, OR SHAFTS**

.005"

± 1 GRAIN

32"

OR STRAIGHTER

WEIGHT TOLERANCE

SHAFT LENGTH

INCLUDED

- Available with fluorescent yellow, white cresting, or bare carbon finish
Note: Cresting only available in 300, 350, and 400 spines
- Black Eagle Arrows Standard Nocks - 10 Grains
- Outlaw Inserts - 14 Grains
- Bohning Blazer Vanes - 18 Grains **[Fletched Only]**
- Shipped in Outlaw Box **[Fletched Only]**

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
300	.2445"	.300"	9.1
350	.2445"	.297"	8.6
400	.2445"	.294"	8.1
500	.2445"	.285"	7.4
600	.2445"	.278"	6.8

Note: Cresting adds .01 GPI.

OUTLAW CRESTED



OUTLAW PINK



OUTLAW TRADITIONAL FEATHERS





RYAN ONUFREYCHUK OUTLAW HUNTING ARROWS



TRADITIONAL HUNTING ARROWS

VINTAGE

○ 19/64" | STANDARD DIAMETER

Our Vintage® **100% carbon arrow** is the first of its kind on the market. Many serious traditional archers, and compound archers, are looking for a high quality wood grain carbon arrow – so we delivered. Each Vintage arrow's cresting is hand painted and quality inspected. The Duracoat wood grain overlay-finish on the shaft allows for refletching and cresting. Vintage arrows are straightness sorted, spine matched, and weight matched to ensure the quality and toughness that you have come to expect.

CRESTED, 4" FEATHERS / BARE SHAFTS

.005"

± 1 GRAIN

34"

OR STRAIGHTER

WEIGHT TOLERANCE

SHAFT LENGTH

INCLUDED

- Black Eagle Arrows Standard Nock - 8 Grains
- Aluminum Inserts - 14 Grains
- 4" Feathers Barred and Solid - 3 Grains **[Fletched Only]**
- Shipped in Vintage Box **[Fletched Only]**

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
350	.244"	.303"	9.8
400	.244"	.301"	9.2
500	.244"	.297"	8.5
600	.244"	.293"	7.9

Note: Cresting adds .01 GPI.

CRESTING OPTIONS





DJ KITTS VINTAGE 100% CARBON ARROW



RANDY KITTS PRESIDENT, BLACK EAGLE ARROWS



TRADITIONAL HUNTING ARROWS

INSTINCT

○ 15/64" | MICRO DIAMETER

Our Instinct® arrow is the ONLY wood-grain-micro-diameter-carbon-traditional arrow on the market today. Designed to be more shootable, the Micro-Diameter size helps to offset the off-center design of most recurve and longbow risers made today. We also coupled the Instinct® with our SUPER TOUGH Stainless Steel outserts, that weigh 100 grains, so you can have the weight up front where you want it.

Each Instinct® arrow's cresting is hand painted and quality inspected. This gives you custom arrow quality, and an attractive traditional look, all at a VERY affordable price. The Duracoat wood grain overlay-finish on the shaft allows for refletching and cresting. Instinct® arrows are straightness sorted, spine matched, and weight matched—to ensure the quality and toughness that you have come to expect from Black Eagle Arrows. We feel that traditional archers should no longer have to use traditional arrows. Test your Instincts® and experience the Black Eagle difference today!

CRESTED, 3" FEATHERS

.005"

± 1 GRAIN

34"

OR STRAIGHTER

WEIGHT TOLERANCE

SHAFT LENGTH

INCLUDED

- Black Eagle Arrows M Nock - 6 Grains
- Stainless Steel Outserts - 100 Grains
- 3" Shield Cut Feathers | Barred and Solid - 3 Grains

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
350	.165"	.248"	10.6
400	.165"	.240"	9.4
500	.165"	.236"	8.8
600	.165"	.231"	7.9

Note: Cresting adds .01 GPI.

CRESTING OPTIONS





HUNTING ARROWS

SPARTAN

○ 18/64" | SMALL DIAMETER

The Spartan was developed from taking the best characteristics from larger 19/64" and smaller 17/64" arrows. We wanted the Spartan's outside diameter to be small for maximum accuracy and penetration. However, like larger arrows, we wanted the **100% carbon Spartan** to utilize an insert for easier arrow removal and to reinforce the front of the arrow for bone-shattering impacts.

AVAILABLE AS **CRESTED, FLETCHED, OR SHAFTS**

.001 / .003"

± 1 GRAIN

32"

OR STRAIGHTER

WEIGHT TOLERANCE

SHAFT LENGTH

INCLUDED

- Available with custom Spartan cresting or bare carbon finish **[shafts only]**
- Black Eagle Arrows R Nock - 9 Grains
- Spartan Stainless Steel Nock Bushings - 10 Grains
- Spartan Stainless Steel Inserts - 26 Grains
- Bohning Blazer Vanes - 18 Grains **[Fletched Only]**
- Shipped in Spartan Box **[Fletched Only]**

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
250	.224"	.289"	10.0
300	.224"	.282"	9.0
350	.224"	.276"	8.0
400	.224"	.272"	7.2
500	.224"	.268"	6.4

Note: Cresting adds .01 GPI.



Products are protected by United States Patent Nos. 7,004,859; 7,720,618; 7,374,504 and 7,608,001. Manufactured under license.





GREGG RITZ SPARTAN HUNTING ARROWS



HUNTING ARROWS

RAMPAGE

○ 17/64" | SMALL DIAMETER

This small-diameter **100% carbon shaft** is designed to have superior long distance performance with spine-to-weight ratios creating a balance for optimal speed, kinetic energy, and penetration. The Rampage is an exceptional hunting arrow with no sacrifices to durability. It's the perfect shaft for any big game.

AVAILABLE AS **FLETCHED OR SHAFTS**

.001 / .003"

OR STRAIGHTER

± 1 GRAIN

WEIGHT TOLERANCE

32"

SHAFT LENGTH

INCLUDED

- Black Eagle Arrows R Nocks - 9 Grains
- Stainless Steel Bone Crusher Half-Out - 56 Grains
- Bohning Blazer Vanes - 18 Grains **[Fletched Only]**

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
150	.204"	.307	16
250	.204"	.276"	10.7
300	.204"	.264"	8.7
350	.204"	.261"	8.2
400	.204"	.253"	7





TRAVIS BALLARD

RAMPAGE HUNTING ARROWS



HUNTING ARROWS

RENEGADE

○ 17/64" | SMALL DIAMETER

The Renegade was designed specially for hunters who want a supremely accurate small diameter carbon arrow that is tough as nails - at a great price. This **100% carbon shaft** was designed to eliminate cross-wind drift, so it's perfect for those long-range shots. The flight characteristics of this extremely durable shaft ensure maximum power down range.

AVAILABLE AS **CRESTED FLETCHED OR SHAFTS**

.005"

± 2 GRAIN

32.5"

OR STRAIGHTER

WEIGHT TOLERANCE

SHAFT LENGTH

INCLUDED

- Fluorescent Yellow Enamel Crested or bare carbon finish (shafts only)
- Black Eagle Arrows R Nocks - 9 Grains
- Stainless Steel Bone Crusher Half-Out - 56 Grains
- Bohning Blazer Vanes - 18 Grains **[Fletched Only]**

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
250	.204"	.280"	10.8
300	.204"	.275"	10
350	.204"	.267"	8.7
400	.204"	.263"	8





CLIFF NICHOLSON RENEGADE HUNTING ARROWS



TRACEY EDWARDS STEPHENS DEEP IMPACT ARROWS

FIELD / HUNTING ARROW

Deep Impact

○ 15/64" | MICRO DIAMETER

The name says it all. This incredibly light and strong micro-diameter shaft was developed using cutting-edge carbon manufacturing techniques. This **100% carbon shaft** uses fine-tuned spine-to-weight ratios to maximize speed, kinetic energy, penetration, and also to provide the flattest trajectory possible.

AVAILABLE AS **CRESTED FLETCHED OR SHAFTS**

SPINES: 300-500 (SHAFTS AND FLETCHED)

600-1100 SPINES (SHAFTS ONLY .001) - 700-1200 SPINES COMING SOON

.001 / .003"

±1 GRAIN

32"

OR STRAIGHTER

WEIGHT TOLERANCE

SHAFT LENGTH

INCLUDED

- Available with custom Deep Impact cresting or bare carbon finish (shafts only)
- Black Eagle Arrows Micro Nocks - 8 Grains
- Deep Impact Outsert **[Now Included!]**
- Bohning Blazer Vanes - 18 Grains **[Fletched Only]**

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
300	.165"	.248"	11.0
350	.165"	.240"	9.6
400	.165"	.233"	8.6
500	.165"	.228"	7.6
600	.165"	.223"	7.0
700	.165"	.218"	6.3
800	.165"	.213"	5.8
900	.165"	.209"	5.2





FIELD ARROW

X-IMPACT

○ 15/64" | MICRO DIAMETER

We constructed the X-Impact from the highest quality materials to ensure it's the best micro diameter shaft on the market. This shaft is made of **100% High-Mod Carbon**, which means it's our lightest shaft available to date; this allows for more point weight up front, equating to better flight characteristics and long-range pin point accuracy. It's perfect for any hunter or target shooter who is looking for the highest quality long-range carbon arrow.

AVAILABLE AS FLETCHED OR SHAFTS

SPINES: 250-500 (SHAFTS AND FLETCHED)

600-1200 SPINES (SHAFTS ONLY .001)

.001"

± 1 GRAIN

32"

OR STRAIGHTER

WEIGHT TOLERANCE

SHAFT LENGTH

INCLUDED

- Black Eagle Arrows Micro Nocks - 8 Grains
- X-Impact Black Aluminium Outsert - 40-44 Gr. | 250-500 Spine
- Bohning Blazer Vanes - 18 Grains **[Fletched Only]**

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
250	.165"	.240"	9.5
300	.165"	.231"	8.1
350	.165"	.228"	7.4
400	.165"	.221"	6.7
500	.165"	.214"	5.8
600	.165"	.214"	5.8
700	.165"	.215"	5.9
800	.165"	.210"	5.4
900	.165"	.209"	5.1
1000	.165"	.210"	5.2
1100	.165"	.214"	5.4
1200	.165"	.213"	5.3





JOSHUA & JEREMY MILLER X-IMPACTS HUNTING ARROWS



INDOOR TARGET ARROWS

NEW

PS27

DAN McCARTHY SUPER X SIGNATURE SERIES

27/64" | MAX DIAMETER

The Dan McCarthy PS27 Super X Premium Signature series **100% carbon shaft** was developed personally by Dan, the 2017 IBO Champion. This shaft was specifically designed for the highest level of indoor competition. The combination of ultra tight .001 or better straightness and ± 1 gr weight tolerances make this the ideal max diameter competition arrow.

AVAILABLE AS **SHAFTS**

.001"

± 1 GRAIN

32"

OR STRAIGHTER

WEIGHT TOLERANCE

SHAFT LENGTH

COMPONENTS

All components are sold separately. This makes it easy to customize with your choice of bushings, nocks, points, and vanes.

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
300	.380"	.420"	9.6
350	.380"	.417"	9.4

2017 IBO WORLD CHAMPION

& PRODUCT DEVELOPMENT DIRECTOR – DAN MCCARTHY

Dan McCarthy





INDOOR / 3D ARROWS

PS26

DAN McCARTHY PREMIUM SERIES

26/64" | MAXIMUM DIAMETER

The Dan McCarthy PS26 Premium Signature series shaft was developed personally by Dan, a multi-time IBO & ASA champion. This ultra tight tolerance shaft was designed for highest levels of competition. **Constructed of 100% carbon** this shaft is tough enough to withstand the harsh punishment in real world tournament conditions. The shafts large 26/64" diameter is ideal for indoor or 3D competition shooting.

AVAILABLE AS **SHAFTS**

.001"

± 1 GRAIN

32"

OR STRAIGHTER

WEIGHT TOLERANCE

SHAFT LENGTH

COMPONENTS

All components are sold separately. This makes it easy to customize with your choice of bushings, nocks, points, and vanes.

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
250	.370"	.410"	9.6
300	.370"	.408"	8.8
350	.370"	.406"	8.5
400	.370"	.404"	8.2





3D ARROWS

PS23

DAN McCARTHY PREMIUM SERIES

- 23/64" | LARGE DIAMETER

The Dan McCarthy PS23 Premium Signature series **100% carbon shaft** was developed personally by Dan, a multi-time IBO & ASA champion. No expense was spared when developing the tightest tolerance shafts available specifically for the highest levels of competition. Perfect shaft for World Archery, FITA, or NFAA competition.

AVAILABLE AS **SHAFTS**

.001"

± 1 GRAIN

32"

OR STRAIGHTER

WEIGHT TOLERANCE

SHAFT LENGTH

COMPONENTS

All components are sold separately. This makes it easy to customize with your choice of bushings, nocks, points, and vanes.

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
250	.315"	.360"	9.0
300	.315"	.356"	8.2
350	.315"	.354"	7.9
400	.315"	.353"	7.3
500	.315"	.349"	7.1



3D ARROWS

Challenger

- 23/64" | LARGE DIAMETER

This carbon shaft's spine and lightweight GPI make this extremely durable shaft popular among 3-D shooters. As our flagship 3-D shaft, this arrow's speed and accuracy has been a winning combination. Perfect shaft for World Archery, FITA, or NFAA competition.

AVAILABLE AS **SHAFTS**

.001 / .003"

± 1 GRAIN

32"

OR STRAIGHTER

WEIGHT TOLERANCE

SHAFT LENGTH

INCLUDED

All components are sold separately. This makes it easy to customize with your choice of bushings, nocks, points, and vanes.

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
250	.315"	.356"	8.6
300	.315"	.353"	7.9
350	.315"	.351"	7.4
400	.315"	.349"	6.9



CROSSBOW ARROWS

ZOMBIE SLAYER

STANDARD CROSSBOW DIAMETER

Being 25% Stiffer than the executioner, the **100% Carbon Zombie Slayer Crossbow Arrows** are Built for accuracy and penetration. These carbon Zombie Slayer Crossbow Arrows are manufactured with the tightest ± 0.001 " straightness tolerances to ensure you never miss that critical head shot. What makes our Zombie Slayers a critical part of your arsenal is the unmatched durability. We test our shafts by shooting through 3/4" pressure-treated plywood and several other materials.

AVAILABLE AS **FLETCHED OR SHAFTS**

.001 / .003"

± 1 GRAIN

18/20/22"

OR STRAIGHTER

WEIGHT TOLERANCE

SHAFT LENGTH

INCLUDED

- Half Moon Nocks & Flat Nocks [**Installed and Removable**]
- Zombie Slayer Brass Inserts - [18" Arrow - 80 Grain] [20" Arrow - 110 Grain] [22" Arrow - 92 Grain]
- Bohning 2" Blazer Vanes - 18 Grains
- Zombie Emergency Survival Arrow Box [**Fletched Only**]

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
18"	.300"	.346"	9.1
20"	.300"	.346"	9.1
22"	.300"	.346"	9.1

Note: Cresting adds .01 GPI.

ZOMBIE SLAYERS ARE NOT TOYS. THESE ARE REAL ARROWS AND CROSSBOW BOLTS INTENDED ONLY FOR REAL ZOMBIES, WALKERS, LIVING DEAD, ETC. NOT FOR USE ON LIVING HUMANS.



STANDARD CROSSBOW DIAMETER

This "killer" **100% carbon crossbow arrow** is designed for superior performance, bringing you speed, kinetic energy, and accuracy. The overall weight of the arrow includes a brass insert for optimal F.O.C. which maximizes accuracy, increases kinetic energy, and minimizes the loss of downrange speed. This is the best crossbow arrow on the planet.

AVAILABLE AS **FLETCHED OR SHAFTS**

.001 / .003"

OR STRAIGHTER

± 1 GRAIN

WEIGHT TOLERANCE

18/20/22"

SHAFT LENGTH

FLETCHED ARROWS

- 18" comes with Half Moon Nocks and Flat Nocks **[Installed but Removable]**
- 20" (only .001") comes with Half Moon Nocks and Flat Nocks **[Installed but Removable]**
- 22" (only .001") comes with Half Moon Nocks **[Installed but Removable]**
- Executioner Brass Inserts **Installed**- (20" - 110 Grain) (18 & 22" - 92 Grain)
- Bohning 3" Vanes on 20" and 22" | Bohning 2" Blazer Vanes on 18", 20", 22"
- Shipped in Executioner box

SHAFTS

All components are sold separately. This makes it easy to customize with brass or aluminium inserts and your choice of nocks.

LENGTH	INNER DIAMETER	OUTER DIAMETER	GPI
18-22"	.300"	.346"	9.0

Note: Cresting adds .01 GPI.

These bolts work with most major manufacturer crossbows. Check your crossbow manual for arrow weight minimums to make sure you do not void your warranty.





SEAN REGAN EXECUTIONER CROSSBOW ARROWS

ARROW COMPONENTS

Our components are held to the same superior standard as our arrows, and are crafted from the highest quality material on the market: 70-75 aluminum, 17/4 stainless, 416PH stainless. Each component is designed to perfectly match our shafts, ensuring flawless performance. For more components, check out our store or search for dealers on BLACKEAGLEARROWS.com.

NOCKS



STANDARD-NOCK
11 Grains



R-NOCK
9 Grains




'M' MICRO-NOCK
7 Grains



PIN NOCK
4 Grains

CROSSBOW NOCKS



HALF-MOON NOCK
8 Grains

NOCK BUSHINGS

19/64"




G/M NOCK BUSHING
14 Grains

18/64"



STAINLESS STEEL R NOCK BUSHING
10 Grains

23/64"



G/F NOCK BUSHING
14 Grains



STANDARD NOCK BUSHING
16 Grains

26/64"



CONICAL STANDARD NOCK BUSHING
20 Grains

27/64"



CONICAL STANDARD NOCK BUSHING
22 Grains



G/M NOCK BUSHING
23 Grains

HALF-MOON ALUMINUM NOCK
18 Grains

CAPTURE NOCK
14 Grains



FLAT ALUMINUM NOCK
19 Grains

POINTS

23/64 - 26/64"



11/32 FIELD POINTS
75/100/125 Grains



11/32 BULLET POINTS
100/125 Grains

15/64 - 19/64"



5/16 FIELD POINTS
100/125 Grains



5/16 BULLET POINTS
100/125 Grains

27/64"



STAINLESS NOCK CRUSHERS
150/200/300 Grains



STAINLESS GLUE-IN POINTS
100/150 Grains

26/64"



STAINLESS NOCK CRUSHERS
100/150/200 Grains



STAINLESS GLUE-IN POINTS
80/100/120 Grains

23/64"



STAINLESS NOCK CRUSHERS
100/150/200 Grains



STAINLESS GLUE-IN POINTS
100/120 Grains



SCREW-IN ADJUSTABLE POINTS
80/100/120 Grains

19/64"



STAINLESS BREAK AWAY POINTS
100/120 Gr. | 10 Gr. Weight Breaks



SCREW-IN ADJUSTABLE POINTS
50/70 Gr. | 5/10 Gr. Weight Adjustable

18/64"



STAINLESS BREAK AWAY POINTS
140 Gr. | 10 Gr. Weight Adjustable

17/64"



STAINLESS BREAK AWAY POINTS
120/140 Gr. | 10 Gr. Weight Adjustable

15/64" DEEP IMPACT



STAINLESS STEEL GLUE-IN BREAK AWAY POINTS
140 Gr. | 20 Gr. Weight Breaks



STAINLESS STEEL GLUE-IN BREAK AWAY POINTS
120 Gr. | 20 Gr. Weight Breaks

15/64" X-IMPACT



STAINLESS STEEL GLUE-IN BREAK AWAY POINTS
140/120/90 Gr. | 10 Gr. Weight Breaks

PIN BUSHINGS

27/64"



ALUMINIUM PIN BUSHING
22 Grains

19/64"



ALUMINIUM PIN BUSHING
14 Grains

26/64"



ALUMINIUM PIN BUSHING
19 Grains

17/64"



ALUMINIUM PIN BUSHING
19 Grains

23/64"



ALUMINIUM PIN BUSHING
16 Grains

15/64"



ALUMINIUM PIN BUSHING
12 Grains

INSERTS / OUTSETS / HALF-OUTS

15/64" DEEP IMPACT



STAINLESS STEEL OUTSET
300 Spine 68 Gr. | 350 Spine 67 Gr.



BLACK ALUMINIUM OUTSET
40-44 Gr. | 300-600 Spine

15/64" X-IMPACT



BLACK ALUMINIUM OUTSET
40-44 Gr. | 300-500 Spine

15/64" INSTINCT



STAINLESS STEEL OUTSET

17/64"



**150 SPINE PLATINUM
BONE CRUSHING HALF-OUT**
76 Grains / 11/32" End



PLATINUM BONE CRUSHING HALF-OUT
58 Grains



STAINLESS STEEL HALF-OUT
56 Grains

19/64"



BRASS INSERT
42 Grains

23/64"



ALUMINIUM INSERT
31 Grains

CROSSBOW



ALUMINIUM INSERT
30 Grains

INSERT WEIGHTS



SCREW-IN INSERT WEIGHTS
30/50/75 Grains

18/64"



STAINLESS STEEL INSERT
28 Grains

26/64"



ALUMINIUM INSERT
48 Grains




BRASS INSERT
80/92/110 Grains



SCREW-IN INSERT WEIGHTS
10/20 Grains, Stackable

SCREW-IN POINT WEIGHTS



SCREW-IN INSERT/POINT WEIGHTS
5/10/30/50/100 Grains, Stackable

VANES



2" BLACK EAGLE ARROWS SIGNATURE BLAZER® VANE - 6 Grains

BRANDED GEAR

We stock gear that looks great, is durable, and is ultra-light. Our apparel is perfect for sending carbon down-range. For more Black Eagle Arrows gear, check out our store or search for dealers on BLACKEAGLEARROWS.com.



LEGACY TEE



NEXT LEVEL HUNTING T-SHIRT



BRANDED TEAM JERSEY



BRANDED HOODED SWEAT SHIRT



NEXT LEVEL LONG SLEEVE HOODIE



BRANDED QUIVER

NEW

BLACK EAGLE BRANDED SHOOTER HATS



ARROW SELECTION GUIDE

THESE ARE GENERAL GUIDELINES. PLEASE SEE YOUR LOCAL BLACK EAGLE ARROWS DEALER FOR PROPER ARROW FITTING, OR CONTACT US DIRECTLY FOR ASSISTANCE.

This chart is based on a 100 grain point. If you use a 125 grain point, you may need to use a stiffer spine. If you use a 85 grain point, you may need to use a weaker spine.

In order to properly select the right arrows for your specific bow, you need to consider draw weight and arrow length.

As draw weight increases, so should arrow rigidity (spine). Also, we strongly recommend that you use an arrow with at least 5 grains of weight per pound of draw weight (if you are shooting a 60 lb. bow, use an arrow of no less than 300 grains). This includes your field point or broadhead.

For practical purposes, we use arrow length above draw length. Since the recent trends have been toward drop-away style arrow rests which are mounted to the rear of the riser, arrow length and draw length are no longer evenly proportional. Given a specific arrow spine, an arrow that is shorter will be more rigid than a shaft of the same spine that is longer. For example, if you have a 60 lb. bow with a 24" arrow, you would need a more flexible shaft than a 60 lb. bow with a 30" arrow.



COMPOUND SIZING CHART

RECURVE	COMPOUND	ARROW LENGTH										
BOW WEIGHT	BOW WEIGHT	23"	24"	25"	26"	27"	28"	29"	30"	31"	32"	
10-15		1000	1000	900	900	800	800	800	700	700	700	
15-20		1000	900	900	800	800	800	700	700	700	700	
20-25		900	900	800	800	800	700	700	700	700	600	
25-30		900	800	800	700	700	700	700	600	600	600	
30-35	15-20	800	800	700	700	700	600	600	600	600	600	
35-40	20-25	800	700	700	700	600	600	600	500**	500**	500**	
40-45	25-30	700**	700**	700**	600**	600**	600**	500**	500**	500**	500**	
45-50	30-35	700**	700**	600**	600**	600**	500**	500**	500*	500**	400	
50-55	35-40	700**	600**	600**	600**	500**	500**	500**	500**	400	400	
55-60	40-45	600**	600**	500**	500**	500**	500**	500**	400	400	400	
60-65	45-50	600**	500**	500**	500**	500**	400**	400	400	400	400	
	50-55	500	500	500	400	400	400	400	400	350	350	
	55-60	500	500	400	400	400	400	350	350	350	300	
	60-65	500	400	400	400	350	350	350	350	300	300	
	65-70	400	400	350	350	350	300	300	300	250	250	
	70-75	350	350	350	300	300	300	250	250	250	250	
	75-80	300	300	300	300	250	250	250	250	250	250	
	80-85	300	300	300	250	250	250	250	250	150	150	
	85-90	300	250	250	250	150	150	150	150	150	150	
	90-95	250	250	250	150	150	150	150	150	150	150	

** The UL 30-50 shafts are also available for use in this spine selection, depending on the shaft selection and your setup.

Please visit an authorized dealer for proper selection or call 678-208-3429

These are based on a 100 gr. point. If using a 125 gr. point or more you may need to use a stiffer spine. If using a 85 gr. point or less you may need to use a weaker spine.

TRADITIONAL SIZING CHART

RECURVE FINGER RELEASE			ARROW LENGTH											LONGBOW FINGER RELEASE			
*PEAK BOW WEIGHT LBS			MEASURED FROM THROAT OF NOCK TO POINT TIP											*PEAK BOW WEIGHT LBS			
*POINT WEIGHT														*POINT WEIGHT			
100 Grains	150 Grains	200 Grains	23"	24"	25"	26"	27"	28"	29"	30"	31"	32"	33"	34"	100 Grains	150 Grains	200 Grains
<25	<25	<25	600	600	600	600	600	600	600	500	500	500	400		30-35	25-30	<25
<25	<25	25-30	600	600	600	600	600	600	500	500	500	500	400		35-40	30-35	25-30
<25	25-30	30-35	600	600	600	600	600	500	500	500	500	400	400		40-45	35-40	30-35
25-30	30-35	35-40	600	600	600	600	500	500	500	500	500	400	400		45-50	40-45	35-40
30-35	35-40	40-45	600	600	600	600	500	500	500	500	400	400	400		50-55	45-50	40-45
35-40	40-45	45-50	600	600	600	500	500	500	400	400	400	400	350		55-60	50-55	45-50
40-45	45-50	50-55	600	600	500	500	500	400	400	400	350	350	350		60-65	55-60	50-55
45-50	50-55	55-60	600	500	500	500	400	400	400	350	350	350	350		65-70	60-65	55-60
50-55	55-60	60-65	500	500	500	400	400	400	350	350	350	350	300		70-75	65-70	60-65
55-60	60-65	65-70	500	500	400	400	400	350	350	350	300	300	300		75-80	70-75	65-70
60-65	65-70	70-75	500	400	400	400	350	350	350	300	300	300	300		80-85	75-80	70-75
65-70	70-75	75-80	400	400	400	350	350	300	300	300	300	250	250		85-90	80-85	75-80
70-75	75-80	80-85	400	400	350	350	300	300	300	300	300	250	250		90-95	85-90	80-85
75-80	80-85	85-90	400	350	350	300	300	300	300	300	300	250	250		95-100	90-95	85-90

Please visit an authorized dealer for proper sizing or see our sizing chart on BlackEagleArrows.com



SAFETY INFORMATION

PROPER ARROW SPINE SELECTION:

SHOOTING AN UNDER-SPINE ARROW CAN/WILL SIGNIFICANTLY INCREASE THE RISK OF INJURY TO THE SHOOTER AND YOUR EQUIPMENT.

Shooting a weaker spine arrow to get a few feet per second is a great risk. The added speed and stress on the under-spined carbon arrow shaft will, overtime, significantly increase the risk to the shooter and anyone in the vicinity. We have gone through great lengths to ensure our spine chart is accurate. Our arrow spine chart matches our arrows abilities in regards to your specific draw weight and draw length. It is vitally important that arrow safety start with the proper arrow selection.

INSPECT COMPLETE ARROW, FLEX AND TWIST EACH SHAFT BEFORE EACH SHOT:

It is critical to carefully inspect each shaft, for any damage to the carbon, before each shot. If there are any irregularities in the carbon, it may cause bodily injury, and may also affect performance. Any hard surface may cause damage to the carbon, including lost points buried in targets.

BE SURE TO INSPECT COMPLETE ARROW, FLEX AND TWIST EACH SHAFT BEFORE EACH SHOT.

IT IS CRITICAL YOU INSPECT THE COMPLETE ARROW, FLEX AND TWIST EACH SHAFT BEFORE EACH SHOT. THIS BECOMES CRITICAL IF YOU SHOOT GROUPS OR TOURNAMENT ARCHERY WHERE ARROWS AND NOCKS ARE GETTING BANGED UP AND BROKEN.

TO PERFORM AN ARROW INSPECTION:

BE SURE TO USE EYE PROTECTION DURING THIS PROCESS -

It is critical to carefully inspect each shaft, for any damage to the carbon, before each shot. If there are any irregularities in the carbon, it may cause bodily injury, and may also affect performance. Any hard surface may cause damage to the carbon, including lost points buried in targets.

If you suspect an arrow has been damaged in any way, immediately discard that shaft. Do not shoot a damaged arrow - it can cause injury to you and those around you.

Grasp the arrow shaft at each end (the closer to the each end the better) and bend the shaft creating no more than a 1-2" arch. When bending the shaft listen for any cracking while monitoring for any cracks or nicks. Rotate the shaft slightly and repeat this process until you have completed this for the entire arrow. Twist the shaft and listen for any cracking while monitoring for any cracks or nicks.

Review the whole shaft for any imperfections, paying careful attention to include the nock itself. Everyone loves to shoot groups and the nock being intact and free from any cracks or damage is critical to arrow safety.

If you suspect an arrow has been damaged in any way immediately discard this shaft. Do not shoot a damaged arrow or it will cause injury to you and those around you.

AWARENESS OF YOUR SURROUNDINGS:

Always be aware of what resides behind your target. Never shoot an arrow without a safe shooting lane.

Never shoot your bow without getting your bow inspected, including getting your arrow shafts measured by an experienced professional. Failure to cut your arrow shafts to the proper length will result in overdraw which may cause severe injury or death. Always adjust your arrow rest to accommodate the diameter of your arrow shafts - not doing so may cause severe injury or death.

Zombie Slayers are not toys. These are real arrows and crossbow bolts intended only for real zombies, walkers, living dead, etc. Not for use on living humans.

ULTRA-LIGHTWEIGHT SHAFTS:

This 30-50 lb ultra-lightweight shaft was designed to be shot from bows with a draw weight between 30-50 lb. Do not exceed 50 lb draw weight limit, or it may damage the shaft and cause serious injury to you or others around you. Always inspect complete arrow, flex and twist shaft before each shot. Do not shoot damaged shafts.

SHAFT CUTTING WARNING:

Only use a arrow shaft cutter designed to cut carbon shafts. Carbon shaft saws are designed to cut at a specific RPM that will not damage the shaft. Using a shaft cutter not designed for carbon will destroy a carbon arrow shaft.

Never aim your bow toward any person, animal, or property as it can cause serious injury, damage, or death. Always be sure to be aware of your surroundings as arrows can deflect off a hard surface and cause unintended injury or death.

BLACK EAGLE ARROWS, LLC.

152 Bluffs Court
Canton, GA. 30144

T: (678) 208-3429
F: (678) 716-2336
E: Info@BLACKEAGLEARROWS.com

BLACKEAGLEARROWS.COM





We share your passion for archery – there has never been a better time to tell us about it.



152 Bluffs Court, Canton, GA. 30144 | T: (678) 208-3429

Info@BLACKEAGLEARROWS.com

BLACKEAGLEARROWS.com