



CBE[®]

CUSTOM BOW EQUIPMENT

2017

OUT HERE, YOU NEED GEAR THAT WON'T LET YOU DOWN



A COMPACT DESIGN THAT DELIVERS
UNMATCHED ACCURACY AT THE MOMENT
OF TRUTH


THE TL3 IS A LIGHTWEIGHT SIGHT THAT
COMBINES EASE OF ADJUSTABILITY WITH
DURABILITY FOR THE FIELD

NEW FOR
2017

NEW FOR
2017


SL4

TL3



FEATURES

- > Ultra-light, compact design featuring our new rugged synthetic Multi-Pin Aperture
- > Armed Guard™ Fiber Management System for even brighter pins and better protection with 12" of fiber
- > Dovetail elevation gang adjustment with visual laser engraved markings
- > Smart-Mount™ multi-positioning mounting holes
- > Quick-Slide™ windage unit with laser engraved marking and indicator window
- > Laser marked hashes for visual aid during pin adjustment
- > Stainless steel bolts – no more rusting
- > Available with a 4-pin housing
- > .019" Rhino Pins



CUSTOMBOWEQUIPMENT.COM



FEATURES

- > Ultra-light, compact design featuring our new rugged synthetic Multi-Pin Aperture
- > Armed Guard™ Fiber Management System for even brighter pins and better protection with 12" of fiber
- > Quad Track™ design – Delrin® tracks assure sight stays tight, quiet, and rattle free, even over time; adjustable tension
- > Smart-Mount™ multi-positioning mounting holes
- > Quick-Slide™ windage unit with laser engraved marking and indicator window
- > Laser marked hashes for visual aid during pin adjustment
- > Stainless steel bolts – no more rusting
- > Available with a 3-pin housing
- > .019" Rhino Pins



CUSTOMBOWEQUIPMENT.COM

SNIPER PRO XD HAS ALL THE FEATURES YOU NEED IN THE FIELD AND IS NOW STANDARD WITH THIRD AXIS LEVELING.



AVAILABLE IN: 5-PIN HOUSING

SNIPER PRO XD



ALSO AVAILABLE WITH SMART MOUNT



FEATURES

- > 3rd Axis Adjustment Block
- > Armed Guard™ Fiber Management System for even brighter pins and better protection; 12" of fiber
- > Dovetail elevation gang adjustment with visual laser engraved markings
- > Available with 3.5" Dovetail extension bar or SmartMount™
- > Fully machined aluminum construction
- > Enclosed rheostat light for adjustable pin brightness; no residual game-spooking light, no distraction
- > Stainless steel bolts – no more rusting
- > Available in a 5-Pin Housing
- > .010 or .019 Rhino Pins

TOUGH AS NAILS
GUARANTEE

RHINO PIN™

THIRD AXIS
LEVELING

SMART MOUNT

THE TEK HYBRID'S HIGHLY ADJUSTABLE SETTINGS ALLOW YOU TO QUICKLY ADAPT TO ANY DISTANCE



AVAILABLE IN: 1, 3 OR 5-PIN HOUSINGS

TEK HYBRID



FEATURES

- > Fully machined aluminum construction
- > Armed Guard™ Fiber Management System for even brighter pins and better protection; 12" of fiber per pin
- > Ergonomic, oversized 4-point Rapid Drive knob for a sure, easy grip
- > Quad Track™ design – Delrin® tracks assure sight stays tight, quiet, and rattle free, even over time; adjustable tension
- > Enclosed rheostat light for adjustable pin brightness; no residual game-spooking light, no distraction
- > Fine-point, stainless steel indicator needle; same profile as sight body
- > Stainless steel bolts – no more rusting

TOUGH AS NAILS
GUARANTEE

RHINO PIN™

QUAD TRACK


RAPID DRIVE
WITH BOTTOM ELEVATION SAFETY STOP

SMART MOUNT

THE TEK HYBRID PRO IS EQUIPPED WITH TOP-END FEATURES FOR A TRULY VERSATILE SIGHT WITH MAXIMUM FLEXIBILITY




AVAILABLE IN: 1, 3 OR 5-PIN HOUSINGS




THE TEK HYBRID PRO NOW COMES WITH A SMART MOUNT OPTION, OFFERING MULTI-POSITION MOUNTING HOLES



AVAILABLE IN: 1, 3 OR 5-PIN HOUSINGS



TEK HYBRID PRO



FEATURES

- > Interchangeable laser engraved aluminum yardage scales
- > Third axis block
- > 4" Dovetail mount
- > Fully machined aluminum construction
- > Armed Guard™ Fiber Management System for even brighter pins and better protection; 12" of fiber per pin
- > Ergonomic, oversized 4-point Rapid Drive knob for a sure, easy grip
- > Quad Track™ design – Delrin® tracks assure sight stays tight, quiet, and rattle free, even over time; adjustable tension
- > Enclosed rheostat light for adjustable pin brightness; no residual game-spooking light, no distraction
- > Fine-point, stainless steel indicator needle; same profile as sight body
- > Stainless steel bolts – no more rusting

TOUGH AS NAILS
GUARANTEE

RHINO PIN™

QUAD TRACK™

RAPID DRIVE™
WITH BOTTOM ELEVATION SAFETY STOP

THIRD AXIS
LEVELING



Laser engraved sight scales included

CUSTOMBOWEQUIPMENT.COM

TEK HYBRID PRO



FEATURES

- > Interchangeable laser engraved aluminum yardage scales
- > Third axis block
- > Smart Mount
- > Fully machined aluminum construction
- > Armed Guard™ Fiber Management System for even brighter pins and better protection; 12" of fiber per pin
- > Ergonomic, oversized 4-point Rapid Drive knob for a sure, easy grip
- > Quad Track™ design – Delrin® tracks assure sight stays tight, quiet, and rattle free, even over time; adjustable tension
- > Enclosed rheostat light for adjustable pin brightness; no residual game-spooking light, no distraction
- > Fine-point, stainless steel indicator needle; same profile as sight body
- > Stainless steel bolts – no more rusting

TOUGH AS NAILS
GUARANTEE

RHINO PIN™

QUAD TRACK™

RAPID DRIVE™
WITH BOTTOM ELEVATION SAFETY STOP

SMART
MOUNT



Laser engraved sight scales included


CUSTOMBOWEQUIPMENT.COM

INNOVATION, PRECISION, QUALITY, PERFORMANCE. ROCK SOLID DEPENDABILITY.
CBE CONFIDENCE WHEN YOU STEP TO THE LINE.



THE VERTEX 3D IS THE PERFECT SIGHT FOR SHOOTING VARYING DISTANCES WITH PRECISION AND CONFIDENCE

ALSO AVAILABLE IN:



THREE INCHES OF VERTICAL TRAVEL AND ALL THE ADVANCED FEATURES YOU WOULD EXPECT IN A TOP-OF-THE-LINE SIGHT

ALSO AVAILABLE IN:



VERTEX 3D



FEATURES

- > Dovetail elevation gang adjustment with visual laser engraved markings
- > Quad-Track™ four-track stability alignment system eliminates rocking/rattling
- > Custom extension bar with multiple laser marked locking positions
- > Elevation and windage locking knobs
- > Center-Pivot 1st and 3rd axis adjustment
- > 2nd axis scope adjustment
- > Laser engraved sight scale markings
- > Interchangeable laser engraved aluminum yardage scales
- > Black anodized finish or eight colors to choose from

TWO MODELS AVAILABLE

MICRO-CLICK

- > Micro-click elevation with top and bottom knobs
- > Elevation click adjustment of .002"
- > One elevation turn = .0625"

RAPID TRAVEL

- > Rapid travel elevation with top and bottom knobs
- > One elevation turn = .250"

QUAD TRACK

DETACHABLE SCOPE MOUNT



TOUGH AS NAILS
GUARANTEE

THIRD AXIS
LEVELING



CUSTOMBOWEQUIPMENT.COM

VERTEX TARGET



FEATURES

- > Micro-click elevation with top and bottom knobs
- > Dovetail elevation gang adjustment with visual laser engraved markings
- > Quad-Track™ four-track stability alignment system eliminates rocking or rattling
- > Custom extension bar with multiple laser marked locking positions
- > Elevation and windage locking knobs
- > Center-Pivot 1st and 3rd axis adjustment
- > 2nd axis scope adjustment
- > Laser engraved sight scale markings
- > Interchangeable laser engraved aluminum yardage scales
- > Black anodized finish or eight colors to choose from
- > Elevation click adjustment of .002"
- > 1 Elevation turn = .0625"

QUAD TRACK

DETACHABLE SCOPE MOUNT

TOUGH AS NAILS
GUARANTEE


THIRD AXIS
LEVELING



CUSTOMBOWEQUIPMENT.COM

THE TEK-TARGET'S LIGHTWEIGHT,
COMPACT, MOVEABLE BODY FEATURES
PRECISION AND RAPID TRAVEL TO GET
YOU ON TARGET QUICKLY

CHOOSE THE BEST SCOPE
FOR YOUR SHOOTING STYLE



SCOPE NOT INCLUDED



FEATURES

- > Interchangeable laser engraved aluminum yardage scales
- > CBE's exclusive Rapid-Drive™ elevation system
- > Ergonomic, four-arm adjustment knob
- > Dovetail elevation gang adjustment
- > Micro adjust windage unit with laser engraved markings and indicator window
- > Quad Track™ design – Delrin® tracks assure sight stays tight, quiet, and rattle free, even over time; adjustable tension
- > Elevation and windage locking knobs
- > Custom extension bar with multiple laser marked locking positions
- > Optional 3rd axis attachment available
- > Scope-leveling unit with locking screws
- > Black anodized finish
- > Fully adjustable dovetail mount system



TOUGH AS NAILS
GUARANTEE



Laser engraved sight scales included



CBE-SCH1
Large Scope Housing (1-5/8")
VENTED

CBE-SCH2
Small Scope Housing (1-3/8")
VENTED



CBE-SCH1
Large Scope Housing (1-5/8")
NON-VENTED

CBE-SCH2
Small Scope Housing (1-3/8")
NON-VENTED



**NEW NEOPRENE WATERPROOF
SCOPE COVER**

CBE-SCV

- > The Waterproof Scope Cover is designed to protect any CBE scope or pin housing



SCOPE SUNSHIELD RING

CBE-SSR

- > Threaded lens-retainer ring
- > Reduces excess light entering the scope housing
- > Available for 1-3/8" and 1-5/8" housings



RHEOSTAT SIGHT LIGHT

CBE-RSL

- > Variable-setting rheostat light
- > Adjustable pin brightness settings
- > For Sniper Pro, Tek Hybrid Pro, Tek Hybrid and Tek Target sights
- > Thread sizes: 1/4 – 28



**LASER ENGRAVED
ALUMINUM YARDAGE SCALES**

- > Provides accurate marks for distances out to 100 yards
- > Simply sight in at distances of 30 and 60 yards and use the gauge to determine the proper scale



ACUATE LENS

CBE-FLN1 & CBE-FLN2

- > CBE-FLN 1 designed for use with CBE-SCH1 or CBE-MSH
- > CBE-FLN 2 designed for use with CBE-SCH2
- > Clear premium plano-convex design
- > 99.5% light transmission
- > Excellent AR coating (9 layers each side)
- > Hydrophobic top coating
- > Available in 2x, 3x, 4x, 5x, 6x and 8x



3RD AXIS ATTACHMENT

CBE-3AA - VX

- > Optional 3rd Axis Attachment enables quick and easy leveling of Tek Hybrid Pro, Tek Hybrid and Tek Target sights



**OFFSET 3RD AXIS
ATTACHMENT**

CBE-3AA - OS

- > Optional Offset 3rd Axis Attachment enables quick and easy leveling of Tek Hybrid Pro, Tek Hybrid and Tek Target sights with additional windage adjustment



SIGHT TAPES - WITH SIGHT TAPE GAUGE

CBE-STP

- > Provides accurate marks for distances out to 100 yards
- > Simply sight in at distances of 30 and 60 yards and use the gauge to determine the proper size tape
- > 15 included

COMPARISON CHART



SL4

TL3

SNIPER PRO XD

TEK HYBRID PRO

TEK HYBRID

Interchangeable laser engraved aluminum yardage scales				•	
Rear-facing sight tape		•		•	•
Engraved elevation marks	•	•	•		
Dovetail Mount Option			•	•	
Smart Mount Option	•	•	•	•	•
Fully machined aluminum construction			•	•	•
Armed Guard™ Fiber Management System	•	•	•	•	•
Micro adjust windage unit with laser engraved markings			•	•	•
Ergonomic, oversized 4-point Rapid Drive knob for a sure, easy grip		•		•	•
Fully micro-adjustable – super precise to-the-yard adjustment		•		•	•
Stay Tight™ design		•		•	•
3rd axis leveling			•	•	
Tool-less adjustment (other than dovetail gang adjustment)		•		•	•
Enclosed rheostat light for adjustable pin brightness			•	•	•
Stainless steel bolts – no more rusting	•	•	•	•	•
Fine-point, stainless steel indicator needle		•		•	•
Optional Interchangeable heads				•	•
Standard pins available in .010 or .019	.019 Only	.019 Only	•	•	•

COMPARISON CHART



TEK TARGET

VERTEX 3D

VERTEX TARGET

2" of vertical travel		•	
3" of vertical travel	•		•
Detachable scope mount for easy traveling		•	•
Dovetail elevation gang adjustment with visual laser engraved markings	•	•	•
Quad-Track™ four-track stability alignment system		•	•
Micro adjust windage unit with laser engraved markings and indicator window	•	•	•
Custom extension bar with multiple laser marked locking positions	•	•	•
Elevation and windage locking knobs	•	•	•
Center-Pivot 1st and 3rd axis adjustment		•	•
2nd axis scope adjustment	•	•	•
Optional 3rd axis attachment available	•		
Laser engraved sight scale markings	•	•	•
Interchangeable laser engraved aluminum yardage scales	•	•	•
Elevation click adjustment of .002"			•
1 Elevation turn = .0625"			•
Elevation adjustment with clicks		•	•
Available in colors: titanium, green, blue, purple, pink, red or orange		•	•



THE OUTDOOR GROUP LLC

LIABILITY DISCLAIMER

The Outdoor Group, LLC is not liable for any personal injury, death, or property damage that may result from your use of this product. The user of this product assumes all risks of property damage or injury to yourself and others that may arise from its use. Use of this product binds the user to this agreement.