



ELITE



ELITE
THE WORLD'S MOST SHOOTABLE BOW
2016



2015 CHAMPIONS

- 2015 Pro Team National Champions
- 16 Podium Wins
- IBO record holder: Levi Morgan Swept all 4 IBO majors
- Levi Morgan: 9 time consecutive ASA Shooter of the Year

ON THE PODIUM...



2015 IBO World Championship



ASA Pro/Am, IL



ASA Pro/Am, AL



IBO 1st Leg Triple Crown, IN



IBO 3rd Leg Triple Crown, OH



ASA Pro/Am, TX

AND IN THE FIELD...



Levi Morgan

Chad Wall

Chris Applegate

Mike Stroff

David Bogart

Christian McFerrin

Darrin Hasson



Terry Peterson

Garret Armstrong

Paul Thorton

Jesse Kurtenbach

Chance Beaubouef

Mike McFerrin

Dana Wall



Adam Hayden

Jason Peterson

Steve Cszimar

Adelle Peters

Lance Verhulst

Jamie Satterfield

Darrin Christenberry



Anthony Dixon

Tim Kent

Chad Johnson

Clark Cummings

Peter Crawford

Jake Oravetz

Jason Higley



Mark Melotik

Bonnie McFerrin

Philip Vanderpool

Royle Scrogam

Ted Duerr

Todd Pringnitz

Warren Lagace

NEW **IMPULSE**

A proctor of pulse-raising performance, the 2016 Impulse™ series delivers speed without compromise and "Shootability" without sacrifice. Nearly a decade of product improvements have led to the design of next generation Elite bows. The 2016 Impulse combines a smooth-shooting, swift and stable platform into the most advanced bow we have ever released.



ENHANCED LIMB POCKET

The new-for-2016 Perfect Alignment Limb System pocket is now standard on all Elite Archery bow models. Through a simple yet sophisticated solution, Elite engineers have developed a way to increase limb alignment by restraining the limb in place with two tabs that directly translate downward limb pressure into balanced horizontal limb alignment. This system helps maintain stack tolerances to provide consistent riser, cam and limb alignment and removes accuracy-robbing inconsistencies for more dependable shooting.

1 LATER TO PEAK

As you begin to draw, you'll notice an ELITE bow eases you up to peak weight. Spreading the required effort makes drawing easier, especially in cold weather after hours on stand!

2 LESS TIME AT PEAK WEIGHT

ELITE also lets you "off the hook" sooner, which means you spend considerably less time at peak weight during the draw cycle.

3 SOLID BACK WALL

With draw stops both top and bottom that stop on the limb, you get consistent draw length and a hard, solid back wall. This means enhanced repeatability and consistency.

4 LESS HOLDING WEIGHT


High let-off means extreme comfort at full draw. It means a steadier aim. It means being able to hold longer, without letting down.

5 HUGE "DWELL ZONE"

ELITE bows also feature a huge "dwell zone" (the amount of creep allowed before the bow wants to jump out of your hand). This allows you to hold longer and focus on aiming without fighting a jumpy cam.

6 "NOTHING TO IT" SHOOTING

Best of all, at release you'll hardly feel a thing. It's amazing! But, don't just take our word for it; shoot an ELITE and experience "Nothing To It" shooting for yourself!





THE IMPULSE SERIES

noun, [im-puhls]
An impelling action or force, driving
onward or inducing motion



Shootability **Accelerated**. The new 2016 Impulse™ is the culmination of nearly a decade of engineering advancements and is the perfect blend of speed, shootability and **stability** in one smooth-shooting package. A **champion** at the range and in the field, this bow is one every shooter will find merits within. Astonishing **accuracy** coupled with IBO speeds in excess of 340 fps, the distinguished look and feel the **Impulse** is sure to turn heads at the dealer and your local range.

NEW



Impulse 31

Impulse 34

IMPULSE 31

Specifications

Axle-Axle	31" +/- .125"
Brace	6" +/- .125"
Weight	4.2 lbs
String	57"
Cable	35 7/8"
Centershot	3/4" to 13/16"
Peak WTS	40, 50, 60, 65, 70, 80
Draw	26" - 30" (1/2" increments)
Available in	RH and LH

IMPULSE 34

Specifications

Axle-Axle	34" +/- .125"
Brace	6" +/- .125"
Weight	4.4 lbs
String	60 3/8"
Cable	38 15/16"
Centershot	3/4" to 13/16"
Peak WTS	40, 50, 60, 65, 70, 80
Draw	27" - 31" (1/2" increments)
Available in	RH and LH





HUNTING



3D



THE SYNERGY

noun, [sin-er-jee]

The interaction of elements that when combined produce a total effect that is greater than the sum of the individual elements, contributions, etc

elitearchery.com

pg 8

The Synergy™ is the bow that defined Shootability and remains the standard by which all other draw cycles are judged. The Synergy offers incredibly **stable** geometry that's perfect for hunting and 3D archery. Supported by ELITE's exclusive **Riser Cage™** design, the Synergy's backbone provides **balanced** energy distribution to the bow's beyond parallel limbs and Synergy™ two-track cam system that maximizes the critical combination of **speed** and smooth into one **Shootable** package that everyone continues to love to bring to full draw.



SYNERGY™

UP TO
325 180 SPEED RATING

Specifications

Axle-Axle	33 1/2" +/- .125"
Brace	7 3/8" +/- .125"
Weight	4.4 lbs
String	57 7/8"
Cable	37 15/16"
Centershot	3/4" to 13/16"
Peak WTS	50, 60, 65, 70, 80
Draw	27" - 31" (1/2" increments)
Available in	RH and LH



pg 9



elitearchery.com

pg 10

THE ENERGY SERIES

noun, [en-er-jee]
An adequate or abundant amount of power. An exertion of such power



As the choice of many of today's top professional archers and bowhunters alike, the Energy™ series continues to build an extraordinary resume of performance thanks to impressive arrow speeds, Elite's exclusive Riser Cage™, beyond parallel limbs and generous 7-inch brace heights. Energy Series bows deliver rock-solid performance into a forgiving and shootable package on the line or in the field. The redesigned limb pocket system of the 2016 Energy Series improves stack tolerances to propel bows in performance while delivering a shooting experience second to none.



Energy 32

Energy 35

ENERGY™ UP TO 335 IBO SPEED RATING 32

Specifications

Axle-Axle	31 3/4" +/- .125"
Brace	7" +/- .125"
Weight	4.3 lbs
String	54 3/8"
Cable	37"
Centershot	3/4" to 13/16"
Peak WTS	40, 50, 60, 65, 70, 80
Draw	26" - 30" (1/2" increments)
Available in	RH and LH
<small>*Deduct 2-3 fps from rating for #60, 300 gr arrow</small>	

ENERGY™ UP TO 330 IBO SPEED RATING 35

Specifications

Axle-Axle	34 3/4" +/- .125"
Brace	7" +/- .125"
Weight	4.5 lbs
String	57 1/4"
Cable	39" 3/4"
Centershot	3/4" to 13/16"
Peak WTS	40, 50, 60, 65, 70, 80
Draw	24.5" - 31" (1/2" increments)
Available in	RH and LH
<small>*Deduct 2-3 fps from rating for #60, 300 gr arrow</small>	





elitearchery.com

pg 12

SHOOTABILITY



10 THINGS YOU'LL LOVE ABOUT AN ELITE™ BOW

Shootability is what separates an **ELITE** bow from all others. It is the result of constant **INNOVATION**, exquisite fit and finish, proven technology, and components made by recognized **LEADERS** in their field. Here are 10 things you'll love about an **ELITE** bow that, together, make **ELITE** the world's most **SHOOTABLE** bow!



Enhanced Limbpockets
The new-for-2016 Perfect Alignment Limb System pocket is now standard on all Elite Archery bow models. This system helps maintain stack tolerances to provide consistent riser, cam and limb alignment and removes accuracy-robbing inconsistencies for more dependable shooting.



RISER COGE™
The Riser Cage™ increases riser strength (30%) and stiffness (19%), reduces vibration



Two-piece wooden grip
Perhaps the first thing you will notice on an ELITE bow, even before you get a chance to pull it back, is the unique two-piece wooden grip. It looks great and feels better.



Fit and Finish
ELITE offers never-before-achieved shootability and exceptional performance. But there is more. You'll also notice a high level of fit and finish. The tolerances are tight. Everything is fully raised. An ELITE bow is a work of art!




LIMBSAVER™
When you buy an Elite™ bow, it's already custom-fitted with the latest anti-vibration technology



Adjustable, rubber coated draw stops
The draw stop posts on ELITE's cam engage the compression side of the limbs, ensuring you will draw to the same point each and every time. This solid back wall breeds consistent shooting and eliminates "over-drawing," which can be a tendency in the heat of the moment and can alter speed and trajectory, a problem especially at longer distances.

Two-Track cam system
Elite's two-track cam configuration provides one track for the string and another for both cables. Because this structure is inherently narrower, it brings the cable load closer to center, reducing the opportunity for cam lean.

Linked and Symmetrical cams
The two-track cam system is different because the two cams are linked, which contributes to the power stroke and results in more available power. Symmetrical cam design, where cams are identical in shape and weight, means that once tuned, an ELITE bow will give you straight and level nock travel.



Patented module system offers quick draw=length change, constant efficiency among draw lengths.



Three-layered laminated limbs
Thin and/or split limbs are fashionable. The question is, are they practical? ELITE uses three-layer laminated limbs that are known to be "bomb-proof." They offer repeatability, consistency and are a big reason ELITE can offer the Limited Transferable Warranty.



THE VICTORY

noun, [vik-tah-ree]

A success or superior position

achieved against any opponent,

opposition, difficulty, etc.

The bow that was designed to **dominate** did just that! In the hands of today's top archers, the Elite **Victory™** was taken to the top of the **podium** more times in 2015 than any other bow in Elite history. The reason for the success? A calculated combination of a long riser with **perfect** geometry, 7-inch brace height, Victory™ cam system with **adjustable** valley and machined integral target grip makes for a bow that practically shoots itself. Coupled with dual straight and 10-degree down stabilizer mounts, two rear mounting positions and reinforced Riser Cage,™ the Victory is a praxis of **forgiveness** that lets you keep making X-crushing shots even when the pressure is on. Now available in camo colors for 2016.



VICTORY™

UP TO
325 IBO SPEED RATING

Specifications

Axle-Axle	39" +/- .125"
Brace	7" +/- .125"
Weight	4.5 lbs
String	63 1/4"
Cable	44 13/16"
Centershot	3/4" to 13/16"
Peak WTS	40, 50, 60, 65, 70
Draw	26" - 32" (1/2" increments)
Available in	RH and LH

*Deduct 2-3 fps from rating for #60, 300 gr arrow





THE SPIRIT

noun, [spir-it]


The vital principle in humans

moving the body or to

encourage energy between

body and soul

Elite's Spirit™, which has been specifically designed for women, instills ELITE Shootability and performance into a smaller framed bow with a lighter weight (less than 4 pounds) and more manageable grip and riser. The fierce Spirit Cam system maximizes dynamic energy and minimizes vibration and shock, while the Riser Cage™ increases riser stiffness and rigidity to boost energy transfer and deliver a bow that's performance-driven and without sacrifice.



Spirit™

UP TO
307 IBO SPEED RATING
fps (#60 300 gr arrow)

Specifications

Axle-Axle	31 7/8" +/- .125"
Brace	7" +/- .125"
Weight	3.9 lbs
String	51 1/2"
Cable	36 1/2"
Centershot	3/4" to 13/16"
Peak WTS	30, 40, 45, 50, 60
Draw	24" - 28" (1/2" increments)
Available in	RH and LH

*Deduct 2-3 fps from rating for #50, 250 gr arrow



Levi Morgan PROFESSIONAL ARCHER.
PROFESSIONAL HUNTER.




11-time World Champion, 48-time National Champion, 12-time Shooter of the Year, ASA Shooter-Of-The Year—9 Years In a Row, IBO Triple Crown Points Winner—6 Years in a Row, 4 Triple Crowns, 11 World Records

2015

- 2nd - ASA Pro/Am – KY
- 3rd - ASA Pro/Am – IL
- 1st - ASA Pro/Am – AL
- 2nd - ASA Pro/Am – FL
- 1st - 1st Leg of IBO Triple Crown –Bedford, IN
- 1st - 2nd Leg of IBO Triple Crown –Fairview, PA
- 1st - 3rd Leg of IBO Triple Crown –Marengo, OH
- 1st - ASA Shooter of Year of the Year Race
- 2nd - NFAA Vegas Shoot
- 1st - IBO World Championship
- 1st - ASA Shooter of Year of the Year

2014

- Bronze Medal — European Archery Festival
- Bronze Medal — World Cup – Las Vegas, NV
- 1st - ASA Pro/Am – Fort Benning
- 1st - ASA Pro/Am – KY
- 1st - ASA Pro/Am – IL
- 3rd - ASA Pro/Am – AL
- 3rd - ASA Pro/Am – FL
- 1st - 1st Leg of IBO Triple Crown –Bedford, IN
- 1st - 3rd Leg of IBO Triple Crown –Marengo, OH
- 1st - IBO Triple Crown Points Race
- 1st - ASA Shooter of Year of the Year



SUPER SLAM[®]
OF NORTH AMERICAN BIG GAME

When the most successful archer ever takes to the tournament trail, his presence is noticed. When he takes to the field it's him versus the game. And, although there will be doubters, and disbelievers, Levi Morgan will be there to prove them wrong. Morgan, the winningest shooter on Earth, has set his sights on being the greatest and hasn't let anything stop him from doing just that. Morgan is now aiming to capture the Super Slam of North American Big Game, an extreme hunting challenge that has been tried by many, but attained by few. In order to accomplish the coveted Super Slam, a hunter must register the legal taking of all 29 recognized species of big game animals native to North America. The Super Slam can take upwards of 30 years for the average hunter to complete. With several animals already under his belt, Levi is well on his way to achieve what is arguably the most difficult and prestigious milestone for any hunter. It will take determination. It will take discipline. It will take persistence. Levi trusts himself, but most importantly, he trusts his gear. Levi Morgan trusts Elite.

On his way to obtaining the Super Slam, Levi Morgan has already taken the following species of big game animals:

- Whitetail deer
- Mule Deer
- Columbia Blacktail Deer
- Rocky Mountain Elk
- Roosevelt Elk
- Quebec Labrador Caribou
- American Bison
- Muskox
- Mountain Lion
- Stone Sheep
- Canada Moose
- Pronghorn Antelope
- American Mountain Goat





2016 BOW SPECS

SPEED RATING


IMPULSE 31	IMPULSE 34	SYNERGY	ENERGY 32	ENERGY 35	ENERGY 35	SPIRIT	VICTORY	VICTORY
IM Module (#70 350 grain arrow)	IM Module (#70 350 grain arrow)	SY Module (#70 350 grain arrow)	EN Module (#70 350 grain arrow)	EN Module (#70 350 grain arrow)	ENS Module (#70 350 grain arrow)	SP Module (#60 300 grain arrow)	V Module (#70 350 grain arrow)	VSB Module (#70 350 grain arrow)
#1 - 30" 340 - 343 fps	#1 - 31" 347 - 350 fps	#1 - 31" 332 - 335 fps	#1 - 30" 332 - 335 fps	#1 - 31" 334 - 337 fps	#10 - 26.5" 293 - 297 fps	#1 - 28" 304 - 307 fps	#1 - 32" 340 - 343 fps	#1 - 31" 332 - 335 fps
#2 - 29.5" 335 - 338 fps	#2 - 30.5" 342 - 345 fps	#2 - 30.5" 327 - 330 fps	#2 - 29.5" 327 - 330 fps	#2 - 30.5" 331 - 333 fps	#11 - 26" 288 - 292 fps	#2 - 27.5" 299 - 302 fps	#2 - 31.5" 334 - 337 fps	#2 - 30.5" 327 - 330 fps
#3 - 29" 330 - 333 fps	#3 - 30" 337 - 340 fps	#3 - 30" 323 - 325 fps	#3 - 29" 323 - 325 fps	#3 - 30" 327 - 330 fps	#12 - 25.5" 283 - 287 fps	#3 - 27" 294 - 297 fps	#3 - 31" 330 - 333 fps	#3 - 30" 323 - 325 fps
#4 - 28.5" 325 - 328 fps	#4 - 29.5" 332 - 335 fps	#4 - 29.5" 317 - 320 fps	#4 - 28.5" 317 - 320 fps	#4 - 29.5" 322 - 325 fps	#13 - 25" 278 - 282 fps	#4 - 26.5" 289 - 292 fps	#4 - 30.5" 327 - 330 fps	#4 - 29.5" 317 - 320 fps
#5 - 28" 320 - 323 fps	#5 - 29" 327 - 330 fps	#5 - 29" 313 - 315 fps	#5 - 28" 313 - 315 fps	#5 - 29" 317 - 320 fps	#14 - 24.5" 273 - 277 fps	#5 - 26" 284 - 287 fps	#5 - 30" 322 - 325 fps	*Deduct 2 - 3 fps from rating for #60 peak weight with a 300 grain arrow
#6 - 27.5" 315 - 318 fps	#6 - 28.5" 322 - 325 fps	#6 - 28.5" 307 - 310 fps	#6 - 27.5" 307 - 310 fps	#6 - 28.5" 312 - 315 fps	*Deduct 2 - 3 fps from rating for #60 peak weight with a 300 grain arrow	#6 - 25.5" 279 - 282 fps	#6 - 29.5" 317 - 320 fps	
#7 - 27" 310 - 313 fps	#7 - 28" 317 - 320 fps	#7 - 28" 303 - 305 fps	#7 - 27" 303 - 305 fps	#7 - 28" 307 - 310 fps		#7 - 25" 274 - 277 fps	#7 - 29" 312 - 315 fps	
#8 - 26.5" 305 - 308 fps	#8 - 27.5" 312 - 315 fps	#8 - 27.5" 297 - 300 fps	#8 - 26.5" 297 - 300 fps	#8 - 27.5" 302 - 305 fps		#8 - 24.5" 269 - 272 fps	#8 - 28.5" 307 - 310 fps	
#9 - 26" 300 - 303 fps	#9 - 27" 307 - 310 fps	#9 - 27" 293 - 295 fps	#9 - 26" 293 - 295 fps	#9 - 27" 297 - 300 fps		#9 - 24" 264 - 267 fps	#9 - 28" 302 - 305 fps	
*Deduct 2 - 3 fps from rating for #60 peak weight with a 300 grain arrow	*Deduct 2 - 3 fps from rating for #60 peak weight with a 300 grain arrow	*Deduct 2 - 3 fps from rating for #60 peak weight with a 300 grain arrow	*Deduct 2 - 3 fps from rating for #60 peak weight with a 300 grain arrow	*Deduct 2 - 3 fps from rating for #60 peak weight with a 300 grain arrow		*Deduct 2 - 3 fps from rating for #50 peak weight with 250 grain arrow	*Deduct 2 - 3 fps from rating for #60 peak weight with a 300 grain arrow	

COLOR OPTIONS



	Impulse 31	Impulse 34	Synergy	Energy 32	Energy 35	Spirit	Victory
RealTree Xplore	•	•	•	•	•	•	•
RealTree Max1	•	•	•	•	•	•	•
RealTree APS	•	•	•	•	•	•	•
KUIU Verde	•	•	•	•	•	•	•
KUIU Vias	•	•	•	•	•	•	•
Ninja Black	•	•	•	•	•	•	•
Red		•			•	•	•
Blue		•			•	•	•
Green		•			•	•	•
Orange		•			•	•	•
Pink		•			•	•	•
Purple		•			•	•	•
Titanium	•				•	•	•

2016 COMPARISON CHART



	IMPULSE 31	IMPULSE 34	SYNERGY	ENERGY 32	ENERGY 35	Spirit	VICTORY
AXLE TO AXLE	31" +/- .125	34" +/- .125	33 1/2" +/- .125	31 3/4" +/- .125	34 3/4" +/- .125	31 7/8" +/- .125	39" +/- .125
BRACE HEIGHT	6" +/- .125	6" +/- .125	7 3/8" +/- .125	7" +/- .125	7" +/- .125	7" +/- .125	7" +/- .125
MASS WEIGHT	4.2 lbs.	4.4 lbs.	4.4 lbs.	4.3 lbs.	4.5 lbs.	3.9 lbs.	4.5 lbs.
DRAW LENGTH OPTIONS	26" - 30" (in 1/2" increments)	27" - 31" (in 1/2" increments)	27" - 31" (in 1/2" increments)	26" - 30" (in 1/2" increments)	24.5" - 31" (in 1/2" increments)	24" - 28" (in 1/2" increments)	26" - 32" (in 1/2" increments)
SPEED (FPS)	343*	340*	325*	335*	330*	307**	325*
PEAK WEIGHTS	40#, 50#, 60#, 65#, 70#, 80#	40#, 50#, 60#, 65#, 70#, 80#	50#, 60#, 65#, 70#, 80#	40#, 50#, 60#, 65#, 70#, 80#	40#, 50#, 60#, 65#, 70#, 80#	30#, 35#, 40#, 45#, 50#, 55#, 60#	40#, 50#, 60#, 65#, 70#
VGRIP OPTIONS	No Option Available	Standard in Anodized Optional on Ninja	No Option Available	No Option Available	Standard on Anodized Optional on Ninja	No Option Available	Available in All Color Configurations

* Based on #70 with 30" draw, 350 gr. arrow **Based on #60 with 28" draw, 300 gr. arrow



QUIVERS

1-PIECE QUIVER

The 1-Piece Quiver is available in both 4-arrow and 6-arrow models. A cam locking lever mechanism not only locks the quiver securely in place but allows for easy, one-handed removal and attachment. Horizontal adjustment allows you to maneuver the quiver close to the bow to maximize bow balance. This quiver accommodates all arrow diameters as well as all broadhead styles, fixed or mechanical.

- 6061-T6 machined aluminum construction
- Unique clamping design
- Available in 4-arrow or 6-arrow configurations
- Accepts both fixed and mechanical broadheads
- Extremely rigid and quiet
- Fits all popular hunting arrow diameters



ninja
BLACK



REALTREE
MAX1



REALTREE
Xtra



REALTREE
AFS



KUIU
Vias



KUIU
Verde



2-PIECE QUIVER

The ultralight 2-Piece Quiver offers rock-solid mounting and a low-profile design. Like the 1-Piece Quiver, it allows you to adjust for minimum accessory clearance and maximum bow balance. The lower gripper has more than 4 1/2" of vertical adjustment to accommodate all fletching lengths and styles.

- 6061-T6 machined aluminum construction
- Extremely lightweight, rigid and quiet
- Adjustable for low-profile attachment
- Gripper height adjustment of 4 1/2"
- Available in 4-arrow or 6-arrow configurations
- Accepts both fixed and mechanical broadheads
- Fits all popular hunting arrow diameters



ninja
BLACK



REALTREE
MAX1



REALTREE
Xtra



REALTREE
AFS



KUIU
Vias



KUIU
Verde



ACCESSORIES

STABILIZERS



STABILIZERS PARTNERED WITH THE BEST

ELITE Archery has partnered with Stokerized Aiming Solutions and Doinker® to create a high-end, technologically advanced stabilizer for your ELITE™ bow. Doinker® A-Bomb Dampeners with ITP Technology, coupled with the natural dampening properties of the solid acrylic rods used by Stokerized Aiming Solutions, eliminate unwanted bow torque, noise and vibration.

- 6061-T6 aluminum and acrylic rod construction
- Doinker® A-Bomb and acrylic absorb and dampen vibration
- Laser-engraved ELITE™ logo
- Available in 7 1/4" (6.6 oz) and 11" (7.4 oz) lengths
- Available in Ninja, Realtree® Xtra®, Realtree® Max-1®, Realtree® AP®, Snow, KUIU® Verde and KUIU® Vias



ULTRA REST HDX, SLINGS & GRIPS

ELITE Archery is proud to offer a top-of-the-line QAD Ultra rest HDX that is customized to fit all ELITE™ bows. It features preset elevation and centershot adjustments for ELITE™ models as well as Pro Kote™ performance coating – exclusively used by ELITE™ Archery.

- Custom mounting arm fits all ELITE™ bows
- Available in Pro Kote™ Patriot Brown (shown) or Sniper Gray
- Preset elevation and centershot adjustments for all ELITE™ bow models
- Total arrow containment
- Super-fast drop-away speeds guarantee fletching clearance
- Available in right and left hand



CUSTOM BOW SLINGS

- Fully adjustable sling with semi-rigid rope system that does not flop or fold
- Angled mounting bracket puts sling at a perfect 40-degree angle
- Available in Ninja, Realtree® Xtra®, Realtree® Max-1®, Realtree® AP®, Snow, KUIU® Verde and KUIU® Vias

PREMIUM HARDWOOD GRIPS

- Transitional grip with wider face for added surface area
- Fitted to accommodate any Elite bow dating back to 2006 (except Victory) with specific Spirit model available
- Available in low or medium wrist
- Gray or Brown laminate
- Available Right or Left hand





ELITE APPAREL

SEE OUR ENTIRE GEAR SELECTION ONLINE AT
WWW.ELITEARCHERY.COM/PRODUCTS/APPAREL





PROSTAFF

MORE AND MORE PROFESSIONAL SHOOTERS ARE SWITCHING TO ELITE!

#IMADETHESWITCH



Levi **MORGAN**



Chance **BEAUBOUF**



Darrin **CHRISTENBERRY**



Garrett **AYERSMAN**



Adam **HAYDEN**



Steve **ALTIZER**



Logan **WILDE**



Samantha **MORGAN**



Mike **POLLARD**



Kevin **KOCH**



Glen **BORDWELL**



Jack **WALLACE II**



TV PARTNERS



RESPECT THE GAME
elitearchery.com/respect-the-game



NAME THE GAME
namethegametv.com



WILDLIFE PURSUIT
wildlifepursuit.com



INTO THE WILD
intothewildtv.com



SAVAGE OUTDOORS
savageoutdoors.tv



INSIDE OUTDOORS TV
insideoutdoorstv.com



WALLHANGER TV
wallhangertv.com



THE VIRTUE
thevirtue.tv



ADRENALINE JUNKIES
adrenalineoutdoors.com



MCMILLAN
mcmillanoutfitting.com



LEGENDS OF THE FALL
thelegendsofthefall.com



CANADIAN WHITETAIL
canadianwhitetailtv.com



CANADA IN THE ROUGH
canadaintherough.com



WHITETAILS INC
whiteknuckleproductions.com



ELITE

THE WORLD'S MOST SHOOTABLE BOW™

Limited Transferable Warranty protects original owner and subsequent owners alike –

At ELITE Archery, we stand behind our bows! Risers, pockets, limbs and eccentrics are all covered against defects in materials and workmanship for the life of the bow. And, this warranty is **fully transferable!** Please see website for the full explanation of our warranty.

ELITE's "Save Your Hunt" Guarantee assures you a replacement bow overnight –

If you ever have a problem with your ELITE bow **during a destination hunt**, for any reason, ELITE will send you a fully set up and tuned loaner bow of requested draw length and weight overnight so you can finish your hunt. All you have to do is sight it in! All this at no charge! Simply call us at 1 (877) 503-5483. For a full description of the ELITE Save Your Hunt Guarantee, please visit our website.



WWW.ELITEARCHERY.COM

1 (877) 503-5483



This product may be covered by one or more U.S. or foreign pending or issued patents. For details, go to <http://www.elitearchery.com/patents>. Doinker is a registered trademark of Leven Industries. Dyneema is a registered trademark of DSM. LimbSaver is a registered trademark of Sims Vibration Laboratory. Vectran is a registered trademark of Kuraray.