

A man in camouflage gear and a cap is holding a compound bow in a forest with autumn foliage. The background is filled with trees and golden leaves, creating a warm, natural setting. The man is looking directly at the camera with a slight smile.

PSE

ARCHERY
PRO SERIES COMPOUND BOWS

"At PSE we are constantly challenging ourselves to get better. Each year we strive to be the best in the world at engineering, at manufacturing and at customer service. This commitment to be the best makes us who we are, and that's what you'll see in the 2016 PSE line...the best of everything we stand for. I'm proud of my people, proud of our customers, and proud of our revolutionary 2016 bow line."

Pete Shepley- PSE Founder and CEO

BOW SUMMARY

PSE
PRO
SERIES



Carbon Air®

Full Throttle™

Decree® HD ti

Dream Season®
Decree® ti

Inertia™

Premonition™ HD

Premonition™ HD
Stiletto

ATA/IBO SPEED	340-332 FPS	370-362 FPS	342-334 FPS	355-347 FPS	348-340 FPS	345-337 FPS	345-337 FPS
BRACE HEIGHT	6-1/8"	5-1/4"	6-1/2"	6"	6"	6-1/4"	6-1/4"
AXLE-TO-AXLE	32"	33-1/4"	35"	31-3/8"	31-1/4"	30-5/8"	30-5/8"
LETOFF %	80%	70%	80%	75%	75%	80%	80%
DRAW LENGTH RANGE	24-1/2" TO 30-1/2"	26-1/2" TO 30"	25-1/2" TO 31-1/2"	24-1/2" TO 30"	24-1/2" TO 30"	24" TO 30"	24" TO 30"
PEAK WEIGHT	50, 60, 65, 70#	50, 60, 65, 70#	50, 60, 70#	50, 60, 65, 70#	50, 60, 70#	50, 60, 70#	40, 50#
CAM STYLE	HD-HYPERDRIVE	FT- FULL THROTTLE™	HD-HYPERDRIVE™	IC- INERTIA™	IC- INERTIA™	HD-HYPERDRIVE™	HD-HYPERDRIVE™
MASS WEIGHT	3.2 LBS.	4.1 LBS.	4.1 LBS.	3.7 LBS.	3.9 LBS.	3.9 LBS.	3.9 LBS.
GRIP STYLE	B.E.S.T. RAPTOR	RAPTOR™	B.E.S.T. RAPTOR™	B.E.S.T. RAPTOR™	B.E.S.T. RAPTOR™	RAPTOR™	RAPTOR™
MAX LIMB BOLT TURNS FROM BOTTOM	7	7	7	7	10	11	11
COLOR OPTIONS	ALL BLACK OR BLACK RISER WITH COUNTRY® LIMBS OR SKULLWORKS® 2 LIMBS	BREAK-UP® COUNTRY®, SKULLWORKS® 2 OR ALL BLACK	BREAK-UP® COUNTRY®, SKULLWORKS® 2 RED, BLUE AND BLACK	BREAK-UP® COUNTRY®, SKULLWORKS® 2 OR ALL BLACK	BREAK-UP® COUNTRY®, SKULLWORKS® 2 OR ALL BLACK	BREAK-UP® COUNTRY®, SKULLWORKS® 2 OR ALL BLACK	PURPLE
PART NUMBER	1631HD	1431FT	1531HD	1531IC	1330IC	1533HD	1533HD
MSRP	\$1499.99	\$999.99	\$999.99	\$999.99	\$799.99	\$649.99	\$649.99

BOW SUMMARY

PSE
PRO
SERIES



2016
new



2016
new



2016
new



2016
new



2016
new



Drive R™

Beast™ EXT

Xpression™

Xpression™ 3D

Supra™ EXT

Phenom™ SD

ATA/IBO SPEED	336-328 FPS	350-342@33" / 320-312@30"	316-308 FPS	324-316 FPS	325-317 FPS	316-308@28.5"
BRACE HEIGHT	6-3/4"	7-1/4"	7-1/8"	7"	7"	6-5/8"
AXLE-TO-AXLE	30"	38"	40"	36-1/2"	37"	36"
LETOFF %	75%	80% & 65%	75% & 65%	75% & 65%	75% & 65%	75%
DRAW LENGTH RANGE	25" TO 30-1/2"	28" TO 33"	26" TO 31-1/2"	25" TO 30-1/2"	25" TO 30-1/2"	23" TO 28-1/2"
PEAK WEIGHT	50, 60, 70#	60, 70, 80#	50, 60, 70#	50, 60, 70#	40, 50, 60#	40, 50, 60
CAM STYLE	DC- DRIVE™ HYBRID	DB- DRIVE™ BEAST	DM- DRIVE™ MEDIUM	DM- DRIVE™ MEDIUM	DM- DRIVE™ MEDIUM	MD- MINI DRIVE™
MASS WEIGHT	3.8 LBS.	4.8 LBS.	4.9 LBS.	4.8 LBS.	4.7 LBS.	4 LBS.
GRIP STYLE	RAPTOR™	B.E.S.T. RAPTOR™	ASYMMETRIC RAPTOR™	ASYMMETRIC RAPTOR™	B.E.S.T. RAPTOR™	RAPTOR™
MAX LIMB BOLT TURNS FROM BOTTOM	13	13	13	13	13	11
COLOR OPTIONS	BREAK-UP® COUNTRY®, SKULLWORKS® 2 OR ALL BLACK	BREAK-UP® COUNTRY®, SKULLWORKS® 2, ALL BLACK	BLACK, BLUE, RED, PLATINUM, PEARL WHITE	BLACK, BLUE, RED, PLATINUM, PEARL WHITE	BLACK, BLUE, RED, PLATINUM, PEARL WHITE OR COUNTRY (60# ONLY)	BLACK, BLUE, RED
PART NUMBER	1632DC / RTS: 1642DC	1636DB	1634DM	1635DM	1636DM	1339MD
MSRP	\$ 499.99 RTS: \$649.99	\$999.99	\$1399.99	\$1399.99	\$999.99	\$699.99

CARBON AIR® TECHNOLOGY

PSE Revolutionizes the Carbon Bow... Again

PSE first introduced a carbon bow back in 1996, but today there are improved methods of manufacturing carbon that allow products to be lighter, more rigid and almost indestructible. That's why PSE decided it was time to rewrite the book on carbon bow technology... and we've done just that.

PSE has taken the same single-shell monocoque carbon construction principles used by aerospace, automotive, yachting, and cycling, and applied them to archery with the revolutionary new 2016 PSE Carbon Air® and our TrueCarbon™ Technology.



The Incredible Strength of Carbon

There's a reason why the F22 Raptor has over 350 carbon parts; it's because carbon is strong, rigid, lightweight and durable. More importantly, prepreg carbon allows you to optimize fiber alignment to strengthen the product and control flex. Carbon also has significantly less thermal conductivity and a lower thermal expansion coefficient than aluminum. When applied to a bow, this means a light, stable platform that is comfortable in your hand in all temperatures and conditions. Impressive, sure... but the engineers at PSE knew they could make carbon bow technology even better.



How Monocoque Construction Changes Everything...

Monocoque construction creates a single structural carbon fiber shell. When Lamborghini created their 2 million dollar supercar, the Reventon, they used a monocoque carbon body rather than a metal design. This carbon shell created an unbelievably strong and lightweight platform.

This is exactly what PSE has done with the 2016 PSE Carbon Air®. Not satisfied with the weight and limitations of the solid carbon components used by other bows, we've developed our TrueCarbon™ technology to create a single structural carbon shell. When combined with our proprietary new Structural Rigid Acoustic Core (S-RAC™), this delivers the lightest, strongest, quietest, and most stable carbon bow platform ever.



S-RAC™
CORE TECHNOLOGY

PSE's New S-RAC Technology Stops Vibration at the Core!

The TrueCarbon™ shell of the PSE Carbon Air® is filled with our proprietary Structural Rigid Acoustic Core (S-RAC™) Technology. This lightweight fill material is designed to absorb and suppress vibration and noise at the bow's core, making the bow dead quiet in your hand.



Unbelievably Light

Thanks to PSE's TrueCarbon™ shell and proprietary S-RAC™ core of the Carbon Air®, the bow weighs significantly less than other carbon or aluminum bows, while the titanium limb and pocket hardware also reduces weight by another 2.5 oz. This drops the physical weight of the Carbon Air® to an incredibly light 3.2 lbs., making it the lightest high-performance compound bow on the market.



The Exclusive "Arch Bridge" Riser Design

In addition to our new TrueCarbon™ and S-RAC™ technologies, PSE also set out to advance riser design with something that would create a fundamentally improved riser structure, making it amazingly strong and stable.

That's how the PSE Carbon Air® got its unique "arch bridge" design. Instead of pushing straight down, the weight load of an arch bridge is carried outward along the curve of the arch to the supports at each end. PSE engineers designed the Carbon Air® to do the exact same thing, offsetting the stress weight and producing an incredibly strong new riser design never before accomplished in a compound bow.

PSE CARBON AIR®

2016 **new**

PSE Centerlock Speed Pocket and X-Tech™ Limb System with Titanium Hardware

New SHOCK MODZ™ Limb Dampers

You've never shot anything like the monocoque-designed 2016 PSE Carbon Air®, a revolutionary new breakthrough in bow technology. Engineered with our new PSE True Carbon™ Technology, the PSE Carbon Air® is the lightest ultra-performance compound bow on the market at just over 3 lbs. The Carbon Air® is also dead quiet and comfortable in your hand, with PSE's proprietary Structural, Rigid Acoustic Core (S-RAC) suppressing noise and vibration, as well as acting with the carbon as an insulator against the heat and cold. Never before has so much cutting-edge technology been packed into one bow...the PSE HD Hybrid cam delivers a smooth draw cycle throughout, while the Center Lock Speed Pocket and patented X-Force™ parallel split limbs give the Carbon Air® the energy to fire arrows at a blazing 340 fps.

The Carbon Air® is available in peak weights up to 70 lbs. with an 80% let-off, 6-1/8" brace height, and 32" axle to axle. It also comes standard with PSE's all-new features; FlexSlide™ 2, Backstop™ 4, SHOCK MODZ™ Limb Dampers, and factory ships with ABB Platinum Strings and genuine titanium pocket hardware.



Custom Stainless Steel Stabilizer Bushing

Precision Machined Aluminum Threaded Inserts

Platinum Strings and Cables

Monocoque PSE True Carbon Technology™ Riser

HD Hybrid Cam System

New Backstop™ 4 with Integrated Carbon Backstop Rod

Includes the exclusive Carbon Air carry case. Limited time offer



340 FPS

SPECIFICATIONS

Brace Height:.....6 1/8"
 Axle-to-Axle:.....32"
 ATA/IBO Speed:.....340-332 fps
 Letoff:.....80%
 Mass Weight:.....3.2 lbs.

Draw Length Range:.....24 1/2" - 30 1/2"
 Draw Weights (lbs.):.....50, 60, 65, 70
 Max. Limb Bolt Turns From Bottom:.....7 Turns
 Shipped In:.....29"
 Cam.....HD



BK
Solid Black
Limbs and Riser (shown)

CY
Mossy Oak®
Break-Up® Country® Limbs
and Black Riser

S2
Skullworks® 2 Camo Limbs
and Black Riser

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
CARBON AIR®	1631HD	BK	24 1/2" TO 30 1/2"	50, 60, 65, 70#
CARBON AIR®	1631HD	CY	24 1/2" TO 30 1/2"	50, 60, 65, 70#
CARBON AIR®	1631HD	S2	24 1/2" TO 30 1/2"	50, 60, 65, 70#


Designed and Manufactured in The U.S.A.



PSE FULL THROTTLE™

2016 **new** FEATURES

The fastest, most powerful bow on the market has gotten an upgrade for 2016! The PSE Full Throttle™ is a true feat of precision bow engineering, shooting at a lightning fast 370 fps with deadly accuracy. Engineered with PSE's patented X-Technology, shooting the Full Throttle also means not having to pull as many pounds to get the high speeds you're looking for, and with our pre-loaded, parallel limbs you get a clean, forgiving shot out of a bow with only a 5 1/4" brace height. This year, PSE has made the Full Throttle even better by adding our new FlexSlide™ 2, Backstop™ 4, and SHOCK MODZ™ Limb Dampers. The bow also comes with a new look, including premium medallions and enhanced graphics, making the bow look as good as it is fast!



"The Full Throttle" is more than just a bow; it's a statement. It is a statement about who we are and what we do. We engineer and manufacture the finest bows in the world. The fact that the Full Throttle™ is the fastest bow ever made only proves that point."
Jonathan Shepley - President - PSE Archery

370 FPS

SPECIFICATIONS

Brace Height:	5 1/4"	Draw Length Range:	26 1/2" - 30"
Axle-to-Axle:	33 1/4"	Draw Weights (lbs.):	50, 60, 65, 70
ATA/IBO Speed:	370 - 362 fps	Max. Limb Bolt Turns From Bottom:	7 Turns
Letoff:	70%	Shipped In:	DL Specific*
Mass Weight:	4.1 lbs.	Cam:	FT



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
FULL THROTTLE™	1431FT	CY, IF*	26 1/2 TO 30"	50, 60, 65, 70#
FULL THROTTLE™	1431FT	BK	26 1/2 TO 30"	50, 60, 65, 70#
FULL THROTTLE™	1431FT	S2, SW*	26 1/2 TO 30"	50, 60, 65, 70#



Full Throttle™ Cam System

New SHOCK MODZ™ Limb Dampers

PSE Centerlock Speed Pocket and X-Tech™ Limbs

New Product Medallions

New Flexslide™ 2 Cable Slide

6061 Aluminum Alloy Riser

New Backstop™ 4

Platinum Strings and Cables

New Custom Limb Graphics

*While supplies last: There is a limited quantity of Full Throttle's available in M.O. Infinity camo and original Skullworks

PSE DREAM SEASON® DECREE® TI

Built on a 7075 forged aluminum riser, the Decree's special structural design increases stability and rigidity, making for a steady, precision shot every time. New for 2016, the Dream Season® Decree® ti comes standard with titanium pocket hardware, reducing the mass weight by 2.5 oz. The bow is also packed with PSE's all-new features; FlexSlide™ 2, Backstop™ 4, and SHOCK MODZ™ limb dampers. It also ships from the factory with ABB Platinum Strings and sports an updated look, including premium medallions and enhanced graphics.

2016 **new** FEATURES

IC Cam System

New Custom Limb Graphics

PSE Centerlock Speed Pocket and X-Tech™ Limbs

New Genuine Titanium Pocket Hardware

New Medallions and Graphics

Platinum Strings and Cables

355 FPS

New Flexslide™ 2

Forged 7075 Aluminum Alloy Riser

New Backstop™ 4

New SHOCK MODZ™ Limb Dampers

"Everyone knows that PSE engineers the fastest bows ever made, but what makes PSE bows the best in the world isn't just speed, but pure performance. The Dream Season Decree® ti is incredibly smooth, compact and forgiving. It is the best of everything I'm looking for in a hunting bow."
Mark Drury- Drury Outdoors

SPECIFICATIONS

Brace Height:.....	6"	Draw Length Range:.....	24½ - 30"
Axle-to-Axle:.....	31¾"	Draw Weights (lbs.):.....	50, 60, 65, 70
ATA/IBO Speed:.....	355 - 347 fps	Max. Limb Bolt Turns From Bottom:	7 Turns
Letoff:.....	75%	Shipped In:	29"
Mass Weight:.....	3.7 lbs.	Cam:	IC



CY
Mossy Oak® Country
Limbs and Riser



S2
Skullworks® 2 Camo
Limbs and Riser



BK
Solid Black
Limbs and Riser




MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DS DECREE™ TI	1531IC	CY	24½ TO 30"	50, 60, 65, 70#
DS DECREE™ TI	1531IC	BK	24½ TO 30"	50, 60, 65, 70#
DS DECREE™ TI	1531IC	S2	24½ TO 30"	50, 60, 65, 70#

PSE DECREE® HD TI

2016 **new** FEATURES

With its 35" Axle-to-axle and a 6 1/2" brace height, the Decree® ti HD is built for the hunt or for the target range. Its special 3D structural riser is designed to increase rigidity and stability, while the HD Cam gives it a buttery smooth draw and 80% let-off, all while reaching speeds up to 342 fps. New for 2016, the Decree ti HD® comes standard with PSE's all-new accessories: FlexSlide™ 2, Backstop™ 4, SHOCK MODZ™ limb dampers, and ships from the factory with ABB Platinum Strings and genuine titanium pocket hardware. The bow also comes with a new look, including premium medallions and enhanced graphics. Choose from two camo finishes and three target finishes.



"The Decree® HD ti combines the incredible forgiveness of a longer axle-to-axle bow with the incredibly smooth draw and lightning speed you expect from PSE."
Chris Keefer- Dropped & PSE's Rival Wild

SPECIFICATIONS

Brace Height:.....	6 1/2"	Draw Length Range:.....	25 1/2" - 31 1/2"
Axle-to-Axle:.....	35"	Draw Weights (lbs.):.....	50, 60, 70
ATA/IBO Speed:.....	342-334 fps	Max. Limb Bolt Turns From Bottom:.....	7 Turns
Letoff:.....	80%	Shipped In:.....	29"
Mass Weight:.....	4.1 lbs.	Cam.....	HD



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DECREE™ ti HD	1531HD	CY	25 1/2 TO 31 1/2"	50, 60, 70#
DECREE™ ti HD	1531HD	BK	25 1/2 TO 31 1/2"	50, 60, 70#
DECREE™ ti HD	1531HD	S2	25 1/2 TO 31 1/2"	50, 60, 70#
DECREE™ ti HD	1531HD	RD	25 1/2 TO 31 1/2"	50, 60, 70#
DECREE™ ti HD	1531HD	BL	25 1/2 TO 31 1/2"	50, 60, 70#



HD Hybrid Cam System

PSE Centerlock Speed Pocket and X-Tech™ Limbs

New Genuine Titanium Pocket Hardware

Machined 6061 Aluminum Alloy Riser

Platinum Strings and Cables

New Medallions and Graphics

342 FPS

New Flexslide™ 2

New Backstop™ 4


New Custom Limb Graphics

New SHOCK MODZ™ Limb Dampers

PSE INERTIA™

2016 **new**

If you're looking for the perfect balance of high-end Pro Series performance and price, the new 2016 PSE Inertia™ is the bow to beat! Featuring the same 75% let-off IC Cam found on the Dream Season® Decree®, the Inertia™ is an impressive performer in its own right, shooting arrows with speeds up to 348 fps while still providing a smooth draw and solid back wall. With a 6" brace height, an axle-to-axle of 31-1/4", and a mass weight of only 3.9 lbs., the Inertia™ is a great Pro Series hunting bow at a great price.



"Why do I like fast bows? Because fast bows let me shoot one pin to 40 yards and let me shoot a big expandable broadhead through any animal in North America. The new Inertia™ gives me the speed and performance I demand at a reasonable price."
 Hank Parker- Hank Parker's Flesh and Blood

SPECIFICATIONS

Brace Height:.....	6"	Draw Length Range:.....	24½ - 30"
Axle-to-Axle:.....	31¼"	Draw Weights (lbs.):.....	50, 60, 70
ATA/IBO Speed:.....	348-340 fps	Max. Limb Bolt Turns From Bottom:.....	10 Turns
Letoff:.....	75%	Shipped In:.....	29"
Mass Weight:.....	3.9 lbs.	Cam.....	IC



348 FPS



IC Cam System

PSE Centerlock 2" Pocket and X-Tech™ Limbs

New Flexslide™ 2

B.E.S.T. Raptor™ Grip

Forged 7075 Aluminum Alloy Riser

Backstop™ 3

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
INERTIA™	1330IC	CY	24½ TO 30"	50, 60, 70#
INERTIA™	1330IC	BK	24½ TO 30"	50, 60, 70#
INERTIA™	1330IC	S2	24½ TO 30"	50, 60, 70#



PSE PREMONITION™ HD

The Premonition™ HD sets the standard for all compact hunting bows. With its 30-5/8" axle-to-axle length, the Premonition™ HD delivers the maneuverability you need for hunting in a blind or tree stand, and with a weight of only 3.9 lbs. it's also perfect for spot and stalk hunting. The Premonition™ HD also achieves unmatched compact bow performance, with the center-pull style HD Hybrid Cam delivering an ultra-smooth draw and precision shot at speeds of up to 345 fps, all with a comfortable valley and an 80% let-off. This is the compact bow for true hunters - fast, forgiving, and deadly.



*"When you're dropped into the harshest conditions and told to survive for 40 days with nothing but the equipment you can carry, you learn to appreciate equipment that is lightweight and durable. The Premonition HD will be there for you when the chips are down. I bet my life on it."
Casey Keefer-Dropped & PSE's Rival Wild*

SPECIFICATIONS

Brace Height:.....	6 1/4"	Draw Length Range:.....	24 - 30"
Axle-to-Axle:.....	30 5/8"	Draw Weights (lbs.):.....	50, 60, 70
ATA/IBO Speed:.....	345-337 fps	Max. Limb Bolt Turns From Bottom:.....	11 Turns
Letoff:.....	80%	Shipped In:.....	29"
Mass Weight:.....	3.9 lbs.	Cam.....	HD



CY
Mossy Oak® Country
Limbs and Riser



S2
Skullworks® 2 Camo
Limbs and Riser



BK
Solid Black
Limbs and Riser

345 FPS



HD Hybrid Cam System

PSE X-Tech™ Limbs

Forged 6061 Aluminum Alloy Riser

Backstop™ 3



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PREMONITION™ HD	1533HD	CY	24" TO 30"	50, 60, 70#
PREMONITION™ HD	1533HD	S2	24" TO 30"	50, 60, 70#
PREMONITION™ HD	1533HD	BK	24" TO 30"	50, 60, 70#

PSE PREMONITION HD *Stiletto*

The Premonition HD Stiletto™ sets the standard for compact hunting bows, making it the perfect choice for short draw archers. With its 30-5/8" axle-to-axle length, the Premonition HD Stiletto™ delivers the maneuverability you need for hunting in a blind or tree stand, and with a weight of only 3.9 lbs. it's also perfect for spot and stalk hunting. The Premonition HD Stiletto™ also achieves unmatched compact bow performance, with the center-pull style HD Cam delivering an ultra-smooth draw and precision shot at speeds of up to 345 fps, all with a comfortable valley and an 80% let-off. This compact bow is fast, forgiving, deadly, and good looking with its exclusive purple finish.



"It takes more than just a pretty paint job to make a women's bow. Archers who need a shorter draw length still want a bow with a smooth draw that delivers ultimate performance. The Premonition™ HD Stiletto is the perfect combination of speed and shootability."
 Rick and Julie Kreuter- PSE's Beyond the Hunt

SPECIFICATIONS

Brace Height:.....	6 1/4"	Draw Length Range:.....	24 - 30"
Axle-to-Axle:.....	30 3/4"	Draw Weights (lbs.):.....	40, 50
ATA/IBO Speed:.....	345-337 fps	Max. Limb Bolt Turns From Bottom:.....	11 Turns
Letoff:.....	80%	Shipped In:.....	29"
Mass Weight:.....	3.9 lbs.	Cam.....	HD

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PREMONITION™ HD STILETTO	1533HD	PR	24" TO 30"	40, 50 #

HD Hybrid Cam System

PSE X-Tech™ Limbs

345 FPS

Forged 6061 Aluminum Alloy Riser

Backstop™ 3


PR
 Purple Riser and Black Limbs



PSE DRIVE R™

2016 **new**

The best compound bow value on the pro market is now ever better with the 2016 PSE Drive R™! Featuring an all-new machined riser, the super smooth Drive Hybrid Cam, and PSE X-Tech™ split limb technology, the PSE Drive R™ delivers a comfortable draw and a smooth shot of speeds up to 336 fps. It's also light at 3.8 lbs. and features a 75% let-off and a draw length adjustability of 25" to 30 1/2". With a price tag of only \$499.99, the Drive R™ is the perfect bow for those who want Pro Series level performance without breaking the bank.



"It's not easy to replace a legendary bow like the original Drive™, but PSE has done it perfectly with the new Drive R™. It's lighter, faster and even smoother than the original. Dollar for dollar, it's the best bow in the industry."
 Jay Gregory- PSE's Wild Outdoors TV

SPECIFICATIONS

Brace Height:.....	6 3/4"	Draw Length Range:.....	25 - 30 1/2"
Axle-to-Axle:.....	30"	Draw Weights (lbs.):.....	50, 60, 70
ATA/IBO Speed:.....	336-328 fps	Max. Limb Bolt Turns From Bottom:.....	13 Turns
Letoff:.....	75%	Shipped In:.....	29"
Mass Weight:.....	3.8 lbs.	Cam.....	DC



CY
Mossy Oak® Country™
Limbs and Riser



S2
Skullworks® 2 Camo
Limbs and Riser



BK
Solid Black
Limbs and Riser

Available as a RTS Package (shown)

336 FPS

Machined 6061 Aluminum Alloy Riser

DC Cam System

PSE X-Tech™ Limbs

Sting Stop™



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DRIVE R™	1632DC	CY	25 TO 30 1/2"	50, 60, 70#
DRIVE R™	1632DC	BK	25 TO 30 1/2"	50, 60, 70#
DRIVE R™	1632DC	S2	25 TO 30 1/2"	50, 60, 70#
READY TO SHOOT (RTS)	1642DC	CY,S2	25 TO 30 1/2"	50, 60, 70#

RTS PACKAGE INCLUDES: STRIDER SIGHT, WHISKER BISCUIT REST, SPIRE STABILIZER, RAVEN QUIVER, PSE NEOPRENE SLING, RED ALUMINUM PEEP SIGHT AND NOCK LOOP



PSE BEAST™ EXT

2016 **new**

If you're a long draw archer looking to perform in the woods or on the target range, you need more than just a bow, you need a Beast! The Beast™ EXT is the ultimate long-draw bow; engineered with PSE's revolutionary new Wide-Track™ Target Limb System and featuring a 38" axle-to-axle and 7 1/4" brace height, the Beast™ EXT is ready to take down a target or a whitetail at up to 350 fps. With its forged riser and new Drive™-style target cam, the Beast™ EXT provides a stable, rigid, and silky smooth shot with an 80% let-off, while the all-new Wedge Lock™ limb pocket allows for fast, easy adjustment with its elegant two-screw design. The Beast™ EXT also allows for a cable stop, limb stop, or aftermarket hard stop, and has a highly adjustable back wall. The Beast™ EXT ships from the factory in peak weights of up to 80 lbs. and features the all-new Backstop™ 4 and ABB Platinum Strings.

"It takes a lot for a bow to impress me, but the first time I shot the Beast™ EXT, I was impressed. It's not only the best long draw bow I've ever shot, it's also one of the most accurate."
 Tim Gillingham- PSE Pro Staff Shooter

SPECIFICATIONS

Brace Height:.....7 1/4"
 Axle-to-Axle:.....38"
 ATA/IBO Speed:.....350-342 @ 33" / 320-312@30"
 Letoff:.....80% / 65%
 Mass Weight:.....4.8 lbs.

Draw Length Range:.....28 - 33"
 Draw Weights (lbs.):.....60, 70, 80
 Max. Limb Bolt Turns From Bottom:.....13 Turns
 Shipped In:.....29"
 Cam.....DB



CY
Mossy Oak® Country
Limbs and Riser



S2
Skullworks® 2 Camo
Limbs and Riser



BK
Solid Black
Limbs and Riser

350 FPS

New DB Hybrid Cam System

New Wedge-Lock™ Pocket System

New LAS™ Lateral Adjustment System

New Flexslide 2

New Backstop™ 4

New 6061 Forged Aluminum Alloy Riser

New PSE WIDE-TRACK™ Target Limb System



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
BEAST™ EXT	1636DB	CY	28 TO 33"	60, 70, 80#
BEAST™ EXT	1636DB	S2	28 TO 33"	60, 70, 80#
BEAST™ EXT	1636DB	BK	28 TO 33"	60, 70, 80#

PSE XPRESSION™

2016 **new**

PSE is staking its claim on making the best target bows in the world with the all-new 2016 PSE Xpression™. Engineered with PSE's revolutionary new Wide-Track™ Target Limb System and built on a 7075 forged aluminum riser, the Xpression™ is the ultimate target bow...ready for any and all competition, delivering unmatched rigidity, stability, and accuracy up to 316 fps. The Xpression™ also features a new Drive™-style target cam, which provides a silky smooth shot and ideal adjustability, while the all-new Wedge Lock™ limb pocket allows for fast, easy adjustment with its elegant two-screw design. This is a bow that conforms to the way YOU shoot, so the Xpression™ also allows for a cable stop, limb stop, or aftermarket hard stop, and has a highly adjustable back wall. The bow is also stylish and unbelievably comfortable to shoot with its aggressive look, high-polish anodized finish, and enhanced ergonomics. The Xpression™ ships from the factory with the all-new Backstop™ 4 and ABB Platinum Strings.



"PSE has always made the most accurate tournament bows on the market, now they also make the sexiest! The new Xpression™ looks as great as it shoots."
 Nathan Brooks- PSE Pro Staff Shooter

316 FPS

New DM Hybrid Cam System

New PSE WIDE-TRACK™ Target Limb System

New Wedge-Lock™ Pocket System

New LAS™ Lateral Adjustment System

F.A.S.T. FORGED ASYMMETRIC SHOOT THROUGH

New Flexslide™ 2

New 7075 Forged Aluminum Alloy Riser

New Backstop™ 4

SPECIFICATIONS

Brace Height:..... 7 1/8"
 Axle-to-Axle:..... 40"
 ATA/IBO Speed:..... 316-308 fps
 Letoff:..... 75% / 65%
 Mass Weight:..... 4.8 lbs.

Draw Length Range:..... 26 - 31 1/2"
 Draw Weights (lbs.):..... 50, 60, 70
 Max. Limb Bolt Turns From Bottom:..... 13 Turns
 Shipped In:..... 29"
 Cam..... DM



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
XPRESSION™	1634DM	RD	26 TO 31"	50, 60, 70#
XPRESSION™	1634DM	BL	26 TO 31"	50, 60, 70#
XPRESSION™	1634DM	BK	26 TO 31"	50, 60, 70#
XPRESSION™	1634DM	PW	26 TO 31"	50, 60, 70#
XPRESSION™	1634DM	PT	26 TO 31"	50, 60, 70#




Includes 65% and 70% let-off modules



PSE XPRESSION™ 3D

PSE is staking its claim on making the best 3D target bows in the world with the all-new 2016 PSE Xpression™ 3D. Engineered with PSE's revolutionary new Wide-Track™ Target Limb System and built on a 7075 forged aluminum riser featuring a shorter, 36-1/2" axle-to-axle for 3D shooting, the Xpression™ 3D is the ultimate 3D how...ready for any and all competition, and delivering unmatched rigidity, stability, and accuracy up to 324 fps. The Xpression™ 3D also features a new DM Hybrid target cam system, which provides a silky smooth shot and ideal adjustability, while the all-new Wedge Lock™ limb pocket allows for fast, easy adjustment with its elegant two-screw design. This is a bow that conforms to the way YOU shoot, so the Xpression™ 3D also allows for a cable stop, limb stop, or aftermarket hard stop, and has a highly adjustable back wall. The bow is also stylish and unbelievably comfortable to shoot with its aggressive look, high-polish anodized finish, and enhanced ergonomics. The Xpression™ 3D ships from the factory with peak weights of up to 70 lbs., and features the all-new Backstop™ 4 and ABB Platinum Strings.



"I don't shoot a tournament bow because of the way they look. They have to be smooth, accurate and forgiving. The fact that the new Xpression™ 3D is also the best looking bow I've ever seen is just a bonus."
Chris Perkins- PSE Pro Staff Shooter

SPECIFICATIONS

Brace Height:.....	7"	Draw Length Range:.....	25 - 30½"
Axle-to-Axle:.....	36½"	Draw Weights (lbs.):.....	50, 60, 70
ATA/IBO Speed:.....	324-316 fps	Max. Limb Bolt Turns From Bottom:.....	13 Turns
Letoff:.....	75% / 65%	Shipped In:.....	29"
Mass Weight:.....	4.7 lbs.	Cam:.....	DM



324 FPS

New DM Hybrid Cam System

New Wedge-Lock™ Pocket System

New LAS™ Lateral Adjustment System

F.A.S.T. "FORGED ASYMMETRIC SHOOT THROUGH"

New 7075 Forged Aluminum Alloy Riser

New Flexslide™ 2

New Backstop™ 4

New PSE WIDE-TRACK™ Target Limb System

Includes 65% and 70% let-off modules



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
XPRESSION™ 3D	1635DM	RD	25 TO 30"	50, 60, 70#
XPRESSION™ 3D	1635DM	BL	25 TO 30"	50, 60, 70#
XPRESSION™ 3D	1635DM	BK	25 TO 30"	50, 60, 70#
XPRESSION™ 3D	1635DM	PW	25 TO 30"	50, 60, 70#
XPRESSION™ 3D	1635DM	PT	25 TO 30"	50, 60, 70#

PSE SUPRA™ EXT

The Supra™ EXT takes the classic PSE target bow and makes it even better with PSE's revolutionary new Wide-Track™ Target Limb System! With its forged riser and new Drive™ style cam, the Supra™ EXT provides a stable, rigid, and silky smooth shot with an 75% and 65% let-off, while the all-new Wedge Lock™ limb pocket allows for fast, easy adjustment with its elegant two-screw design. The Supra™ EXT also allows for a cable stop, limb stop, or aftermarket hard stop, and has a highly adjustable back wall. The Supra™ EXT ships from the factory in peak weights of up to 70 lbs., and features the all-new Backstop™ 4, FlexSlide™ 2 and ABB Platinum Strings.




"In order to be the best you have to shoot the best. That's why I choose to shoot PSE and why I'll be shooting the Supra™ EXT in 2016. You couldn't pay me to shoot anything less!"
Paige Pearce- PSE Pro Staff Shooter

SPECIFICATIONS

Brace Height:.....	7"	Draw Length Range:.....	25 - 30½"
Axle-to-Axle:.....	37"	Draw Weights (lbs.):.....	50, 60
ATA/IBO Speed:.....	325-317 fps	Max. Limb Bolt Turns From Bottom:.....	13 Turns
Lett-off:.....	75%/65%	Shipped In:.....	29"
Mass Weight:.....	4.5 lbs.	Cam.....	DM

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
SUPRA™ EXT	1636DM	RD	25 TO 30½"	40, 50, 60#
SUPRA™ EXT	1636DM	BL	25 TO 30½"	40, 50, 60#
SUPRA™ EXT	1636DM	BK	25 TO 30½"	40, 50, 60#
SUPRA™ EXT	1636DM	PW	25 TO 30½"	40, 50, 60#
SUPRA™ EXT	1636DM	PT	25 TO 30½"	40, 50, 60#
SUPRA™ EXT	1636DM	CY	25 TO 30½"	60#



New DM Hybrid Cam System

New Wedge-Lock™ Pocket System

New LAS™ Lateral Adjustment System

325 FPS

New Flexslide 2

New 6061 Forged Aluminum Alloy Riser

New Backstop™ 4

New PSE WIDE-TRACK™ Target Limb System

Includes 65% and 70% let-off modules

PSE PHENOM™ SD

PSE stepped up to the challenge of delivering a unique bow at a unique price with the Phenom™ SD and got the job done! This great bow features an upgraded Mini Drive™ Cam for a firmer back wall and more adjustability, but still reigns as the ultimate bow for savvy target shooters on a budget. With its X-Technology™, pivoting limb pockets, premium riser, and Raptor™ grip, shooting the Phenom™ SD is an incredibly forgiving and accurate experience at a phenomenal price.



"The Phenom is one of most impressive bows in the PSE target line. It's amazing the features and quality that the engineers were able to put into this very affordable bow; the Phenom™ will compete on the highest level."
Joseph Goza- PSE Pro Staff

SPECIFICATIONS

Brace Height:.....6 1/2"
Axle-to-Axle:.....31 3/4"
ATA/IBO Speed:.....316-308 @28.5" fps
Lettoff:.....75%
Mass Weight:.....4 lbs.

Draw Length Range:.....23 - 28 1/2"
Draw Weights (lbs.):.....40, 50, 60
Max. Limb Bolt Turns From Bottom:.....11 Turns
Shipped In:.....25"
Cam.....MD



RD
RED



BL
BLUE



BK
BLACK

316 FPS



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PHENOM™ SD	1339MD	BK	23 TO 28 1/2"	40, 50, 60#
PHENOM™ SD	1339MD	BL	23 TO 28 1/2"	40, 50, 60#
PHENOM™ SD	1339MD	RD	23 TO 28 1/2"	40, 50, 60#

PSE

ARCHERY MAINLINE COMPOUND BOWS



READY TO SHOOT (RTS) INCLUDES:
STRIDER SIGHT, WHISKER BISCUIT REST,
SPIRE STABILIZER, RAVEN QUIVER,
PSE NEOPRENE SLING, RED ALUMINUM
PEEP SIGHT AND NOCK LOOP

FIELD READY (FR) INCLUDES:
ALL READY TO SHOOT ACCESSORIES
ABOVE PLUS: TRUE-FIRE HURRICANE
RELEASE, SUPREME BOWCASE AND A
4-PACK OF PSE X-WEAVE ARROWS



READY TO SHOOT (RTS) INCLUDES:
GEMINI SIGHT, WHISKER BISCUIT REST,
SPIRE STABILIZER, SHADOW QUIVER,
PSE NEOPRENE SLING, RED ALUMINUM
PEEP SIGHT AND NOCK LOOP

FIELD READY (FR) INCLUDES:
ALL READY TO SHOOT ACCESSORIES
ABOVE PLUS: TRUE-FIRE HURRICANE
RELEASE, SUPREME BOWCASE AND A
4-PACK OF PSE X-WEAVE ARROWS



READY TO SHOOT (RTS) INCLUDES:
GEMINI SIGHT, WHISKER BISCUIT REST,
FLEXTECH 3 STABILIZER, HUNTER QUIVER,
PEEP WHEEL AND NOCK LOOP

FIELD READY (FR) INCLUDES:
ALL READY TO SHOOT ACCESSORIES ABOVE
PLUS: TRUE-FIRE HURRICANE RELEASE,
SUPREME BOWCASE AND A 4-PACK OF
PSE X-WEAVE ARROWS



READY TO SHOOT (RTS) INCLUDES:
GEMINI SIGHT, WHISKER BISCUIT REST,
HUNTER QUIVER, FLEXTECH 3 STABILIZER,
PEEP WHEEL

Dave Reisner- Drury Outdoors

BOW SUMMARY

2016
new
FEATURES2016
new
FEATURES2016
new2016
new
FEATURES2016
new
FEATURES

Bow Madness™ 34

Bow Madness™ 32

Brute Force™

Stinger™ X

Stinger™ X Stiletto

ATA/IBO SPEED	342-334 FPS	340-332 FPS	332-324 FPS	316-308 FPS	316-308 FPS
BRACE HEIGHT	6"	6"	7"	7-1/8"	7-1/8"
AXLE-TO-AXLE	34-1/4"	32-3/8"	31-1/4"	32-1/2"	32-1/2"
LETOFF %	80%	80%	80%	75%	75%
DRAW LENGTH RANGE	24-1/2 TO 30-1/12"	24" TO 30"	25 TO 31"	21" TO 30"	21" TO 30"
PEAK WEIGHT	60, 70	50, 60, 70	50, 60, 70	50, 60, 70	40, 50
MASS WEIGHT	4.1 LBS.	4.1 LBS.	4.2 LBS.	3.5 LBS.	3.5 LBS.
MAX LIMB BOLT TURNS FROM BOTTOM	13	11	13	13	13
COLOR OPTIONS	MOSSY OAK® COUNTRY®, ALL BLACK OR SKULLWORKS®2	MOSSY OAK® COUNTRY®, ALL BLACK OR SKULLWORKS®2	MOSSY OAK® COUNTRY®, ALL BLACK OR SKULLWORKS®2	MOSSY OAK® INFINITY® RISER/BLACK LIMBS ALL BLACK OR SKULLWORKS®2 RISER/BLACK LIMBS	PURPLE RISER/BLACK LIMBS
BOW ONLY PART #	1501MH	1502MH	1601MH	1504SX	1504SX
BOW ONLY MAP PRICE	\$699.99	\$599.99	\$449.99	\$299.99	\$299.99
RTS PACKAGE PART #	1511MH	1512MH	1611MH	1514SX	1514SX
RTS PKG MAP PRICE	\$849.99	\$749.99	\$549.99	\$399.99	\$399.99
FR PKG PART #	1512MH	1522MH	1621MH	1524SX	-
FR PACKAGE MAP PRICE	\$949.99	\$849.99	\$649.99	\$499.99	-

BOW SUMMARY



Fever™




Mini Burner™ XT



Discovery™ 2



Elation™



Phenom™ DC

ATA/IBO SPEED	304-296 FPS @29"	280-272 FPS @ 28"	N/A	N/A	328-320 FPS
BRACE HEIGHT	6-3/8"	7-1/4"	6-1/2"	6"	7-1/4"
AXLE-TO-AXLE	32"	26-1/2"	31-1/2"	32-1/4"	36"
LETOFF %	70%	70%	-	N/A	75%
DRAW LENGTH RANGE	11" TO 29"	11" TO 28"	UP TO 30"	UP TO 30"	27-1/2" TO 33"
PEAK WEIGHT	29, 40, 50, 60	20, 29, 40, 50	20, 29	29, 40	40, 50, 60
MASS WEIGHT	3.4 LBS.	2.5 LBS.	2.7 LBS.	3.2 LBS.	4.3 LBS.
MAX LIMB BOLT TURNS FROM BOTTOM	13	6	6	12	11
COLOR OPTIONS	INFINITY® LIMBS/BLACK RISER, PURPLE RISER/BLACK LIMBS, OR SKULLWORKS® LIMBS/BLACK RISER	INFINITY® LIMBS/BLACK RISER, PURPLE RISER/BLACK LIMBS, OR SKULLWORKS® LIMBS/BLACK RISER	INFINITY® LIMBS/BLACK RISER, HAMMERTONE BLUE RISER /BLACK LIMBS OR HAMMERTONE RED RISER /BLACK LIMBS	GREEN SKULLWORKS® WITH BLACK LIMBS	RED, BLUE, BLACK WITH BLACK LIMBS
BOW ONLY PART #	1405VS	1602VS	0517MZ	1406MZ	1339DC
BOW ONLY MAP PRICE	\$299.99	\$219.99	\$199.99	\$299.99	\$699.99
RTS PACKAGE PART #	1415VS	1612VS	-	-	-
RTS PACKAGE MAP PRICE	\$379.99	\$299.99	-	-	-

BOW DATA SPECIFICATIONS INCLUDES BOWFISHING

2016 MAIN LINE DRAW WEIGHT CHART

DRAW WEIGHTS ARE ±2 POUNDS & ROUNDED TO THE NEAREST 1/2 POUND.

PEAK WEIGHT	BOW MADNESS 34	BOW MADNESS 32	BRUTE FORCE	STINGER X	STINGER X STILETTO	FEVER	MINI BURNER X	DISCOVERY 2	ELATION	PHENOM	DISCOVERY BF	MUDD DAWG
Limb Bolt Turns:	13	11	13	13	13	13	8	6	13	11	6	13
% Adj. from Peak:	33.0%	28.0%	33.0%	56.0%	56.0%	87.0%	87.0%	33.0%	33.0%	28.0%	33.0%	33.0%
70 lbs.	70 to 47	70 to 50.5	70 to 47	70 to 31						70 to 50.5		
60 lbs.	60 to 40	60 to 43	60 to 40	60 to 26.5		60 to 8				60 to 43		
50 lbs.		50 to 36	50 to 33.5	50 to 22	50 to 22	50 to 6.5	50 to 6.5			50 to 36		
40 lbs.					40 to 17.5	40 to 5	40 to 5		40 to 27		40 to 27	40 to 27
29 lbs.						29 to 4	29 to 4	29 to 19.5	29 to 19.5		29 to 19.5	
20 lbs.							20 to 2.5	20 to 13.5				

2016 MAIN LINE DRAW SETTING CHART

SETTING	BOW MADNESS 34	BOW MADNESS 32	BRUTE FORCE	PHENOM DC
A	30 1/2	30	31	33
B	30	29 1/2	30 1/2	32 1/2
C	29 1/2	29	30	32
D	29	28 1/2	29 1/2	31 1/2
E	28 1/2	28	29	31
F	28	27 1/2	28 1/2	30 1/2
G	27 1/2	27	28	30
H	27	26 1/2	27 1/2	29 1/2
I	26 1/2	26	27	29
J	26	25 1/2	26 1/2	28 1/2
K	25 1/2	25	26	28
L	25	24 1/2	25 1/2	27 1/2
M	24 1/2	24	25	

PSE Mainline String Information

NOTE: All PSE string lengths can be found on our website: www.psearchery.com

CATEGORY	ITEM NUMBER	ITEM DESCRIPTION	CATEGORY	ITEM NUMBER	ITEM DESCRIPTION	CATEGORY	ITEM NUMBER	ITEM DESCRIPTION	CATEGORY	ITEM NUMBER	ITEM DESCRIPTION
ML	SBC136	SBC,MAD34,2016,PREM	ML	SB666	SB,BMXS,MP	ML	SB005	SB,DEERHUNTR,S3,2965	ML	SB008	SB,SINISTER,AP
ML	SBC106	SBC,BM34,MH	ML	SB777	SB,BRUTE,MP	ML	SB001	SB,DISCOVERY,MZ	ML	SB717	SB,STINGER,SX,2016
ML	SBC137	SBC,MAD32,2016,PREM	ML	SBD10	SB,CHAOS,AD	ML	SB313	SB,FEVER,MR	ML	SB888	SB,STINGER36,HP
ML	SBC108	SBC,BM32,MH	ML	SB222	SB,CHAOS,FC	ML	SB212	SB,FEVER,VS,2016	ML	SB787	SB,SURGE,MR
ML	SB676	SB,BM30,M2	ML	SB333	SB,CHAOS,NI	ML	SB111	SB,MINIBURN,FC	ML	SB818	SB,VISION,VS
ML	SB555	SB,BM36,MP	ML	SB009	SB,CHAOSONE,HP	ML	SB516	SB,MOMENTUM,AP	ML	SB011	SB,WAVE,HB
ML	SB444	SB,BMXL,MP	ML	SB003	SB,DEERHUNTR,S3,2440	ML	SB006	SB,PROPHECY,AP	ML	SB002	SB,WAVE,NB
ML	SB515	SB,BMXP,AP	ML	SB004	SB,DEERHUNTR,S3,2755	ML	SB999	SB,RALLY,OP	ML	SBC118	SBC,PHENOM,ME

2016 PSE MAINLINE BOWS

PSE BOW MADNESS™ 34

2016 **new** FEATURES

PSE and Drury Outdoors have teamed up to bring you the PSE Bow Madness™ 34! This bow combines the high-performance of a hybrid cam with the adjustability of a single cam, delivering power, precision, and unbelievable adjustment. The Bow Madness™ 34 is built from a forged riser and is both fast and comfortable to shoot, launching arrows at a blistering 342 fps on a smooth draw with an amazing 80% let-off and a 34" axle-to-axle.



*"People have been waiting a long time for PSE to put their incredible Hybrid cam technology into a main line bow. Well here it is guys; I'm proud to put my name and reputation on both of these Bow Madness™ bows.
Terry Drury-Drury Outdoors"*

SPECIFICATIONS

Brace Height:.....	6"	Draw Length Range:.....	24 1/2 - 30 1/2"
Axle-to-Axle:.....	34 1/4"	Draw Weights (lbs.):.....	60, 70
ATA/IBO Speed:.....	342-334 fps	Max. Limb Bolt Turns From Bottom:.....	13 Turns
Letoff:.....	80%	Shipped In:.....	29"
Mass Weight:.....	4.1 lbs.	Cam.....	MH



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
BOW MADNESS 34	1501MH	CY,S2,BK	24-1/2 TO 30-1/2"	60, 70#
READY TO SHOOT	1511MH	CY,S2	24-1/2 TO 30-1/2"	60, 70#
FIELD READY	1521MH	CY	24-1/2 TO 30-1/2"	60, 70#

READY TO SHOOT (RTS) INCLUDES: STRIDER SIGHT, WHISKER BISCUIT REST, SPIRE STABILIZER, RAVEN QUIVER, PSE NEOPRENE SLING, RED ALUMINUM PEEP SIGHT AND NOCK LOOP
 FIELD READY (FR) INCLUDES: ALL READY TO SHOOT ACCESSORIES ABOVE PLUS: TRUE-FIRE HURRICANE RELEASE, SUPREME BOWCASE AND A 4-PACK OF PSE X-WEAVE ARROWS



MH Hybrid Cam System

PSE X-Tech™ Limbs

Mossy Oak Country Camo Finish (shown)

Available as a Field Ready package (shown) or Ready-to-Shoot Package

342 FPS

Forged 6061 Aluminum Alloy Riser

Backstop™ 3

2016 PSE MAINLINE BOWS

PSE BOW MADNESS™ 32

2016 **new** FEATURES

PSE and Drury Outdoors have teamed up to bring you the PSE Bow Madness™ 32! Thanks to PSE's Madness Hybrid Cam, this bow adjusts like a single cam, but gives you the high-performance you want from a hybrid cam bow. The Bow Madness™ 32 is a medium-length, 32-3/8" axle-to-axle bow built from a forged riser, and it's both fast and comfortable to shoot, launching arrows at a blistering 340 fps on a smooth draw with an amazing 80% let-off.



"It's hard to describe all the great features packed into the Bow Madness 32. It's smooth, fast and extremely forgiving...but what do you expect from PSE? This is simply awesome technology."
 Matt Drury- Drury Outdoors

SPECIFICATIONS

Brace Height:.....6"	Draw Length Range:.....24" to 30"
Axle-to-Axle:.....32 3/8"	Draw Weights (lbs.):.....50, 60, 70
ATA/IBO Speed:.....340-332 fps	Max. Limb Bolt Turns From Bottom:..... 11 Turns
Letoff:.....80%	Shipped In:.....29"
Mass Weight:.....4.1 lbs.	Cam.....MH

- CY**
Mossy Oak® Country™
limbs and Riser
- S2**
Skullworks® 2 Camo
limbs and Riser
- BK**
Solid Black
limbs and Riser



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
BOW MADNESS™ 32	1502MH	CY,S2,BK	24 TO 30"	50, 60, 70#
READY TO SHOOT	1512MH	CY,S2	24 TO 30"	50, 60, 70#
FIELD READY	1522MH	CY,S2	24 TO 30"	50, 60, 70#

READY TO SHOOT (RTS) INCLUDES: STRIDER SIGHT, WHISKER BISCUIT REST, SPIRE STABILIZER, RAVEN QUIVER, PSE NEOPRENE SLING, RED ALUMINUM PEEP SIGHT AND NOCK LOOP
 FIELD READY (FR) INCLUDES: ALL READY TO SHOOT ACCESSORIES ABOVE PLUS: TRUE-FIRE HURRICANE RELEASE, SUPREME BOWCASE AND A 4-PACK OF PSE X-WEAVE ARROWS



MH Hybrid Cam System

PSE X-Tech™ Limbs

Available as a Field Ready package (shown) or Ready-to-Shoot Package

340 FPS

Precision Machined Aluminum Alloy Riser

Backstop™ 3



2016 PSE MAINLINE BOWS

PSE BRUTE FORCE™

2016 **new**

PSE Brute™ price and performance returns to the PSE line-up with the all-new 2016 Brute Force™! PSE knew it had to give you a bow that was special, so we've built the Brute Force™ with our Madness Hybrid Cam technology...delivering hybrid cam performance with single-cam adjustability. The Brute Force™ also shoots at a quick 332 fps and features a smooth and comfortable draw with an 80% let-off. All of this performance in bow that costs \$449? No wonder the Brute™ name has become legendary.



"The Brute" is back and it's better than ever. I can't believe they put PSE's Hybrid cam technology in a bow that retails for \$449! This new Brute Force™ definitely deserving of its legendary name.
John O'Dell- Drury Outdoors

332 FPS

PSE X-Tech™ Limbs

MH Hybrid Cam System

Available as a Ready-to-Shoot Package (shown) or Field Ready package



SPECIFICATIONS

Brace Height:.....	7"	Draw Length Range:.....	25 - 31"
Axle-to-Axle:.....	31 1/4"	Draw Weights (lbs.):.....	50, 60, 70
ATA/IBO Speed:.....	332-324 fps	Max. Limb Bolt Turns From Bottom:.....	13 Turns
Letoff:.....	80%	Shipped In:.....	29"
Mass Weight:.....	4.1 lbs.	Cam.....	MH



CY
Mossy Oak® Country®
limbs and riser



S2
Skullworks® 2 Camo
limbs and riser



BK
Solid Black
limbs and riser




MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
BRUTE FORCE™	1601MH	CY, S2, BK	25 TO 31"	50, 60, 70#
READY TO SHOOT	1611MH	CY, S2	25 TO 31"	50, 60, 70#
FIELD READY	1612MH	CY	25 TO 31"	50, 60, 70#

READY TO SHOOT (RTS) INCLUDES: GEMINI SIGHT, WHISKER BISCUIT REST, FLEXXTECH 3 STABILIZER, SHADOW QUIVER, ALUMINUM PEEP SIGHT, PSE NEOPRENE SLING, PEEP SIGHT AND NOCK LOOP
FIELD READY (FR) INCLUDES: ALL READY TO SHOOT ACCESSORIES ABOVE PLUS: TRUE-FIRE HURRICANE RELEASE, SUPREME BOWCASE AND A 4-PACK OF PSE X-WEAVE ARROWS

PSE STINGER™ X

2016 **new** FEATURES

Last year the PSE Stinger™ X took the bow world by storm, and now the most affordable high-performance bow on the market is back for 2016! Featuring high-performance X-Tech™ split limbs and the highly-adjustable SX cam, shooting the Stinger™ X means having a bow that's lighter, faster, and delivers a smooth shot and legendary reliability at an unforgettable price.



"I don't pick a bow based on what impresses my buddies in camp. I want a bow that is fast, quiet, accurate, reliable and affordable. The Stinger™ X is all of those things. This just may be the best hunting bow at any price."
Ronnie "Cuz" Strickland- Mossy Oak

SPECIFICATIONS

Brace Height:.....	7 1/8"	Draw Length Range:.....	21" to 30"
Axle-to-Axle:.....	32 1/2"	Draw Weights (lbs.):.....	50, 60, 70
ATA/IBO Speed:.....	316-308 fps	Max. Limb Bolt Turns From Bottom:.....	13 Turns
Lettoff:.....	75%	Shipped In:.....	29"
Mass Weight:.....	3.5 lbs.	Cam.....	SX



Available as a Ready-to-Shoot Package (shown) or Field Ready package

316 FPS



PSE SX Cam System

PSE X-Tech™ Limbs

NEW PSE SKULLWORKS® 2 IN 4 COLOR CHOICES



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
STINGER™ X	1504SX	CY, S2, RD, BL, DT, BK, IF*	21 TO 30"	50, 60, 70#
READY TO SHOOT	1514SX	CY, S2, RD, BL, DT, BK, IF*	21 TO 30"	50, 60, 70#
FIELD READY	1524SX	CY, S2, IF*	21 TO 30"	50, 60, 70#

READY TO SHOOT (RTS) INCLUDES: GEMINI SIGHT, WHISKER BISCUIT REST, FLEXXTECH 3 STABILIZER, HUNTER QUIVER, PEEP WHEEL AND NOCK LOOP
FIELD READY (FR) INCLUDES: ALL READY TO SHOOT ACCESSORIES ABOVE PLUS: TRUE-FIRE HURRICANE RELEASE, SUPREME BOWCASE AND A 4-PACK OF PSE X-WEAVE ARROWS

While supplies last: There is a limited quantity of Stinger X's available in Mossy Oak Infinity camo

2016 PSE MAINLINE BOWS

PSE STINGER X *Stiletto*

2016 **new** FEATURES

In 2015, the PSE Stinger X Stiletto™ showed just how amazing an affordable, high-performance women's bow could be, and now it's back for 2016! Featuring a special finish and draw weight range tailored for the lady hunter, the Stinger X Stiletto™ boasts high-performance X-Tech™ split limbs and the highly-adjustable SX cam. Shooting the Stinger X Stiletto™ means having a bow that's lighter, faster, and delivers a smooth shot and legendary reliability at an unforgettable price.



316 FPS

"There are a lot of bow choices for women willing spend \$900, but if you want a bow that is fast, light, accurate and really affordable, the Stinger X Stiletto™ is the best women's hunting bow on the market today."
 Laura Parker- Hank Parker's *Flesh and Blood*



PSE SX Cam System

PSE X-Tech™ Limbs

Available as a Ready-to-Shoot Package (shown)

PR
 Purple Riser and Black Limbs



SPECIFICATIONS


Brace Height:.....	7 1/4"	Draw Length Range:.....	21" to 30"
Axle-to-Axle:.....	32 1/2"	Draw Weights (lbs.):.....	40, 50
ATA/IBO Speed:.....	316-308 fps	Max. Limb Bolt Turns From Bottom:.....	13 Turns
Letoff:.....	75%	Shipped In:.....	29"
Mass Weight:.....	3.5 lbs.	Cam.....	SX

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
STINGER X-STILETTO	1504SX	PR	21 TO 30"	40, 50#
READY TO SHOOT	1514SX	PR	21 TO 30"	40, 50#

READY TO SHOOT (RTS) INCLUDES: GEMINI SIGHT, WHISKER BISCUIT REST, HUNTER QUIVER, FLEXXTECH 3 STABILIZER, PEEP WHEEL AND NOCK LOOP

PSE PHENOM™ DC

At PSE, we know you want to break your opponents, not the bank. So we stepped up to the challenge of delivering a unique bow at a unique price and got the job done! The Phenom™ is the ultimate bow for savvy target shooters on a budget. With its X-Technology, pivoting limb pockets, premium riser, and Raptor™ grip, shooting the Phenom™ is an incredibly forgiving and accurate experience at a phenomenal price.



"Don't let the price fool you. The Phenom™ DC is one of the best target bows I have ever shot...at any price!"
 Scott Starnes- PSE Pro Staff Shooter

328 FPS

DC Cam System

PSE X-Tech™ Limbs

Raptor™ Grip

Aluminum Alloy Riser

Backstop™ 3

SPECIFICATIONS

Brace Height:.....	7 1/4"	Draw Length Range:.....	27 1/2 - 33"
Axle-to-Axle:.....	36"	Draw Weights (lbs.):.....	40, 50, 60
ATA/IBO Speed:.....	328-320 fps	Max. Limb Bolt Turns From Bottom:.....	11 Turns
Letoff:.....	75%	Shipped In:.....	29"
Mass Weight:.....	4.0 lbs.	Cam.....	DC




MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PHENOM™ DC	1339DC	BK	27 1/2 TO 33"	40, 50, 60#
PHENOM™ DC	1339DC	BL	27 1/2 TO 33"	40, 50, 60#
PHENOM™ DC	1339DC	RD	27 1/2 TO 33"	40, 50, 60#



PSE FEVER™

2016 **new** FEATURES

When you bring a young hunter into the sport of archery you don't just want them to try it...you want them to catch the Fever"! That's why PSE developed the 2016 Fever™, with PSE's split limbs and cam technology it shoots at a speedy 304 fps, but is also highly adjustable for growing hunters, going from 11" to 29" in draw length.



"Who says you have to give up performance to have a highly adjustable bow? The Fever™ gives shooters almost unlimited adjustability along with the speed and performance to get the job done."
 Bill Epeards- PSE Archery Pro Staff

SPECIFICATIONS

Brace Height:.....	6 3/8"	Draw Length Range:.....	11" to 29"
Axle-to-Axle:.....	32"	Draw Weights (lbs.):.....	29, 40, 50, 60
ATA/IBO Speed:.....	304-296 fps @ 29"	Max. Limb Bolt Turns From Bottom:.....	13 Turns
Letoff:.....	70%	Shipped In:.....	25"
Mass Weight:.....	3.4 lbs.	Cam.....	VS

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
FEVER™	1405VS	IF,SW,PR	11 TO 29"	29, 40, 50, 60#
READY TO SHOOT	1415VS	IF,SW,PR	11 TO 29"	29, 40, 50, 60#

READY TO SHOOT (RTS) INCLUDES: GEMINI SIGHT, WHISKER BISCUIT REST, HUNTER QUIVER, FLEXXTECH 3 STABILIZER, PEEP WHEEL

PSE X-Tech™ Limbs

PSE VS Cam System

Available as a Ready-to-Shoot Package (shown)

304 FPS

IF
 Mossy Oak® Infinity™ Limbs
 and Black Riser

SW
 Skullworks™ Camo Limbs
 and Black Riser

PR
 Purple Riser and Black Limbs



PSE MINI BURNER™ XT

2016 **new**

At PSE we don't make kiddie bows; we make sure that even the youngest hunter has a compound bow that rules the woods! That's why we made the Mini Burner™ XT. With the new adjustable Vision cam system and Mini SF limb tech, this bow is designed to grow with your young hunter. The Mini Burner™ XT easily switches from constant peak weight to grow-with-you adjustments without the need for a bow press!



280 FPS

Katalina Nobbley



IF
Mossy Oak® Infinity® Limbs
and Black Riser



SW
Skidworks® Camo Limbs
and Black Riser



PR
Purple Riser and Black Limbs

SPECIFICATIONS

Brace Height:..... 7¼"
 Axle-to-Axle:..... 26½"
 ATA/IBO Speed:..... 280-272 fps @28"
 Letoff:..... 70%
 Mass Weight:..... 2.6 lbs.

Draw Length Range:..... 11" to 28"
 Draw Weights (lbs.):..... 20, 29, 40, 50
 Max. Limb Bolt Turns From Bottom:..... 8 Turns
 Shipped In:..... 25"
 Cam..... VS

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
MINI BURNER XT	1601VS	IF, SW, PR	11 TO 28"	20, 29, 40, 50#
READY TO SHOOT	1612VS	IF, SW, PR	11 TO 28"	20, 29, 40, 50#



PSE VS Cam System

PSE Mini X-Tech™ Limbs

Whisker Biscuit™ Rest

Available as a Ready-to-Shoot Package (shown)

READY TO SHOOT (RTS) INCLUDES: GEMINI SIGHT, WHISKER BISCUIT REST, HUNTER QUIVER, FLEXSTECH 3 STABILIZER, PEEP WHEEL


PSE DISCOVERY™ 2

Introduce your entire family the joy of archery with the PSE Discovery™ 2! With a continuous draw cycle of up to 30 inches, the Discovery™ 2 cam design ramps up to reach the bow's peak weight then holds a constant draw weight, making it the perfect beginner bow for youth and adults alike.



Syprus Nobbly

- CAMPS
- SCOUTS
- 4-H
- SCHOOLS
- FAMILY FUN



MACHINED ALUMINUM
CONSTANT DRAW MZ CAMS

DURABLE PSE LIMBS

CAST RISER

POSITIVE ALIGNMENT POCKETS



SPECIFICATIONS

Brace Height:..... 6 1/2"
 Axle-to-Axle:..... 31 1/2"
 Mass Weight:..... 2.7 lbs.
 Draw Length Range:..... Up to 30"
 Peak Weights (lbs.):..... 20, 29

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DISCOVERY™ 2	0517MZ	BL, RD, IF	UP TO 30"	20, 29#

PSE


ARCHERY
PSE ARCHERY ACCESSORIES



Jada Johnson- Big Boys TV

CUSTOM ACCESSORY PACKAGES

The Custom Packages are back for 2016- but supplies are limited, so order today!



◀ PSE ACCESSORY PACKAGE ONE

- Shadow™ Quiver Skullworks® camo
- Vibracheck™ Flexxtech™ 3 Stabilizer
- Aries™ Sight
- QS Whisker Biscuit
- PSE Neoprene Sling
- Nock Loop - 4 1/2"
- Mongoose™ Peep and Tubing

DESCRIPTION	PART #
PSE ACCESSORY PACKAGE ONE	01263SW

While supplies last



▲ PSE ACCESSORY PACKAGE TWO

- Shadow™ Quiver Skullworks® camo
- Vibracheck™ Flexxtech™ 3 Stabilizer
- Gemini™ Sight
- QS Whisker Biscuit
- PSE Neoprene Sling
- Nock Loop - 4 1/2"
- Mongoose™ Peep and Tubing

DESCRIPTION	PART #
PSE ACCESSORY PACKAGE TWO	01264SW

While supplies last

◀ PSE ACCESSORY PACKAGE FIVE

- Shadow™ Quiver Black
- Vibracheck™ Flexxtech™ 3 Stabilizer
- Gemini™ Sight
- QS Whisker Biscuit
- PSE Neoprene Sling
- Nock Loop - 4 1/2"
- Mongoose™ Peep and Tubing

DESCRIPTION	PART #
PSE ACCESSORY PACKAGE FIVE	01264BK

While supplies last

BOW SIGHTS



▲ PSE X-FORCE HUNTER™ SIGHT

- Black Maxx™ soft feel coat finish for vibration damping (Black only)
- 1 3/4" light weight wire frame housing
- Five .019" lightning fire fiber optic stainless steel tube pins
- Bubble level for precision shooting
- Fixed plate mount extends from 2 1/2" to 3 3/4"
- Purple Haze™ adjustable rheostat sight light included
- Black (BK) or PSE Skullworks® 2 camo (S2)
- Right or left hand

DESCRIPTION	PART #	OPTION
XF HUNTER SIGHT	01 239BK	BLACK
XF HUNTER SIGHT	01 239S2	SKULLWORKS 2



▲ PSE X-FORCE™ DRIVE MAX™ SIGHT

- Black Maxx™ soft coat finish for vibration damping
- (4) .019" full capture pins
- 1 3/4" light weight wire frame housing
- All parts are CNC machined and hand-fit to exact tolerances
- Silent bushing system eliminates rattle and makes smooth adjustments
- 2nd & 3rd Axis adjustments for long range accuracy
- Tool-less micro drive adjustments for windage
- X-Force™ speed dial allows user to quickly adjust the sight for long distances
- Compatible with Archer's Advantage™ software
- Yardage indicator pin and elevation lock
- Bubble level for precision long-range shooting
- Purple Haze™ adjustable rheostat light included
- Accepts optional lens kit for 2X, 3X, 4X, or 6X
- Right or left hand

DESCRIPTION	PART #	OPTION
XF DRIVE MAX SIGHT	01 235BK	BLACK



▲ PSE X-FORCE SLIDER™ SIGHT

- Satin black finish
- One .019" full capture pin
- 1-3/4" diameter housing for an enlarged field of view
- All parts are CNC machined and hand fit to exact tolerances
- Bubble level for precision shooting
- Purple haze adjustable rheostat light included
- Fixed plate mount extends from 4 1/2" to 5 1/2"
- Accepts optional lens kit for 2X, 3X, 4X, or 6X
- Right or left hand

DESCRIPTION	PART #	OPTION
SLIDER SIGHT	01 241BK	BLACK



PSE X-FORCE LEGEND™ SIGHT

- Black Maxx™ soft feel coat finish for vibration damping
- 1 3/4" light weight wire frame housing
- All parts are CNC machined and hand fit to exact tolerances
- Silent bushing system eliminates rattle and makes smooth adjustments
- Five .019" Lightning Fire™ fiber optic stainless steel tube pins
- 2nd & 3rd Axis adjustments for long range accuracy
- Tool-less micro drive adjustments for windage & elevation
- Bubble level for precision shooting
- Mount extends from 4" to 8 3/4"
- Purple Haze™ adjustable Rheostat Sight Light included
- Accepts optional lens kit for 2X, 3X, 4X, or 6X
- Right or left hand

DESCRIPTION	PART #	OPTION
XF LEGEND SIGHT	01 238BK	BLACK



▲ PSE LENS AND LENS RETAINER PACKAGE

- Polycarbonate lens with retainer ring
- Compatible with the X-Force Legend™, X-Force Slider™ and X-Force Drive Max™

DESCRIPTION	PART #
2X POWER LENS	421 24X2
3X POWER LENS	421 24X3
4X POWER LENS	421 24X4
6X POWER LENS	421 24X6



▲ PSE SUN SHADE

- Compatible with the X-Force Legend, X-Force Slider, & X-Force Drive Max

DESCRIPTION	PART #
SUN SHADE	421 25BK

BOW SIGHTS



▲ PSE AMP™ SIGHT

- Satin black finish for black sights
- Five .019" full capture pins
- 2" diameter housing for an enlarged field of view
- Bubble level for precision shooting
- Blue flame light included
- Fixed plate mount extends from 3 1/4" to 4"
- Black (BK) or Mossy Oak® BreakUp® Infinity® camo (IF)*

DESCRIPTION	PART #	OPTION
AMP SIGHT	01240BK	BLACK
AMP SIGHT	01240IF	INFINITY CAMO*

*While supplies last



▲ PSE REPLACEMENT SIGHT PINS

- 3/16" base for F Series, Gemini™, Aries™, Aurora™ and Orion™ sights. PIN ONLY

DESCRIPTION	PART #
PIN, .019 RED	41225
PIN, .019 YELLOW	41226
PIN, .019 GREEN	41227
PIN, .029 RED	41228
PIN, .029 YELLOW	41229
PIN, .029 GREEN	41230

PSE ECLIPSE™ AND GALAXY™ SIGHT PIN

- .019 adjustable pin
- Over 8" of high quality fiber optic material

DESCRIPTION	PART #
PIN, RED	01162RD
PIN, GREEN	01162GN
PIN, YELLOW	01162YL



PSE REPLACEMENT SIGHT PIN

- .019 adjustable pin
- Fits F-Series, Gemini, Aries, Aurora, Orion & Pete Shepley Signature Series sights

DESCRIPTION	PART #
PIN, RED	41673RD
PIN, GREEN	41673GN
PIN, YELLOW	41673YL

While supplies last



◀ PSE TRUE BLUE LIGHT

- UV light for Gemini and Aurora sights


DESCRIPTION	PART #



▲ PSE AURORA™ SIGHT

- Five .029" fiber optic sight pins
- Includes sight light
- Phosphorescent glo ring
- Sight level

DESCRIPTION	PART #
AURORA SIGHT	42119BK



▲ PSE REPLACEMENT SIGHT PIN

- .019 adjustable pin
- For Legend™ & Drive Max™

DESCRIPTION	PART #
PIN, GREEN	42135GN
PIN, RED	42135RD



▲ PSE REPLACEMENT SIGHT PIN

- .019 adjustable pin
- For the Hunter™ sight

DESCRIPTION	PART #
PIN, GREEN	42113GN
PIN, ORANGE	42113OR



◀ PSE RHEOSTAT BLUE LIGHT

- Fully adjustable light brightness
- UV light for better pin visibility
- Compatible with XF Hunter™, XF Slider™, XF Legend™, XF Drive Max™, and Amp™ Sights

DESCRIPTION	PART #



▲ PSE GEMINI™ SIGHT

- Three .029 fiber optic sight pins
- Injection molded true radius pin guard
- Angled pin track for true pin alignment
- Phosphorescent glo ring
- Sight level

DESCRIPTION	PART #
GEMINI SIGHT	41586



▲ PSE REPLACEMENT SIGHT PIN

- .019 adjustable pin
- For the PSE Amp™ and Strider™ sights

DESCRIPTION	PART #
PIN, GREEN	42136GN
PIN, RED	42136RD



▲ PSE SIGHT LEVEL

- Fits any sight with a 3/16" pin track

DESCRIPTION	PART #
LEVEL	41269



▲ PSE THIRD AXIS LEVEL

- Fits PSE Orion™, Slider™, Pete Shepley Signature, Eclipse™ and Aries™ sights

DESCRIPTION	PART #
3RD LEVEL	41573

◀ PSE INDIGLO™ UV LIGHT

- UV bulb for better pin visibility
- Compatible with Galaxy, Slider, Orion, Compact, and Pete Shepley Long Range Sight

DESCRIPTION	PART #



▲ PSE THIRD AXIS LEVEL

- Fits Slider™, Drive Max™, Legend™, sights

DESCRIPTION	PART #

ARROW RESTS



ULTRA™ HDX REST

- Total Arrow Containment
- Convenient Thumbwheel
- Noise-reducing design
- Breakaway safety feature
- Precision machined CNC aluminum, stainless steel, & Delrin™ components
- Right or Left hand

DESCRIPTION	PART #
QAD ULTRA HDX-BLACK, RIGHT	41938RBK
QAD ULTRA HDX-BLACK, LEFT	41938LBK
QAD ULTRA HDX-RED, RIGHT	41938RRD
QAD ULTRA HDX-RED, LEFT	41938LRD
QAD ULTRA HDX-CAMO, RIGHT	41938RCA
QAD ULTRA HDX-CAMO, LEFT	41939LCA



PSE PROWLER™ DROP-AWAY REST

- Simple, dependable drop-away rest
- Provides complete arrow clearance
- Oversized adjustment screws

DESCRIPTION	PART #
PROWLER, RIGHT	41544R
PROWLER, LEFT	41544L



PSE PHANTOM™ MICRO DROP-AWAY REST

- Our finest micro adjust drop-away rest
- Full capture platform
- Falls out of the way for complete arrow clearance
- Independent micro adjustable windage and elevation
- Oversized adjustment screws

DESCRIPTION	PART #
PHANTOM MICRO, RIGHT	41757R
PHANTOM MICRO, LEFT	41757L



PSE PHANTOM™ DROP-AWAY REST

- Full capture platform
- Falls away for complete arrow clearance
- Oversized adjustment screws

DESCRIPTION	PART #
PHANTOM, RIGHT	41537R



PSE HORNET™ REST

- Converts easily from right to left hand
- Dovetail windage block makes minor adjustments quick and simple

DESCRIPTION	PART #
HORNET REST	41546



PSE RAPID™ DROP-AWAY REST

- Economical and fast to set up
- Falls out of the way for complete arrow clearance

DESCRIPTION	PART #
RAPID-RIGHT	41909R
RAPID-LEFT	41909L



PSE SNAP SHOT™ BOWFISHING REST

- Perfect for the beginner or veteran shooter
- High grade aluminum and stainless steel

DESCRIPTION	PART #
SNAP SHOT REST	42117BK



PSE POSSE™ REST

- Works with any bow that has a threaded hole to allow for a screw-in style rest

DESCRIPTION	PART #
POSSE- RIGHT	01084R
POSSE- LEFT	01084L

BOW QUIVERS



◀ PSE X QUIVER™

- Machined aluminum frame with a built-in tree hanger
- Thumb tab arrow gripper makes removing arrows a snap
- No moving parts on the quick detach mounting system
- Works equally well with mechanical and fixed blade broadheads

DESCRIPTION	PART #	OPTION
X QUIVER, 5 ARROW	41 669CY	BU COUNTRY
X QUIVER, 5 ARROW	41 669S2	SKULLWORKS 2
X QUIVER, 5 ARROW	41 669	BU INFINITY*
X QUIVER, 5 ARROW	41 669SW	SKULLWORKS*
X QUIVER, 5 ARROW	41 669BK	BLACK

*While supplies last



◀ PSE SHADOW™ QUIVER

- Lightweight, durable, and compact
- Quick-detach quiver bracket
- Includes a tree hanger

DESCRIPTION	PART #	OPTION
SHADOW QUIVER	01 223CY	BU COUNTRY
SHADOW QUIVER	01 223S2	SKULLWORKS 2
SHADOW QUIVER	01 223IF	BU INFINITY*
SHADOW QUIVER	01 223SW	SKULLWORKS*
SHADOW QUIVER	01 223BK	BLACK

*While supplies last

◀ PSE DUAL X QUIVER™

- Machined aluminum frame with a built-in tree hanger
- Works equally well with mechanical and fixed blade broadheads
- No moving parts to rattle and make noise during the shot
- Two arrow grippers hold your arrows more secure
- Thumb tab arrow gripper

DESCRIPTION	PART #	OPTION
DUAL X QUIVER, 5 ARROW	41 772CY	COUNTRY
DUAL X QUIVER, 5 ARROW	41 772S2	SKULLWORKS 2
DUAL X QUIVER, 5 ARROW	41 772IF	BU INFINITY*
DUAL X QUIVER, 5 ARROW	41 772SW	SKULLWORKS*
DUAL X QUIVER, 5 ARROW	41 772BK	BLACK

*While supplies last



2016 new

◀ PSE RAVEN™ QUIVER

- Lightweight, compact design
- Includes a tree hanger
- Quick-detach quiver bracket
- Carbon rod frame with dual grippers
- The frame can be moved to multiple locations to optimize weight distribution

DESCRIPTION	PART #	OPTION
RAVEN, 5 ARROW	421 42CY	COUNTRY
RAVEN, 5 ARROW	421 42BK	BLACK
RAVEN, 5 ARROW	421 42S2	SKULLWORKS 2



◀ PSE FLEX 5™

- Lightweight, durable, and compact
- Quick-detach quiver bracket
- Features dual grippers on a flexible composite frame
- Frame can be moved in multiple locations to adjust bow weight distribution

DESCRIPTION	PART #	OPTION
FLEX 5, 5 ARROW	41 855IF	BU INFINITY*
FLEX 5, 5 ARROW	41 855SW	SKULLWORKS*
FLEX 5, 5 ARROW	41 855CY	COUNTRY*

*While supplies last



◀ PSE COVERT-X™ QUIVER

- Quiver hood provides up to six adjustable positions for multiple arrow lengths
- Holds six arrows of any size
- Extended arrow clip positions the arrow nocks above the lower cam for protection

DESCRIPTION	PART #	OPTION
COVERT-X QUIVER	01 224IF	BU INFINITY*
COVERT-X QUIVER	01 224BK	BLACK
COVERT-X QUIVER	01 224SW	SKULLWORKS*

*While supplies last

VIBRACHECK STABILIZERS



2016 new



2016 new

VIBRACHECK™ Z-O SHOCK™ STABILIZERS

The Z-O Shock™ stabilizer from PSE is an upgraded high-performance vibration damper designed to give you the smooth, ultra-quiet shot you need. The Z-O Shock's precision-machined aluminum tube design is built around an enhanced and extended rubberized core that begins at the base of the stabilizer. This extended core better absorbs noise energy and stops vibration before it escapes the bow. Keep bow vibration in check, shoot with the all-new Vibracheck Z-O Shock™ stabilizer!

DESCRIPTION	PART #	COLORS
Z-O SHOCK STAB, BK, 5", 6.5 OZ	421 65BK	BLACK
Z-O SHOCK STAB, CY, 5", 6.5 OZ	421 65CY	COUNTRY
Z-O SHOCK STAB, CY, 8", 8.9 OZ	421 66BK	BLACK
Z-O SHOCK STAB, CY, 8", 8.9 OZ	421 66CY	COUNTRY

DESCRIPTION	PART #	COLORS
SPIRE STAB, BK/RD, 5", 6 OZ	421 43BK	BLACK/RED
SPIRE STAB, BK/CY, 5", 6 OZ	421 43CY	BLACK/COUNTRY
SPIRE STAB, PR/BK, 5", 6 OZ	421 43PR	PURPLE/BLACK
SPIRE STAB, S2, 5", 6 OZ	421 43S2	SKULLWORKS 2/GRAY
SPIRE STAB, BK/RD, 8", 8.6 OZ	421 58BK	BLACK/RED
SPIRE STAB, BK/CY, 8", 8.6 OZ	421 58CY	BLACK/COUNTRY
SPIRE STAB, PR/BK, 8", 8.6 OZ	421 58PR	PURPLE/BLACK
SPIRE STAB, S2, 8", 8.6 OZ	421 58S2	SKULLWORKS 2/GRAY

VIBRACHECK™ SPIRE™ STABILIZERS

The Spire™ stabilizer is the Next Generation of design brought to you by Vibracheck. The precision-machined aluminum tube is supported by a rubber core that eliminates vibration and noise as the bow is shot. The result is an ultra quiet shot with virtually no recoil. Machined aluminum with rubberized core.

VIBRACHECK™ FLEXXTECH™ 3

- Proprietary specially formulated rubber for superior vibration damping
- 5-3/4" long, 5.04 oz.

DESC	PART #	COLOR
FLEXXTECH 3, 5.75", 5.04 OZ	41 972	BLACK



VIBRACHECK™ ICON™

- 7" long, 7 oz.
- VibaSORB™ insert to dissipate vibration
- Perfect for short, fast hunting bows

2016 new

DESCRIPTION	PART #	COLORS
ICON STAB, 7", 7 OZ.	ICONCY	COUNTRY

VIBRACHECK STABILIZERS



VIBRACHECK™ OMEGA™

- Stabilizer with Suspended Rod Technology in a polymer gel

DESCRIPTION	PART #	OPTION
OMEGA 5", 7 OZ	OM5B	BLACK
OMEGA 5", 7 OZ	OM5IF	INFINITY*
OMEGA 5", 7 OZ	OM5S2	SKULLWORKS 2
OMEGA 5", 7 OZ	OM5SW	SKULLWORKS*
OMEGA 5", 7 OZ	OM5CY	COUNTRY

DESCRIPTION	PART #	OPTION
OMEGA 8", 9 OZ	OM8B	BLACK
OMEGA 8", 9 OZ	OM8IF	INFINITY*
OMEGA 8", 9 OZ	OM8S2	SKULLWORKS 2
OMEGA 8", 9 OZ	OM8SW	SKULLWORKS*
OMEGA 8", 9 OZ	OM8CY	COUNTRY

*WHILE SUPPLIES LAST



VIBRACHECK™ VITRON™

- Allows you to easily increase or reduce weight by removing the four-lobe knob
- 6-1/2" long, 8 oz.

DESCRIPTION	PART #	OPTION
VITRON STABILIZER	01 21 9BK	BLACK
VITRON STABILIZER	01 21 9IF	INFINITY*
VITRON STABILIZER*	01 21 9S2	SKULLWORKS 2
VITRON STABILIZER*	01 21 9SW	SKULLWORKS*
VITRON STABILIZER	01 21 9CY	COUNTRY

*WHILE SUPPLIES LAST

PRO CARBON STABILIZER SYSTEM

- 2" removable micro-flex tip. Adjustable weight system
- High-quality carbon, Back-weighted with VibaSORB™ Gel (Length excludes removable flexible tip and weights.)

DESCRIPTION	PART #	OPTION
PRO CARBON STAB	41 6706	6" - 7.1 OZ.
PRO CARBON STAB	41 6709	9" - 7.4 OZ.
PRO CARBON STAB	41 67015	15" - 8.8 OZ.
PRO CARBON STAB	41 67024	24" - 9.9 OZ.
PRO CARBON STAB	41 67028	28" - 10.3 OZ.
PRO CARBON STAB	41 67030	30" - 10.5 OZ.
PRO CARBON STAB	41 67034	34" - 10.9 OZ.

PRO CARBON HUNTER™

- 10 1/2" total length, 8 oz. weight 5/16" - 24 thread
- Carbon construction, Back-weighted with VibaSORB™ Gel

DESCRIPTION	PART #	OPTION
PRO CARBON HUNTER	41 671	10 1/2"



VIBRACHECK ACCESSORIES



3-PACK PRO CARBON™ WEIGHTS

- Three 1 oz. stainless steel weights - 1/8" thickness.
- Fits Pro Carbon, Isolator G3, Omega, and Spire Stabilizers
- Thread size: 1/4" x 20

DESCRIPTION	PART #	OPTION
3-PRO CARBON WTS	41672	SILVER- 1 OZ.
3-PRO CARBON WTS	41672B	BLACK- 1 OZ.

PRO CARBON HUNTER™ WEIGHT

- One 8 oz. black weight with 5/16" 24 threaded hole
- Fits Pro Hunter™, Omega™ and Freestyle™ stabilizers

DESCRIPTION	PART #
PRO CARBON WEIGHT	WTB8



OFFSET BRACKET / GORILLA BAR™

- Machined aluminum

DESCRIPTION	PART #
(A) OFFSET BRACKET	EOBB
(B) GORILLA BAR	GBARB
(C) ADD-ON WEIGHTS	EOBB



VIBRACHECK™ QUICK DISCONNECT

- Machined aluminum quick detach for your stabilizer
- Slotted design allows the stabilizer to fold up or down for case storage

DESCRIPTION	PART #	OPTION
QUICK DISCONNECT	QDB	BLACK, STRAIGHT
QUICK DISCONNECT	AQDB	BLACK, 10% OFFSET



VIBRACHECK™ BACKSTOP™ 4

- Improved string capture
 - A multitude of adjustments can be achieved
- Please use this chart when ordering Backstop™ 4's:

BACKSTOP 4 PART #	HANDLE-TO-STRING DISTANCE	APPROX. BRACE HEIGHT
01286BKXLNG	6" TO 6-5/8"	7" TO 7-3/4"
01286BKLN	5-1/2" TO 6-1/8"	6-1/2" TO 7-1/4"
01286BKMED	5" TO 5-5/8"	6" TO 6-3/4"
01286BKSH	4-1/2" TO 5-1/8"	5-1/2" TO 6-1/4"
01286BKXSHT	4-1/4" TO 4-7/8"	5-1/4" TO 6"



VIBRACHECK™ BACKSTOP™ 3

Please use this chart when ordering Backstop™ 3's:

BACKSTOP 3 PART #	HANDLE-TO-STRING DISTANCE	APPROX. BRACE HEIGHT
01266BKSH	4-7/8" TO 5-5/8"	6" TO 6-3/4"
01266BKMED	5-3/8" TO 6-1/8"	6-1/2" TO 7-1/4"
01266BKLN	5-7/8" TO 6-5/8"	7" TO 7-3/4"

LIMITED QUANTITIES



VIBRACHECK™ BACKSTOP™ 2

Please use this chart when order Backstop™ 2's:

BACKSTOP 2 PART #	HANDLE-TO-STRING DISTANCE	APPROX. BRACE HEIGHT
01202BKSH	4-7/8" TO 6-3/4"	6" TO 7-7/8"
01202BKLN	5-1/2" TO 7 3/8"	6-5/8" TO 8-1/2"

LIMITED QUANTITIES



VIBRACHECK™ QUICKSTAND™

- Keeps your bow ready and within reach
- Machined aluminum and high-grade carbon
- Detachable legs screw together for easy quiver storage

DESCRIPTION	PART #
QUICK DISCONNECT	QS1

VIBRACHECK COLOR RUBBER SETS



COLOR RUBBER SET 1

- Two limb dampers
- Two String Chubs™
- Two grip inserts
- One Backstop™ bumper
- One cable slide
- One cable slide damper
- One nock loop



PSE BLACK SET 1

PART #

01215BK



PSE BLUE SET 1

PART #

01215BL



PSE GREEN SET 1

PART #

01215GN



PSE RED SET 1

PART #

01215RD



PSE PINK SET 1

PART #

01215PK



PSE ORANGE SET 1

PART #

01215OR



PSE YELLOW SET 1

PART #

01215YL



PSE PURPLE SET 1

PART #

01215PR

COLOR RUBBER SET 2

- Two Shock Modz™ limb dampers
- Two grip inserts
- One cable slide
- One Backstop™ 4 bumper (only for 2016 BackStop™ 4)
- One cable slide damper



PSE BLACK SET 2

PART #

01290



PSE BLUE SET 2

PART #

01290BK



PSE GREEN SET 2

PART #

01290GN



PSE RED SET 2

PART #

01290RD



PSE ORANGE SET 2

PART #

01290OR



PSE PINK SET 2

PART #

01290PK



PSE PURPLE SET 2

PART #

01290PR

VIBRACHECK COLOR RUBBER



LIMB DAMPERS



PART #
01 291 BK



PART #
01 291 RD



PART #
01 291 GN



PART #
01 291 BL



PART #
01 291 PK



PART #
01 291 OR




PART #
01 291 PR


2016 **new**




DESCRIPTION*	PART #
EACH	01 203BK
BULK (40)	01 206BK




PART # *
01 203RD




PART # *
01 203GN




PART # *
01 203BL



PART # *
01 203PK



PART # *
01 203OR



PART # *
01 203YL



PART # *
01 203PR

*Limited Quantities

GRIP INSERTS



PART #
01 189BK



PART #
01 189RD



PART #
01 189GN



PART #
01 189BL



PART #
01 189PK



PART #
01 189OR



PART #
01 189YL



PART #
01 189PR

STRING CHUBS



PART #
01 067



PART #
01 067RD



PART #
01 067GN



PART #
01 067BL



PART #
01 067PK



PART #
01 067OR



PART #
01 067YL



PART #
01 067PR

CABLE SLIDES



PART #
01 163BK



PART #
01 163



PART #
01 163GN



PART #
01 163BL



PART #
01 163PK



PART #
01 163OR



PART #
01 163YL



PART #
01 163PR

VIBRACHECK COLOR RUBBER



BACKSTOP™ BUMPERS

							
PART # *	PART # *	PART # *	PART # *				
01118	01118RD	01118GN	01118BL	01118PK	01118OR	01118YL	01118PR

*Limited Quantities

BACKSTOP™ 4 BUMPERS

Only for 2016 Backstop™ 4

2016 new

						
PART #	PART #	PART #	PART #	PART #	PART #	PART #
01289BK	01289RD	01289GN	01289BL	01289PK	01289OR	01289PR

FLEX GUARDS

							
PART #	PART #	PART #	PART #	PART #	PART #	PART #	PART #
01204BK	01204RD	01204GN	01204BL	01204PK	01204OR	01204YL	01204PR

CABLE DAMPERS

							
PART #	PART #	PART #	PART #	PART #	PART #	PART #	PART #
01097	01097RD	01097GN	01097BL	01097PK	01097OR	01097YL	01097PR

ACCESSORIES



▲ PSE NOCKING LOOP

- 9 pack card of string loops
- White or red

DESCRIPTION	PART #
WHITE, 4-1/4", 9 PACK	2697
WHITE, 4-1/2", 9 PACK	2698
WHITE, 4-3/4", 9 PACK	2699
RED, 4-1/4", 9 PACK	2697RD
RED, 4-1/2", 9 PACK	2698RD
RED, 4-3/4", 9 PACK	2699RD
LOOP, BULK WHITE*	2694
LOOP, BULK RED*	2694RD

*BULK ORDER INCLUDES: 10 EA-4 1/4", 10 EA-4 1/2", 30 EA-4 3/4"



▲ QUICK-DETACH BRACKET

- Will fit previous and current model PSE quivers (Not for eclipse)

DESCRIPTION	PART #
QD BRACKET	3395



▲ PSE ECLIPSE™ REPLACEMENT FOAM

- Fits Eclipse™ quivers
- Integrated magnet strip

DESCRIPTION	PART #
ECLIPSE FOAM	3390E



▲ PSE REPLACEMENT QUIVER HOOD FOAM

DESCRIPTION	PART #
REPLACEMENT FOAM, 4 ARROW (PRIOR TO 2014)	3390S
REPLACEMENT FOAM, 8 ARROW (PRIOR TO 2014)	3390L
REPLACEMENT FOAM, MONGOOSE (PRIOR TO 2014)	3390M
REPLACEMENT FOAM, FIXED BLADE, FITS SHADOW, COVERT AND CRUCIAL QUIVER HOODS	41922
REPLACEMENT FOAM, MECHANICAL BLADE FITS SHADOW, CRUCIAL, AND COVERT QUIVER HOOD	41920
REPLACEMENT FOAM, X-QUIVER, 5 ARROW	01195
REPLACEMENT FOAM, RAVEN QUIVER, 5 ARROW	42174



◀ PSE FLEX SLIDE

- Only fits 2013-2015 PSE bows that use this feature

DESCRIPTION	PART #
FLEX SLIDE- BLACK	01204BK
FLEX SLIDE- RED	01204RD
FLEX SLIDE- GREEN	01204GN
FLEX SLIDE- BLUE	01204BL
FLEX SLIDE- PINK	01204PK
FLEX SLIDE- PURPLE	01204PR
FLEX SLIDE- ORANGE	01204OR
FLEX SLIDE- YELLOW	01204YL

WHILE SUPPLIES LAST



◀ PSE FLEX SLIDE 2

- Fits any bow that uses a Flex Slide

DESCRIPTION	PART #
FLEXSLIDE 2, 5.2 INCH	0128452
FLEXSLIDE 2, 5.5 INCH	0128455
FLEXSLIDE 2, 6 INCH	0128460
FLEXSLIDE 2, 6.5 INCH	0128465
FLEXSLIDE 2, 7 INCH	0128470
FLEXSLIDE 2, 7.5 INCH	0128475



◀ PSE ECLIPSE™ QUIVER MOUNT

- Fits Eclipse™ one-piece quivers only

DESCRIPTION	PART #
ECLIPSE QUIVER MOUNT	01161

While supplies last



▲ PSE / TREELIMB™ X QUIVER RISER MOUNT

Designed to mount directly into the upper "through hole" in the riser. Allows Treelimb quivers to be mounted higher on the bow and eliminates clearance issues with a sight.

DESCRIPTION	PART #
EXTENDED QUIVER MOUNT	41003



▲ PSE X QUIVER MOUNT

- Fits X-Quiver™ and Dual X-Quiver™ quivers

DESCRIPTION	PART #
X QUIVER MOUNT	41002



▲ QAD™ REST CABLE CLAMP KIT

The QAD Ultra-Rest Replacement Cable Clamp Kit will help you set the timing on your QAD Ultra-Rest. The kit includes a clamp as well as a piece of timing cord 12 inches long so you can make sure your Ultra-Rest is timed perfectly everytime you shoot.

DESCRIPTION	PART #
X QUIVER MOUNT	41002



▲ QAD™ REPLACEMENT FELT KIT

The QAD Ultra-Rest HDX replacement felt will go on the launcher fork and capture bar of your HDX rest to keep your draw completely silent so you will not spook your game when drawing your bow back.

DESCRIPTION	PART #
REPL FELT BLACK	41939BK