



REINVENTING THE WAY YOU BUY BOWS.

EVOLVE



Comfort behind the bow is the key characteristic of a shootable bow. What creates comfort? Control. PSE's Evolve line seamlessly blends comfort and control without sacrificing speed. Our first-in-class engineering continues to expand our comfort-cam technologies, creating smooth movements with quick action.

VAPOR



Acceleration is part of PSE's DNA. Fueled by our passion for speed, we've developed the Vapor line to deliver powerful bows that pack a punch. High speed equates to intense power, building the momentum you need to get the results you want. We've shattered speeds in the archery world for 48 years, and we're not going to stop now.

ADAPT



Adapt your bow to your ability. At PSE, we engineer our Adapt line of equipment for one reason: the adjustability to fit...forever. Gone are the days of feeling forced to buy a new bow as soon as you advance your skills. Adapt bows are built to last...and take you from novice to experienced. Why change when you can adapt?

TARGET



Your bow should be a reliable tool that produces consistent results. The PSE Target line is designed to provide precision that you can count on...every time. It is our dedication to dependability that creates trust and eliminates doubt. With your Target bow in hand, you will be confident in its accuracy, and secure the victory. Again. And again. And again.



VAPOR

PSE
ARCHERY



EVOLVE



TARGET



ADAPT

PSE Evolve Cam Modules give YOU the power to choose how your bow shoots! Choose the ultimate comfort of the HL module, the hard-hitting speed of the FL module, or even the target-optimized LL module. The decision is yours!



Standard Modules in the Vapor Series

Evolve Cam System (ECS)
Standard on Xpedite™ and Beast™



FL MODULE

(65-75% Let-Off)

- For shooters who want pure performance
- Increased Speed, Reduced Let-Off
- Comes Standard on the Xpedite™



HL MODULE

(80%-90% Let-Off)

- For shooters who want ultimate comfort.
- Super High Let-Off
- Comes Standard on the Beast™ ECS



LL MODULE (65-75% Let-Off)

- Designed for the target shooter
- Comfortable Lower Let-Off

Optional Module Option Available:
(please see the Accessories Section for purchasing information)



FRS TORQUE REDUCING SYSTEM

PSE's all-new Flex Rod System (FRS) is specially engineered to eliminate torque during your draw cycle, delivering an incredibly stable shooting experience under any weather conditions. The FRS is highly adjustable for precise tuning and clearance, and is designed to work with PSE's new RollerGlide™ or a traditional cable slide. The flexible rod can also be swapped out with a solid carbon or aluminum rod for additional tuning options.



The PSE RollerGlide™ is the smoothest cable slide on the market, rolling with your cable to eliminate cable friction. It's compatible with Flexxslide™ 1 and Flexxslide™ 2 bows, or any standard 3/8" diameter cable guard rod. The RollerGlide™ is a leap forward in cable guard technology.

COLORS



KH
KRYPTEK® HIGHLANDER®



CY
MOSSY OAK® COUNTRY®



S2
SKULLWORKS® 2



MG
MUDDY GIRL®



CH
CHARCOAL



PR
PURPLE MATTE



BK
BLACK

CARBON AIR® STEALTH EF

The 2018 PSE Carbon Air® Stealth EF is the most advanced carbon bow ever made. Engineered on an all-new stiffer and stronger monocoque carbon riser, the Stealth delivers ultimate performance from a carbon bow platform without increased weight. The Stealth also features PSE's new precision Flex Rod System, titanium hardware, and ultra-premium LiveWire™ strings.



350 FPS



Carbon Air® Stealth EF Specifications

Brace Height:.....	6"
Axle-to-Axle:.....	33"
ATA/IBO Speed:.....	350-342 fps
Letoff:.....	65-75%
Mass Weight:.....	3.2 lbs.
Draw Length Range:.....	25-1/2" - 31"
Draw Weights (lbs.):.....	60, 70
Max. Limb Bolt Turns From Bottom:.....	10 Turns
Shipped In:.....	29
Cam.....	EF



The Carbon Air® Stealth EF model is built for speed and comfort, powered by PSE's Evolve™ Cam System (ECS) and FL module, shooting a wicked 350 fps with up to 75% Let-Off.



Chris Keefer
DROPPED

Brad Lockwood
LOVE OF THE HUNT

Mark Drury
DRURY OUTDOORS

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
CARBON AIR STEALTH EF	1833EF	CY, BK, KH	25-1/2 TO 31"	60, 70#

XPEDITE™

Speed and comfort join forces with the all-new 2018 PSE Xpedite™! Engineered on a radically redesigned reflex riser built to produce greater speed, and powered by our Evolve™ Cam System and high-speed FL module, the Xpedite™ shoots at a blazing 360 fps with an unbelievably smooth draw and hold.



2018 **new**



360 FPS

Xpedite™ Specifications


- Brace Height:.....5-1/4"
- Axle-to-Axle:.....33"
- ATA/IBO Speed:.....360-352 fps
- Lettoff:.....65-75%
- Mass Weight:.....4.4 lbs.
- Draw Length Range:.....24-1/2" - 30"
- Draw Weights (lbs.):.....60, 65, 70
- Max. Limb Bolt Turns From Bottom:.....10 Turns
- Shipped In:.....29
- Cam:.....EF

LIVEWIRE
BOW STRINGS & CABLES

KRYPTEK

**BREAK-UP
COUNTRY**
MOSSY OAK

HANDCRAFTED IN THE
USA



Brack Lockwood
LOVE OF THE HUNT™

Chris Keefer
DROPPED

Cuz Strickland
MOSSY OAK

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
XPEDITE	1837EF	CY, BK, KH, CH	24-1/2 TO 30"	60, 65, 70#

BOW MADNESS® EPIX™

Developed with Drury Outdoors, the PSE Bow Madness™ Epix is a high performance compound bow built with an exclusive angled-plane riser that delivers an ultra-stable shot. This bow is a true killer with a 32-1/4" axle-to-axle and a shooting speed of 340 fps with 80% let-off!



340 FPS

Epix™ Specifications

- Brace Height:.....6"
- Axle-to-Axle:.....32-1/4"
- ATA/IBO Speed:.....340-332 fps
- Letoff:.....80%
- Mass Weight:.....4 lbs.
- Draw Length Range:.....24" TO 30"
- Draw Weights (lbs.):.....60, 70
- Max. Limb Bolt Turns From Bottom:.....13 Turns
- Shipped In:.....29
- Cam.....MH
- Right-Hand Only



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
BOW MADNESS EPIX	1701MH	CY, BK, KH	24 TO 30"	60, 70#
READY TO SHOOT PRO (SHOWN)	1711MH	CY, KH	24 TO 30"	60, 70#
FIELD READY	1721MH	CY	24 TO 30"	60, 70#

READY TO SHOOT PRO INCLUDES: AMP MICRO SIGHT, PHANTOM DROP-AWAY REST, 8" SPIRE STABILIZER WITH WEIGHTS, RAVEN QUIVER, PSE NEOPRENE SLING, RED ALUMINUM PEEP SIGHT AND NOCK LOOP
 FIELD READY (FR) INCLUDES: ALL READY TO SHOOT ACCESSORIES ABOVE PLUS: TRUE-FIRE HURRICANE RELEASE, ELEMENT BOWCASE AND A 4-PACK OF ARROWS



Brack Lockwood
LOVE OF THE HUNT

Mark Drury
DRURY OUTDOORS

Cuz Strickland
MOSSY OAK

BEAST™ ECS

The 2018 PSE Beast™ ECS is the ultimate long-draw comfort bow. Powered by our acclaimed EVOLVE™ Cam System (ECS) and engineered on our new shutdown riser platform, this bow delivers up to 328 fps and 90% let-off, offering unmatched shot stability and precision in an ultra-long draw bow.



328 FPS

LIVEWIRE
BOW STRINGS & CABLES

KRYPTEK

**BREAK-UP
COUNTRY**
MOSSY OAK

HANDCRAFTED IN THE
USA

Beast™ ECS Specifications

Brace Height:.....7"
 Axle-to-Axle:.....38"
 ATA/IBO Speed:.....328-320 fps
 Letoff:.....80% TO 90%
 Mass Weight:.....4.7 lbs.
 Draw Length Range:.....27-1/2" - 33"
 Draw Weights (lbs.):.....60, 70, 80
 Max. Limb Bolt Turns From Bottom:.....10 Turns
 Shipped In:.....33
 Cam.....EC



2018 **new**



VAPOR

PSE
ARCHERY

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
BEAST ECS	1836EC	CY, BK, KH, CH	27-1/2 TO 33"	60, 70, 80#



FULL THROTTLE™

The PSE Full Throttle™ is the fastest bow in the world, and a true feat of precision engineering...shooting at a lightning fast 370 fps with deadly accuracy! Thanks to PSE's X-Technology, shooting the Full Throttle™ means not having to pull as many pounds for max performance, and our pre-loaded, parallel limbs deliver a forgiving shot from a short brace height.



370 FPS

LIVEWIRE
BOW STRINGS & CABLES

PSE skullworks 2
BREAK-UP
COUNTRY
MOSSY OAK

HANDCRAFTED IN THE
USA

Full Throttle™ Specifications

Brace Height:.....5-1/4"
 Axle-to-Axle:.....33-1/4"
 ATA/IBO Speed:.....370 - 362 fps
 Letoff:.....70%
 Mass Weight:.....4.1 lbs.
 Draw Length Range:.....26-1/2" - 30"
 Draw Weights (lbs.):.....50, 60, 65, 70
 Max. Limb Bolt Turns From Bottom:.....7 Turns
 Shipped In:.....DL Specific*
 Cam.....FT

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
FULL THROTTLE™	1431FT	CY,BK,S2	26-1/2 TO 30"	50, 60, 65, 70#



DRIVE™ X

The PSE Drive™ set the standard in performance value for the pro market, and now the all-new 2018 Drive™ X takes that to a whole new level. Engineered on a redesigned forged riser for amazing shot stability, the Drive™ X delivers powerful 332 fps performance. Available in our Ready to Shoot Pro package.



2018 **new**



332 FPS

LIVEWIRE
BOW STRINGS & CABLES

KRVPTK

BREAK-UP COUNTRY
MOSSY OAK

PSE skullworks 2

HANDCRAFTED IN THE USA

Drive™ X Specifications

- Brace Height:.....7"
- Axle-to-Axle:.....30"
- ATA/IBO Speed:.....332-326 fps
- Lettoff:.....80%
- Mass Weight:.....3.7 lbs.
- Draw Length Range:.....25" - 31"
- Draw Weights (lbs.):.....50, 60, 70
- Max. Limb Bolt Turns From Bottom:.....15 Turns
- Shipped In:.....29
- Cam.....MH

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DRIVE X	1832MH	CY, BK, S2, KH, CH	25 TO 31"	50, 60, 70#
READY TO SHOOT PRO	1853MH	CY, KH	25 TO 31"	50, 60, 70#

READY TO SHOOT PRO INCLUDES: AMP MICRO SIGHT, PHANTOM DROP-AWAY REST, 8" SPIRE STABILIZER WITH WEIGHTS, RAVEN QUIVER, PSE NEOPRENE SLING, RED ALUMINUM PEEP SIGHT AND NOCK LOOP



DRIVE™ X DM

PSE has taken the best performance bow value on the pro market engineered a short-draw version. The all-new 2018 Drive™ X DM features a 6-1/2" brace height and has been engineered on a redesigned forged riser for amazing shot stability. The Drive™ X DM shoots at a speedy 312 fps. Available in our Ready to Shoot Pro package.



2018 **new**

312 FPS

LIVEWIRE
BOW STRINGS & CABLES

KRYPTEK
BREAK-UP
COUNTRY
MOSSY OAK

Muddy Girl
CAMOUFLAGE
HANDCRAFTED IN THE
USA

Drive™ X DM Specifications

Brace Height:..... 6-1/2"
 Axle-to-Axle:..... 30"
 ATA/IBO Speed:..... 312-304 fps @28"
 Letoff:..... 75%
 Mass Weight:..... 3.7 lbs.
 Draw Length Range:..... 23-1/2" - 28-1/2"
 Draw Weights (lbs.):..... 50, 60
 Max. Limb Bolt Turns From Bottom:..... 15 Turns
 Shipped In:..... 26
 Cam:..... DM

* MUDDY GIRL AND PURPLE AVAILABLE IN 50# ONLY

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
DRIVE X DM	1832DM	CY, KH, PR*, MG*	23-1/2 TO 28-1/2"	50, 60#
READY TO SHOOT PRO	1853DM	CY, KH, PR*, MG*	23-1/2 TO 28-1/2"	50, 60#

READY TO SHOOT PRO INCLUDES: AMP MICRO SIGHT, PHANTOM DROP-AWAY REST, 8" SPIRE STABILIZER WITH WEIGHTS, RAVEN QUIVER, PSE NEOPRENE SLING, RED ALUMINUM PEEP SIGHT AND NOCK LOOP





REINVENTING THE WAY YOU BUY BOWS.

EVOLVE



Comfort behind the bow is the key characteristic of a shootable bow. What creates comfort? Control. PSE's Evolve line seamlessly blends comfort and control without sacrificing speed. Our first-in-class engineering continues to expand our comfort-cam technologies, creating smooth movements with quick action.

VAPOR



Acceleration is part of PSE's DNA. Fueled by our passion for speed, we've developed the Vapor line to deliver powerful bows that pack a punch. High speed equates to intense power, building the momentum you need to get the results you want. We've shattered speeds in the archery world for 48 years, and we're not going to stop now.

ADAPT



Adapt your bow to your ability. At PSE, we engineer our Adapt line of equipment for one reason: the adjustability to fit...forever. Gone are the days of feeling forced to buy a new bow as soon as you advance your skills. Adapt bows are built to last...and take you from novice to experienced. Why change when you can adapt?

TARGET



Your bow should be a reliable tool that produces consistent results. The PSE Target line is designed to provide precision that you can count on...every time. It is our dedication to dependability that creates trust and eliminates doubt. With your Target bow in hand, you will be confident in its accuracy, and secure the victory. Again. And again. And again.



VAPOR

PSE

ARCHERY



EVOLVE



TARGET



ADAPT

PSE Evolve Cam Modules give YOU the power to choose how your bow shoots! Choose the ultimate comfort of the HL module, the hard-hitting speed of the FL module, or even the target-optimized LL module. The decision is yours!



Evolve Cam System (ECS)
Standard on Carbon Air® Stealth and Evolve bows



FL MODULE
(65-75% Let-Off)
• For shooters who want pure performance
• Increased Speed, Reduced Let-Off
• Comes Standard on the Carbon Air® Stealth EF



HL MODULE
(80%-90% Let-Off)
• For shooters who want ultimate comfort.
• Super High Let-Off
• Comes Standard on the Carbon Air® Stealth EC and SE, Evolve™ 35 and Evolve™ 31

Optional Module Option Available:
(please see the Accessories Section for purchasing information)



LL MODULE (65-75% Let-Off)
• Designed for the target shooter
• Comfortable Lower Let-Off



FRS TORQUE REDUCING SYSTEM

PSE's all-new Flex Rod System (FRS) is specially engineered to eliminate torque during your draw cycle, delivering an incredibly stable shooting experience under any weather conditions. The FRS is highly adjustable for precise tuning and clearance, and is designed to work with PSE's new RollerGlide™ or a traditional cable slide. The flexible rod can also be swapped out with a solid carbon or aluminum rod for additional tuning options.



The PSE RollerGlide™ is the smoothest cable slide on the market, rolling with your cable to eliminate cable friction. It's compatible with Flexxslide™ 1 and Flexxslide™ 2 bows, or any standard 3/8" diameter cable guard rod. The RollerGlide™ is a leap forward in cable guard technology.

EVOLVE SERIES COLORS




CY
MOSSY OAK® COUNTRY®



KH
KRYPTEK® HIGHLANDER®



S2
SKULLWORKS® 2



PT
PLATINUM




CH
CHARCOAL



PR
PURPLE MATTE



BK
BLACK



GN
GREEN MATTE



2018 EVOLVE SERIES COMPOUND BOWS

2018 **new**



CARBON AIR® STEALTH EC

The 2018 PSE Carbon Air® Stealth is the most advanced carbon bow ever made. Engineered on an all-new stiffer and stronger monocoque carbon riser, the Stealth delivers ultimate performance from a carbon bow platform without increased weight. The Stealth also features PSE's new precision Flex Rod System, titanium hardware, and ultra-premium LiveWire™ strings.



342 FPS

Carbon Air® Stealth EC Specifications

- Brace Height:..... 6"
- Axle-to-Axle:..... 33"
- ATA/IBO Speed:..... 342-334 fps
- Letoff:..... 80-90%
- Mass Weight:..... 3.2 lbs.
- Draw Length Range:..... 25-1/2" - 31"
- Draw Weights (lbs.):..... 50, 60, 65, 70
- Max. Limb Bolt Turns From Bottom:..... 10 Turns
- Shipped In:..... 29
- Cam..... EC



The Carbon Air Stealth EC model is powered by PSE's Evolve® Cam System (ECS) and HL module, shooting at 342 fps with up to 90% Let-Off.



Julie Kreuter
BEYOND THE HUNT

Casey Keefer
DROPPED

Pete Shepley
PSE FOUNDER

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
CARBON AIR STEALTH EC	1833EC	CY, BK, KH, CH	25-1/2 TO 31"	50, 60, 65, 70#



EXPERIENCE. PERFORMANCE.





2018 EVOLVE SERIES COMPOUND BOWS

2018 new



CARBON AIR® STEALTH SE

The 2018 PSE Carbon Air® Stealth SE is the most advanced carbon bow ever made. Engineered on an all-new stiffer and stronger monocoque carbon riser, the Stealth delivers ultimate performance from a carbon bow platform without increased weight. The Stealth also features PSE's new precision Flex Rod System, titanium hardware, and ultra-premium LiveWire® strings.



340 FPS



Carbon Air® Stealth SE Specifications

- Brace Height:.....5-7/8"
- Axle-to-Axle:.....33"
- ATA/IBO Speed:.....340-332 fps @29-1/2
- Letoff:.....80-90%
- Mass Weight:.....3.2 lbs.
- Draw Length Range:.....24" - 29-1/2"
- Draw Weights (lbs.):.....40, 50, 60, 70
- Max. Limb Bolt Turns From Bottom:.....10 Turns
- Shipped In:.....26
- Cam:.....SE



The Carbon Air Stealth® SE model is powered by PSE's Small Evolve® Cam (SEC) and HL module, shooting at 340 fps with up to 90% Let-Off.



Terry Drury
DRURY OUTDOORS

Pete Shepley
PSE FOUNDER

Rick Kreuter
BEYOND THE HUNT

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
CARBON AIR STEALTH SE	1833SE	CY, BK, CH, KH	24 TO 29-1/2"	40, 50, 60, 70#



EXPERIENCE. PERFORMANCE.



EVOLVE™ 35

The PSE Evolve® 35 has been engineered to be the most comfortable 35" Axle-to-Axle hunting bow ever made. Powered by our acclaimed EVOLVE® Cam System (ECS) with up to 90% let-off, the bow features an ultra-stiff forged riser design, Wide-Track Limb System, Wedge Lock™ Speed Pocket, and all-new Flex Rod System™...delivering amazing shot stability, deadeye accuracy, and 340 fps of shooting power.



340 FPS



Evolve™ 35 Specifications

- Brace Height:.....6-1/2"
- Axle-to-Axle:.....35"
- ATA/IBO Speed:.....340-332 fps
- Letoff:.....80-90%
- Mass Weight:.....4.6 lbs.
- Draw Length Range:.....26" - 31-1/2"
- Draw Weights (lbs.):.....50, 60, 65, 70
- Max. Limb Bolt Turns From Bottom:.....10 Turns
- Shipped In:.....29
- Cam.....EC



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
EVOLVE 35	1835EC	CY,BK,KH,CH,PT,PR,GN	26 TO 31-1/2"	50, 60, 65, 70#

Pete Shepley
PSE FOUNDER

EVOLVE™ 31

The PSE Evolve® 31 has been engineered to be the most comfortable hunting bow ever made. Powered by our acclaimed EVOLVE™ Cam System (ECS) with up to 90% let-off, the bow features an ultra-stiff forged riser design, Wide-Track Limb System, Wedge Lock™ Speed Pocket, and all-new Flex Rod System™...delivering amazing shot stability, deadeye accuracy, and 346 fps of shooting power.



346 FPS



Evolve™ 31 Specifications

- Brace Height:.....6-1/4"
- Axle-to-Axle:.....31"
- ATA/IBO Speed:.....346-338 fps
- Letoff:.....80-90%
- Mass Weight:.....4.3 lbs.
- Draw Length Range:.....24-1/2" - 30"
- Draw Weights (lbs.):.....50, 60, 65, 70
- Max. Limb Bolt Turns From Bottom:.....10 Turns
- Shipped In:.....29
- Cam:.....EC



2018 **new**



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
EVOLVE 31	1831EC	CY, BK, KH, CH	24-1/2 TO 30"	50, 60, 65, 70#

REACT™

The 2018 PSE React™ is the ideal choice for hunters looking for Evolve® Cam System (ECS) comfort and performance at a lower price. Built on an exclusive new riser design and weighing only 3.9 lbs., the PSE React™ is lightweight and plenty fast at up to 330 fps and up to 90% let-off.

330 FPS



2018 **new**



EVOLVE

PSE
ARCHERY

LIVEWIRE
BOW STRINGS & CABLES

KRYPTEK

**BREAK-UP
COUNTRY**
MOSSY OAK

PSE
skullworks 2

EVOLVE
cam system

HANDCRAFTED IN THE
USA

React™ Specifications

Brace Height:.....7"
 Axle-to-Axle:.....33"
 ATA/IBO Speed:.....330-322 fps
 Letoff:.....80-90%
 Mass Weight:.....3.9 lbs.
 Draw Length Range:.....26" - 31-1/2"
 Draw Weights (lbs.):.....60, 70
 Max. Limb Bolt Turns From Bottom:.....13 Turns
 Shipped In:.....29
 Cam:.....EC



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
REACT	1838EC	CY, BK, S2, KH	26 TO 31-1/2"	60, 70#

FEROCITY™

Get savage with the 2018 PSE Ferocity™! Engineered on an all-new riser design and short-limb platform for smoother shooting and improved feel, the Ferocity™ amps up your hunt to 328 fps thanks to PSE's all-new three track Ferocity™ cam. The Ferocity™ also features a 6-1/2" brace height and an unbelievably light mass weight of 3.5 lbs.



328 FPS

Ferocity™ Specifications

- Brace Height: 6-1/2"
- Axle-to-Axle: 30-3/4"
- ATA/IBO Speed: 328-320 fps
- Lettoff: 80%
- Mass Weight: 3.5 lbs.
- Draw Length Range: 24-1/2 - 30"
- Draw Weights (lbs.): 60, 70
- Max. Limb Bolt Turns From Bottom: 12 Turns
- Shipped In: 29
- Cam: FC



Shown as RTS Pro and arrows

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
FEROCITY	1802FC	CY, BK, KH, CH	24-1/2 TO 30"	60, 70#
RTS PACKAGE	1812FC	CY, KH	24-1/2 TO 30"	60, 70#
RTS PRO	1813FC	CY, KH	24-1/2 TO 30"	60, 70#
FIELD READY	1844FC	CY	24-1/2 TO 30"	60, 70#

READY TO SHOOT INCLUDES: AMP SIGHT, WHISKER BISCUIT REST, FX4 STABILIZER, RAVEN QUIVER, PSE NEOPRENE SLING, RED ALUMINUM PEEP SIGHT AND NOCK LOOP
 READY TO SHOOT PRO INCLUDES: AMP MICRO SIGHT, PHANTOM DROP-AWAY REST, SPIRE STABILIZER WITH WEIGHTS, RAVEN QUIVER, PSE NEOPRENE SLING, RED ALUMINUM PEEP SIGHT AND NOCK LOOP
 FIELD READY (FR) INCLUDES: READY TO SHOOT ACCESSORIES ABOVE PLUS: TRUE-FIRE HURRICANE RELEASE, ELEMENT BOWCASE AND A 4-PACK OF ARROWS





REINVENTING THE WAY YOU BUY BOWS.

EVOLVE



Comfort behind the bow is the key characteristic of a shootable bow. What creates comfort? Control. PSE's Evolve line seamlessly blends comfort and control without sacrificing speed. Our first-in-class engineering continues to expand our comfort-cam technologies, creating smooth movements with quick action.

VAPOR



Acceleration is part of PSE's DNA. Fueled by our passion for speed, we've developed the Vapor line to deliver powerful bows that pack a punch. High speed equates to intense power, building the momentum you need to get the results you want. We've shattered speeds in the archery world for 48 years, and we're not going to stop now.

ADAPT



Adapt your bow to your ability. At PSE, we engineer our Adapt line of equipment for one reason: the adjustability to fit...forever. Gone are the days of feeling forced to buy a new bow as soon as you advance your skills. Adapt bows are built to last...and take you from novice to experienced. Why change when you can adapt?

TARGET



Your bow should be a reliable tool that produces consistent results. The PSE Target line is designed to provide precision that you can count on...every time. It is our dedication to dependability that creates trust and eliminates doubt. With your Target bow in hand, you will be confident in its accuracy, and secure the victory. Again. And again. And again.


VAPOR



EVOLVE


ARCHERY





ADAPT

TARGET SERIES COLORS



GD
High Voltage Gold




GN
Electric Lime




PR
Imperial Purple



PT
Platinum Titanium




RD
Scarlet Red




BC
Black Cherry



PW
Pearl White




RG
Textured Rose Gold



BK
Black Onyx



RB
Rich Bronze



SM
Satin Mercury



BL
Admiral Blue (Supra Only)

PSE Evolve Cam Modules give YOU the power to choose how your bow shoots! Choose the standard target-optimized of the LL module, the hard-hitting speed of the FL module, or the ultimate comfort HL module. The decision is yours!



Evolve Cam System (ECS)
Standard on Target Series bows
(except Phenom and Supra)



LL MODULE (65-75% Let-Off)

- Standard Module in Target Series bows with Evolve Cams
- Designed for the target shooter
- Comfortable Lower Let-Off

Optional Module Option Available: (please see the Accessories Section for purchasing information)



HL MODULE (80%-90% Let-Off)

- For shooters who want ultimate comfort.
- Super High Let-Off



FRS TORQUE REDUCING SYSTEM

PSE's all-new Flex Rod System (FRS) is specially engineered to eliminate torque during your draw cycle, delivering an incredibly stable shooting experience under any weather conditions. The FRS is highly adjustable for precise tuning and clearance, and is designed to work with PSE's new RollerGlide™ or a traditional cable slide. The flexible rod can also be swapped out with a solid carbon or aluminum rod for additional tuning options.




The PSE RollerGlide™ is the smoothest cable slide on the market, rolling with your cable to eliminate cable friction. It's compatible with Flexxslide™ 1 and Flexxslide™ 2 bows, or any standard 3/8" diameter cable guard rod. The RollerGlide™ is a leap forward in cable guard technology.

L.A.S. POCKET TECHNOLOGY

PSE shook up the target bow market in 2015 with the first ever Lateral Adjustment System (L.A.S.) for compound bows, and for 2018 we are making it even better with our improved Micro-Adjust Lateral Adjustment System!

The micro L.A.S. offers advanced tuning capabilities and makes adjusting center shot and tuning bows more simple than ever before with a single micro-adjust screw



PERFORM-X™

The all-new 2018 PSE Perform-X™ takes your target game to a whole new level. Engineered on our exclusive new shoot-through riser, the Perform-X™ is unbelievably stiff and strong, delivering an unrivaled target shooting experience. Thanks to PSE's new SE cam and L.A.S. Wedge Lock Pockets, the Perform-X offers true center-pull technology, greater speeds, better hold, and advanced tuning capabilities.



332 FPS



Perform-X™ Specifications

- Brace Height:.....7"
- Axle-to-Axle:.....40"
- ATA/IBO Speed:.....332-324 fps
- Letoff:.....65-75%
- Mass Weight:.....5.2 lbs.
- Draw Length Range:.....26-1/2" - 32"
- Draw Weights (lbs.):.....50, 60
- Max. Limb Bolt Turns From Bottom:.....10 Turns
- Shipped In:.....29
- Cam.....SE



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PERFORM-X	1840SE	PR, PT, GN, BK, SM, RD, PW, GD, RB, BC	26-1/2 -32"	50, 60#

PERFORM X™ 3D

Outperform your 3D competition with the 2018 PSE Perform-X™ 3D! Engineered on a shorter brace-height version of our new Perform-X™ shoot-through riser, this bow is unbelievably stiff, strong, and fast, delivering an unrivaled target shooting experience at 338 fps. Thanks to PSE's new SE cam and L.A.S. Wedge Lock Pockets, the Perform-X™ 3D also offers true center-pull technology, greater speeds, better hold, and advanced tuning capabilities.



338 FPS



Perform-X™ 3D Specifications

- Brace Height:..... 6-1/2"
- Axle-to-Axle:..... 36"
- ATA/IBO Speed:..... 338-330 fps
- Letoff:..... 65-75%
- Mass Weight:..... 5 lbs.
- Draw Length Range:..... 25" - 30-1/2"
- Draw Weights (lbs.):..... 40, 50, 60
- Max. Limb Bolt Turns From Bottom:..... 10 Turns
- Shipped In:..... 29
- Cam..... SE



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PERFORM X 3D	1841SE	PR, PT, GN, BK, SM, RD, PW, GD, RB, BC, RG	25 TO 30-1/2"	40, 50, 60#

SHOOTDOWN™

The next evolution of the performance target bow has arrived with the 2018 PSE Shootdown™. Developed on a new caged riser design for unbelievable shot stability and hold, the Shootdown™ is powered by PSE's new SE cam and LAS Wedge Lock Pockets, delivering true center-pull technology with amazing tuning capabilities.



334 FPS



Shootdown™ Specifications

- Brace Height:..... 7"
- Axle-to-Axle:..... 37"
- ATA/IBO Speed:..... 334-326 fps
- Letoff:..... 65-75%
- Mass Weight:..... 4.7 lbs.
- Draw Length Range:..... 26" - 31-1/2"
- Draw Weights (lbs.):..... 40, 50, 60, 70
- Max. Limb Bolt Turns From Bottom:..... 10 Turns
- Shipped In:..... 29
- Cam..... SE



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
SHOOTDOWN	1836SE	PR, PT, GN, BK, SM, RD, PW, RG, GD, BC, RB	26 TO 31-1/2"	40, 50, 60, 70#

SUPRA™ EXT

The acclaimed Supra™ EXT target bow is back! Featuring PSE's Wide-Track™ Target Limbs, and powered by PSE's Drive™ style cam. The Supra™ EXT provides a stable, rigid, silky smooth shot with 65% and 75% let-off modules available. The bow also features PSE's Wedge Lock™ limb pockets and Micro Adjust Lateral Adjustment System (LAS), allowing for fast, easy tuning.



325 FPS



Supra™ EXT Specifications

- Brace Height:7"
- Axle-to-Axle:37"
- ATA/IBO Speed:325-317 fps
- Letoff:65% & 75%
- Mass Weight:4.7 lbs.
- Draw Length Range:25" - 30-1/2"
- Draw Weights (lbs.):40, 50, 60
- Max. Limb Bolt Turns From Bottom:13 Turns
- Shipped In:29
- Cam:DM

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
SUPRA EXT (RH ONLY)	1636DM	GN, PR, YL, RD, BL, PW, BK, PT	25 - 30-1/2"	40, 50, 60#



PHENOM™ XT-MD

The PSE Phenom™ XT-MD features a sleek deflexed riser, making it lighter, more accurate, and more forgiving! The only performance target bow on the market at this price, the Phenom™ XT features an upgraded Mini Drive™ Cam for a firm back wall, high adjustability, and a great shot every time.



310 FPS

Phenom™ XT-MD Specifications

- Brace Height:..... 7"
- Axle-to-Axle:..... 35-1/2"
- ATA/IBO Speed:..... 310-306 fps @29"
- Letoff:..... 75%
- Mass Weight:..... 4 lbs.
- Draw Length Range:..... 23-1/2 - 29"
- Draw Weights (lbs.):..... 40, 50
- Max. Limb Bolt Turns From Bottom:..... 13 Turns
- Shipped In:..... 25
- Cam..... MD

LIVEWIRE
BOW STRINGS & CABLES

HANDCRAFTED IN THE USA

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PHENOM XT-DC	1739MD	GN, PR, PW, RG, BK, PT	23-1/2 TO 29"	40, 50#



PHENOM™ XT-DC

The only short-draw performance target bow on the market at this price, the Phenom™ XT-DC is built on a sleek deflexed riser, making it lighter, more accurate, and more forgiving. The Phenom™ XT-DC also features an upgraded Drive™ Cam for a firm back wall, high adjustability, and a stable shot every time.



345 FPS

Phenom™ XT-DC Specifications

- Brace Height: 7-5/8"
- Axle-to-Axle: 35-1/2"
- ATA/IBO Speed: 315-307 fps
- Letoff: 75%
- Mass Weight: 4 lbs.
- Draw Length Range: 27-1/2" - 33"
- Draw Weights (lbs.): 50, 60, 70
- Max. Limb Bolt Turns From Bottom: 13 Turns
- Shipped In: 33
- Cam: DC

LIVEWIRE
BOW STRINGS & CABLES

HANDCRAFTED IN THE
USA

MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
PHENOM™ XT-DC	1739DC	CY	27 1/2 TO 33"	60, 70#
PHENOM™ XT-DC	1739DC	GN, PW, PT, BK, RG, PR	27 1/2 TO 33"	50, 60#





REINVENTING THE WAY YOU BUY BOWS.

EVOLVE



Comfort behind the bow is the key characteristic of a shootable bow. What creates comfort? Control. PSE's Evolve line seamlessly blends comfort and control without sacrificing speed. Our first-in-class engineering continues to expand our comfort-cam technologies, creating smooth movements with quick action.

VAPOR



Acceleration is part of PSE's DNA. Fueled by our passion for speed, we've developed the Vapor line to deliver powerful bows that pack a punch. High speed equates to intense power, building the momentum you need to get the results you want. We've shattered speeds in the archery world for 48 years, and we're not going to stop now.

ADAPT



Adapt your bow to your ability. At PSE, we engineer our Adapt line of equipment for one reason: the adjustability to fit...forever. Gone are the days of feeling forced to buy a new bow as soon as you advance your skills. Adapt bows are built to last...and take you from novice to experienced. Why change when you can adapt?

TARGET



Your bow should be a reliable tool that produces consistent results. The PSE Target line is designed to provide precision that you can count on...every time. It is our dedication to dependability that creates trust and eliminates doubt. With your Target bow in hand, you will be confident in its accuracy, and secure the victory. Again. And again. And again.


VAPOR


EVOLVE


ARCHERY


TARGET


ADAPT




ADAPT SERIES COLORS



KH
KRYPTEK® HIGHLANDER®



CY
MOSSY OAK® COUNTRY®



WH
WHITE



MG
MUDDY GIRL®




CH
CHARCOAL



PR
PURPLE



BK
BLACK



LG
LIME GREEN



2018 ADAPT SERIES COMPOUND BOWS

STINGER™ EXTREME

The legendary PSE Stinger™ is amped up with the all-new 2018 PSE Stinger™ Extreme! Delivering hands-down the greatest shooting experience on the market, the 316 fps Stinger™ Extreme is engineered on a new and improved riser platform, high-performance SX cam, and upgraded limb pockets.



2018 **new**



316 FPS

Stinger™ Extreme Specifications

- Brace Height: 7-1/8"
- Axle-to-Axle: 32-1/2"
- ATA/IBO Speed: 316-308 fps
- Letoff: 75%
- Mass Weight: 3.8 lbs.
- Draw Length Range: 21 - 30"
- Draw Weights (lbs.): 55, 70
- Max. Limb Bolt Turns From Bottom: 15 Turns
- Shipped In: 29
- Cam: SX

* MUDDY GIRL AND PURPLE AVAILABLE IN 55# ONLY



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
STINGER EXTREME	1804SX	CY, BK, KH, CH, WT, LG, PR*, MG*	21 TO 30"	55, 70#
RTS	1814SX	CY, BK, KH, WT, PR*	21 TO 30"	55, 70#
RTS PRO (SHOWN)	1817SX	CY, KH, MG*	21 TO 30"	55, 70#
FIELD READY	1824SX	CY	21 TO 30"	55, 70#

READY TO SHOOT INCLUDES: GEMINI SIGHT, WHISKER BISCUIT REST, FX4 STABILIZER, HUNTER QUIVER, MONGOOSE PEEP SIGHT AND NOCK LOOP

READY TO SHOOT PRO INCLUDES: AMP MICRO SIGHT, PHANTOM DROP-AWAY REST, SPIRE STABILIZER, RAVEN QUIVER, PSE NEOPRENE SLING, MONGOOSE PEEP SIGHT AND NOCK LOOP

FIELD READY (FR) INCLUDES: READY TO SHOOT ACCESSORIES ABOVE PLUS: TRUE-FIRE HURRICANE RELEASE, ELEMENT BOWCASE AND A 4-PACK OF ARROWS



Jonathan Shepley
PSE PRESIDENT

ADAPT SERIES

EXPERIENCE. PERFORMANCE.



FEVER™

The 2018 PSE Fever™ is the bow that takes youth bowhunting to the next level! Thanks to PSE's advanced split limb and cam technologies, this bow shoots at a speedy 304 fps. It's also highly adjustable for growing hunters, going from 11" to 29" in draw length and switching from constant peak weight to grow-with-you adjustments, all without the need for a bow press!



304 FPS

Fever™ Specifications

- Brace Height:..... 6-3/8"
- Axle-to-Axle:..... 32"
- ATA/IBO Speed:..... 304-296 fps @29"
- Letoff:..... 70%
- Mass Weight:..... 3.4 lbs.
- Draw Length Range:..... 11 - 29"
- Draw Weights (lbs.):..... 29, 40, 50, 60
- Max. Limb Bolt Turns From Bottom:..... 13 Turns
- Shipped In:..... 25
- Cam..... VS



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
FEVER™	1405VS	CY, BK, LG, WT	11 TO 29"	29, 40, 50, 60#
READY TO SHOOT (SHOWN)	1415VS	CY, BK	11 TO 29"	29, 40, 50, 60#

READY TO SHOOT INCLUDES: GEMINI SIGHT, WHISKER BISCUIT REST, FX4 STABILIZER, HUNTER QUIVER, PEEP WHEEL AND NOCK SET



2018 **new**



MINI BURNER™

Shooting your first compound bow is a moment that no kid can forget, so make the most of it with the all-new 2018 PSE Mini-Burner™. With a highly adjustable draw length range of 16" to 26-1/2" and an accessory package including a 3-pin sight, arrow rest, arrow quiver, stabilizer, and three carbon arrows, the PSE Mini-Burner™ is the perfect first bow for the young shooter.



Mini Burner™ Specifications

- Brace Height:.....6-5/8"
- Axle-to-Axle:.....26"
- Letoff:.....65%
- Mass Weight:.....2.7 lbs.
- Draw Length Range:.....16" TO 26-1/2"
- Draw Weights (lbs.):.....29, 40
- Max. Limb Bolt Turns From Bottom:.....10 Turns
- Shipped In:.....25"



MODEL	PART #	FINISH/COLOR	DRAW LENGTH	PEAK WEIGHT
MINI BURNER PACKAGE	1818	CY, LG, BK	16 TO 26-1/2"	29, 40#

PACKAGE INCLUDES: 3 PIN SIGHT, ARROW REST, 5-ARROW QUIVER, 6" STABILIZER, 3-CARBON ARROWS



2018 **new**



PSE AMP MICRO PRO ACCESSORY PACKAGE

- 5" Black/Red Spire™ Stabilizer
- Amp™ Micro Pro Sight
- Phantom Drop-Away Rest
- PSE Neoprene Sling
- Nock Loop - 5"
- Aluminum Red Peep Sight

DESCRIPTION	PART #
PRO ACCESSORY PACKAGE	01299PRO



PSE AMP ACCESSORY PACKAGE

- 5" Black/Red Spire™ Stabilizer
- Amp™ 2G Sight
- QS Whisker Biscuit™
- PSE Neoprene Sling
- Nock Loop - 5"
- Mongoose™ Peep and Tubing

DESCRIPTION	PART #
AMP ACCESSORY PACKAGE	01299GD



PSE AMP™ 2G SIGHT

- Satin black finish
- Five .019" full capture pins
- 2" diameter housing for an enlarged field of view
- Bubble level for precision shooting
- True Blue sight light included
- Fixed plate mount extends 3-1/4" to 4"
- Right or left hand

DESCRIPTION	PART #
AMP 2G SIGHT	42217BK



PSE AMP™ MICRO SIGHT

- Satin black finish
- Micro adjust windage & elevation
- Five .019" full capture pins
- 2" diameter housing for an enlarged field of view
- Bubble level for precision shooting
- True Blue sight light included
- Fixed plate mount extends from 4" to 4 3/4"
- Right or left hand


DESCRIPTION	PART #
AMP MICRO SIGHT	42218BK



PSE X-FORCE SLIDER™ SIGHT

- Satin black finish
- One .019" full capture pin
- 1-3/4" diameter housing for an enlarged field of view
- All parts are CNC machined and hand fit to exact tolerances
- Bubble level for precision shooting
- Purple haze adjustable rheostat light included
- Fixed plate mount extends from 4 1/2" to 5 1/2"
- Accepts optional lens kit for 2X, 3X, 4X, or 6X
- Right or left hand

DESCRIPTION	PART #	OPTION
SLIDER SIGHT	01241BK	BLACK



PSE AMP™ SIGHT

- Satin black finish for black sights
- Five .019" full capture pins
- 2" diameter housing for an enlarged field of view
- Bubble level for precision shooting
- Blue flame light included
- Fixed plate mount extends from 3 1/4" to 4"
- Mossy Oak® Infinity® camo (IF)*



DESCRIPTION	PART #	OPTION
AMP SIGHT	01240IF	INFINITY CAMO*

*While supplies last



PSE AURORA™ SIGHT

- Five .029" fiber optic sight pins
- Includes sight light
- Phosphorescent glo ring
- Sight level

DESCRIPTION	PART #
AURORA SIGHT	42119BK

*While supplies last



PSE GEMINI™ SIGHT

- Four .029 fiber optic sight pins
- Injection molded true radius pin guard
- Angled pin track for true pin alignment
- Phosphorescent glo ring
- Sight level

DESCRIPTION	PART #
GEMINI SIGHT	41586



PSE X-FORCE HUNTER™ SIGHT

- Black Maxx™ soft feel coat finish for vibration damping (Black only)
- 1-3/4" light weight wire frame housing
- Five .019" lightning fire fiber optic stainless steel tube pins
- Bubble level for precision shooting
- Fixed plate mount extends from 2 1/2" to 3 3/4"
- Purple Haze™ adjustable rheostat sight light included
- Right or left hand

DESCRIPTION	PART #	OPTION
XF HUNTER	01239BK	BLACK
XF HUNTER	01239SW	SKULLWORKS

While supplies last



▲ PSE LENS AND LENS RETAINER PACKAGE

- Polycarbonate lens with retainer ring
- Compatible with the Legend™, XF Slider™ and Drive Max™

DESC	PART #
2X LENS	42124X2
3X LENS	42124X3

While supplies last



▲ PSE REPLACEMENT SIGHT PIN

- .019 adjustable pin
- For the Amp Micro and Amp 2G sight

DESC	PART #
GREEN	42212GN
RED	42212RD



▲ PSE REPLACEMENT SIGHT PINS

- .019 adjustable pin
- For Legend™ & Drive Max™

DESC	PART #
GREEN	42135GN
RED	42135RD



▲ PSE REPLACEMENT SIGHT PIN

- .019 adjustable pin
- For the PSE Amp™ sight

DESC	PART #
GREEN	42136GN



▲ PSE REPLACEMENT SIGHT PINS

- 3/16" base- for F Series, Gemini™, Aries™, Aurora™ and Orion™ sights

DESC	PART #
.019 RED	41225
.019 YELLOW	41226
.019 GREEN	41227
.029 RED	41228
.029 YELLOW	41229
.029 GREEN	41230

While supplies last



PSE REPLACEMENT SIGHT PIN

- .019 adjustable pin
- Fits F-Series, Gemini, Aries, Aurora, Orion & Pete Shepley Signature Series sights

DESC	PART #
RED	41673RD
GREEN*	41673GN
YELLOW*	41673YL

*While supplies last



▲ PSE SIGHT LEVEL

- Fits any sight with a 3/16" pin track

DESC	PART #
LEVEL	41269

*While supplies last



▲ PSE THIRD AXIS LEVEL

- Fits PSE Orion™, Slider™, Pete Shepley Signature, Eclipse™ and Aries™ sights

DESC	PART #
3RD LEVEL	41573

*While supplies last



◀ PSE REPLACEMENT SIGHT PIN

- .019 adjustable pin
- For the Hunter™ sight

DESC	PART #
GREEN	42113GN
ORANGE	42113OR



◀ PSE TRUE BLUE LIGHT

- UV light for Gemini and Aurora sights

DESC	PART #
TRU BLU	42175



◀ PSE RHEOSTAT BLUE LIGHT

- Fully adjustable through the entire range of light brightness
- UV light for better pin visibility
- Compatible with XF Hunter™, XF Slider™, Strider, XF Legend™, XF Drive Max™, and Amp™ Sights

DESC	PART #
RHEO BLUE	42115BL

While supplies last



◀ PSE INDIGLO™ UV LIGHT

- UV bulb for better pin visibility
- Compatible with Galaxy, Slider, Orion, Compact, and Pete Shepley Long Range Sight

DESC	PART #
INDIGLO	41572



ULTRA™ HDX REST

- Total Arrow Containment
- Convenient Thumbwheel
- Noise-reducing design
- Breakaway safety feature
- Precision CNC aluminum, stainless steel, & Delrin™ components
- Right or Left hand

DESCRIPTION	PART #
QAD ULTRA HDX-BLACK, RIGHT	41938RBK
QAD ULTRA HDX-BLACK, LEFT	41938LBK
QAD ULTRA HDX-RED, RIGHT	41938RRD
QAD ULTRA HDX-RED, LEFT	41938LRD
QAD ULTRA HDX-CAMO, RIGHT	41938RCA
QAD ULTRA HDX-CAMO, LEFT	41939LCA



▲ QAD™ REPLACEMENT FELT KIT

The QAD Ultra-Rest HDX replacement felt will go on the launcher fork and capture bar of your HDX rest to keep your draw completely silent.

DESCRIPTION	PART #
REPL. FELT BLACK	41939BK
REPL. FELT CAMO	41939CA



▲ QAD™ REST CABLE CLAMP KIT

The QAD Ultra-Rest Replacement Cable Clamp Kit will help you set the timing on your QAD Ultra-Rest. The kit includes a clamp as well as a piece of timing cord 12 inches long so you can make sure your Ultra-Rest is timed perfectly everytime you shoot.

DESCRIPTION	PART #
QAD CLAMP KIT	41940



PSE PROWLER™ DROP-AWAY REST

- Simple, dependable drop-away rest
- Provides complete arrow clearance
- Oversized adjustment screws

DESCRIPTION	PART #
PROWLER LEFT HAND	41544L

*While supplies last



PSE PHANTOM™ DROP-AWAY REST

- Full capture platform
- Falls away for complete arrow clearance
- Oversized adjustment screws

DESCRIPTION	PART #
PHANTOM RIGHT	41537R
PHANTOM LEFT	41537L
DROP AWAY ARROW HOLDER-6 PK	01110



PSE HORNET™ REST

- Converts easily from right to left hand
- Dovetail windage block makes minor adjustments quick and simple

DESCRIPTION	PART #
HORNET REST	41546



PSE RAPID™ DROP-AWAY REST

- Economical and fast to set up
- Falls out of the way for complete arrow clearance

DESCRIPTION	PART #
RAPID-RIGHT	41909R
RAPID-LEFT	41909L



◀ PSE HUNTER™ LT QUIVER QUIVER

- Lightweight and compact
- Quick-detach quiver bracket
- Includes tree hanger
- Holds 5 arrows

DESCRIPTION	PART #	OPTION
HUNTER LT QUIVER	42226BK	BLACK
HUNTER LT QUIVER	42226MG	MUDDY GIRL



◀ PSE TREKKER™ 2-PC QUIVER

- Lightweight design
- Works with almost any size arrow
- Holds 6 arrows

DESCRIPTION	PART #	OPTION
TREKKER 2-PC QUIVER	42225BK	BLACK
TREKKER 2-PC QUIVER	42225CY	COUNTRY




◀ PSE FLEX 5™

- Lightweight, durable, and compact
- Quick-detach quiver bracket
- Features dual grippers on a flexible composite frame
- Frame can be moved in multiple locations to adjust bow weight distribution

DESCRIPTION	PART #	OPTION
FLEX 5, 5 ARROW	41855IF	BREAKUP INFINITY
FLEX 5, 5 ARROW	41855SW	SKULLWORKS
FLEX 5, 5 ARROW	41855CY	COUNTRY

While supplies last



◀ PSE RAVEN™ QUIVER

- Hold 5 arrows
- Lightweight, compact design
- Includes a tree hanger
- Quick-detach quiver bracket
- Carbon rod frame with dual grippers
- The frame can be moved to multiple locations to optimize weight distribution


DESCRIPTION	PART #	OPTION
RAVEN ONE-PIECE QUIVER	42142CY	COUNTRY
RAVEN ONE-PIECE QUIVER	42142BK	BLACK
RAVEN ONE-PIECE QUIVER	42142S2	SKULLWORKS 2
RAVEN ONE-PIECE QUIVER	42142MG	MUDDY GIRL
RAVEN REPL. HOOD FOAM	42174	-



▲ PSE ECLIPSE™ REPLACEMENT FOAM

- Fits Eclipse™ quivers
- Integrated magnet strip

DESCRIPTION	PART #
ECLIPSE FOAM	3390E



▲ PSE REPLACEMENT QUIVER HOOD FOAM

DESCRIPTION	PART #
A) REPLACEMENT FOAM, 4 ARROW (PRIOR TO 2014)	3390S
B) REPLACEMENT FOAM, 8 ARROW (PRIOR TO 2014)	3390L
C) REPLACEMENT FOAM, MONGOOSE (PRIOR TO 2014)	3390M

◀ PSE X QUIVER™

- Machined aluminum frame with a built-in tree hanger
- Thumb tab arrow gripper makes removing arrows a snap
- No moving parts on the quick detach mounting system
- Works equally well with mechanical and fixed blade broadheads

DESCRIPTION	PART #	OPTION
X QUIVER, 5 ARROW	41669S2	SKULLWORKS 2
X QUIVER, 5 ARROW	41669	BU INFINITY*
X QUIVER, 5 ARROW	41669CY	COUNTRY
X QUIVER, 5 ARROW	41669SW	SKULLWORKS*
X QUIVER REPL. HOOD FOAM	01195	-

*While supplies last



◀ PSE COVERT-X™ QUIVER

- Quiver hood provides up to six adjustable positions for multiple arrow lengths
- Holds six arrows of any size
- Extended arrow clip positions the arrow nocks above the lower cam for protection


DESCRIPTION	PART #	OPTION
COVERT-X QUIVER	01224IF	BU INFINITY
COVERT-X QUIVER	01224BK	BLACK
COVERT-X QUIVER REPL. HOOD FOAM	41920	-

*While supplies last



◀ PSE MONGOOSE™ 1/4" PEEP SIGHT

- Dozen card
- 100 pack



DESCRIPTION	PART #
MONGOOSE 1/4" PEEP CARD	2822DZ
MONGOOSE 1/4" PEEP 100 PK	2822C



◀ PSE MONGOOSE™ 1/8" PEEP SIGHT

- Includes tubing and peep aligner

DESCRIPTION	PART #
MONGOOSE 1/8" PEEP (EACH)	2820
MONGOOSE 1/8" PEEP (DOZEN)	2820DZ
MONGOOSE 1/8" PEEP (100 PK)	2820C



◀ PSE PETE SHEPLEY PEEP

- Includes tubing and peep aligner
- Replacement tubing - 4 ft.

DESCRIPTION	PART #
PETE SHEPLEY PEEP	2829
PETE SHEPLEY REPLACEMENT TUBING	2817



▲ PSE / TREELIMB™ X QUIVER RISER MOUNT

Designed to mount directly into the upper "through hole" in the riser. Allows Treelimb quivers to be mounted higher on the bow and eliminates clearance issues with a sight.

DESCRIPTION	PART #
EXTENDED QUIVER MOUNT	41903



◀ PSE WHEEL PEEP

- Dozen (12) card

DESCRIPTION	PART #
PEEP WHEEL	2823DZ



▲ PSE QUICKLOCK QUIVER BRACKET

- Fits Hunter LT, Fang and Raven quivers

DESCRIPTION	PART #
QUICKLOCK BKT	42186



▲ QUICK-DETACH BRACKET

- Will fit previous and current model PSE quivers (Not for eclipse)

DESCRIPTION	PART #
QD BRACKET	3395



◀ PSE X QUIVER MOUNT

- Fits X-Quiver™ and Dual X-Quiver™ quivers

DESCRIPTION	PART #
X-QUIVER MOUNT	01177

13TH ELEMENT ALUMINUM PEEP

- Precision CNC machined aluminum



DESCRIPTION	PART #
ELEMENT PEEP BLACK, 1/4"	42161BK
ELEMENT PEEP RED, 1/4"	42161RD
ELEMENT PEEP PURPLE, 1/4"	42161PR
ELEMENT PEEP BLUE, 1/4"	42161BL
ELEMENT PEEP GREEN, 1/4"	42161GN
ELEMENT PEEP BLACK, 1/8"	42159BK
ELEMENT PEEP RED, 1/8"	42159RD
ELEMENT PEEP PURPLE, 1/8"	42159PR
ELEMENT PEEP BLUE, 1/8"	42159BL
ELEMENT PEEP GREEN, 1/8"	42159GN
ELEMENT PEEP BLACK, 3/16"	42160BK
ELEMENT PEEP RED, 3/16"	42160RD
ELEMENT PEEP PURPLE, 3/16"	42160PR
ELEMENT PEEP BLUE, 3-16"	42160BL
ELEMENT PEEP GREEN, 3-16"	42160GN



◀ PSE B.E.S.T.™ ADJUSTABLE GRIP

- Fits all X-Force riser bows with the B.E.S.T.™ Grip (prior to 2010 models)
- Designed to help eliminate hand torque
- Works on either right or left hand bows
- Easy to install and use

DESCRIPTION	PART #
BEST GRIP	01137



◀ VIBRACHECK™ RUBBER GRIP

- AMBIdextrous GRIP

DESCRIPTION	PART #
RUBBER GRIP	01094



- ▲ **PSE NOCKING LOOP**
- 9 pack card of string loops
 - White or red

DESCRIPTION	PART #
WHITE, 4-1/4", 9 PACK	2697
RED, 4-1/4", 9 PACK	2697RD

2018 **new**



PSE HIGH LET-OFF INNERCAM FOR SE CAM

- For PSE SE cam bows to achieve 80-90% Let Off
- Uses the same draw stop
- Ambidextrous

DESCRIPTION	PART #
HIGH LET-OFF INNERCAM, SE	01325SEHL



PSE LOW LET OFF INNERCAM FOR EC CAM

- For PSE EC cam bows to achieve 63-75% Let Off
- Uses the same draw stop
- Ambidextrous

DESCRIPTION	PART #
LOW LET-OFF INNERCAM, EC	01311HL



PSE FAST, LOW LET OFF INNERCAM FOR EF CAM

- For PSE SE cam bows to achieve 65-75% Fast Let Off
- Uses the same draw stop
- Ambidextrous

DESCRIPTION	PART #
LOW, FAST LET-OFF INNERCAM, EC	01327EFL



- ▲ **PSE FLEX SLIDE**
- Only fits 2013-2015 PSE bows that use this feature

DESCRIPTION	PART #
FLEX SLIDE- RED	01204RD
FLEX SLIDE- GREEN	01204GN
FLEX SLIDE- BLUE	01204BL
FLEX SLIDE- PINK	01204PK
FLEX SLIDE- PURPLE	01204PR
FLEX SLIDE- ORANGE	01204OR
FLEX SLIDE- YELLOW	01204YL

WHILE SUPPLIES LAST



◀ **HARD STOPS**

- Designed to provide the feel of a "harder wall" at full draw, without compromising the performance or let-off

DESCRIPTION	PART #
HARD STOPS	01218



◀ **PSE LONG VALLEY HARD STOPS**

- Designed for PSE performance Hybrid Cams
- Will increase the draw length of the bow approximately 1/8 "
- Includes one short and one long stop

DESCRIPTION	PART #
1-HARD STOP-SHORT 1-HARD STOP-LONG	01265

2018 **new**



▲ **PSE FRS CABLE GUARD SYSTEM**

- Replacement option for the 2017 TRS Cable Guard System
- Can be used on any bow using the Flex Slide System

DESCRIPTION	PART #
(A) FRS CABLE GUARD, 6"	01322
(B) FRS CABLE GUARD, 6-1/8" TO 6-1/2"	01323
(C) FRS CABLE GUARD, 6-5/8" TO 7"	01324



▲ **PSE FLEX SLIDE 2**

- Fits any bow that uses a Flex Slide

DESCRIPTION	PART #
FLEXSLIDE 2, 5.2 INCH	0128452
FLEXSLIDE 2, 5.5 INCH	0128455
FLEXSLIDE 2, 6.5 INCH	0128465
FLEXSLIDE 2, 6 INCH	0128460
FLEXSLIDE 2, 7 INCH	0128470
FLEXSLIDE 2, 7.5 INCH	0128475

WHILE SUPPLIES LAST



2018 CARBON FORCE ARROWS

2018 new



CARBON FORCE

TRUWEAVE TECHNOLOGY™

The new Carbon Force TruWeave™ arrows are made using a computerized process that wraps layers of high modulus carbon fibers at precise angles to form the arrow shaft. The end result is a woven arrow and shaft that is 30% stronger and consistently straighter than conventional carbon arrows.



2018 CARBON FORCE PACKAGING

All Carbon Force packaging has been redesigned for 2018.



ARROWS
& ACCESSORIES

EXPERIENCE. PERFORMANCE.



2018 CARBON FORCE ARROWS

HD HUNTER™

Carbon Force's new HD Hunter™ shafts are made of high modulus carbon fiber with our new TruWeave™ technology to create a tough, accurate, and affordable arrow. Each packaged set is sorted and matched by weight and spine for reliability.



TRUWEAVE™ HD HUNTER SHAFTS & ARROWS

- Straightness: $\pm .006$
- Length: 31.5"
- ID: .2437"
- Spines: .300, .359, .424, & .520
- Weight Tolerance: ± 2 grains
- Arrows Fletched With 2" Blazer Vanes
- Nocks And Inserts Included

GRAINS PER INCH	SPINE
6.6	0.520
7.5	0.424
8.6	0.359
9.3	0.300

DESCRIPTION	SPINE	PART #
SHAFT,HNTR520HD,TWH,DZ	520	1990TWH500
SHAFT,HNTR424HD,TWH,DZ	424	1990TWH5400
SHAFT,HNTR359HD,TWH,DZ	359	1990TWH5350
SHAFT,HNTR300HD,TWH,DZ	300	1990TWH300
ARROW,HNTR520HD,TWH,DZ,BLZ	520	1990TWH500B
ARROW,HNTR424HD,TWH,DZ,BLZ	424	1990TWH400B
ARROW,HNTR359HD,TWH,DZ,BLZ	359	1990TWH350B
ARROW,HNTR300HD,TWH,DZ,BLZ	300	1990TWH300B
ARROW,HNTR520HD,TWH,1/2GR,BLZ	520	1980TWH500B
ARROW,HNTR424HD,TWH,1/2GR,BLZ	424	1980TWH400B
ARROW,HNTR359HD,TWH,1/2GR,BLZ	359	1980TWH350B
ARROW,HNTR300HD,TWH,1/2GR,BLZ	300	1980TWH300B



CARBON FORCE FLUORESCENT NOCKS

- 13 Grains
- Fits All Carbon Force TruWeave Shafts

DESCRIPTION	PART #
NOCK,CARBON,FORCE,100PK,GREEN	1403CGN
NOCK,CARBON,FORCE,100PK,ORNGE	1403COR
NOCK,CARBON,FORCE,100PK,RED	1403CRD
NOCK,CARBON,FORCE,100PK,WHITE	1403CWH
NOCK,CARBON,FORCE,DZ,PK,GREEN	1403DGN
NOCK,CARBON,FORCE,DZ,PK,ORNGE	1403DOR
NOCK,CARBON,FORCE,DZ,PK,RED	1403DRD
NOCK,CARBON,FORCE,DZ,PK,WHITE	1403DWH



CARBON FORCE ARROW INSERTS

- 11 grain knurled inserts. Fit: HD Hunter and HD Hunter Select

DESCRIPTION	PART #
DOZ. ARROW INSERTS,11 GRAIN	1401
100 PK ARROW INSERTS,11 GRAIN	1404
1000 PK ARROW INSERTS,11 GRAIN	1405



CARBON FORCE TRUWEAVE INSERTS

- 12 grain anodized aluminum inserts. Fit: HD Hunter and HD Hunter Select

DESCRIPTION	PART #
DOZ. ARROW INSERTS, 12 GRAIN	01211
100 PK ARROW INSERTS, 12 GRAIN	01212

Compound Bow		ARROW LENGTH						
IBO Speed		25"	26"	27"	28"	29"	30"	31"
275-300	301-*							
Adjusted Draw Weight								
29-35#		520	520	520	520	520	520	434
35-40#	29-35#	520	520	520	520	520	424	424
40-45#	35-40#	520	520	520	520	424	424	424
45-50#	40-45#	520	520	520	424	424	424	359
50-55#	45-50#	520	520	424	424	424	359	300
55-60#	50-55#	520	424	424	424	359	359	300
60-65#	55-60#	424	424	424	359	300	300	300
65-70#	60-65#	424	424	359	359	300	300	300
70-76#	65-70#	424	359	359	300	300	300	300
76-82#	70-76#	359	359	300	300	300	300	300

**FOR HUNTER HD, HUNTER HD SELECT



ARROWS & ACCESSORIES

EXPERIENCE. PERFORMANCE.



2018 CARBON FORCE ARROWS

HD HUNTER™ *Select*

The HD Hunter™ Select is Carbon Force's upgraded HD Hunter™ shaft. The Select represents an even more reliable, accurate shaft thanks to precise sorting and matching, resulting in a straightness of +_0.001. If you want the best accuracy from our toughest standard diameter arrow, then the HD Hunter™ Selects are for you.



TRUWEAVE™ HD HUNTER SELECT SHAFTS & ARROWS

- Straightness: +_0.001
- Length: 31.5"
- ID: .2437"
- Spines: .300, .359, .424, & .520
- Weight Tolerance: +_ 2 grains
- Arrows Fletched With 2" Blazer Vanes
- Nocks And Inserts Included

GRAINS PER INCH	SPINE
6.6	0.520
7.5	0.424
8.6	0.359
9.3	0.300

DESCRIPTION	SPINE	PART #
SHAFT,HNTRSEL520HD,TWHS,DZ	520	1990TWHS500
SHAFT,HNTRSEL424HD,TWHS,DZ	424	1990TWHS400
SHAFT,HNTRSEL359HD,TWHS,DZ	359	1990TWHS350
SHAFT,HNTRSEL300HD,TWHS,DZ	300	1990TWHS300
ARROW,HNTRSEL524HD,TWHS,DZ,BLZ	520	1990TWHS500B
ARROW,HNTRSEL424HD,TWHS,DZ,BLZ	424	1990TWHS400B
ARROW,HNTRSEL359HD,TWHS,DZ,BLZ	359	1990TWHS350B
ARROW,HNTRSEL300HD,TWHS,DZ,BLZ	300	1990TWHS300B

CARBON FORCE FLUORESCENT NOCKS

- 13 Grains
- Fits All Carbon Force TruWeave Shafts



DESCRIPTION	PART #
NOCK,CARBON,FORCE,100PK,GREEN	1403CGN
NOCK,CARBON,FORCE,100PK,ORNGE	1403COR
NOCK,CARBON,FORCE,100PK,RED	1403CRD
NOCK,CARBON,FORCE,100PK,WHITE	1403CWH
NOCK,CARBON,FORCE,DZ,PK,GREEN	1403DGN
NOCK,CARBON,FORCE,DZ,PK,ORNGE	1403DOR
NOCK,CARBON,FORCE,DZ,PK,RED	1403DRD
NOCK,CARBON,FORCE,DZ,PK,WHITE	1403DWH

CARBON FORCE ARROW INSERTS

- 11 grain knurled inserts. Fit: HD Hunter and HD Hunter Select



DESCRIPTION	PART #
DOZ. ARROW INSERTS,11 GRAIN	1401
100 PK ARROW INSERTS,11 GRAIN	1404
1000 PK ARROW INSERTS,11 GRAIN	1405

CARBON FORCE TRUWEAVE INSERTS

- 12 grain anodized aluminum inserts. Fit: HD Hunter and HD Hunter Select



DESCRIPTION	PART #
DOZ. ARROW INSERTS, 12 GRAIN	01211
100 PK ARROW INSERTS, 12 GRAIN	01212

Compound Bow		ARROW LENGTH						
IBO Speed		25"	26"	27"	28"	29"	30"	31"
275-300	301-+							
Adjusted Draw Weight								
29-35#		520	520	520	520	520	520	424
35-40#	29-35#	520	520	520	520	520	424	424
40-45#	35-40#	520	520	520	520	424	424	424
45-50#	40-45#	520	520	520	424	424	424	359
50-55#	45-50#	520	520	424	424	424	359	359
55-60#	50-55#	520	424	424	424	359	359	359
60-65#	55-60#	424	424	424	359	359	300	300
65-70#	60-65#	424	424	359	359	359	300	300
70-76#	65-70#	424	359	359	359	300	300	300
76-82#	70-76#	359	359	300	300	300	300	300

**FOR HUNTER HD, HUNTER HD SELECT



ARROWS & ACCESSORIES

EXPERIENCE. PERFORMANCE.



2018 CARBON FORCE ARROWS

VANDAL™

Carbon Force's all new entry level hunting arrow is extremely accurate for a standard diameter hunting shaft. The improved, press-fit nocks ensure full string capture with a snug fit and are completely indexable. These arrows are designed to offer exceptional strength, durability, and performance.

VANDAL™ ARROWS

- Straightness: $\pm .006$
- Length: 31.5"
- ID: .245"
- Spines: .300, .340, .400 & .500
- Weight Tolerance: ± 2 grains
- Arrows Fletched With 2" Blazer Vanes
- Nocks And Inserts Included

GRAINS PER INCH	SPINE
6.88	0.500
7.64	0.400
8.02	0.340
8.68	0.300

DESCRIPTION	SPINE	PART #
ARROW,VANDAL500,1/2DZ,BLZ	500	1960VAN500B
ARROW,VANDAL400,1/2DZ,BLZ	400	1960VAN400B
ARROW,VANDAL340,1/2DZ,BLZ	340	1960VAN340B
ARROW,VANDAL300,1/2DZ,BLZ	300	1960VAN300B
ARROW,VANDAL500,DZ,BLZ	500	1990VAN500B
ARROW,VANDAL400,DZ,BLZ	400	1990VAN400B
ARROW,VANDAL340,DZ,BLZ	340	1990VAN340B
ARROW,VANDAL300,DZ,BLZ	300	1990VAN300B
ARROW,VANDAL500,1/2GR,BLZ	500	1980VAN500B
ARROW,VANDAL400,1/2GR,BLZ	400	1980VAN400B
ARROW,VANDAL340,1/2GR,BLZ	340	1980VAN340B
ARROW,VANDAL300,1/2GR,BLZ	300	1980VAN300B
INSERT,CF,HDHNTN,VAN,DZ,PK	-	42316DZ
NOCK,CF,VANDAL,DZ,PK,RED	-	42394

Compound Bow		ARROW LENGTH						
IBO Speed		25"	26"	27"	28"	29"	30"	31"
275-300	301-+	520	520	520	520	520	520	424
Adjusted Draw Weight								
29-35#	29-35#	520	520	520	520	520	424	424
40-45#	35-40#	520	520	520	520	424	424	424
45-50#	40-45#	520	520	520	424	424	424	359
50-55#	45-50#	520	520	424	424	424	359	359
55-60#	50-55#	520	424	424	424	359	359	359
60-65#	55-60#	424	424	424	359	359	359	300
65-70#	60-65#	424	424	359	359	359	300	300
70-76#	65-70#	424	359	359	359	300	300	300
76-82#	70-76#	359	359	300	300	300	300	300

** VANDAL SHAFTS/ARROWS



**ARROWS
& ACCESSORIES**

EXPERIENCE. PERFORMANCE.



2018 CARBON FORCE ARROWS

TIMBER™

Carbon Force's traditional hunting arrows are here in carbon fiber with a simulated wood grain pattern for a classical look. The Timber delivers the durability, performance, and accuracy of carbon in a thinner diameter arrow for solid penetration.

TIMBER™ ARROWS

- Straightness: $\pm .003$
- Length: 31.5"
- ID: .204"
- Spines: .400, .500 & .600
- Weight Tolerance: ± 2 grains
- Arrows Fletched With 4" Gateway Barred Shield Cut Feathers
- Nocks And Inserts Included

GRAINS PER INCH	SPINE
6.87	0.600
7.87	0.500
8.72	0.400

DESCRIPTION	SPINE	PART #
ARROW,TIMBER,600,DZ,FLTCH	600	1990T600F
ARROW,TIMBER,500,DZ,FLTCH	500	1990T500F
ARROW,TIMBER,400,DZ,FLTCH	400	1990T400F
NOCK,CF,TIMBER,DZ,PK,WHITE		42315WHDZ
INSERT,CF,.204ID,DZ,PK		42319DZ



Traditional Bow		ARROW LENGTH						
Recurve	Longbow	25"	26"	27"	28"	29"	30"	31"
Draw Weight								
25-30#	40-45#	600	600	600	600	600	600	600
30-35#	45-50#	600	600	600	600	600	600	600
35-40#	50-55#	600	600	600	600	600	500	500
40-45#	55-60#	600	600	500	500	500	500	500
45-50#	60-65#	600	500	500	500	500	500	500
50-55#	65-70#	500	500	500	500	500	400	400
55-60#	70-76#	500	500	400	400	400	400	400
60-65#	76-82#	400	400	400	400	400	400	400
65-70#		400	400	400	400	400	400	400



2018 CARBON FORCE ARROWS

RAZORBACK™

Razorback™ carbon arrows are the smart choice for a thin, reliable recreational arrow for traditional bows. These come in a variety of lengths and spines suited for different traditional bow draw weights.

RAZORBACK™ NOCKS AND POINTS

DESCRIPTION	PART #
RAZORBACK NOCKS (DZ)	41945DZ
RAZORBACK GLUE-IN POINTS (DZ)	41952DZ



RAZORBACK™ CARBON ARROWS WITH FEATHERS

- Fletched with 3" turkey feathers
- Straightness $\pm .006$
- .165 Inner Diameter
- 30" arrows in .800 spine work best with a recurve or longbow between 30 and 40 lbs of draw weight
- 30" arrows in .600 spine work best with a recurve or longbow between 40 and 50 lbs of draw weight
- 25" arrows best with a recurve or longbow up to 54" in length and up to 20 lbs of draw weight
- 28" arrows work best with a recurve or longbow up to 30 lbs of draw weight

DESCRIPTION	SPINE	PART #
RAZORBACK ARROWS-30" QTY 6	.1200	1960RZBK3OF800
RAZORBACK ARROWS-30" QTY 6	.1000	1960RZBK3OF600
RAZORBACK ARROWS-25" QTY 6	.1200	1960RZBK25F
RAZORBACK ARROWS-28" QTY 6	.1000	1960RZBK28F
RAZORBACK ARROWS-25" QTY 72	.1200	1980RAZBK2554
RAZORBACK ARROWS-28" QTY 72	.1000	1980RAZBK2862
RAZORBACK ARROWS-30" QTY 72	.600	1980RZBK3OF600
RAZORBACK ARROWS-30" QTY 72	.800	1980RZBK3OF800

GRAINS PER INCH	SPINE	GRAINS PER INCH	SPINE
3.53	.1200	6.02	.800
4.31	.1000	6.96	.600

Draw Weight lbs.	Arrow Length		
	25"	28"	30"
>20	1200	1000	
21-25		1000	
25-30		1000	
30-35			800
35-40			800
40-45			600
45-50			600

ARROWS
& ACCESSORIES

EXPERIENCE. PERFORMANCE.



2018 CARBON FORCE ARROWS

DESPERADO™ YOUTH ARROWS

Desperado™ arrows are the perfect starter carbon arrows for youth archers shooting compound bows. These are an affordable option when looking for durable, lightweight arrows.

DESPERADO™ YOUTH ARROWS

- Straightness: $\pm .006$
- Lengths: 26", 28", & 30"
- ID: .245"
- Spine: .600
- Weight Tolerance: ± 8 grains
- Arrows Fletched With 3" Vanes
- Nocks And Inserts Included

GRAINS PER INCH	SPINE
8.87	0.600

DESCRIPTION	SPINE	PART #
ARROW,DES,28,1/2DZ,FLTCH	.1200	1960DES28F
ARROW,DES,26,DZ,FLTCH	.1000	1990DES26F
ARROW,DES,28,DZ,FLTCH	.1200	1990DES28F
ARROW,DES,30,DZ,FLTCH	.1000	1990DES30F
ARROW,DES,26,1/2GR,FLTCH	.1200	1980DES26F
ARROW,DES,28,1/2GR,FLTCH	.1000	1980DES28F
ARROW,DES,30,1/2GR,FLTCH	.600	1980DES30F
ARROW,DES,26-28-30,1/2GR,FLTCH	.800	1980DESMXF
NOCK,CF,DES,DZ,PK,ORANGE		42314ORDZ
POINT,DES,75GR,GLUE-IN,DZ		42318DZ



EXPLORER™ YOUTH ARROWS

The Explorer™ fiberglass arrows are ideal for youth archers shooting beginner model bows.

PSC EXPLORER YOUTH ARROWS

DESCRIPTION	PART #	BASE	MAP
ARROW, EXPLORER, 26", 3 PACK	1930FG26	5.49	9.99
ARROW, EXPLORER, 28", 3 PACK	1930FG28	5.49	9.99
ARROW, EXPLORER, 26", 72 PACK	1980FG26	114.99	199.99
ARROW, EXPLORER, 28", 72 PACK	1980FG28	114.99	199.99



ARROWS & ACCESSORIES

EXPERIENCE. PERFORMANCE.



2018 ARROW ACCESSORIES



FASTSET™ GEL CEMENT

- Perfect for Duravanes
- Sets in seconds!
- 9 gram tube

DESCRIPTION	PART #
FLETCH TITE	2813



CARBON FORCE™ ADVANCED PERFORMANCE ADHESIVE

- Superior strength insert adhesive
- Bonds in seconds!

DESCRIPTION	PART #
ADHESIVE 3/4 OZ	41166
ADHESIVE 2 OZ	41167



SCREW-IN FIELD POINTS

- Available in three weights to fit Carbon Force™ arrows

DESCRIPTION	PART #
POINTS 85 GR	41047
POINTS 100 GR	41048
POINTS 125 GR	41049



4" GATEWAY FEATHERS

- For Carbon Force Radial X-Weave shafts

DESCRIPTION	PART #
DOZ. 4" FEATHERS, YELLOW	41957YL
DOZ. 4" FEATHERS, RED	41957RD
DOZ. 4" FEATHERS, GREEN	41957GN
DOZ. 4" FEATHERS, WHITE	41957WH



TARGET & ARROW RELEASE FLUID

- Suitable for all arrow types
- Odor-Free and Waterproof

DESCRIPTION	PART #
RELEASE FLUID	41966



AAE™ PRO MAX VANES

- 2.1" long x .590" high x .024 thick
- High Profile design is proven for optimized broadhead flight
- 40 pack

DESCRIPTION	COLOR	PART #
AAE PRO MAX VANES	YELLOW	41890YL
AAE PRO MAX VANES	ORANGE	41890OR
AAE PRO MAX VANES	GREEN	41890GR
AAE PRO MAX VANES	WHITE	41890WH
AAE PRO MAX VANES	RED	41890RD



AAE™ STEALTH VANES

- 40 pack

DESCRIPTION	COLOR	PART #
AAE STEALTH VANES	RED	42146RD
AAE HUNTER VANES	WHITE	42146WH



BOHNING® ARCHERY

BLAZER VANES™

- Extreme durability
- Provides excellent arrow guidance
- Maximum accuracy and silent in flight
- 3 dozen pack
- Sizes: 2"

DESC	COLOR	PART #
BLAZER 2" VANES	RED	41775
BLAZER 2" VANES	FLO GREEN	41483
BLAZER 2" VANES	FLO ORANGE	41484
BLAZER 2" VANES	FLO YELLOW	41482
BLAZER 2" VANES	WHITE	41470



AAE™ PRO MAX HUNTER VANES

- 1.7" x .460" High Profile
- Perfect for 3D Arrows and mechanical broadheads
- 40 pack

DESCRIPTION	COLOR	PART #
AAE HUNTER VANES	GREEN	41897GR
AAE HUNTER VANES	ORANGE	41897OR
AAE HUNTER VANES	YELLOW	41897YL
AAE HUNTER VANES	WHITE	41897WH
AAE HUNTER VANES	PINK	41897PK
AAE HUNTER VANES	RED	41897RD



STABILIZERS



2018 **new**



VIBRACHECK™ FX™ 4 STABILIZER

- Proprietary specially formulated rubber for superior vibration damping
- 6" long, 7 oz.

DESCRIPTION	PART #	COLORS
FX 4 STABILIZER, BK	42298	BLACK



VIBRACHECK™ CARBON VIBE™ STABILIZER

- Carbon construction with built-in damping technology
- 6" long, 4.8 oz.
- Lightweight, compact profile
- Threaded for 5/16" X 24 Add-On Weights

DESCRIPTION	PART #	COLORS
CARBON VIBE STABILIZER	42231	BLACK/RED

VIBRACHECK™ CARBON VIBE™ WEIGHTS

- Three 1 oz. steel weights
- Fits Carbon Vibe Stabilizer
- Thread Size: 5/16" X 24

DESCRIPTION	PART #
CARBON VIBE WEIGHTS	42237



VIBRACHECK™ SPIRE™ STABILIZER

The Spire™ stabilizer features a precision-machined aluminum tube supported by a rubber core that eliminates vibration and noise as the bow is shot. Threaded for 1/4" X 20 Add-On Weights.

DESCRIPTION	PART #	COLORS
SPIRE, BK/BK, 5", 6 OZ	42143	BLACK/BLACK
SPIRE, BK/RD, 5", 6 OZ	42143BK	BLACK/RED
SPIRE, BK/CY, 5", 6 OZ	42143CY	BLACK/COUNTRY
SPIRE, PR/BK, 5", 6 OZ	42143PR	PURPLE/BLACK
SPIRE, MG, 5", 6 OZ	42143MG	MUDDY GIRL
SPIRE, S2, 5", 6 OZ	42143S2*	SKULLWORKS 2/GRAY
SPIRE, BK/RD, 8", 8.6 OZ	42158BK	BLACK/RED
SPIRE, BK/CY, 8", 8.6 OZ	42158CY	BLACK/COUNTRY
SPIRE, PR/BK, 8", 8.6 OZ	42158PR	PURPLE/BLACK
SPIRE, S2, 8", 8.6 OZ	42158S2*	SKULLWORKS 2/GRAY

*WHILE SUPPLIES LAST



VIBRACHECK™ Z-O SHOCK™ STABILIZER

The Z-O Shock's precision-machined aluminum tube design is built around an enhanced and extended rubberized core that begins at the base of the stabilizer. This extended core better absorbs noise energy and stops vibration before it escapes the bow.

DESCRIPTION	PART #	COLORS
Z-O SHOCK STABILIZER, BK, 5", 6.5 OZ	42165BK	BLACK
Z-O SHOCK STABILIZER, CY, 5", 6.5 OZ	42165CY	COUNTRY
Z-O SHOCK STABILIZER, BK, 8", 8.9 OZ	42166BK	BLACK
Z-O SHOCK STABILIZER, CY, 8", 8.9 OZ	42166CY	COUNTRY



2018 **new**



VIBRACHECK™ SPIRE™ 8" STABILIZER WITH WEIGHTS

Machined aluminum with rubberized core. Includes weights.

DESCRIPTION	PART #	COLORS
SPIRE 8" STABILIZER W/WEIGHTS	42158BKW	BLACK



ACCESSORIES



VIBRACHECK™ VITRON™

- Allows you to easily increase or reduce weight by removing the four-lobe knob
- 6-1/2" long, 8 oz.
- Threaded for 1/4" X 20 Add-On Weights

DESCRIPTION	PART #	OPTION
VITRON STABILIZER	01219BK	BLACK
VITRON STABILIZER	01219IF	INFINITY*
VITRON STABILIZER	01219SW	SKULLWORKS*
VITRON STABILIZER	01219CY	COUNTRY

*WHILE SUPPLIES LAST



VIBRACHECK™ BACKSTOP™ 4

- Improved string capture
 - A multitude of adjustments can be achieved
- Please use this chart when ordering Backstop™ 4:

PART #	HANDLE-TO-STRING DISTANCE	APPROX. BRACE HEIGHT
01286BKXNG	6" TO 6-5/8"	7" TO 7-3/4"
01286BKNG	5-1/2" TO 6-1/8"	6-1/2" TO 7-1/4"
01286BKMED	5" TO 5-5/8"	6" TO 6-3/4"
01286BKSHT	4-1/2" TO 5-1/8"	5-1/2" TO 6-1/4"
01286BKXSHT	4-1/4" TO 4-7/8"	5-1/4" TO 6"



GORILLA BAR™

- Machined aluminum

DESCRIPTION	PART #
GORILLA BAR	GBARB

WHILE SUPPLIES LAST



VIBRACHECK™ AIRSLIDE™

Fits 2016/2017 PSE Carbon Air® bows only

DESCRIPTION	PART #
AIRSLIDE- RIGHT	01307R
AIRSLIDE- LEFT	01307L



PRO CARBON STABILIZER SYSTEM

- 2" removable micro-flex tip. Adjustable weight system
- High-quality carbon, Back-weighted with VibaSORB™ Gel (Length excludes removable flexible tip and weights.)
- Threaded for 1/4"X20 Add-On Weights

DESCRIPTION	PART #	OPTION
PRO CARBON STAB	4167015	15" - 8.8 OZ.
PRO CARBON STAB	4167024	24" - 9.9 OZ.
PRO CARBON STAB	4167028	28" - 10.3 OZ.
PRO CARBON STAB	4167030	30" - 10.5 OZ.
PRO CARBON STAB	4167034	34" - 10.9 OZ.

WHILE SUPPLIES LAST



VIBRACHECK™ QUICKSTAND™

- Keeps your bow ready and within reach
- Machined aluminum and high-grade carbon
- Detachable legs screw together for easy quiver storage

DESCRIPTION	PART #
QUICK DISCONNECT	QS1

WHILE SUPPLIES LAST



Fits on standard cable guides

Fits on PSE Flex Slides



VIBRACHECK™ ROLLERGLIDE™

- Fits all bows with a cable guard.
- Right or left hand

DESCRIPTION	PART #
ROLLERGLIDE	01308



COLORED RUBBER SETS



COLOR RUBBER SET 1


*WHILE SUPPLIES LAST

- Two limb dampers
- Two String Chubs
- Two grip inserts
- One cable slide
- One cable slide damper
- One nock loop



PSE BLACK SET 1

PART #
01215BK



PSE BLUE SET 1

PART #
01215BL



PSE GREEN SET 1

PART #
01215GN



PSE RED SET 1

PART #
01215RD



PSE PINK SET 1

PART #
01215PK




PSE ORANGE SET 1

PART #
01215OR



PSE YELLOW SET 1

PART #
01215YL



PSE PURPLE SET 1

PART #
01215PR

COLOR RUBBER SET 2

- Two Shock Modz™ limb dampers
- Two grip inserts
- Cable slide

- One Backstop™ 4 bumper (only for 2016 and newer models)



PSE BLACK SET 2

PART #
01290BK



PSE BLUE SET 2

PART #
01290BL



PSE GREEN SET 2

PART #
01290GN



PSE RED SET 2

PART #
01290RD



PSE ORANGE SET 2

PART #
01290OR



PSE PINK SET 2

PART #
01290PK



PSE PURPLE SET 2

PART #
01290PR

SHOCK MODS™ LIMB DAMPERS



PART #
01291BK



PART #
01291RD



PART #
01291GN



PART #
01291BL



PART #
01291PK



PART #
01291OR



PART #
01291PR



COLORED ACCESSORIES



GEN-X LIMB DAMPERS



PART #
01318BK



PART #
01318RD



PART #
01318GN

2018 new

LIMB DAMPERS *WHILE SUPPLIES LAST



PART #
01203RD



PART #
01203BL



PART #
01203OR



PART #
01203YL



PART #
01203PR



PART #
01203GN



PART #
01203PK

RISER DUMBBELLS

- 6 pack
- Fits 2017 PSE bows with this feature



PART #
01306BK



PART #
01306RD



PART #
01306GN



PART #
01306BL



PART #
01306PK



PART #
01306OR



PART #
01306PR

GRIP INSERTS *WHILE SUPPLIES LAST



PART #
01189BK



PART #
01189RD



PART #
01189GN



PART #
01189BL



PART #
01189PK



PART #
01189OR



PART #
01189YL



PART #
01189PR

STRING CHUBS



PART #
01067



PART #
01067RD



PART #
01067GN



PART #
01067BL



PART #
01067PK



PART #
01067OR



PART #
01067YL



PART #
01067PR



COLORED ACCESSORIES

CABLE SLIDES



PART #
01163BK



PART #
01163



PART #
01163GN



PART #
01163BL



PART #
01163PK



PART #
01163OR



PART #
01163YL



PART #
01163PR

BACKSTOP™ BUMPERS

*Limited Quantities



PART #
01118GN



PART #
01118BL



PART #
01118PK



PART #
01118OR



PART #
01118YL



PART #
01118PR

BACKSTOP™ 4 BUMPERS

Only for 2016 Backstop 4 and newer



PART #
01289BK



PART #
01289RD



PART #
01289GN



PART #
01289BL



PART #
01289PK



PART #
01289OR



PART #
01289PR

FLEX GUARDS

*WHILE SUPPLIES LAST



PART #
01204RD



PART #
01204GN



PART #
01204BL



PART #
01204PK



PART #
01204OR



PART #
01204YL



PART #
01204PR

CABLE DAMPERS



PART #
01097



PART #
01097RD



PART #
01097GN



PART #
01097BL



PART #
01097PK



PART #
01097OR



PART #
01097YL



PART #
01097PR



PSE NEOPRENE SLING

- Comfortable neoprene sling with PSE logo

DESCRIPTION	PART #
NEOPRENE SLING	41646



PSE FLEX FOAM™ SLING

- Camo soft touch sling

DESCRIPTION	PART #
FLEX FOAM SLING	41249CA



PSE MICRO TAB

- Designed for the smaller shooter
- Perfect for right or left handed archers

DESCRIPTION	PART #
MICRO TAB	41435



PSE NO PINCH TAB

- Three layers: calf hair top, rubber moisture barrier, and suede for comfort
- Right or left hand

DESCRIPTION	PART #
SMALL, LEFT	4110SL
SMALL, RIGHT	4110SR
MEDIUM, LEFT	4110ML
MEDIUM, RIGHT	4110MR
LARGE, LEFT	4110LL
LARGE, RIGHT	4110LR
X-LARGE, LEFT	4110XLL
X-LARGE, RIGHT	4110XLR



PSE DEERSKIN GLOVE

- The ultimate in comfort
- Finest quality genuine deerskin
- Double layered fingertips

DESCRIPTION	PART #
SMALL	4270S
MEDIUM	4270M
LARGE	4270L
X-LARGE	4270XL



PSE TRADITIONAL LEATHER GLOVE

- Tobacco suede with elastic inserts
- Leather fingertips
- Brown leather

DESCRIPTION	PART #
SMALL	4220TOS
MEDIUM	4220TOM
LARGE	4220TOL
X-LARGE	4220TOXL



PSE 7" TUBE ARMGUARD

- 7" one-piece tube armguard
- Quickly and easily slips on and off

DESCRIPTION	PART #
TUBE SMALL/MED	41395
TUBE LARGE/XLARGE	41396



COMPRESSION LYCRA® ARMBAND

- Tucks sleeve away from bow string
- Lycra® is a synthetic fiber known for its exceptional elasticity

DESCRIPTION	PART #
COMP ARMBAND	41505

Limited Quantities



PSE 7" VENTED TWO-STRAP ARMGUARD

- Triple stave armguard
- Ideal for hunting or target shooting

DESCRIPTION	PART #
ARMGUARD, 7"	3450CA



PSE 8" VENTED THREE-STRAP

- 8" vented Flex Foam™ body with three quick detach straps
- Camo only

DESCRIPTION	PART #
ARMGUARD, 8"	41121



PSE 13" FOUR-STRAP

- Quick detach closure
- Easy adjustment
- Flat stave design- Camo only

DESCRIPTION	PART #
ARMGUARD, 13"	41120



PSE 6" TWO-STRAP

- 6" with two quick-detach straps
- Black Cordura® only

DESCRIPTION	PART #
ARMGUARD, 6"	41117BK



PSE 7" RED ARMGUARD

- 7" with three quick-detach straps
- Red Cordura®

DESCRIPTION	PART #
RED ARMGUARD	41901



- PSE TOUR SERIES AMBI QUIVER**
- Easily converts from right hand to left hand
 - Oversized accessory pocket with internal organizer
 - Comes with adjustable belt

DESCRIPTION	PART #
PSE TOUR SERIES AMBI QUIVER	42204BK



- PSE AMBI LITE QUIVER**
- Handy accessory pockets
 - Converts from right hand to left hand
 - Comes with adjustable belt

DESCRIPTION	PART #
PSE AMBI LITE QUIVER	42205BK



- PSE SUPREME LITE QUIVER**
- Handy accessory pockets
 - Available in camo or pink

DESCRIPTION	PART #
SUP. LITE QUIVER CAMO-RIGHT	41115RCA
SUP. LITE QUIVER CAMO-LEFT	41115LCA
SUP. LITE QUIVER PINK-RIGHT	41115RPK

Limited Quantities



- PSE TOUR SERIES QUIVER SYSTEM**
- Includes adjustable padded belt
 - Has ample pocket for accessory or water bottle
 - Bow holder
 - Compatible with Tour Series quiver or Ambi Lite quiver

DESCRIPTION	PART #
SUPREME XL QUIVER- BLACK	42206BK



- PSE ECONOMY QUIVER**
- Lightweight vinyl quiver
 - Convenient belt clip
 - Right or left hand
 - Available in black

DESCRIPTION	PART #
ECONOMY QUIVER	1390BK



- PSE BRAIDED CAMO SLING**
- Aluminum bracket with braided nylon cord
 - Convenient set screw adjustment

DESCRIPTION	PART #
BRAIDED SLING	4335CAMO



PSE RIGID HUNTER BOWCASE

- Dimensions: 44-7/8" X 14-3/4" X 6-1/8"
- Rigid duty outer shell
- Exterior storage pocket
- 3 large interior storage pockets
- 2 cam protectors
- 4 bow tie-downs with Velcro® closure
- Adjustable 6 arrow quiver that holds arrow diameters of all sizes
- 2 heavy duty web straps to keep bow case open when storing or removing bow and accessories

DESCRIPTION	PART #
RIGID HUNTER BOW CASE - BLACK	42210BK



PSE X-TECH LITE BOWCASE

- Dimensions: 4"x18 1/2"x43"
- Comes complete with utility rack tie-downs
- External arrow pocket
- External accessory pocket

DESCRIPTION	PART #
X-TECH LITE BOWCASE-BLACK & PINK	41898

Limited Quantities



PSE CARBON AIR BOWCASE

DESCRIPTION	PART #
PSE CARBON AIR BOWCASE	42236



PSE ELEMENT BOWCASE

- Dimensions: 42"L X 15" W
- Designed for compact and youth models

DESCRIPTION	PART #
ELEMENT BOWCASE	42296GN



PSE STIFFY SLINGS

- Mount it - Set it - Forget it!
- 100% made and designed in the USA

DESCRIPTION	PART #
STIFFY SLING-BLACK	41906BK
STIFFY SLING-BLUE	41906BL
STIFFY SLING-GREEN	41906GN
STIFFY SLING-ORANGE	41906OR
STIFFY SLING-PINK	41906PK
STIFFY SLING-PURPLE	41906PR
STIFFY SLING-RED	41906RD
STIFFY SLING-YELLOW	41906YL



PSE DELUXE BOW HOLDER

- Flex Foam™ with camo fleece lining
- A must for spot and stalk hunters
- Conveniently holds bow to eliminate fatigue

DESCRIPTION	PART #
DELUXE BOW HOLDER	41008



PSE BOWHIDE

- Black
- Dimensions: 5 1/2" x 6 1/2"

DESCRIPTION	PART #
BOWHIDE	2850

PSE X-TECH™ SIGHT ARMOR

- Ultra thick neoprene sight armor with draw string
- 4 1/4" w x 3 3/4" deep

DESCRIPTION	PART #
SIGHT ARMOR	41778

Limited Quantities



PSE SNEEKY PETE FEET™

- All new design with ultra thick and quiet sole
- 2 sizes for maximized fit and performance

DESCRIPTION	PART #
SNEEKY FEET SIZES 9-10	41244SMM
SNEEKY FEET SIZES 11-12	41244LXL

Limited Quantities




PSE ARROW BONNET

- Quickly and easily slips over your quiver mounted arrows

DESCRIPTION	PART #
ARROW BONNET	41414

Limited Quantities



2018 new

CARBON XD™ 5-ARROW QUIVER

- Extreme Duty & Light Weight
- Carbon Lay Up Technology For Durable, Strong Quiver
- Mounting Bracket & Top Gripper Adjust Up Or Down
- Specially Formulated Dual Grippers For Thin & Thick Diameter Arrows
- 3 Green LED Lights Inside Hood For Illumination Inside and Outside Of Hood (3 Stage Settings)
- LED Lights Are Powered By A CR-2032 Battery (Battery Included)
- Heavy Duty Cable Hanger

**LIFETIME WARRANTY

DESCRIPTION	PART #
CARBON XD QUIVER	42307
REPLACEMENT HOOD FOAM	42327



2018 new

TORMENT™ 5-ARROW QUIVER

- Lightweight, Compact Design
- Mounting Bracket & Top Gripper Adjust Up Or Down
- Dual Grippers Fit Large And Small Diameter Arrows
- Heavy Duty Cable Hanger

**LIFETIME WARRANTY

DESCRIPTION	PART #
TORMENT QUIVER	42308
REPLACEMENT HOOD FOAM	42328



2018 new


CARBON DR™ SIGHT RING

DESCRIPTION	PART #
CARBON DR RING	42325GN

CARBON DR™ DRIVER SIGHT

- Includes (4) .019" Full Capture Pins
- Dovetail Mount with 6-1/2" Carbon Bar
- 4 Stage Press Button Control For Varying Light Intensity
- 4 Stage Press Button Sight Light (Batteries Included)
- 1 3/4" Lightweight Scope
- 2nd & 3rd Axis Adjustments For Long-Range Accuracy
- Tool-less Micro Drive Adjustments For Windage
- Speed Dial Glides Easily Up Or Down For Varying Distances
- Indexable Yardage Indicator With Elevation Tension Lever
- Adjustable Micro Bubble Level
- Scope Is Lens Capable
- Includes 22 Sight Tapes
- Lens Capable - Includes Lens Retainer (Lenses Sold Separately)
- 90 Degree Rear-Facing Sight Scale
- Right Hand

**LIFETIME WARRANTY



2018 new

DESCRIPTION	PART #
CARBON DR DRIVER SIGHT	42305
REPLACEMENT .019 PIN GREEN	42326GN
REPLACEMENT .019 PIN RED	42326RD
REPLACEMENT .019 PIN YELLOW	42326YL



Black Mountain Outfitters is committed to providing the archery community the very best quality in archery accessories and is backed by a genuine lifetime warranty. We strive to bring together a line with the right combination of rugged and heavy duty products built to weather the extremes. Next time you find yourself in the tundra go with the best gear to complement your overall outdoor experience.



RIGID™ 6-1/4" STABILIZER

- Precision-Machined Aluminum Housing
- 6-1/4" Long, 6.7 oz.
- Includes 3 Disc Weights
- Pelletized TPE Damping Technology
- Hush Damper

**LIFETIME WARRANTY

2018 new

DESCRIPTION	PART #
RIGID STABILIZER	42306



2018 new

CARBON DR™ SIGHT LIGHT


DESCRIPTION	PART #
SIGHT LIGHT	42346



T.R.U. BALL® FANG™

- Two triggers included
- Two sensitivity adjustment springs included for lighter or heavier trigger feel
- Buckle Strap

DESCRIPTION	PART #
TRU BALL FANG	41936BK



T.R.U. BALL® ASSASSIN™

- Small size caliper
- Drop-away solid rod globo-swivel connection with draw length adjustment
- Buckle Strap

DESCRIPTION	PART #
TRU BALL ASSASSIN-BLACK	41932BK
TRU BALL ASSASSIN-CAMO	41932CA



T.R.U. BALL® SHOOTER™

- Designed specifically with youth in mind
- Quick lock connection system to provide easy adjustment for any anchor point.
- Rope style connection and Velcro® Strap

DESCRIPTION	PART #
TRU BALL SHOOTER	42123BL

PSE WHEEL PEEP

12 peeps per card



DESCRIPTION	PART #
WHEEL PEEP-12	2823DZ



PSE ECONOMY BY TRU-FIRE™

- Tested at 200 lbs.
- Quick and easy trigger adjustment

DESCRIPTION	PART #
PSE TRU FIRE ECONOMY	41090



PSE ECONOMY JR. BY TRU-FIRE™

- Tested at 200 lbs.
- Quick easy trigger adjustment

DESCRIPTION	PART #
PSE TRU FIRE ECONOMY JR	41091



T.R.U. BALL® MALIBU™

- Magenta head with gold jaws and trigger
- New web style strap that allows for short and long finger lengths
- Buckle Strap

DESCRIPTION	PART #
TRU BALL MALIBU	41934PK



TRU-FIRE™ HURRICANE EXTREME FOLDBACK

- Fits both right and left hand
- Tru-Fire's Evolution buckle strap
- Foldback design

DESCRIPTION	PART #
TRU FIRE HURRICANE	41089

NOKKTURNAL NOCKS

- Exclusive Patent pending bow string activated linear switch
- For fool proof operation in any conditions
- Long Life Lithium Battery
- Super Bright LEDs for superior illumination
- Unsurpassed Reliability

DESCRIPTION	COLOR	PART #
NOCK, NOKKTURNAL, S, GN, 3 PACK	GREEN	42153SGN
NOCK, NOKKTURNAL, S, RD, 3 PACK	RED	42153SRD
NOCK, PREDATOR, XBOW, S71, GN 3 PACK	GREEN	42155GN
NOCK, PREDATOR, XBOW, S71, RD 3 PACK	RED	42155RD
NOCK, NOKKTURNAL, TOOL, INSTALL	-	42152



NOKKTURNAL TOOL

NOKKTURNAL PREDATOR



NOKKTURNAL FITTING GUIDE:

Nockturnal S - Carbon Force TrueWeave Hunter and Hunter Select Predators - ThunderBoltz

QUICK SHOT WHISKER BISCUIT™

- Windage adjustment
- Reference marks
- Custom rubber boots silence arrow loading
- Universal right and left hand

DESCRIPTION	PART #
WHISKER- LARGE	41774L
WHISKER- MEDIUM	41774M
POSI-LOCK KEYS (DOZEN)	01216





PSE NOCKING LOOP

- 9 pack card of string loops
- White or red

DESCRIPTION	COLOR	PART #
4-1/4"	WHITE	2697
4-3/4"	RED	2699RD

BOW TUNING FIXTURE

- Flexibility of tipping forward or from side to side
- Ability to lock in at any angle
- Two mounted levels, easy adjust levers, sight mounting holes to level the sight when it is not on the bow

DESCRIPTION	PART #
BOW TUNING FIXTURE	41701



PSE DEALER HARDWARE KIT

The dealer hardware kit, every shop should have! Contains, a variety of axles, half rounds, cable slides, washers, screws, e clips, spacers, cable guard clamps

DESCRIPTION	PART #
DEALER HARDWARE KIT	01268



PSE ALLEN WRENCH BY BONDHUS™

- XL includes size 7/32" hex head needed for PSE limb bolts
- Heavy duty one-piece construction

DESCRIPTION	PART #
XL - SIZES: 1/4", 7/32", 3/16", 5/32", 9/64", 1/8", 7/64", 3/32", 5/64"	41604XL
SMALL - SIZES: 3/16", 5/32", 9/64", 1/8", 7/64", 3/32", 5/64", 1/16", .050"	41604SM



PSE TORX® WRENCH SET BY BONDHUS

WRENCH SIZES: T9-T40

- All PSE cams now have Torx screws from the factory.

DESCRIPTION	PART #
TORX HEAD WRENCH	41795



HEX WRENCH

- A necessity for any archer or archery shop

DESCRIPTION	PART #
HEX WRENCH	2501

RS ARCHERY® COMBO LEVEL SET

- NOK-EZ arrow level
- RS snap-on bow string level

DESCRIPTION	PART #
COMBO LEVEL SET	41390



ADVANCED STRING WAX

DESCRIPTION	PART #
ADVANCED STRING WAX	42260



GOAT TUFF™ GLUE

DESCRIPTION	PART #
GOAT TUFF-7 GRAM	41610



2018 PSE GEAR

For PSE shooters, our brand name means more than just a bow; it represents a lifestyle. PSE customers live our brand 24/7 through shirts, hats, gear, and other PSE-branded accessories. We've dramatically expanded our PSE Signature Series line with an exciting selection of new products, plus a huge new selection of ladies and youth gear...so don't wait, increase your sales by offering PSE customers our lucrative lifestyle brand of apparel and other Signature Series items. Contact 1-877-717-9152 for dealer pricing today. To view the entire line go to www.psearcherystore.com



www.psearcherystore.com



PSE RED T-SHIRT

DESCRIPTION	PART #
T-SHIRT,PSE,BLACK,S	41678S
T-SHIRT,PSE,BLACK,M	41678M
T-SHIRT,PSE,BLACK,L	41678L
T-SHIRT,PSE,BLACK,XL	41678XL
T-SHIRT,PSE,BLACK,XXL	41678XXL
T-SHIRT,PSE,BLACK,XXXL	41678XXXL



PSE BLACK T-SHIRT

DESCRIPTION	PART #
T-SHIRT,PSE,BLACK,S	41761S
T-SHIRT,PSE,BLACK,M	41761M
T-SHIRT,PSE,BLACK,L	41761L
T-SHIRT,PSE,BLACK,XL	41761XL
T-SHIRT,PSE,BLACK,XXL	41761XXL
T-SHIRT,PSE,BLACK,XXXL	41761XXXL



BACK

PROMO SHIRT

DESCRIPTION	PART #
SHIRT,PROMO,S	41802S
SHIRT,PROMO,M	41802M
SHIRT,PROMO,L	41802L
SHIRT,PROMO,XL	41802XL
SHIRT,PROMO,XXL	41802XXL
SHIRT,PROMO,XXXL	41802XXXL



FLEECE JACKET

DESCRIPTION	PART #
JACKET,PSE,FLEECE,M	41510L
JACKET,PSE,FLEECE,L	41510L
JACKET,PSE,FLEECE,XL	41510XL
JACKET,PSE,FLEECE,XXL	41510XXL



PSE EURO T-SHIRT SHORT SLEEVE

DESCRIPTION	PART #
T-SHIRT,PSE,EURO,S	41806S
T-SHIRT,PSE,EURO,M	41806M
T-SHIRT,PSE,EURO,L	41806L
T-SHIRT,PSE,EURO,XL	41806XL
T-SHIRT,PSE,EURO,XXL	41806XXL
T-SHIRT,PSE,EURO,XXXL	41806XXXL

PSE EURO T-SHIRT LONG SLEEVE

DESCRIPTION	PART #
T-SHIRT,PSE,LONG,SLV,EURO,S	41805S
T-SHIRT,PSE,LONG,SLV,EURO,M	41805M
T-SHIRT,PSE,LONG,SLV,EURO,L	41805L
T-SHIRT,PSE,LONG,SLV,EURO,XL	41805XL
T-SHIRT,PSE,LONG,SLV,EURO,XXL	41805XXL
T-SHIRT,PSE,LONG,SLV,EURO,XXXL	41805XXXL



PSE FIELD STAFF SHIRT

DESCRIPTION	PART #
SHIRT,FIELD,STAFF,L	41552L
SHIRT,FIELD,STAFF,XL	41552XL
SHIRT,FIELD,STAFF,XXL	41552XXL



FLEECE VEST

DESCRIPTION	PART #
VEST,PSE,FLEECE,S	41599S
VEST,PSE,FLEECE,M	41599M
VEST,PSE,FLEECE,L	41552L
VEST,PSE,FLEECE,XL	41552XL
VEST,PSE,FLEECE,XXL	41552XXL
VEST,PSE,FLEECE,XXXL	41552XXXL



PSE MOSSY OAK CAMO CAP

DESCRIPTION	PART #
CAPPSE,MO, BRKU,INFINITY	41661



PSE SKULLWORKS 2 CAP

DESCRIPTION	PART #
CAPPSE, SKULL,WORKS	41822



PSE BLACK/RED MESH CAP

DESCRIPTION	PART #
CAPPSE,X-MESH	41823



PSE BLACK CAP

DESCRIPTION	PART #
CAPPSE,BLACK	41821



PSE LED HANGING SIGN

Shown with power on. Sign is machined logo into clear acrylic

DESCRIPTION	PART #
SIGN,PSE,HANGING,LED	42263



PSE SIGNATURE CERAMIC FOLDING KNIFE

DESCRIPTION	PART #
KNIFE,PSE,FOLDING,CERAMIC	41847



PSE SIGNATURE FOLDING KNIFE

DESCRIPTION	PART #
KNIFE,PSE,FOLDING,SIGNATURE	41553



PSE PLUSH CARPET FLOOR MAT

DESCRIPTION	PART #
MAT,PSE,2'X3'	42264



PSE METAL HANGING SIGN

Plasma-cut metal sign. Measures 38" wide x 16" tall

DESCRIPTION	PART #
SIGN,METAL,PSE	42258