



2019 Product Catalog

[www.specialtyarch.com](http://www.specialtyarch.com)

# 2019 New Products

## Podium Peep

#PP

See Page 2



## Podium Peep Shade Cap

#PPPS

See Page 2



## Podium Peep Apertures

#PPA

See Page 3



## Podium Peep Deluxe Kit

#PPDLXKT

See Page 2



## Podium Peep Clarifier Lenses

#PPC

See Page 4



## Podium Peep Verifier Lenses

#PPV

See Page 4



## Podium Peep Clarifier Kit

#PPCKT

See Page 4



## Podium Peep Aperture Kit

#PPAKT

See Page 3



## Podium Peep Storage Case

#PPCS

See Page 3



## Shooter Shirts

#SA-SHIRT & BD-SHIRT

See Page 23



## Serving Jig Winder

#SS-SW

See Page 28



## Hunt Saver Crossbow Press

#SA-XP

See Page 28



# MACHINED ALUMINUM PART



## Dual String Angles

37° & 45°

\*See String Angle Chart  
on page 8 for string groove  
reference.

## Threaded To Accept Podium Apertures & Peep Shade Cap

## Deep Perimeter Groove For Easy Securing Of Peep Into String

- The most advanced peep system in the archery industry.
- Podium Peep system totally designed for ultimate accuracy.
- Different size Podium Peep Apertures interchange without removing the peep from the string, and without the need for an Aperture Wrench.
- Also works with optional Podium Peep Clarifiers & Podium Peep Verifiers.
- Colors available: Black, Blue, Green, Pink, Purple, Red & Silver.

### Podium Peep

#PP

Black & Colored



Black

Blue

Green

Pink

Purple


Red

Silver




## Podium Peep Shade Cap

#PPPS



**Podium Peep Shown With Podium Aperture & Peep Shade Cap Installed (sold separately)**



**TAP**  
TOOL-LESS APERTURE TECHNOLOGY


**Knurled Tool-Less Aperture**  
Eliminates the need for an  
Aperture Wrench



**CST**  
CENTER STRING TECHNOLOGY

**Podium Aperture hole**  
is located on center of  
bowstring


**No left & right misses**



**PLT**  
PROTECTED LENS TECHNOLOGY

**Glass is protected on both  
sides by non-metal fixturing  
to prevent cracking of lenses**

- Provides additional shade for the target side of the Podium Peep.
- Tool-Less Technology, no need for a wrench.




**Podium Aperture hole  
is located on center of  
bowstring**

**No left & right misses**



# ***Podium Peep Apertures***




## ***Aperture Hole Sizes Of:***

5/32"      1/8"      3/32"      1/16"      3/64"      1/32"  
#PPA156 #PPA125 #PPA094 #PPA063 #PPA047 #PPA031





**Non-Glare Material  
When Used With A Lens, The Non-Metal  
Surfaces Protect The Lens From Chips Or  
Cracking**

- Fits into Specialty Archery Podium Peeps only.
- Tool-Less Aperture Technology eliminates the need for an Aperture Wrench.
- Made from anti-glare non-metal material.
- 6 Aperture sizes available.
- **\*Podium Peep Lenses must be retained into the Podium Peep with the use of a Podium Peep Aperture (see page 4).**



**Knurled Tool-Less Aperture**

**Eliminates the need for an  
Aperture Wrench**



## ***Podium Peep Storage Case***

**#PPCS**



## ***Podium Peep Aperture Kit***

**#PPAKT**



## ***Podium Peep Deluxe Kit***


**#PPDLXKT**



- Includes all 6 Podium Apertures & all 5 Podium Clarifier Lenses.
- Podium Peep and Peep Shade Cap not included.



# Podium Peep Lenses



## PLT PROTECTED LENS TECHNOLOGY

Glass is protected on both sides by non-metal fixturing to prevent cracking of lenses

## OCT OPTICALLY CENTERED TECHNOLOGY

Industry leading centration standards  
Perfectly centered image

## LCT LAYERED COATING TECHNOLOGY

Fully multicoated for superior anti-reflection in all lighting and weather conditions

## HPHC HYDROPHOBIC LENS COATING

Repels Dust, Finger Prints, Reflections, Scratches & Water Drops

## Podium Peep Clarifier Lens

Designed To Make The Target Crystal Clear

- 5 different power Clarifiers available.
- Helps make your target crystal clear when using a scope & lens.
- Allows the shooter to pick out target details at a distance.
- The stronger the lens, the more powerful the Clarifier needed. (See chart below for suggestions.)
- \*Podium Peep Lenses must be retained into the Podium Peep with the use of a Podium Peep Aperture (sold separately).



| Power Clarifier | #.5 Gold | #1 Yellow | #1.5 Ice Blue | #2 Green | #3 Red  |
|-----------------|----------|-----------|---------------|----------|---------|
| Part #          | #PPC0.5  | #PPC1.0   | #PPC1.5       | #PPC2.0  | #PPC3.0 |
| Lens Power      | 2x-4x    | 2x-6x     | 3x-8x         | 4x-8x    | 6x-8x   |



With Clarifier

Target Is Blurry!

Target Is Clear!




With Verifier

Pins Are Blurry!

Pins Are Clear!

## Podium Peep Clarifier Kit #PPCKT

- Includes all 5 Podium Peep Clarifiers and the Podium Peep Storage Case.





#VBAR-ADJ

**MACHINED  
ALUMINUM PART**

- Allows for positioning of the side rods anywhere from horizontal to 90° down and in a 180° arc from front to back.
- Works with all Specialty Archery stabilizers.
- Includes an optional rope wrist sling.
- May also be used with a single side stabilizer.
- Available in black.

# Specialty Archery V-Bar



\*Shown with Ultra Lite  
Stabilizers attached.  
(Stabilizers not included).

\*Shown connected to a bow.  
(Bow not included).



## Ultra Lite Base

#4.80013



- 3 rod stabilizer made from thin, light weight high modulus carbon rods.
- Smaller and lighter than most stabilizers.
- The 12" through 36" stabilizers have additional Navcom™ sliders for added adjustability.
- Integral quick disconnect for easy removal.
- Optional weights and parts listed below.
- Available in 6", 8", 10", 12", 18", 24", 30" & 36" lengths.

**Quick  
Disconnect**  
#943U



## Featherlite

#BLK


#CA-6  
\*While Supplies Last

- SVL Navcom™ slider to absorb noise and shock.
- Built in quick disconnect.
- Optional weights available.
- Available in 6", 8" & 10" lengths.
- Made from three high modulus carbon rods.
- Machined aluminum base.
- Available in black & Lost Camo™.

## Quick Detach Mounting Systems



#BLK

#CA-6  
\*While Supplies Last

#450066 BLK



#450071 CA-6

## Weights & Accessories For Featherlite & Ultra Lite Stabilizers

**3 Rod Navcom™ Slider  
With 0.72 & 0.52 oz Weights**

#37 BLK

**3 Rod Navcom™ Slider****With O-Ring**

#37 NW



#44 .16 oz



#43 .52 oz



#42 .72 oz



#41 1.44 oz



#45BLK .08 oz



#43BLK .52 oz



#42BLK .72 oz

# Pro Stix Stabilizers & Weights



- Specialty Archery's Pro Stix stabilizer is our most advanced tournament style stabilizer to date.
- It is made from an ultra-stiff, high-modulus carbon which offers the perfect blend of rigidity and vibration dampening.
- The machined aluminum base also has a built-in Quick Disconnect system for easy removal of stabilizers and side rods from the bow.
- Interchangeable weights allow for perfect balance of any setup. (Weights not included.)
- Stabilizer Rod lengths are 24", 30", and 36".
- Side/V-bar Rod lengths are 10", 12" and 15".
- Weights available in 0.5 oz., 1.0 oz. and 4.0 oz. configurations.
- Weights are also available in a kit with the following weights, which allows the shooter to add up to 7.5 oz. of weight:
  - 1 – 4 oz. weight
  - 3 – 1 oz. weights
  - 1 – 0.5 oz. weight

#10PSX-BLK (10") (6.0oz)  
#12PSX-BLK (12") (6.3oz)  
#15PSX-BLK (15") (6.7oz)  
#24PSX-BLK (24") (7.8oz)  
#30PSX-BLK (30") (8.6oz)  
#36PSX-BLK (36") (9.4oz)



## Pro Stix Weight Kit | Pro Stix Individual Weights

#PSXWK

Includes:

- 1 - 4.0 oz. weight
- 3 - 1.0 oz. weight
- 1 - 0.5 oz. weight

#05PSXW (0.5 oz.)

#1PSXW (1.0 oz.)


#4PSXW (4.0 oz.)

# How Does The Peep System Work?

## Large 1/4" Size Peep Housing

- Accepts all current 1/4" Verifiers & Clarifiers.
- Accepts all 1/8" and smaller Verifiers, Clarifiers & Apertures with use of Peep Reducer (#753-3).
- Comes with a Peep Reducer (#753-3) and a Dual Aperture Wrench (#210078).
- The most popular Specialty Archery Peep for hunting.
- Available in Black, Blue, Green, Red, Camo, Pink, Purple & Silver.
- *Note: 1/4" peeps are only available in 37 degree string angle.*

## Large 1/4" Size Peep Housing



## 1/8" & Smaller Apertures



## 1/8" & Smaller Clarifiers



## 1/8" Verifiers



## Peep Reducer




## 1/4" Clarifiers



## 1/4" Verifiers



## Standard Size Peep Housing



**MACHINED ALUMINUM PART**

- Different size apertures interchange without removing the peep from the string. (See Apertures available on page 11.)
- Also works with optional Specialty Archery Clarifiers (See page 11) and Verifiers (See page 12).
- Peeps & Apertures are anodized with a matte finish to reduce glare.
- Available in 37 and 45 degree string groove angles for optimal performance with your bow. (See chart on page 8.)
- Colors available: Black, Blue, Green, Red, Camo, Pink, Purple & Silver.
- Accepts all Specialty Archery Apertures, 1/8" and smaller Clarifiers & 1/8" Verifiers.

# Standard Size Peep System

**MACHINED  
ALUMINUM PART**

**Ultra-Sleek Profile**



**Deep Perimeter Groove For  
Easy Securing Of Peep Into String**

**Smooth String Groove  
Will Not Cut Your String!**

**Weighs  
Only 7.5  
Grains!**

**Threaded To Accept Apertures,  
Clarifiers & Verifiers**



**Hooded To  
Reduce Glare**

**Weighs  
Only 9.5  
Grains!**

- Different size apertures interchange without removing the peep from the string. (See Apertures available on page 11.)
- Also works with optional Specialty Archery Clarifiers (See page 11) and Verifiers (See page 12).
- Peeps & Apertures are anodized with a matte finish to reduce glare.
- Available in 37 and 45 degree string groove angles for optimal performance with your bow. (See chart below.)
- Colors available: Black, Blue, Camo, Green, Pink, Purple, Red & Silver.
- Accepts all Specialty Archery Apertures, 1/8" and smaller Clarifiers & 1/8" Verifiers.

## Pro Series Peep (Hooded)

#749-37PS & #749-45PS

Black & Colored



## Ultra Lite Peep (Non-Hooded)

#749-37UL & #749-45UL

Black & Colored



## Size Comparison



Standard Peep    1/4" Peep    5/16" Peep

**\*Peeps are shown actual size**

## Standard Peep Angle Charts

5" BRACE HEIGHT  
DRAW LENGTH

|    | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 |
|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 30 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 31 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| A  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| X  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| L  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| E  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 32 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 33 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 34 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 35 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| T  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| O  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 36 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 37 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| A  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| X  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| L  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| E  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 38 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 39 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 40 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| A  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| X  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| L  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| E  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 41 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 42 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 43 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 44 |    |    |    |    |    |    |    |    |    |    |    |    |    |

37 Degree  
PEEP

## Standard Peep Angle Charts

6" BRACE HEIGHT  
DRAW LENGTH

|    | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 |
|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 30 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 31 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| A  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| X  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| L  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| E  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 32 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 33 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 34 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 35 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| T  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| O  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 36 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 37 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| A  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| X  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| L  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| E  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 38 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 39 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 40 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| A  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| X  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| L  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| E  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 41 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 42 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 43 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 44 |    |    |    |    |    |    |    |    |    |    |    |    |    |

37 Degree  
PEEP

## Standard Peep Angle Charts

7" BRACE HEIGHT  
DRAW LENGTH

|    | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 |
|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 30 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 31 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| A  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| X  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| L  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| E  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 32 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 33 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 34 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 35 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| T  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| O  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 36 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 37 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| A  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| X  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| L  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| E  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 38 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 39 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 40 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| A  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| X  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| L  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| E  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 41 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 42 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 43 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 44 |    |    |    |    |    |    |    |    |    |    |    |    |    |

37 Degree  
PEEP

## Standard Peep Angle Charts

8" BRACE HEIGHT  
DRAW LENGTH

|    | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 |
|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 30 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 31 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| A  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| X  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| L  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| E  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 32 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 33 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 34 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 35 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| T  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| O  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 36 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 37 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| A  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| X  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| L  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| E  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 38 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 39 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 40 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| A  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| X  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| L  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| E  |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 41 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 42 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 43 |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 44 |    |    |    |    |    |    |    |    |    |    |    |    |    |

45 Degree  
PEEP

## Standard Peep Angle Charts

\*If your setup falls on the dividing line between 37 & 45 degrees, you may use either string angle.

# 1/4" Peep System

**MACHINED  
ALUMINUM PART**



- Accepts all current 1/4" Verifiers (See page 12) & Clarifiers (See page 11).
- Accepts all 1/8" and smaller Verifiers, Clarifiers & Apertures with use of Peep Reducer (#753-3).
- Comes with a Peep Reducer (#753-3) and a Dual Aperture Wrench (#210078).
- The most popular Specialty Archery Peep for hunting.
- Available in Black, Blue, Camo, Green, Pink, Purple, Red & Silver.
- Note: 1/4" peeps are only available in 37 degree string angle.**



**1/4" Large  
Non-Hooded  
Peep**  
#749-37L  
Black & Colored



Black



Blue



Camo



Green



Pink



Purple



Red



Silver

**1/4" Large  
Hooded Peep**  
#749-37LH  
Black & Colored





**Deep Perimeter  
Groove For Easy  
Securing Of Peep Into  
String**

**Weighs Only  
17 Grains**

**Threaded To Accept  
5/16" Verifiers**

**Ultra-Sleek Profile**



**5/16" XL Wrench**  
#210079

**5/16" XL Aperture**  
#755-A



### **Size Comparison**



**Standard Peep**



**1/4" Peep**



**5/16" Peep**

**\*Peeps are shown actual size**

# **5/16" XL Non-Hooded Peep**

- Due to customer demand, Specialty Archery is now offering a larger diameter peep & Verifier!
- 5/16" XL Non-Hooded Peep is larger than our current 1/4" Peep Housings.
- Lets in the maximum amount of light for low light shooting.
- Works with Specialty Archery 5/16" XL Verifiers (See below, and page 12).
- Note: does NOT include a Reducer or XL Aperture. Cannot be used with Specialty Archery's smaller Apertures, Clarifiers or Verifiers.
- Note: does not work with Peep Aligners.
- Available in black only.
- *Note: 5/16" peeps are only available in 37 degree string angle.*

**MACHINED  
ALUMINUM PART**

### **Field Of View Comparison**



**1/4" Peep**



**5/16" XL Peep**  
25% Larger Field Of View  
(Compared to 1/4" Peep)

*\*Simulated image, your results can vary.*

### **5/16" XL Peep Accepts 5/16" Verifiers**



# MACHINED ALUMINUM PART

Specialty Archery Clarifiers Are Designed To Make The Target Crystal Clear!

# Clarifiers

- 5 different power Clarifiers available.
- Helps make your target crystal clear when using a scope & lens.
- Allows the shooter to pick out target details at a distance.
- The stronger the lens, the more powerful the Clarifier needed. (See chart below for suggestions.)
- Available in multiple Aperture sizes. (See chart for suggestions.)

## 1/8" & Smaller Clarifiers

#.5, #1, #1.5, #2 & #3



## 1/4" Clarifiers

#753-40.5, #753-41, #753-41.5, #753-42 & #753-43



## No Clarifier      With A Clarifier

Without A Clarifier  
Target Is Blurry!



With A Clarifier  
Target Is Clear!




### Optically Centered Technology

- Industry leading centration standards.
- What this means is every Clarifier lens at Specialty Archery is held to industry leading tolerances.
- Perfectly centered image.
- Improved centration eliminates rotational image shift.



### Layered Coating Technology

- Never before has so much technology gone into a lens of this size. Each Clarifier Lens is fully multicoated for superior anti-reflection in all lighting conditions.



| Scope Size & Suggested Aperture Size                      | Aperture Diameter | #.5 Gold 2-4 Power Lens | #1 Yellow 2-6 Power Lens | #1.5 Ice Blue 3-8 Power Lens | #2 Green 4-8 Power Lens | #3 Red 6-8 Power Lens |
|---|-------------------|-------------------------|--------------------------|------------------------------|-------------------------|-----------------------|
| #040-2 (1 3/8"), #040-3 & #040-5                          | 1/32"             | Part #760               | Part #727                | Part #770                    | Part #728               | Part #729             |
| #040-2 (1 3/8"), #040-1 (1 5/8"), #040-3 & #040-5         | 3/64"             | Part #761               | Part #724                | Part #771                    | Part #725               | Part #726             |
| #040-2 (1 3/8"), #040-1 (1 5/8"), #040-3 & #040-5         | 1/16"             | Part #762               | Part #734                | Part #772                    | Part #737               | Part #740             |
| #040-1 (1 5/8"), #040-3, #040-5, #040-6 & #1011 (Super D) | 3/32"             | Part #763               | Part #735                | Part #773                    | Part #738               | Part #741             |
| #040-6 & #1011 (Super D)                                  | 1/8"              | Part #764               | Part #736                | Part #774                    | Part #739               | Part #742             |
| #040-6 & #1011 (Super D)                                  | 1/4"              | Part #753-40.5          | Part #753-41             | Part #753-41.5               | Part #753-42            | Part #753-43          |

# Apertures

MACHINED  
ALUMINUM PART



- Fits into all Specialty Archery Standard & 1/4" Peeps. Apertures will not fit into XL Peeps.
- Peep Reducer (#753-3) is needed for the apertures to fit 1/4" Peeps.
- 5 Aperture sizes available.

# Aperture Kits

MACHINED  
ALUMINUM PART

| Aperture Kit<br>Includes: Apertures, Dual Aperture Wrench<br>(#210078), & Storage Case (#210000). | Aperture Kit<br>Part # |
|---|------------------------|
| Three Smallest Apertures (1/32", 3/64" & 1/16")   | #749-123               |
| Three Middle Apertures (3/64", 1/16" & 3/32")   | #749-234               |
| Three Largest Apertures (1/16", 3/32" & 1/8")   | #749-345               |
| All Five Apertures (1/32", 3/64", 1/16", 3/32" & 1/8")  | #749-005               |



# Verifiers

MACHINED  
ALUMINUM PART

Specialty Archery Verifiers, Designed To Clear Up Your Pins. Old Eyes Made New Again!

# Blurry Sight Pins?

## PROBLEM SOLVED!

Don't go into the woods or the range with blurry pins!  
We've got the solution for you!

- Brings archery back to life for archers who can no longer see their sight pins clearly.
- Verifiers sharpen the sight picture so the pins are easy to see.
- May be purchased separately or in a kit.
- 6 different powers available. #4 (Silver) lens is the weakest & the #9 (Orange) is the strongest.
- #750 Verifiers fit the 1/8" & 1/4" Specialty Archery Peeps. 1/4" peeps require the use of a Reducer (#753-3) for use with our 1/8" Verifiers. **\*Custom Verifiers also available in 1/32", 3/64", 1/16" & 3/32". Call for details.**
- #753 Verifiers fit the 1/4" Peeps.
- #755 Verifiers fit the 5/16" Peeps.



← WEAK → STRONG →

### Verifier Power

#### #4 Silver

#750-10 (1/8")  
#753-10 (1/4")  
#755-10 (5/16")



#### #5 Purple

#750-11 (1/8")  
#753-11 (1/4")  
#755-11 (5/16")



#### #6 Pink

#750-12 (1/8")  
#753-12 (1/4")  
#755-12 (5/16")



#### #7 Blue

#750-13 (1/8")  
#753-13 (1/4")  
#755-13 (5/16")



#### #8 White

#750-14 (1/8")  
#753-14 (1/4")  
#755-14 (5/16")



#### #9 Orange

#750-15 (1/8")  
#753-15 (1/4")  
#755-15 (5/16")



# EZ-View Verifier Kits

## With EZ-View Packaging!

- Grab your bow or sight pins and pick up the Specialty Archery Easy-View Verifier Kits and See for yourself!
- Now look through the packages at the different Verifier powers while looking at your sight pins. Keep in mind you want to view this at a normal shooting distance.
- Too weak of a Verifier and your pins will still be a little fuzzy; too strong of a Verifier and your target will be fuzzy.
- The trick is to find that Verifier that is just right for you; not too strong, but not too weak.
- You will know when you have the correct Verifier power when your pins and your target are clear!
- Verifiers are installed in the peep housing and are removable!



WEAK

STRONG

**#4 Silver**



**#5 Purple**



**#6 Pink**



**#7 Blue**



**#8 White**



**#9 Orange**



## Verifier Power



**Black Peep  
Guard Included!**

### 1/4" Large Hooded EZ-View Verifier Kits

1/4" Large Hooded Peep, Verifier, Dual Aperture Wrench, Peep Reducer, Lens Cleaning Swab & Peep Guard (PG1-BLK) included.

| Verifier Power | Verifier Color | Part #  |
|----------------|----------------|---------|
| #4             | Silver         | #753LH4 |
| #5             | Purple         | #753LH5 |
| #6             | Pink           | #753LH6 |
| #7             | Blue           | #753LH7 |
| #8             | White          | #753LH8 |
| #9             | Orange         | #753LH9 |

### 1/4" Large Non-Hooded EZ-View Verifier Kits

1/4" Large Non-Hooded Peep, Verifier, Dual Aperture Wrench, Peep Reducer, Lens Cleaning Swab & Peep Guard (PG1-BLK) included.

| Verifier Power | Verifier Color | Part # |
|----------------|----------------|--------|
| #4             | Silver         | #753L4 |
| #5             | Purple         | #753L5 |
| #6             | Pink           | #753L6 |
| #7             | Blue           | #753L7 |
| #8             | White          | #753L8 |
| #9             | Orange         | #753L9 |

### 5/16" XL Non-Hooded EZ-View Verifier Kits

5/16" XL Non-Hooded Peep, Verifier, 5/16" XL Wrench, Lens Cleaning Swab & Peep Guard (PG1-BLK) included.

| Verifier Power | Verifier Color | Part #  |
|----------------|----------------|---------|
| #4             | Silver         | #755XL4 |
| #5             | Purple         | #755XL5 |
| #6             | Pink           | #755XL6 |
| #7             | Blue           | #755XL7 |
| #8             | White          | #755XL8 |
| #9             | Orange         | #755XL9 |



# Peep Accessories

## Peep Aligner

#PAL & #PAS

- #PAS works with our standard peep housings.
- #PAL works with our large 1/4" peep housings.
- Ensures proper peep alignment at full draw.
- Includes 16" of Silicone Tubing (#753-6).
- Note: Not Compatible with 5/16" XL Peeps.*



*\*Peep not included.*

## Lens Cleaning Swab

#501



## Peep Shade Replacement Tubing

#PS-BLK-R

- Includes 4 perfectly cut pieces of shrink tubing for Standard Size Peeps.
- \*Not for use with 1/4" or 5/16" XL Peep Housings.*
- Now available with aluminum peep housings!
- 37 degree string angle for shorter axle to axle hunting bows.
- Comes with Silicone Tubing (#753-6) and Dual Aperture Wrench (#210078).
- #753LH will accept all current 1/4" Verifiers & Clarifiers.
- Accepts all 1/8" and smaller Verifiers, Clarifiers & Apertures with use of Peep Reducer (#753-3).
- The #750PS comes with a 1/8" Aperture and accepts all Apertures, 1/8" and smaller Clarifiers and 1/8" Verifiers.
- Parts available in a kit or sold separately.
- Available in black only.

| 1/4" Super Hunter Peep Kit Part # | Standard Size Super Hunter Peep Kit Part # |
|-----------------------------------|--|
| #753LH                            | #750PS                                     |

## Storage Case

#210000

- Handy storage case for Apertures, Clarifiers, Verifiers & Dual Aperture Wrench.



## Peep Reducer

#753-3

- Allows Specialty Archery 1/4" Peeps to accept 1/8" and smaller Verifiers, Clarifiers & Apertures.
- Great for cleaning Clarifiers & Verifiers.
- Qty 20 per package.



## 16" Silicone Tubing

#753-6



## Dual Aperture

### Wrench

#210078



## 5/16" XL Wrench

#210079



## Premium Lens Cleaning Swab

#502



- Qty 15 per package.

## Peep Guard

Black #PG1-BLK

Red #PG1-RD

- Protects your Peep/Clarifier/Verifier from the elements.
- Easy installation & removal.
- Available in red or black.



*\*Peep not included.*

## Peep Shade

#PS-BLK




## Peep Shade

#PS-BLK



## Peep Shade Large

#PSL-BLK



*\*Peep Shade Tool & 4 pieces of shrink tubing included.*

- Reduces chance of glare with Verifiers & Clarifiers.
- Easily insert & remove Verifiers, Clarifiers & Apertures.
- Peep Shade Tool included to obtain a perfectly-formed Peep Shade.
- Peep Shade is for use with Pro Series & Ultra Lite Peep Housings.*
- Peep Shade Large is for use with 1/4" Peep Housings.*

## Peep Shade Large Replacement Tubing

#PSL-BLK-R




- Includes 4 perfectly cut pieces of shrink tubing for 1/4" Peeps.
- \*Not for use with Standard or 5/16" XL Peep Housings.*

# Super Hunter Peep Kits

For the archer who prefers to use alignment tubing.

1 Peep Housing



1 Dual Aperture Wrench  
#210078

#749-37LH

#749-37PS



1 Peep Aligner  
#PAL or PAS



16" Silicone Tubing  
#753-6

# Versa Scope



**MACHINED  
ALUMINUM PART**

**Versa Scope**  
#040-5



**Uses Glow Pin #GP1**



**Can Be Used With The  
Double Vision System**



**Dual Ledge Lens Pocket**


- The Versa Scope accepts both Specialty Archery 1.345" diameter as well as 1.275" diameter lenses.
- Dual ledge lens pocket accommodates both lens sizes.
- Comes with the Double Vision Lens Retaining Ring (uses 1.108" Double Vision Lens) for use with the Double Vision lens system. (See page 22.)
- Accepts the Specialty Archery Glow Pin (GP1) in .010", .020" or .030" diameter. (See page 20.)
- Glow Pin can be positioned as an up pin, a down pin, or side pin. (Pin must be mounted opposite 10/32 scope mounting rod.)
- Scope outside diameter of 1.625"; inside diameter (field of view) of 1.000".
- Easily converted from RH to LH by changing position of the 10/32 scope rod.
- Yellow Level (#637Y).
- Available in black only.



**MACHINED  
ALUMINUM PART**

# Versa Scope 3D

**Versa Scope 3D**  
#040-6



**Uses Glow  
Pin #GP2**

- The Versa Scope 3D accepts 1.720" - 1.750" diameter lenses.
- Accepts the Specialty Archery Glow Pin (GP2) in .010", .020" or .030" diameter. (See page 20.)
- Glow Pin can be positioned as an up pin, a down pin, or side pin. (Pin must be mounted opposite 10/32 scope mounting rod.)
- Scope outside diameter of 1.990"; inside diameter (field of view) of 1.585".
- Easily converted from RH to LH by changing position of the 10/32 scope rod.
- Yellow Level (#637Y).
- Available in black only.

*• Note: Versa Scope 3D does not accept the Double Vision System.*

# Super Scopes & Accessories




**Super Scope 1 3/8"**  
#040-2



**Super Scope 1 3/8"**  
#040-2BLK



**Super Scope 1 5/8"**  
#040-1



**Super Scope 1 5/8"**  
#040-1BLK

- Made of unbreakable clear or black polycarbonate; the same material used in bullet proof glass.
- Clear housing offers the ultimate in light transmission, resulting in a brighter image.
- Change from right to left handed in seconds.
- Glow Rings available in .010", .020" or .030" diameter. (See page 20.)
- #040-1 Scope outside diameter of 1.813"; inside diameter (field of view) of 1.245".
- #040-2 Scope outside diameter of 1.580"; inside diameter (field of view) of 1.040".



*Did you know? You can convert your standard Specialty Archery polycarbonate scope housing for use with a Double Vision Lens. All that is needed is a Double Vision Lens to fit your Specialty Archery scope housing (1.345" for 1 5/8" scope; 1.108" for 1 3/8" scope) and an additional Specialty Archery Plain Ring (#0416 1 5/8" or #0416 1 3/8"). (See pages 21 & 22.)*

## Thumbscrews

For #040-1, #040-2 & #040-3 Super Scopes  
#608



**Super Scope Plain Ring**  
#0416 1 5/8"  
#0416 1 3/8"



**Super D Scope**  
#1011



**Super D Black Scope**  
#1011BLK

# Super D Scopes & Accessories

- #1011 Scope outside diameter of 2.500"; inside diameter (field of view) of 1.950". and a "Flat Cut" design to allow for extra fletching clearance.
- Excellent choice for 3D shooting.
- Super D Glow Rings available in .010", .020" or .030" diameter. (See page 20.)
- Available in clear or black housings.



**Super D Thumbscrews**  
#022



**Super D Plain Ring**  
#019

# Scope Hoods



#616M



#616L

- Protects your scope lens from rain, dust and scratches.
- Easily attached and removed with one hand.
- 616M fits any scope with a diameter of 1.750" or less.
- 616L fits any scope with a diameter larger than 1.750".

## Sun & Rain Shields

- Small Sun & Rain Shields fit any scope with a diameter smaller than 1.750".
- Large Sun & Rain Shields fit any scope with a diameter larger than 1.750".

### Sun Shield Small

#615SS

### Sun Shield Large

#615SL

### Rain Shield Small

#615RS

### Rain Shield Large

#615RL



## Levels



- 3 Sizes of levels.
- Small Level measures .882" x .315" (#638's)
- Large Level measures 1.373" x .374" (#609's)
- Long Level measures 1.22" x .315" (#637Y)

| Scope                   | Part # Red | Part # Blue | Part # Yellow |
|-------------------------|------------|-------------|---------------|
| #040-1 (1 5/8")         | 609        | 609B        | 609Y          |
| #040-2 (1 3/8")         | 638        | 638B        | 638Y          |
| #040-3 (Pro Series)     | 638        | 638B        | 638Y          |
| #040-4 (Pro Series XL)  | 609        | 609B        | 609Y          |
| #040-5 (Versa Scope)    | NA         | NA          | 637Y          |
| #040-6 (Versa Scope 3D) | NA         | NA          | 637Y          |
| 1011 (Super D)          | 638        | 638B        | 638Y          |

# Scope Decals

\*2 per pack



(G) Green



(O) Orange



(C) Chartreuse

| Scope                   | Part # Green | Part # Orange | Part # Chartreuse |
|-------------------------|--------------|---------------|-------------------|
| #040-1 (1 5/8")         | 621G         | 621O          | 621C              |
| #040-2 (1 3/8")         | 622G         | 622O          | 622C              |
| #040-3 (Pro Series)     | 623G         | 623O          | 623C              |
| #040-4 (Pro Series XL)  | 624G         | 624O          | 624C              |
| #040-5 (Versa Scope)    | 625G         | 625O          | 625C              |
| #040-6 (Versa Scope 3D) | 626G         | 626O          | 626C              |

## Delrin Spacers



#650

## Lens Caddies



Lens Caddy 6  
#LC6



Lens Caddy 3  
#LC3

- Specialty Archery's Lens Caddies provide a safe place to store your lenses and come with either 3 or 6 padded envelopes to protect your lenses.
- Accepts lenses up to 1.750" in diameter.
- *NOTE: Does NOT work for Super D lenses.*
- *NOTE: Lenses not included.*

## Scope Rod

#600



## Lens Cleaning Kit

#640



## Soft-Tek Cloth

#642

## Lens Brite Anti-Fog Cleaner

#641



## Circles & Dots



#614B (3 Strips Black)



#614Y (3 Strips Yellow)



#614O (3 Strips Orange)

#614C (1 Black, Yellow & Orange)

# Excalibur Tuff Glass Lenses

## The Lens Makes The Difference



- Made from high quality optical, optically centered, coated & tempered glass.
- 99.5% light transmission.
- Available in 2, 3, 4, 6, 7 & 8 power (Super D & Pro Series XL not available in 7 power).

### 1.125" Lens For #040-2 Scopes

2X - #7022T  
3X - #7032T  
4X - #7042T  
6X - #7062T  
7X - #7072T  
8X - #7082T

### 1.345" Lens For #040-1, #040-3 & #040-5 Scopes

2X - #702T  
3X - #703T  
4X - #704T  
6X - #706T  
7X - #707T  
8X - #708T

### 1.750" Lens For #040-4 & #040-6 Scopes

2X - #7024T  
3X - #7034T  
4X - #7044T  
6X - #7064T  
8X - #7084T

### 2.20" X 1.90" Super D Lens For #1011 Scopes

2X - #702DT  
3X - #703DT  
4X - #704DT  
6X - #706DT  
8X - #708DT

## Custom Lenses

### Quantum Poly Lens

- Quantum Poly lens is a low cost alternative polycarbonate scope lens.
- Available in 2X, 4X, 6X & 8X powers.
- Custom sizing available.

### Air-O Poly Lens

- Air-O lenses offer nearly the same optical qualities as glass but made from durable Trivex; the same material used in high end safety glasses.

### Premium Glass Lens

- Made from premium quality optical glass and fully coated with an anti-static, anti-glare finish.
- They will provide a clear target image no matter the conditions.
- Available in 2, 3, 4, 5, 6, 7 & 8X.
- Custom sizing available for an additional charge.

## Lens Services

### Custom Drilling - \$10.00\*

- Custom Drilling of holes in lenses for fiber optics or for non-stock Double Vision center hole sizes.
- **Air-O & Quantum Poly lenses only.**
- .020", .030", .040", & .060" Hole Sizes.

### Custom Sizing - \$10.00\*

- Custom sizing of lenses.
- **No refunds or exchanges on custom sized lenses.**

*\*Custom lens service charges are in addition to lens price.*

# 007 Super Bright Sight With Fiber Kit



## Super 7 Bright Sight With Fiber Kit


#007

7 Selectable Colors



- 7 different colors: **Green**, **Blue**, **Light Blue**, **Red**, **Amber**, **Violet**, & **White**.
- Variable brightness adjustment.
- Automatic shut-off after 5 minutes to prolong battery life.
- Operates on one AAA battery (lithium batteries recommended).
- Battery life can be tested by pressing and holding the ON button.
  - Green = battery is new
  - Blue = battery is mid-life
  - Red = battery is low, replace
- Estimated alkaline battery life is 6.5 hours for full brightness. 78 cycles at 5 minutes each.
- Memory function – stores the color and brightness.
- Weighs 1.6 oz. with battery.
- For use on all Specialty Archery scopes.
- Compatible with other manufacturers' scopes that use a fiber optic sight pin.
- Fiber Kit now included!

#007



## 007 Fiber Kit

- Allows use of Specialty Archery 007 Super Bright Sight with Specialty Archery and other manufacturers' scopes.
- Replaces the fiber in your existing sight pin with the clear fiber in the Fiber Kit.
- Easily converts a standard Glow Ring (GR) or Versa Scope to accept the 007 sight.
- Includes 8" of .010", .020" & .030" clear fiber optic & clear protective shroud.
- Aluminum Fiber Adapter & Compression Washer for attaching fiber optic.
- Clamp & Bolt for mounting.



Fiber Kit

## 007 LED Replacement Cable

#007-LC



- Allows the #007 to be used on multiple scope housings.
- Replaceable LED Cable for #007 Super Bright Sights.

## 007 Axcel Adapter

#007-AXC

- Allows the use of the #007 Super Bright Sight with your Tru-Ball Axcel Scope.
- Adapter screws directly into the threaded end of the Axcel YCS scope mounting connector.



\*Axcel Adapter shown attached to scope and #007.

Scope Housing  
Glow Pin



**Fiber Kit Now  
Included!**

1 Glow Ring...



# Glow Rings

- Specialty Archery's Glow Ring (GR) now has easily replaceable fiber and includes an easily replaceable Glow Pin (GP), allowing the archer to customize both fiber color and pin diameter.
- Glow Pin protects fiber from damage.
- Fiber colors are easily interchangeable without the use of tools.
- Clear fiber shroud allows maximum light transmission to the fiber, allowing for maximum pin brightness.
- Available in .010", .020" or .030" diameter.
- Each Glow Ring includes 8" of red, green & blue fiber optic.
- Glow Pin can also be replaced if the archer desires to change pin size without the need to purchase an additional Glow Ring.




**Lens Retaining Ring**

**Scope Body**

**Glow Ring**

\*Scope & Lens Retaining Ring not included with the purchase of Glow Ring.


| Scope                  | Part #<br>.010"<br>Fiber | Part #<br>.020"<br>Fiber | Part #<br>.030"<br>Fiber |
|------------------------|--------------------------|--------------------------|--------------------------|
| #040-1 (1 5/8")        | GR1-010                  | GR1-020                  | GR1-030                  |
| #040-2 (1 3/8")        | GR2-010                  | GR2-020                  | GR2-030                  |
| #040-3 (Pro Series)    | GR3-010                  | GR3-020                  | GR3-030                  |
| #040-4 (Pro Series XL) | GR4-010                  | GR4-020                  | GR4-030                  |
| 1011 (Super D)         | GRD-010                  | GRD-020                  | GRD-030                  |



## Glow Pins

- Glow Pin allows the archer to easily change the pin size and fiber color of the Glow Ring.
- Each Glow Pin includes 8" of red, green, and blue fiber optic in .010", .020", or .030" diameter.

| Scope / Glow Ring                      | Part #<br>.010"<br>Fiber | Part #<br>.020"<br>Fiber | Part #<br>.030"<br>Fiber |
|--|--------------------------|--------------------------|--------------------------|
| #040-5 (Versa Scope) / GR1 / GR2 / GR3 | GP1-010                  | GP1-020                  | GP1-030                  |
| #040-6 (Versa Scope 3D) / GRD          | GP2-010                  | GP2-020                  | GP2-030                  |



## Glow Fiber

- 8" of Glow Fiber per color.
- Comes in 3 pack of: 1 red fiber, 1 green fiber and 1 blue fiber in .010", .020", or .030" diameter.

| Part #<br>.010"<br>Fiber | Part #<br>.020"<br>Fiber | Part #<br>.030"<br>Fiber |
|--------------------------|--------------------------|--------------------------|
| GF1-010                  | GF1-020                  | GF1-030                  |

# Double Vision Kits



- Great way to get started with the Double Vision System!
- #040-2 (1 3/8" Clear Scope Housing) Unbreakable Polycarbonate Housing.
- Quantum Poly Positive Lens, 4X or 6X.
- Blue Double Vision Lens with a .312" (5/16") hole only.
- 1 3/8" Lens Retainer Ring & Thumbscrews.



## Double Vision Kit Includes The Following:



**13/8" Clear Super Scope**  
#040-2



**1.125" Quantum Poly Lens**  
+4X Or +6X



**1.108" Blue DV Lens**  
-2X, -4X Or -6X



**Super Scope Plain Ring**  
#0416 1 3/8"

| Positive Power Lens | Negative Power Blue Double Vision Lens | Double Vision Kit Part # |
|---------------------|--|--------------------------|
| 4X                  | -2X                                    | #DVK42                   |
| 4X                  | -4X                                    | #DVK44                   |
| 6X                  | -2X                                    | #DVK62                   |
| 6X                  | -4X                                    | #DVK64                   |
| 6X                  | -6X                                    | #DVK66                   |

## Double Vision Assembly



**Versa Scope #040-5**



**#040-1 & #040-2 Scopes**

## Pro Series Double Vision Ring #RRDVPS



- Allows Specialty Archery Pro Series Scope (#040-3) to be used with the 1.108" Double Vision Lenses.

## Double Vision Lens Retainer Rings for small CBE Scope #RRDVCBE



- Allows the 1 3/8" small CBE scope housing to be used with the 1.108" Double Vision Lenses.



# Double Vision Lens System


- Upgrade your scope to the Double Vision Lens System!
- Works with True Spot Target, True Spot 3D, #040-1, #040-2, #040-3 & #040-5 Scope Housings. (1 3/8" & 1 5/8" Scope Housings require the purchase of an additional Plain Ring, part #0416 - See page 16).
- Pairing two lenses together allows for any positive center spot power to be coupled with a tinted -2X, -4X, -6X or -8X outer lens power.
- Double Vision lenses are available in Amber, Blue, Red & Smoke tints.
- Double Vision lenses are available in 1/4" (.250"), 5/16" (.312") & 3/8" (.375") hole sizes.
- ***Note: Custom sizing available for an additional charge.***

## Lens Colors Available


**Amber**



**Blue**



**Red**



**Smoke**



## Customize Your View

**\*Simulated Scopes...your results can vary.**

- Customize your sight picture with three different standard hole sizes.
- The larger the hole size, the larger the field of view on the target.
- Other custom hole sizes available for an additional charge.



## Double Vision Scope Magnification Comparison



**0.312" Hole Size  
2X Lens**



**0.312" Hole Size  
4X Lens**



**0.312" Hole Size  
6X Lens**



**0.312" Hole Size  
8X Lens**

Did you know that it might be possible to use the Specialty Archery Double Vision System with your current scope housing?

Please contact us for more details and see if the Double Vision System can be used in your current sighting system!

## Dealer Tools

- Check our website for dealers in your area with these Dealer Tools.

### Verifier Tool #753-20



### Clarifier Tool #746-123



### Aperture Tool #719-746



## Shooter Sleeves

### #SA-SLV

- Blocks 97.5% of UV rays.
- Breathable, keeps you cool when the temps heat up!
- One size fits most adults.
- Set of 2 sleeves.



## Specialty Archery Shooter Shirts

### #SA-SHIRT



## Bododle Shooter Shirts

### #BD-SHIRT



## Paper Tuner & Paper

- Allows for fine tuning of arrow flight.
- Results in a more forgiving bow and improved broadhead flight.
- No pro shop is complete without one!
- Includes a complete set of instructions to assist with proper bow tuning.



#031PS (Small Paper Roll)  
#031PL (Large Paper Roll)

## Patches & Stickers



### Decal

#2708


### Patch

#617



### Core Archery By Larry Wise #01-100

- Larry Wise is one of the top archery coaches in the world.
- Learn tips and tricks that will help target and bowhunters alike.
- Backtension.
- Improve aiming.
- Many other accuracy-improving subjects.



### Vibra-Tite #VC3

- Locks & seals threaded fasteners of virtually any size.
- Utilizes a special blend of acrylic resins to prevent fasteners from loosening.
- Works well for many archery applications.
- Range: -65°F to +165°F





# Quick Range

- Specialty Archery's Quick Range Rangefinder Mount is the only rangefinder mount that allows you to use your regular rangefinder mounted directly to your bow (or crossbow).
- Works with most rangefinders and bows.
- Mounts to bows using standard sight mounting holes. May be placed between sight and riser, or on outside of sight.
- Eliminates excess noise and movement associated with using a traditional rangefinder.
- Includes strap and adhesive cushion for mounting rangefinder.
- Bow mount available in black or camo.
- Crossbow mount available in black.
- Available RH or LH.
- Quick Range Rangefinder Crossbow Mount - for mounting to crossbow scope picatinny rails.
- *NOTE: Check your state regulations for legality of bow-mounted electronics.*

## Quick Range Bow



**Camo**

#QRB-RH-CA  
#QRB-LH-CA

**Black**

#QRB-RH-BLK  
#QRB-LH-BLK

## Quick Range Crossbow



**Black**

#QRX-RH-BLK  
#QRX-LH-BLK



# Super Server 2500

- Serves up to 2500 RPM; twists up to 600 RPM.
- Foot Pedal - easy stop and start.
- Memory function allows the user to store up to 64 settings for future use.
- Repeat & infinite turns functions.
- Larger air cylinder allows tensioning of strings up to 450#. (Compressor not included.)
- Light Beam Safety Sensors allows rapid stoppage of motors.
- Emergency Stop Switch completely powers off both motors.
- Easily mounts to standard 1 5/8" x 1 5/8" Unistrut. (Unistrut not included).
- Twists bowstrings evenly from both ends to ensure an even twist rate throughout the bowstring.
- Quick release air valve.
- Laser engraved marks on bases for quick string measurement.
- Can also serve as a jig for laying up bowstrings.
- Includes (1) Aluminum Jig Spool (#AJS).



\*Unistrut Not Included.

## Bobbin Attachment

#SS-BA



- Mounts onto exposed shaft of SS-800 motor.
- Allows for spooling jig serving spools from bulk serving material spools.
- Spins up to 800 rpm.
- Wing nut keeps jig serving spool in place.

25 *Not compatible with the SS-2500.*

## Foot Pedal

#SS-FP



- Hands free activation of SS-800 and SS-2500 motors for twisting and serving.
- Plugs directly into SS-800 and SS-2500 Power Supply Box.
- *Not compatible with the SS-600.*

# Super Server 800

- Easily mounts to standard 1 5/8" x 1 5/8" Unistrut. (Unistrut not included).
- Serves up to 800 RPM; twists up to 300 RPM.
- Optional Foot Pedal (#SS-FP) available.
- Repeat & infinite turns functions.
- Ability to store 64 individual memory files.
- Lays down a perfect serving every time.
- Twists bowstrings evenly from both ends.
- Uses air cylinder to ensure bowstring stays at a constant tension when serving or twisting.
- Can tension up to 375# with the use of 150 psi air compressor. (Air compressor not included).
- Can also serve as a jig for laying up bowstrings.
- Quick release air valve.
- Laser engraved marks on base plates for quick measuring of strings.
- Can wind bulk serving material onto jig spools with the Bobbin Attachment (#SS-BA).
- Includes (1) Aluminum Jig Spool (#AJS).



\*Unistrut Not Included.

**SS-800 may also be purchased as a kit. #SS-800-KT Includes:**

- (1) Super Server 800 (#SS-800)
- (1) Bobbin Attachment (#SS-BA)
- (3) Quick Stretch 350's (#QS-350)
- (1) Manifold Kit (#SS-QS-MK)
- (1) Foot Pedal (#SS-FP)
- (1) Remote Display Cradle (#SS-RC)
- (1) Tool Tray (#SS-TT)
- (1) Note Pad (#SS-NP)
- (1) String Separators (#SS-SS)
- (1) Building Bowstrings DVD (#SS-DVD)

# Quick Stretch 350

**Quick Stretch 350**

#QS-350

\*Unistrut Not Included.



- Great addition to the Super Server serving machines.
- Uses air cylinder to ensure bowstring is stretched at a constant tension.
- Can tension strings up to 375# when using a 150 psi air compressor. (Air compressor not included).
- Can connect multiple Quick Stretch 350 string stretching machines with the use of the manifold kit (#SS-QS-MK).

25 *Not compatible with the SS-2500.*

## Manifold Kit

#SS-QS-MK

- Kit includes:  $\frac{1}{4}$  NPTF Quick Coupler, manifold attachment, 25' air hose, fittings and plugs.
- Allows a single input air line to be split up to 4 output lines.
- For use with all Super Servers & #QS-350's.



\*Manifold Kit shown with SS-800 & 3 QS-350's.

## 10 Port Manifold Kit

#SS-QS-MK-10



- Kit includes:  $\frac{1}{4}$  NPTF Quick Coupler, manifold attachment, 75' air hose, fittings and plugs.
- Allows a single input air line to be split up to 10 output lines.
- For use with all Super Servers & #QS-350's.

## Remote Display Cradle

#SS-RC

- Great addition to the Super Server.
- **Remote Cradle works with all Super Server Remote Displays.**
- Fits into channel on unistrut & holds Remote Display securely, yet allows for quick & easy re-positioning.
- Comes in a black powder-coated finish.



\*Shown with SS-800 Remote Display.



## Ring Blade

#RB-BLK



- Cuts all types of serving, bowstring, and even tough string loop material.
- Two stainless steel rust-proof blades ensure quick cutting.
- Velcro strap fits most finger sizes and allows ring to be worn or mounted to any round surface up to 1" in diameter.

## Super Server String Separators (2/pkg)

#SS-SS

- String Separators allow for easy separation of bundles when building bowstrings.
- Rounded edges for easy installation & removal from bowstring.
- Keeps the individual halves of the bowstring properly separated when twisting.
- Can also be used to separate halves of the bowstring for peep installation.



## Super Server Tool Tray

#SS-TT

- Provides a convenient place to store your tools when building strings.
- Mounts securely into Unistrut channel.
- Multiple mounting possibilities.
- All metal construction & a black powder-coated finish.
- 10" self-adhesive magnetic strip included.
- Measures 14" x 4" x 1".



\*Tool Tray & Note Pad shown mounted together.

## Super Server Note Pad

#SS-NP

- Keep your string specs easily visible.
- Easily mounts to Tool Tray (#SS-TT) with included hardware.
- Multiple mounting possibilities.
- Usable area measures 8.5" x 12".
- All metal construction with a black powder-coated finish.



## Aluminum Jig Spool

#AJS

- Aluminum construction is more precise than molded jig spools.
- Allows for smoother, more consistent serving payout, resulting in a more consistent bowstring.
- Mounts to all hand serving jigs.



## Building Bowstrings With the Super Server



### Streaming Service

#SS-VID

\*Available online only at [www.specialtyarch.com](http://www.specialtyarch.com)

**DVD**  
#SS-DVD



- Direct from Specialty Archery, we demonstrate the process of building the perfect bowstring on the Super Server Serving Machines.
- Over an hour of instruction on how to build strings and cables on the Super Server Serving Machines.
- You'll learn what equipment to use, how to lay up strings and cables, twisting, how to check for peep rotation, how to determine string/cable length, serving and many other tips and tricks that will guide you to make your own bowstrings!
- If you're already a string builder looking at refining your methods for use on the Super Servers, or just looking at getting into string building, this is the video for you!

## Super Server Replacement Equipment

### Super Server Clamp

#### Handle

#SS-CH

- Replacement Clamp Handle for all Super Servers.
- *Sold individually. (NOT per pair).*



### String Equipment Valve

#SS-VL

- Replacement Valve for all Super Servers or Quick Stretchers.



### Super Server Tape Measure

#SS-TM

- Adhesive replacement Tape Measure for Super Servers.
- Numbered from left to right. 12' x 1/2".



### Serving Jig Winder

#SS-SW



\*Bulk serving spool  
and Jig Spool not  
included.

## Hunt Saver Crossbow Press

#SA-XP



Patent Pending



- Can change a crossbow string in a matter of minutes.
- Can save your hunt!
- Works on most COMPOUND crossbows that employ a CRANK to draw (EXCEPT crossbows less than 16" axle to axle).
- Does NOT work on recurve crossbows.
- Comes with padded protective carrying case.
- Want a great tip? When you replace your strings, be sure to keep your original strings in the case along with the crossbow press in case of an emergency!
- Compact, portable, and easy to use!
- PATENT PENDING.



## Pro Press Hex Conversion Kit

#PRP-HX

- The Pro Press Hex Drive Conversion Kit allows you to convert your original X-Press flat-style crank handle to the same 9/16" Hex Drive system found on the current Pro Press and Pro Draw.
- Allows the same Hex Drive Crank Handle to be used on both the press and the Pro Draw.



## Pro Press Conversion Kit

#PRP-CK

- The Pro Press Conversion Kit allows the user to convert the original Sure-Loc X-press for use with the Pro Press Limb Ears.
- Limb Ears offer increased flexibility in placement as well as reduced stress on the bow limbs and riser.
- Increased ease in mounting and use of the Specialty Archery Pro Draw to create the ultimate bow tuning press and draw board system.
- Includes new Safety Straps.
- *NOTE: The Pro Press Conversion Kit does NOT include the Hex Drive Crank Handle or the Hex Drive shaft found on the Specialty Archery Pro Press. Also available is the Pro Press Hex Drive Conversion Kit (#PRP-HX) which allows you to convert your original X-Press flat-style crank handle to the same 9/16" Hex Drive system found on the current Pro Press and Pro Draw. Allows the same Hex Drive Crank Handle to be used on both the press and the Pro Draw.*

From this...



To this!!!






US Patent #8,505,523 B1

## Limb Slider Safety Pins

- Limb slider safety pins prevent the limb slider from being forced upwards on the swing arm when pressing past-parallel limb bows.



- Safety Straps prevent the bow from being forced downward while pressing past-parallel bows.

- The Specialty Archery Pro Press was designed to be the safest and most user-friendly bow press on the market today.
- The Pro Press Mapping Worksheet allows press settings to be quickly and easily duplicated.
- Safely presses any bow or cross bow on the market today.


## Adjustable Limb Ears

- Limb Ears rotate on a splined shaft and can be easily adjusted inward and outward to fit any limb configuration.
- Ear Tabs prevent damage to bow limbs.



US Patent #9,360,267

Pro Draw  
#PRP-PD



**Pro Press & Pro Draw may also be purchased as a kit.**

**#PRP-KT Includes:**

- (1) Pro Press (#PRP)
- (1) Pro Draw (#PRP-PD)
- (1) Pro Press Stand (#PRP-ST)
- (1) Pro Press Serving Jig (#PRP-SV)
- (1) Pro Press Trays (PRP-TR) sold per 2
- (1) Pro Press Scale (#PRP-SC)

# Optional Pro Press/Pro Draw Equipment

## Pro Press Stand

#PRP-ST



- Allows your Pro Press to be free-standing. The perfect complement to your Pro Press.

## Pro Press Trays (Sold Per 2)

#PRP-TR




\*Tray shown attached to Pro Press.

- Provides a convenient place to hold tools or other items when working on bows.
- Multiple mounting options.

## Pro Press Replacement Ear Pads

#PRP-EP

- 4 Ear Pads included in each package.
- Easy to replace.



## Pro Press Serving Jig

#PRP-SV

US Patent #8,387,600 B1



- Allows for quick and easy repair of servings without removing the string or cable from the bow.

\* Serving Jig shown in use on the Pro Press.

## Pro Press Safety Straps (Sold Per 2)

#PRP-SS



\*Pro Press Safety Straps shown in use.

- The Pro Press Safety Strap is a replacement strap for the existing Limb Safety Clips and Split Limb Safety Clips.
- Holds any bow securely in the Pro Press.
- Easy to use.

## Pro Press O'Ring Band

#PRP-OR



- Replacement O' Ring for Pro Press & Pro Draw Stand.

## Pro Draw Stand

#PRP-DS



\*Pro Draw shown attached to Pro Draw Stand.

- The Pro Draw Stand mounts to a workbench or table top and allows the Pro Draw to be used without the Pro Press.
- The grip section has a cushioned covering to prevent damage to bow's handle.

## Pro Press Scale

#PRP-SC



- Measures from 0 to 600 pounds (300kg) in 0.2 pound (100g) increments.



Follow Us On Facebook

**Specialty Archery L.L.C.®**  
**1211 38th Ave W.**  
**PO Box 879**  
**Spencer, IA 51301**

**Sales: (800)-555-2856**  
**Billing & Technical (712)580-5762**  
**Phone: (712)-580-5762**  
**Fax: (712)-580-2020**

**Email: [technical@specialtyarch.com](mailto:technical@specialtyarch.com)**  
**Website: [www.specialtyarch.com](http://www.specialtyarch.com)**

**Business Hours**  
**Monday - Friday 8:00am - 4:00pm**  
**Central Standard Time**

**Michael Anderson - General Manager ([manderson@specialtyarch.com](mailto:manderson@specialtyarch.com))**  
**Cheryl Moriarty - Office Manager ([cmoriarty@specialtyarch.com](mailto:cmoriarty@specialtyarch.com))**  
**Rocky Thompson - Production Manager ([rthompson@specialtyarch.com](mailto:rthompson@specialtyarch.com))**

# Product Specifications

| Description  | Part #     | Weight  | Description                     | Part #     | Weight   |
|--|------------|---------|---------------------------------|------------|----------|
| <b>Podium Peep and Accessories</b>                     |            |         |                                 |            |          |
| Podium Peep  | PPBLK      | 19.0 gr | Bodoodle Arrow Rests            |            |          |
| Podium Peep Apertures                                  | (multiple) | 3.5 gr  | Switchblade Hunter              | SBH        | 4 oz.    |
| Podium Peep Clarifiers/Verifiers                       | (multiple) | 2.0 gr  | Switchblade Target              | SBT        | 4 oz.    |
| Podium Peep Shade Cap                                  | PPPS       | 3.0 gr  | Pro Lite II                     | PL2        | 3.2 oz.  |
|  |            |         | Zapper 300X                     | ZX3        | 2.4 oz.  |
|  |            |         | Zapper 400X                     | ZX4        | 2.8 oz.  |
|  |            |         | Bullet                          | BSF        | 2.3 oz.  |
| <b>Ultra Lite and Pro Series Peeps and Accessories</b> |            |         |                                 |            |          |
| 37 Degree Ultra Lite Peep                              | 749-37UL   | 7.5 gr  | Timberdoodle II                 | TD2        | 2.4 oz.  |
| 45 Degree Ultra Lite Peep                              | 749-45UL   | 7.5 gr  | Timberdoodle                    | TAR        | 2.2 oz.  |
| 37 Degree Pro Series Peep                              | 749-37PS   | 9.5 gr  | <b>Feather Lite Stabilizers</b> |            |          |
| 45 Degree Pro Series Peep                              | 749-45PS   | 9.5 gr  | Feather Lite 6"                 | 0806BLK    | 4.8 oz.  |
| Apertures  | (multiple) | 2.5 gr  | Feather Lite 8"                 | 0808BLK    | 5.0 oz.  |
| Clarifiers   | (multiple) | 4.0 gr  | Feather Lite 10"                | 0810BLK    | 6.1 oz.  |
| 1/8" Verifier  | (multiple) | 4.0 gr  |                                 |            |          |
| Peep Shade   | PS-BLK     | 2.0 gr  | <b>Pro Stix Stabilizers</b>     |            |          |
| Standard Peep Aligner                                  | PAS        | 13.0 gr | Pro Stix 10"                    | 010PSX-BLK | 6.0 oz.  |
|  |            |         | Pro Stix 12"                    | 012PSX-BLK | 6.3 oz.  |
| <b>1/4" Peeps and Accessories</b>                      |            |         |                                 |            |          |
| 1/4" Non-Hooded Peep Housing                           | 749-37L    | 12.5 gr | Pro Stix 15"                    | 015PSX-BLK | 6.7 oz.  |
| 1/4" Hooded Peep Housing                               | 749-37LH   | 15.0 gr | Pro Stix 24"                    | 024PSX-BLK | 7.8 oz.  |
| 1/4" Verifier/ Clarifier                               | (multiple) | 5.5 gr  | Pro Stix 30"                    | 030PSX-BLK | 8.6 oz.  |
| Peep Reducer   | 753-3      | 3.1 gr  | Pro Stix 36"                    | 036PSX-BLK | 9.4 oz.  |
| Peep Shade Large                                       | PSL-BLK    | 2.0 gr  | <b>Ultra Lite Stabilizers</b>   |            |          |
| 1/4" Large Peep Aligner                                | PAL        | 15.0 gr | Ultra Lite (3 rod) 6"           | 6BLK       | 2.35 oz. |
|  |            |         | Ultra Lite (3 rod) 8"           | 8BLK       | 3.16 oz. |
| <b>5/16" Peeps and Accessories</b>                     |            |         |                                 |            |          |
| 5/16" XL Peep Housing                                  | 749-37XL   | 17.0 gr | Ultra Lite (3 rod) 10"          | 10BLK      | 3.27 oz. |
| 5/16" Verifier   | (multiple) | 12.0 gr | Ultra Lite (3 rod) 12"          | 12BLK      | 3.48 oz. |
| 5/16" Aperture   | 755-A      | 5.0 gr  | Ultra Lite (3 rod) 18"          | 18BLK      | 4.0 oz.  |
|  |            |         | Ultra Lite (3 rod) 24"          | 24BLK      | 4.27 oz. |
|  |            |         | Ultra Lite (3 rod) 30"          | 30BLK      | 4.65 oz. |
|  |            |         | Ultra Lite (3 rod) 36"          | 36BLK      | 5.06 oz. |
|  |            |         | <b>VBar Adjustable Black</b>    |            | 6.5 oz.  |
|  |            |         |                                 |            |          |

\*All weights are approximate

\*All prices in the catalog and on the website are the Manufacturer's Suggested Retail Price. Actual prices may vary. Customs fees on foreign orders are not included in the price. Specialty Archery L.L.C.® reserves the right to make changes to specifications, prices and models without notice.

\*All weights are approximate.



2019 Product Catalog

[www.bodoodleusa.com](http://www.bodoodleusa.com)

# Switchblade



## Switchblade Hunter

#SBH (RH or LH) BLK

The heart of the Switchblade Arrow Rest is the frame, allowing you to change out Yokes to fit your situation.



## Switchblade Target

#SBT (RH or LH) BLK

Proven technology from our Pro Lite II, the Switchblade Hunter is the perfect choice for the field and the range, offering superior tunability and durability. The Switchblade Hunter comes complete with .015" Speed fins installed, and a pair of .015" Hunter Fins to allow the archer freedom to set up this rest as you see fit.

The Switchblade Target was born for the tournament trail. We took the design from our Timber Rattler II and made the frame wider & taller to accommodate larger arrows & taller fletchings for easy clearance. The pivoting yoke allows you to tune your blade like never before with the spring tension on the side of the rest.

## Switchblade Yokes



Simply back out the cone screw on the Pivoting Yoke and switch it out with either the Hunter Yoke or the Target Yoke. One rest - two Yoke options!

### Hunter Yoke

#SBHY-BLK

\*.015" Speed & Hunter Fins included!



Extra wide/deep frame allows larger diameter arrows & tall fletching to clear with ease with either the Hunter or Target Yoke system.



### Hunter Yoke



### Target Yoke



### Pivoting Yoke

### Target Yoke

#SBTY (RH or LH) BLK

\*.010" & .012"

Lizard Tongues included!



# Switchblade Hunter



#SBH (RH or LH) BLK



Speed Fins



Hunter Fins

\*.015" Speed  
& Hunter Fins  
included!

- Wider and taller frame for added clearance of vanes over our Pro Lite II.
- Will mount on most compound bows & will accommodate all arrow sizes & materials.
- With the purchase of the Target Yoke (#SBTY), the Switchblade Hunter rest can be converted to a Switchblade Target in seconds.
- Lightweight at 4 ounces and is made of rugged 6061 T-6 aluminum.
- Adjustable windage and elevation for perfect arrow flight in seconds.
- Features a zero play frictionless yoke assembly & jewel-like bearings for extremely quiet and worry-free shooting.
- "Smoke Quiet" silencing tape included to ensure a quiet draw when hunting.
- Over 1" of elevation adjustment.
- Comes standard with 2 stainless steel .015" thickness Speed Fins & 2 stainless steel .015" thickness Hunter Fins. Other Fins available.
- Right or left handed.
- Available in black.

## Hunter Fins

- #HRF-015 .015" Thickness Hunter Fins (arrows under 550 grains).
- #HRF-023 .023" Thickness Hunter Fins (arrows over 550 grains).

## Speed Fins

- #SRF-015 .015" Thickness Speed Fins (arrows under 550 grains).
- #SRF-023 .023" Thickness Speed Fins (arrows over 550 grains).
- #SRF-028 .028" Thickness Speed Fins (arrows over 800 grains).

# Switchblade Target



#SBT (RH or LH) BLK



.010" Tongue



.012" Tongue  
\*Both Lizard Tongues included!



## Cousins Best Blade .200" Width Tips

- #CBB-008 .008" For arrows up to 325 grains.
- #CBB-010 .010" For arrows from 325 to 425 grains.
- #CBB-012 .012" For arrows over 425 grains.

\*Made from Spring Steel; resistant to bending & cracking.



## Cousins Best Blade Wide .375" Width Tips

- #CBW-008 .008" For arrows up to 325 grains.
- #CBW-010 .010" For arrows from 325 to 425 grains.
- #CBW-012 .012" For arrows over 425 grains.

\*Made from Spring Steel; resistant to bending & cracking.



## Stainless Steel Lizard Tongue

- #LT-010 .010" - For arrows from 325 - 425 grains.
- #LT-012 .012" - For arrows over 425 grains.

# Pro Lite II



Pro Lite II  
#PL2 (RH or LH) BLK

- Compensates for all forces exerted on an arrow at launch and speeds the arrow on its way without interference.
- Will mount on most compound bows & will accommodate all arrow sizes & materials.
- Lightweight at 3.5 ounces and is made of rugged 6061 T-6 aluminum.
- Adjustable windage and elevation for perfect arrow flight in seconds.
- Features a zero play frictionless yoke assembly & jewel-like bearings for extremely quiet and worry-free shooting.
- "Smoke Quiet" silencing tape included to ensure a quiet draw when hunting.
- Over 1" of elevation adjustment.
- Comes standard with 2 stainless steel .015" thickness Speed Fins.
- Other fins available.
- Right or left handed.
- Available in black.

## Hunter Fins

- #HRF-015 .015" Thickness Hunter Fins (arrows under 550 grains).
- #HRF-023 .023" Thickness Hunter Fins (arrows over 550 grains).

\* Fins include 4 strips of Smoke Quiet Tape

## Speed Fins

- #SRF-015 .015" Thickness Speed Fins (arrows under 550 grains).
- #SRF-023 .023" Thickness Speed Fins (arrows over 550 grains).
- #SRF-028 .028" Thickness Speed Fins (arrows over 800 grains).

\* Fins include 4 strips of Smoke Quiet Tape

# Bullet

- Compensates for all forces exerted on an arrow at launch & speeds the arrow on its way without interference.
- Lightweight at 2.3 oz & made from rugged 6061 T-6 aluminum.
- Features a zero play pivoting yoke assembly for extremely quiet & worry-free shooting.
- Will mount on most compound bows & will accommodate all arrow sizes & materials.
- Comes standard with 2 stainless steel .015" thickness Speed Fins.
- Other fins available.
- Includes 4 strips of "Smoke Quiet" silencing tape to ensure a quiet draw when hunting.
- Right or left handed.
- Available in black.



Bullet  
#BSF (RH or LH) BLK

# Timberdoodle II



Timberdoodle II  
#TD2 (RH or LH) BLK

- Specifically designed for finger shooters.
- Made from rugged 6061 T-6 aluminum.
- Features a zero play pivoting yoke assembly for extremely quiet & worry free shooting.
- Will accommodate all arrow sizes & materials.
- Over 1" of elevation adjustment.
- Comes standard with 1 Hunter Fin (.015") & 1 Speed Fin (.023") for perfect arrow flight.
- Other fins available. (See below.)
- Includes 4 strips of "Smoke Quiet" tape to ensure a quiet draw when hunting.
- Available in black.

## Timberdoodle & Timberdoodle II Fins

|            |   |
|------------|---|
| • #TRF-L01 | .015" Thickness Left Hand (arrows under 550 grains).  |
| • #TRF-L02 | .023" Thickness Left Hand (arrows over 550 grains).   |
| • #TRF-R01 | .015" Thickness Right Hand (arrows under 550 grains). |
| • #TRF-R02 | .023" Thickness Right Hand (arrows over 550 grains).  |




\* Fins include 4 strips of Smoke Quiet Tape

# Timberdoodle



Timberdoodle  
#TAR (RH or LH) BLK

- Specifically designed for finger shooters.
- Made from rugged 6061 T-6 aluminum.
- Features a zero play pivoting yoke assembly for extremely quiet & worry free shooting.
- Will accommodate all arrow sizes & materials.
- Comes standard with 1 Hunter Fin (.015") & 1 Speed Fin (.023") for perfect arrow flight.
- Other fins available. (See above.)
- Includes 4 strips of "Smoke Quiet" tape to ensure a quiet draw when hunting.
- Available in black.



# Zapper X

- **X Bracket** allows for 1/2" vertical and 1" horizontal adjustment of the Zapper Arrow Rests.
- Laser etched vertical and horizontal marks makes tuning easier than ever.
- Comes standard with Zapper 300X & Zapper 400X models.
- *Will not work on previous Zapper models.*

## Zapper 300X

Zapper 300  
#ZX3 (RH or LH) BLK



Zapper 300  
#ZX3 (RH or LH) CA



- **X Bracket** allows for easy tuning; fully adjustable for windage and elevation.
- Features top loading convenience & full containment of the arrow shaft for the perfect bow hunting rest without the fletching damage.
- Delivers unconditional value and excellent performance.
- Arrows zip silently through the Zapper on "Smoke Quiet" silencing tape which increases speed & prevents fletching damage.
- Cradles your arrow at all angles.
- Other fins available.
- Zapper 300 has 2 side support fins & 1 bottom fin.
- Right or left handed.
- Available in black & camo.

### Zapper 300 Fins

- #ZRF-315 .015" Thickness replacement fins (recommended for arrows under 550 grains).
- #ZRF-323 .023" Thickness replacement fins (recommended for arrows over 550 grains).

\* Fins include 4 strips of Smoke Quiet Tape

## Zapper 400X

- **X Bracket** allows for easy tuning; fully adjustable for windage and elevation.
- Features top loading convenience & full containment of the arrow shaft for the perfect bow hunting rest without the fletching damage.
- Delivers unconditional value and excellent performance.
- Arrows zip silently through the Zapper on "Smoke Quiet" silencing tape which increases speed & prevents fletching damage.
- Cradles your arrow at all angles.
- Other fins available.
- Zapper 400 has 2 side support fins & 2 bottom fins.
- Right or left handed.
- Available in black & camo.

Zapper 400  
#ZX4 (RH or LH) BLK



Zapper 400  
#ZX4 (RH or LH) CA



### Zapper 400 Fins

- #ZRF-415 .015" Thickness replacement fins (recommended for arrows under 550 grains).
- #ZRF-423 .023" Thickness replacement fins (recommended for arrows over 550 grains).

\* Fins include 4 strips of Smoke Quiet Tape

# Bodoodle Accessories

## Speed Fins

- For minimal contact with the arrow.

#SFR-015 .015" Thickness  
Arrows under 550 grains.

#SRF-023 .023" Thickness  
Arrows over 550 grains.



## Hunter Fins

- Hunter Fins cradle the arrow; great for hunting situations.



## Bodoodle Bumpers

- Replacement cork & rubber bumpers



Cork #BPC-002  
2 per pack



Rubber #BPR-003  
3 per pack

## Smoke Quiet Tape Strips

- Replacement silencing tape for all Bodoodle rest fins except Timber Rattler.
- Prevents noise when drawing the arrow across the rest fins.
- 12 tape strips per package.



#SQT-012

## Insert Tool

- Excellent for holding insert securely while hot melt or epoxy is applied.
- Helps prevent glue from getting into the insert opening.
- Includes 1 stick of Bohning Ferr-L-Tite adhesive.



#IT-001

## Doodle Slicks

- Silencers for Speed Fins.
- Slides easily onto fins.



2 Pack  
#SLK-002

3 Pack  
#SLK-003

## Replacement Spring

- Spring for Bodoodle Arrow Rests.
- 2 per pack.



#SPR-002

# ***Bodoodle***

*Premium Quality Arrow Rests*

Bodoodle  
Division of Specialty Archery L.L.C.®  
1211 38th Ave W  
PO Box 879  
Spencer, IA 51301  
Phone: (712)580-5762  
Fax: (712)580-2020

Email: [technical@specialtyarch.com](mailto:technical@specialtyarch.com)  
website: [bodoodleusa.com](http://bodoodleusa.com)

**Business Hours**  
Monday - Friday 8:00am - 4:00pm  
Central Standard Time

Follow Us On Facebook

