



# TRUGLO®

WHEN BRIGHTNESS COUNTS®

2018 PRODUCT CATALOG

ARCHERY / CROSSBOW

**BOW SIGHTS**

<b>HYPER-STRIKE™</b>	4-5
<b>CARBON-HYBRID™ SERIES</b>	6
<b>CARBON XS XTREME</b>	7
<b>STORM™</b>	8
<b>CARBON XS</b>	8
<b>TSX™ PRO SERIES</b>	9
<b>RITE-SITE™ XS</b>	9
<b>ARCHER'S CHOICE® RANGE-ROVER™ PRO</b>	10-11
<b>ARCHER'S CHOICE® RANGE-ROVER™ SERIES</b>	12-13
<b>PENDULUM SERIES</b>	14

**ARROW RESTS**

<b>LOCK-FIRE™ SERIES</b>	16-17
<b>UP-DRAFT™</b>	18
<b>DOWN-DRAFT™</b>	19
<b>CARBON XS</b>	20
<b>STORM™</b>	20

**HUNTING RELEASES**

<b>NITRUS™ SERIES</b>	22
<b>DETONATOR™ SERIES</b>	23
<b>ACTIVATOR™ SERIES</b>	24
<b>SPEED-SHOT™ XS</b>	25
<b>TRU-FIT™ UNIVERSAL BOA® RELEASE STRAP</b>	26

**QUIVERS**

<b>TRU-TEC™ LT</b>	28
<b>CARBON XS™</b>	29
<b>LOC-DOWN™</b>	30
<b>TUFF-LOC™</b>	31

**STABILIZERS**

<b>CARBON-HYBRID™</b>	33
<b>TRU-TEC™ CARBON PRO</b>	34
<b>CARBON XS</b>	35
<b>DEADENATOR™ XS</b>	36

**BROADHEADS**

<b>TITANIUM X™ BROADHEADS</b>	38-39
<b>TITANIUM X™ CROSSBOW BROADHEADS</b>	40

**BOW ACCESSORIES**

<b>BOW-JACK™</b>	43
<b>GREEN LED BOW LIGHT WITH PICATINNY MOUNT</b>	44
<b>DUAL STABILIZER MOUNT</b>	45
<b>CENTRA™ SLING PRO</b>	45
<b>CENTRA™ SLING</b>	45
<b>BOW ACCESSORY KIT</b>	45
<b>PEEP SIGHTS</b>	46
<b>PEEP SILICONE TUBING</b>	46
<b>REPLACEMENT FIBERS &amp; PINS</b>	47
<b>BOW SIGHT LIGHTS</b>	48
<b>HUNTER'S LITE™</b>	48
<b>ARROW PULLER</b>	49
<b>TRU-BLOCK™ STRING SILENCERS</b>	49
<b>REPLACEMENT BATTERIES</b>	49

**CROSSBOW**

<b>OPTI-SPEED™ VELOCITY CALIBRATED SCOPE</b>	51
<b>CROSS-TEC™ SCOPE SERIES</b>	52
<b>4 X 32MM COMPACT</b>	53
<b>TRITON™ 30MM TRI-COLOR DOT OPTIC</b>	53
<b>30MM TRADITIONAL RED DOT</b>	54
<b>HIP-SHOT™ CROSSBOW SHOOTING REST</b>	55
<b>CROSSBOW BOLT PULLER</b>	56
<b>CROSS-TEC™ STRING SILENCERS</b>	56
<b>REPLACEMENT BATTERIES</b>	56

**BOWFISHING**

<b>SPRING-FISHER™ POINT</b>	58
<b>CARPEDO™ POINT</b>	58
<b>LUNKER™ POINT</b>	58
<b>SPEED-SHOT™ POINT</b>	58
<b>BOWFISHING ARROWS</b>	59
<b>SPRING-SHOT™ BOWFISHING ARROW REST</b>	60
<b>ACCU-X™ BOWFISHING ARROW REST</b>	60
<b>SPRING-SHOT™ BOWFISHING KIT</b>	61
<b>BOWFISHING SLIDES, STOPS &amp; NOCKS</b>	62
<b>BOWFISHING NOCKS</b>	62
<b>STRING FINGER GUARDS</b>	62

**TECHNICAL CHARTS**

<b>CROSSBOW OPTICS SPECIFICATIONS</b>	54
<b>BOW SIGHT SPECIFICATIONS</b>	63



# BOW SIGHTS

BRIGHT MULTI-PIN AND SINGLE-PIN SIGHTS – PROVIDING ACCURACY  
AND VERSATILITY TO MODERN HUNTING BOWS.



NEW

# HYPER•STRIKE™

## ULTRA-LIGHT LONG-RANGE BOW SIGHT

HYPER•STRIKE™ combines fan-favorite features with new innovations in the world of bow sights. Decreasing Diameter Pins increase your effective range, while the TRU•LITE™ PRO rotary light illuminates your pins to extend your hunt through crucial low-light prime-time. With multiple mounting positions, the MAXAMOUNT™ bracket provides more setup options than ever before.



### PRODUCT FEATURES

- LIGHTWEIGHT CARBON-COMPOSITE AND ALUMINUM CONSTRUCTION
- MICRO-ADJUSTABLE WINDAGE AND ELEVATION
- 2ND AND 3RD AXIS ADJUSTABLE LEVEL
- EXTRA-LONG FIBERS FOR MAXIMUM BRIGHTNESS
- LARGE CIRCULAR FIELD OF VIEW (1.9 IN. DIA.)
- DECREASING DIAMETER PIN DESIGN USES SMALLER PINS FOR LONGER DISTANCES
- MAXAMOUNT™ BRACKET OFFERS THREE SIGHT RADIUS POSITIONS WITH HIGH / LOW MOUNTING HOLES FOR NUMEROUS MOUNTING OPTIONS
- UNIQUE PRO•BRITE™ PIN DESIGN FOR INCREASED DURABILITY AND BRIGHTNESS
- GLOW-IN-THE-DARK SHOOTER'S RING
- ADJUSTABLE FOR LEFT AND RIGHT-HANDED SHOOTERS
- TRU•TOUCH™ SOFT-FEEL TECHNICAL COATING
- PATENTED

SCAN CODE  
TO LEARN MORE



### PRO•BRITE™ PIN TECHNOLOGY



TG5407B DDP™



### DECREASING DIAMETER PIN DESIGN

With smaller pin sizes for longer distances, the patented DDP™ design blocks less of the target, resulting in more precise pin placement and more accurate aiming.



### MAXAMOUNT™

provides three sight radius positions with high / low mounting holes for numerous mounting options.



### TRU•LITE™ PRO INCLUDED

TRU•LITE™ PRO (TG57) gives you more pin illumination options with 3 brightness levels controlled by positive twist-click knob.

See page 48 for details.



MODEL	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION
<b>TG5407B</b> <small>NEW</small>	DDP™ 7 (4x.019" / 3x.010" dia.)	Black	Lightweight carbon-composite and aluminum	TRU-LITE™ PRO Rotary Light	Adjustable 2nd and 3rd axis		
<b>TG5405B</b>	DDP™					1.9 in.	Micro-adjustable
<b>TG5405M</b>	DDP™ 5 (3x.019" / 2x.010" dia.)	LOST® XD					
<b>TG5405J</b>		Realtree® Xtra™					

TRU-TOUCH™ SOFT-FEEL  
TECHNICAL COATING

MICRO  
ADJUSTABLE

LARGE CIRCULAR  
FIELD OF VIEW

GLOW-IN-THE-DARK  
SHOOTER'S RING

DECREASING DIAMETER  
PIN DESIGN

PRO-BRITE™  
PIN TECHNOLOGY

LIGHT  
INCLUDED



# CARBON•HYBRID™

## LIGHTWEIGHT CARBON / ALUMINUM HYBRID BOW SIGHT

With TRU•FUSION™ Hybrid Technology, CARBON•HYBRID™ Micro is the first and only micro-adjustable bow sight constructed with the optimum combination of carbon composites and aluminum, providing an excellent strength-to-weight ratio and unparalleled durability. Featuring PRO•BRITE™ Pin Technology, CARBON•HYBRID Micro is the new standard for ultra-lightweight, multi-pin, micro-adjustable bow sights.



### PRODUCT FEATURES

- LIGHTWEIGHT CARBON-COMPOSITE AND ALUMINUM CONSTRUCTION
- HYBRID CONSTRUCTION TRANSFERS LESS VIBRATION
- UNIQUE PRO•BRITE™ PIN DESIGN FOR INCREASED DURABILITY AND BRIGHTNESS
- EXTRA-LONG FIBERS FOR MAXIMUM BRIGHTNESS
- EXTRA-LONG BRACKET INCREASES SIGHT RADIUS
- REVERSIBLE BRACKET FOR INCREASED VERTICAL ADJUSTMENT RANGE
- FOR BOTH LEFT AND RIGHT-HANDED SHOOTERS
- PATENTED

SCAN CODE  
TO LEARN MORE



### PRO•BRITE™ PIN TECHNOLOGY



TG7515

### TRU•FUSION™ HYBRID TECHNOLOGY

TRUGLO® TRU•FUSION™ Hybrid Technology combines carbon composite and aluminum to create a durable, ultra-lightweight sight that can't be matched.

### PUSH-BUTTON LED INCLUDED

Removable violet push-button sight light.



MODEL	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION
TG7415B							Standard adjustment
TG7515B	5 (5x.019" dia.)	Black					
TG7515M		LOST® XD					
TG7515J		Realtree® Xtra™					Micro-adjustable



# CARBON XS XTREME

## ULTRA-LIGHTWEIGHT, CARBON-COMPOSITE BOW SIGHT

SCAN CODE  
TO LEARN MORE



You asked, we listened. CARBON XS Xtreme is the next generation carbon-composite bow sight for any aspiring bowhunter. We have added more shooter-suggested features than ever before, including a longer mounting bracket, extended windage and elevation adjustments, larger aperture and PRO•BRITE™ Pin Technology for even brighter pins. With a little bit of everything, CARBON XS Xtreme is the go-to sight for any bowhunter, at any skill level.



TG5805



Maximizes light transmission to pins and eliminates glare from the LED light.



### PUSH-BUTTON LED INCLUDED

Removable violet push-button sight light.



## PRODUCT FEATURES

- ULTRA-LIGHTWEIGHT CARBON-COMPOSITE CONSTRUCTION – WEIGHS LESS THAN 4.2 OZ.
- UNIQUE PRO•BRITE™ PIN DESIGN FOR INCREASED DURABILITY AND BRIGHTNESS
- TRU•FLO™ FIBER DESIGN
- EXTRA-LONG FIBERS FOR MAXIMUM BRIGHTNESS
- REVERSIBLE BRACKET FOR GREATER VERTICAL ADJUSTABILITY
- ADJUSTABLE FOR LEFT AND RIGHT-HANDED SHOOTERS
- GLOW-IN-THE-DARK SHOOTER'S RING FOR IMPROVED PEEP ALIGNMENT

MODEL	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION
TG5805B	TRU•FLO™ Fiber Design	Black	Ultra-lightweight carbon-composite	Removable push-button LED – violet	High-visibility	1.9 in.	Standard adjustment
TG5805J	5 (5x.019" dia.)	Realtree® Xtra™					
TG5805P		Realtree® APC™ Pink					

TRU•TOUCH™ SOFT-FEEL  
TECHNICAL COATING

ULTRA  
LIGHTWEIGHT

LARGE CIRCULAR  
FIELD OF VIEW

GLOW-IN-THE-DARK  
SHOOTER'S RING

PRO•BRITE™  
PIN TECHNOLOGY

CARBON-COMPOSITE  
CONSTRUCTION

LIGHT  
INCLUDED



# STORM™

## ULTRA-LIGHTWEIGHT, COMPACT BOW SIGHT



- LIGHTWEIGHT AND COMPACT
- UNIQUE METAL PIN DESIGN FOR INCREASED DURABILITY AND BRIGHTNESS
- ENLARGED CIRCULAR FIELD OF VIEW
- ADJUSTABLE FOR LEFT AND RIGHT-HANDED SHOOTERS
- ADJUSTABLE RHEOSTAT LED INCLUDED WITH TG3015B

SCAN CODE  
TO LEARN MORE



### PRO-BRITE™ PIN TECHNOLOGY



TG3013



TFO TG3014



TG3015

MODEL	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION
TG3013B	3 (3x.019" dia.)			Sold separately			
TG3014T	4 (3x.019" dia., TFO® 1x.029" dia.)	Black	CNC-machined aluminum and composite	Removable adjustable rheostat LED – violet	High-visibility	2 in.	Standard adjustment
TG3015B	5 (5x.019" dia.)						

ULTRA  
LIGHTWEIGHT

LARGE CIRCULAR  
FIELD OF VIEW

GLOW-IN-THE-DARK  
SHOOTER'S RING

PRO-BRITE™  
PIN TECHNOLOGY



# CARBON XS

## LIGHTWEIGHT, CARBON-COMPOSITE BOW SIGHT



TRU-TOUCH  
SOFT-FEEL TECHNICAL COATING

- ULTRA-LIGHTWEIGHT CARBON-COMPOSITE CONSTRUCTION – WEIGHS LESS THAN 3.5 OZ.
- TRU-FLO™ FIBER DESIGN
- EXTRA-LONG, FULLY-PROTECTED FIBERS
- REVERSIBLE BRACKET FOR GREATER VERTICAL ADJUSTABILITY
- ADJUSTABLE FOR LEFT AND RIGHT-HANDED SHOOTERS
- REMOVABLE PUSH-BUTTON VIOLET LED INCLUDED

SCAN CODE  
TO LEARN MORE



### TRU-FLO™ FIBER DESIGN

Maximizes light transmission to pins and eliminates glare from the LED light.



TG5704

MODEL	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION
TG5704B	TRU-FLO™	Black					
TG5704C	TRU-FLO™ Fiber Design	Realtree® APG™					
TG5704F	4 (4x.019" dia.)	LOST® AT					
TG5704P		Realtree® APC™ Pink	Ultra-lightweight carbon-composite	Removable push-button LED – violet	High-visibility	1.8 in.	Standard adjustment

TRU-TOUCH™ SOFT-FEEL  
TECHNICAL COATING

ULTRA  
LIGHTWEIGHT

LARGE CIRCULAR  
FIELD OF VIEW

GLOW-IN-THE-DARK  
SHOOTER'S RING

CARBON-COMPOSITE  
CONSTRUCTION

LIGHT  
INCLUDED



# TSX™ PRO SERIES

BASED ON THE AWARD-WINNING  
TRU-SIGHT™ XTREME SERIES

SCAN CODE  
TO LEARN MORE



TRU-TOUCH  
SOFT-FEEL TECHNICAL COATING

- MICRO-ADJUSTABLE / TOOLLESS DESIGN
- UNIQUE STAINLESS STEEL TUBE PIN DESIGN FOR INCREASED DURABILITY AND BRIGHTNESS
- ULTRA-STRONG, LIGHTWEIGHT CONSTRUCTION
- REVERSIBLE BRACKET FOR GREATER VERTICAL ADJUSTABILITY
- ADJUSTABLE FOR LEFT AND RIGHT-HANDED SHOOTERS
- TRU-TOUCH™ SOFT-FEEL TECHNICAL COATING
- ADJUSTABLE RHEOSTAT LED INCLUDED



3-PIN



5-PIN

MODEL	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION		
TG7113B	3 (3x.019" dia.)						Standard adjustment		
TG7115B									
TG7215B	5 (5x.019" dia.)	Black	CNC-machined aluminum and composite	Removable adjustable rheostat LED – violet	Adjustable 2nd and 3rd axis	2 in.	Toolless		
TG7315B							Micro-adjustable		
			TRU-TOUCH™ SOFT-FEEL TECHNICAL COATING	MICRO ADJUSTABLE	TOOLLESS DESIGN	LARGE CIRCULAR FIELD OF VIEW	GLOW-IN-THE-DARK SHOOTER'S RING	STAINLESS STEEL TUBE PIN DESIGN	LIGHT INCLUDED



# RITE-SITE™ XS

LIGHTWEIGHT,  
CARBON-COMPOSITE BOW SIGHT

SCAN CODE  
TO LEARN MORE



- UNIQUE PIN DESIGN INCREASES BRIGHTNESS
- REMOVABLE RHEOSTAT LIGHT
- ULTRA-DURABLE CONSTRUCTION
- ULTRA-STRONG, LIGHTWEIGHT PIN GUARD
- MARKINGS FOR ELEVATION AND WINDAGE
- ADJUSTABLE FOR LEFT AND RIGHT-HANDED SHOOTERS
- ADJUSTABLE RHEOSTAT LED INCLUDED



TG3513

MODEL	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION
TG3513B	3 (3x.019" dia.)	Black	CNC-machined aluminum and composite	Removable adjustable rheostat LED – violet	High-visibility	2 in.	Standard adjustment
			ULTRA LIGHTWEIGHT	LARGE CIRCULAR FIELD OF VIEW	GLOW-IN-THE-DARK SHOOTER'S RING		



NEW

# RANGE•ROVER™ PRO

THE INDUSTRY'S BEST LED BOW SIGHT



## PRODUCT FEATURES

- ZERO-IN™ ADJUSTMENT DIAL WITH OVER 80 PRE-MARKED YARDAGE TAPES (INCLUDED) FOR SIMPLE SETUP
- BLACK REFERENCE CIRCLE WITH LIGHTED CENTER DOT FOR SUPERIOR LONG DISTANCE ACCURACY
- ADJUSTABLE GREEN AND RED (TG6402GB ONLY) LED WITH 11 BRIGHTNESS SETTINGS (3V CR2032 BATTERY INCLUDED)
- MICRO-ADJUSTABLE WINDAGE – PRECISION CLICK DESIGN
- TOOLLESS YARDAGE AND WINDAGE LOCK
- SIGHT HOUSING ACCEPTS 1.87 IN. SCOPE LENS (SOLD SEPARATELY)
- ADJUSTABLE END-OF-TRAVEL STOP CUSTOMIZES MAXIMUM YARDAGE SETTING
- LASER MARKS FOR WINDAGE AND ELEVATION ADJUSTMENTS
- ADJUSTABLE FOR LEFT AND RIGHT-HANDED SHOOTERS
- ADJUSTABLE QUIVER MOUNT INCLUDED
- LENS COVER INCLUDED
- UPDATED BRACKET DESIGN FOR INCREASED COMPATIBILITY WITH MORE BOW MODELS
- PATENTED

SCAN CODE  
TO LEARN MORE



NEW

### RANGE ROVER PRO DUO (TG6402GB)

adds an additional red LED inside the lens for a long range point of aim.



TG6402GB



### ADJUSTMENT DIAL

provides remarkably precise micro-adjustable elevation tuning giving hunters an extra edge.



Micro LED Illuminated Center-Dot technology appears finer as you decrease brightness for pinpoint accuracy.

### TACTILE BRIGHTNESS CONTROL

Push-button brightness control for easy adjustment. Idle auto-off feature conserves battery life.





## AVAILABLE ACCESSORIES

MODEL	DESCRIPTION
TG70A Range•Rover™ Lens Kit	2x Magnification, +/- .5 diopter adjustment, includes locking ring
TG6401RT Replacement yardage tape set	80+ multi-colored yardage tapes

1-Pin - Black  
**TG6401GB**

**TG6401GB**

**TRUGLO®  
NEOPRENE  
LENS COVER  
INCLUDED**



MODEL	PINS	FINISH	CONSTRUCTION	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION
<b>TG6401GB</b>	1 - Adjustable green LED (center)					
<b>TG6402GB</b> <small>NEW</small>	2 - Adjustable green LED (center) and red LED (long-range)	Black	CNC-machined aluminum	Adjustable 2nd and 3rd axis	1.8 in.	<ul style="list-style-type: none"> <li>ZERO-IN™ elevation adjustment dial</li> <li>Ultra-fine click toolless micro-adjustable windage</li> </ul>
<b>TG6410</b> <small>NEW</small> (Aperture only)	1 - Adjustable green LED (center)					-

ILLUMINATED  
**PWR•DOT™**

MICRO  
**ADJUSTABLE**

TOOLLESS  
**DESIGN**

LARGE CIRCULAR  
**FIELD OF VIEW**

GLOW-IN-THE-DARK  
**SHOOTER'S RING**



# RANGE•ROVER™ SERIES

## SINGLE-PIN MOVING BOW SIGHTS

The TRUGLO® RANGE•ROVER™ Series has long been synonymous with premium single-pin bow sights. Now, there's even more reason to join Ralph and Vicki in their enthusiasm for these beautifully simple and effective hunting tools. Innovative ZERO-IN™ Adjustment Dial provides ultra-smooth, remarkably precise micro-adjustable elevation tuning, giving hunters an extra edge in difficult conditions.



### PRODUCT FEATURES

- ZERO-IN™ ADJUSTMENT DIAL WITH OVER 80 PRE-MARKED YARDAGE TAPES (INCLUDED) FOR SIMPLE SETUP
- TOOLLESS YARDAGE LOCK
- CLEAN, CIRCULAR SIGHT PICTURE WITH ALL-METAL PIN
- EXTRA-LONG, FULLY-PROTECTED WRAPPED FIBER
- ULTRA-SMOOTH BRACKET MOVEMENT FOR EASY ONE-HAND ADJUSTMENT
- SIGHT HOUSING ACCEPTS 1.87 IN. SCOPE LENS (SOLD SEPARATELY)
- LASER MARKS FOR WINDAGE AND ELEVATION ADJUSTMENTS
- ADJUSTABLE END-OF-TRAVEL STOP CUSTOMIZES MAXIMUM YARDAGE SETTING
- QUIVER CAN BE MOUNTED DIRECTLY TO BRACKET
- AVAILABLE IN DEDICATED LEFT-HANDED AND RIGHT-HANDED CONFIGURATIONS
- ADJUSTABLE QUIVER MOUNT INCLUDED (EXCEPT TG6211B)
- PATENT PENDING

SCAN CODE  
TO LEARN MORE



.019" DIA.



.010" DIA.

**ZERO-IN™**

#### ADJUSTMENT DIAL

provides remarkably precise micro-adjustable elevation tuning giving hunters an extra edge.

#### TRU-LITE XTREME™ INCLUDED

Adjustable rheostat light (TG56) with violet LED for powerful pin illumination in low light or ground blinds.

See page 48 for details.





1-Pin - Xtra™  
**TG6311J**



1-Pin - Black  
**TG6211B**

## AVAILABLE ACCESSORIES

MODEL	DESCRIPTION
<b>TG70A</b> Range-Rover™ Lens Kit	2x Magnification, +/- .5 diopter adjustment, includes locking ring
<b>TG6401RT</b> Replacement yardage tape set	80+ multi-colored yardage tapes
<b>TG399G</b> Optional Quiver Mount	For TG6211B

MODEL	ORIENTATION	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION
<b>TG6211B</b>	Right-handed				Sold separately			Standard adjustment
<b>TG6311B</b>								
<b>TG6311BLH</b>	Left-handed	1 (.019" dia.)	Black					
<b>TG6311J</b>				Realtree® Xtra™				
<b>TG6321B</b>	Right-handed	1 (.010" dia.)		CNC-machined aluminum	Removable adjustable rheostat LED – violet	Adjustable 2nd and 3rd axis	1.8 in.	
<b>TG6411B</b>								
<b>TG6411BLH</b>	Left-handed	1 (.019" dia.)	Black					

MICRO  
ADJUSTABLE

TOOLLESS  
DESIGN

LARGE CIRCULAR  
FIELD OF VIEW

DEDICATED  
LEFT-HANDED MODEL

GLOW-IN-THE-DARK  
SHOOTER'S RING

LIGHT  
INCLUDED



# PENDULUM SERIES

## THE ULTIMATE TREESTAND BOW SIGHTS

SCAN CODE  
TO LEARN MORE



Experienced hunters are familiar with the incredible advantage of shooting from an elevated position. For years, PENDULUM Series sights have been the top choice of treestand hunters, due to their unique Pendulum Adjustment System, which aligns with gravity to compensate for high-angled shots. Extremely quiet and constructed with lightweight, durable CNC-machined aluminum, these toolless sights can also be locked in place for ground shooting.



### PRODUCT FEATURES

- EXTREMELY QUIET
- THE MOST ADVANCED TREESTAND SIGHTS AVAILABLE
- AUTOMATICALLY COMPENSATES FOR DISTANCES OF UP TO 35 YARDS
- PENDULUM CAN BE LOCKED IN PLACE FOR GROUND SHOOTING
- EXTRA-LONG PROTECTED, WRAPPED FIBER
- ADJUSTABLE FOR LEFT AND RIGHT-HANDED SHOOTERS
- PRE-PRINTED YARDAGE TAPES INCLUDED (TG701 ONLY)
- PATENT PENDING



### REMOVABLE LED LIGHT

TRU-LITE™ (TG55) included with model TG700.

See page 48 for details.



### ADJUSTABLE BRIGHTNESS LED

(Included on model TG701)  
TRU-LITE™ XTREME (TG56) removable violet rheostat LED sight light.



See page 48 for details.

MODEL	PINS	FINISH	BRACKET	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION
TG700	1 (.029" dia.)	Black	Fixed	CNC-machined aluminum	Removable LED – violet	High-visibility	1.8 in.	<ul style="list-style-type: none"> <li>• Lever arm elevation adjustment</li> <li>• Standard windage adjustment</li> </ul>
TG701	1 (.019" dia.)		Adjustable		Removable adjustable rheostat LED – violet			



# ARROW RESTS

ADVANCED METHODS OF SUPPORTING YOUR  
ARROW FOR EACH SHOT.



**NEW**

# LOCK•FIRE™ SERIES

## ULTRA-FAST, CLICK-UP, DROP-AWAY ARROW REST

Load, Lock, Fire! Lock the launcher in the upward position using the ergonomic thumb lever, or simply draw the bow to raise the launcher automatically. When fired, delayed-drop actuation allows the launcher to support the arrow longer for increased accuracy. The speed-activated hammer rapidly drops the launcher as the vanes approach. 2018 models include a self-lubricating coating on internal components and an updated housing design. LOCK•FIRE is now available in a micro-adjustable model, making setup and precise paper tuning easier than ever!

**SCAN CODE**  
TO LEARN MORE**NEW**

### MICRO-ADJUSTABLE MODEL

(TG655B/BLH) features micro-adjustable windage and elevation for precise paper tuning. Each rotation moves the launcher .025" per rotation (approx. .7" arrow impact movement at 20 yards with average draw lengths).



### PRODUCT FEATURES

- MICRO-ADJUSTABLE WINDAGE AND ELEVATION FOR PRECISE PAPER TUNING (MODELS TG655B AND TG655BLH)
- FULL-CAPTURE REST
- INDEPENDENT WINDAGE AND ELEVATION ADJUSTMENTS
- ARROW IS SUPPORTED ON ADJUSTABLE SILENT•DRAW POLYMER INSERT (5 REPLACEABLE COLORED INSERTS INCLUDED)
- EASY SETUP AND TUNING FOR ALL BOW TYPES
- ERGONOMIC THUMB LEVER FOR EASY CLICK-UP
- RAISES WHEN YOU DRAW, THEN STAYS UP WHEN YOU LET DOWN
- OPERATED BY DOWNWARD-MOVING BUSS CABLE – CABLE CLAMP INCLUDED
- NO LAUNCHER MOVEMENT OR VERTICAL ARROW MOVEMENT DURING DRAW WHEN LAUNCHER IS LOCKED UP
- DELAYED DROP ACTUATION – SUPPORTS ARROW LONGER FOR INCREASED ACCURACY AND CONSISTENCY, THEN DROPS RAPIDLY AS VANES APPROACH
- PATENT PENDING

### SPEED-ACTIVATED HAMMER

When fired, the launcher drops quickly. When the bow is let down gently, the launcher remains up in the firing position. (No need to click it back up!)





#### COLORED INSERTS

Choose between 5 included color-matching SILENT•DRAW inserts for a custom look and quiet arrow loading. Red shown on product.



MODEL	ORIENTATION	FINISH	TYPE	CONSTRUCTION	LAUNCHER ARM	WINDAGE / ELEVATION	REFERENCE MARKS	COMPATIBILITY
<b>TG655B</b> <small>NEW</small>	Right-handed					Micro-adjustable		
<b>TG655BLH</b> <small>NEW</small>	Left-handed						Laser engraved	
<b>TG650B</b>	Right-handed	Black	<ul style="list-style-type: none"> <li>Hammer-fired</li> <li>Click-up</li> <li>Drop-away</li> <li>Full-containment</li> </ul>	Lightweight carbon-composite and aluminum	<ul style="list-style-type: none"> <li>Ultra-fast movement</li> <li>Adjustable launcher insert</li> </ul>	Full adjustments		<ul style="list-style-type: none"> <li>Carbon and aluminum arrows</li> <li>All shaft diameters</li> </ul>
<b>TG650BLH</b>	Left-handed							

ULTRA FAST  
DROP-AWAY

ULTRA  
QUIET

DELAYED-DROP  
ACTUATION

DEDICATED  
LEFT-HANDED MODEL

COLOR-MATCHING  
INSERTS



# UP•DRAFT™

LIMB-DRIVEN, FULL-CONTAINMENT, DROP-AWAY REST

SCAN CODE  
TO LEARN MORE



## PRODUCT FEATURES

- LIMB-DRIVEN FOR LONGER SUPPORT AND FINE TUNING
- FULL-CONTAINMENT DROP-AWAY ARROW REST
- HIGH-STRENGTH TORSION SPRING INCREASES LAUNCHER ARM PERFORMANCE
- SEALED BUSHINGS INCREASE DOWNWARD SPEED AT LAUNCH
- QUICK AND EASY INSTALLATION – NO BOW PRESS REQUIRED
- ATTACHES TO EITHER TOP OR BOTTOM LIMB
- NO UNWANTED BOUNCE-BACK WHEN FIRING
- TECHNICAL RUBBER DAMPENERS FOR SILENT ARROW LOADING – NO MORE FELT!
- UNIVERSAL DESIGN FOR LEFT AND RIGHT-HANDED SHOOTERS
- PATENTED

## COLORED INSERTS

Choose between 5 included color-matching inserts for a custom look and quiet arrow loading. Red shown on product.



## LEFT-HANDED CONVERSION

Simple / Quick conversion for left-handed shooters.



MODEL	FINISH	TYPE	CONSTRUCTION	LAUNCHER ARM	WINDAGE / ELEVATION	REFERENCE MARKS	COMPATIBILITY
TG640B	Black		• Limb-driven • Drop-away • Full-containment	• High-speed movement • Stainless steel	Full adjustments	Laser engraved	• Carbon and aluminum arrows • All shaft diameters
TG640J	Realtree® Xtra™		Lightweight, all-metal				

ULTRA  
LIGHTWEIGHT

HIGH-SPEED  
DROP-AWAY

ULTRA  
QUIET

ALL-METAL  
CONSTRUCTION

LEFT-HANDED  
CONVERSION

COLOR-MATCHING  
INSERTS



# DOWN-DRAFT™

CABLE-DRIVEN, FULL-CONTAINMENT, DROP-AWAY REST

SCAN CODE  
TO LEARN MORE



## PRODUCT FEATURES

- FULL-CONTAINMENT DROP-AWAY ARROW REST
- HIGH-PERFORMANCE DROP-AWAY DESIGN
- SEALED BUSHINGS INCREASE DOWNWARD SPEED AT LAUNCH
- QUICK AND EASY INSTALLATION – NO BOW PRESS REQUIRED
- ATTACHES TO DOWNWARD-MOVING BUSS CABLE
- NO UNWANTED BOUNCE-BACK WHEN FIRING
- TECHNICAL RUBBER DAMPENERS FOR SILENT ARROW LOADING – NO MORE FELT!
- UNIVERSAL DESIGN FOR LEFT AND RIGHT-HANDED SHOOTERS
- PATENTED

## COLORED INSERTS

Choose between 5 included color-matching inserts for a custom look and quiet arrow loading. Red shown on product.



## LEFT-HANDED CONVERSION

Simple / Quick conversion for left-handed shooters.



MODEL	FINISH	TYPE	CONSTRUCTION	LAUNCHER ARM	WINDAGE / ELEVATION	REFERENCE MARKS	COMPATIBILITY
TG630B	Black	<ul style="list-style-type: none"> <li>• Cable-driven</li> <li>• Drop-away</li> <li>• Full-containment</li> </ul>	Lightweight, all-metal	<ul style="list-style-type: none"> <li>• High-speed movement</li> <li>• Stainless steel</li> </ul>	Full adjustments	Laser engraved	<ul style="list-style-type: none"> <li>• Carbon and aluminum arrows</li> <li>• All shaft diameters</li> </ul>
TG630J	Realtree® Xtra™						

ULTRA  
LIGHTWEIGHT

HIGH-SPEED  
DROP-AWAY

ULTRA  
QUIET

ALL-METAL  
CONSTRUCTION

LEFT-HANDED  
CONVERSION

COLOR-MATCHING  
INSERTS



# CARBON XS

## CABLE-DRIVEN, DROP-AWAY REST

SCAN CODE  
TO LEARN MORE



- FULL-CONTAINMENT DROP-AWAY ARROW REST
- HIGH-STRENGTH TORSION SPRING INCREASES LAUNCHER ARM PERFORMANCE
- SEALED BUSHINGS INCREASE DOWNWARD SPEED AT LAUNCH
- QUICK AND EASY INSTALLATION – NO BOW PRESS REQUIRED
- ATTACHES TO DOWNWARD-MOVING BUSS CABLE
- NO UNWANTED BOUNCE-BACK WHEN FIRING
- UNIVERSAL DESIGN FOR LEFT AND RIGHT-HANDED SHOOTERS
- PATENTED

### LEFT-HANDED CONVERSION

Simple / Quick conversion for left-handed shooters.



MODEL	FINISH	TYPE	CONSTRUCTION	LAUNCHER ARM	WINDAGE / ELEVATION	REFERENCE MARKS	COMPATIBILITY		
TG625B	Black	Black	<ul style="list-style-type: none"> <li>• Cable-driven</li> <li>• Drop-away</li> </ul>	<ul style="list-style-type: none"> <li>• Ultra-lightweight carbon-composite</li> </ul>	<ul style="list-style-type: none"> <li>• High-speed movement</li> <li>• Stainless steel</li> </ul>	Full adjustments	<ul style="list-style-type: none"> <li>Laser engraved</li> </ul>		
					<ul style="list-style-type: none"> <li>ULTRA LIGHTWEIGHT</li> </ul>	<ul style="list-style-type: none"> <li>HIGH-SPEED DROP-AWAY</li> </ul>	<ul style="list-style-type: none"> <li>ULTRA QUIET</li> </ul>	<ul style="list-style-type: none"> <li>CARBON-COMPOSITE CONSTRUCTION</li> </ul>	<ul style="list-style-type: none"> <li>LEFT-HANDED CONVERSION</li> </ul>



# STORM™

## ULTRA-LIGHTWEIGHT, CAPTURE-STYLE REST

SCAN CODE  
TO LEARN MORE



- CAPTURE-STYLE ARROW REST
- ADJUSTABLE BRUSHES HOLD ARROW AT ALMOST ANY ANGLE
- DUAL-COIL LAUNCHER IS ADJUSTABLE / REPLACEABLE
- REDUCED ARROW CONTACT INCREASES SPEED AND ACCURACY
- FAST AND QUIET ARROW RELEASE
- EASY TUNING ADJUSTMENTS
- TECHNICAL RUBBER INSERT FOR SILENT ARROW LOADING – NO MORE FELT!
- ULTRA-TOUGH ALL-WEATHER DESIGN
- GREAT FOR TRADITIONAL TARGET SHOOTING, 3-D, AND HUNTING
- QUICK AND EASY INSTALLATION
- UNIVERSAL DESIGN FOR LEFT AND RIGHT-HANDED SHOOTERS

### LEFT-HANDED CONVERSION

Simple / Quick conversion for left-handed shooters.



### COLORED INSERTS

Choose between 5 included color-matching dual-coil inserts for a custom look and quiet arrow loading. Red shown on product.



MODEL	FINISH	TYPE	CONSTRUCTION	LAUNCHER ARM	WINDAGE / ELEVATION	REFERENCE MARKS	COMPATIBILITY			
TG620B	Black	Black	Capture-style	<ul style="list-style-type: none"> <li>• Lightweight composite and aluminum construction</li> </ul>	<ul style="list-style-type: none"> <li>• Dual-coil</li> </ul>	Full adjustments	<ul style="list-style-type: none"> <li>Laser engraved</li> </ul>			
					<ul style="list-style-type: none"> <li>ULTRA LIGHTWEIGHT</li> </ul>	<ul style="list-style-type: none"> <li>FULL CONTAINMENT</li> </ul>	<ul style="list-style-type: none"> <li>ULTRA QUIET</li> </ul>	<ul style="list-style-type: none"> <li>CARBON-COMPOSITE CONSTRUCTION</li> </ul>	<ul style="list-style-type: none"> <li>LEFT-HANDED CONVERSION</li> </ul>	<ul style="list-style-type: none"> <li>COLOR-MATCHING INSERTS</li> </ul>



# HUNTING RELEASES

THE CRITICAL LINK BETWEEN THE HUNTER AND THE BOW.





# NITRUS™

## ULTRA-SMOOTH, DUAL-JAW ARCHERY RELEASE

SCAN CODE  
TO LEARN MORE



### PRODUCT FEATURES

- EXTREMELY QUIET
- BREAKTHROUGH STAINLESS STEEL DUAL-JAW DESIGN PROVIDES A PERFECTLY BALANCED RELEASE
- ULTRA-SMOOTH, MICRO-ADJUSTABLE TRIGGER PULL WITH A CRISP FEEL
- NO UNWANTED TRIGGER TRAVEL
- STREAMLINED JAW DESIGN FOR FAST AND EASY LOADING – PERFECT FOR STRING LOOPS
- STAINLESS STEEL FIRING MECHANISM FOR INCREASED DURABILITY AND REPEATABILITY
- FORWARD TRIGGER POSITION ENABLES FASTER ARROW SPEEDS
- ERGONOMIC HAND AND FINGER POSITION
- 360-DEGREE ROTATING HEAD ELIMINATES STRING TORQUE
- PREMIUM RELEASE STRAP FOR LONG-LASTING COMFORT
- PRECISION STAINLESS STEEL WEAR-FREE JAWS
- PATENTED

### DUAL-JAW DESIGN

Breakthrough stainless steel caliper jaw design with forward trigger position.



### LEATHER STRAP AVAILABLE

TG2550MLB features a leather wrist strap and steel single-buckle closure.



### BOA® CLOSURE SYSTEM

for a glove-like fit and all-day comfort. Included with most NITRUS™ models.



### SIDE-LOCK CONNECTOR

Connector locks release-head out of the way.



MODEL	CLOSURE TYPE	CONNECTION SYSTEM	STRAP FINISH	TRIGGER DESIGN	JAW DESIGN	CONSTRUCTION
TG2550MLB	Steel Buckle	Side-Lock	Black Leather			
TG2550SBC			Realtree® APG™			
TG2550SBB		Durable Nylon				
TG2550MBB		BOA® Closure System	Black	Ultra-smooth and crisp with micro-adjustable sensitivity / travel	Breakthrough stainless steel dual-jaw design	Jaws: stainless steel Firing mechanism: stainless steel
TG2550MBC		Side-Lock	Realtree® APG™			



# DETONATOR™

ULTRA-SMOOTH, SINGLE-JAW ARCHERY RELEASE

SCAN CODE  
TO LEARN MORE



## PRODUCT FEATURES

- QUIET, FAST, AND ACCURATE
- STREAMLINED OPEN-HOOK SINGLE-JAW DESIGN FOR FAST AND EASY LOADING – PERFECT FOR STRING LOOPS
- HOOK OPENS AWAY FROM SHOOTER FOR MORE COMFORT
- ULTRA-SMOOTH, MICRO-ADJUSTABLE TRIGGER PULL WITH A CRISP FEEL
- PRECISION STAINLESS STEEL WEAR-FREE JAW
- STAINLESS STEEL FIRING MECHANISM FOR INCREASED DURABILITY AND REPEATABILITY
- FORWARD TRIGGER POSITION ENABLES FASTER ARROW SPEEDS
- ERGONOMIC HAND AND FINGER POSITION
- 360-DEGREE ROTATING HEAD ELIMINATES STRING TORQUE
- PREMIUM RELEASE STRAP FOR LONG-LASTING COMFORT
- PATENTED

### SINGLE-JAW DESIGN

Stainless steel single-jaw design with magnetic hook for fast, easy loading and crisp, consistent release.



### LEATHER STRAP AVAILABLE

TG2560MLB features a leather wrist strap and steel single-buckle closure.



### BOA® CLOSURE SYSTEM

for a glove-like fit and all-day comfort. Included with most DETONATOR™ models.



### SIDE-LOCK CONNECTOR

Connector locks release-head out of the way.



MODEL	CLOSURE TYPE	CONNECTION SYSTEM	STRAP FINISH	TRIGGER DESIGN	JAW DESIGN	CONSTRUCTION
TG2560MLB	Steel Buckle	Side-Lock	Black Leather			
TG2560SBC			Realtree® APG™			
TG2560SBB		Durable Nylon				
TG2560MBB	BOA® Closure System		Black	Ultra-smooth and crisp with micro-adjustable sensitivity / travel	Breakthrough stainless steel single-jaw design	Jaws: stainless steel Firing mechanism: stainless steel
TG2560MBC		Side-Lock	Realtree® APG™			

ULTRA  
QUIET

MICRO  
ADJUST

SIDE-Lock  
CONNECTOR

BOA®  
CLOSURE SYSTEM

STAINLESS STEEL JAW  
& FIRING MECHANISM



# ACTIVATOR™

## SINGLE-JAW, ROLLER SEAR ARCHERY RELEASE

SCAN CODE  
TO LEARN MORE



### PRODUCT FEATURES

- QUIET, FAST, AND ACCURATE
- AUTOMATIC / ACTIVE SPRING TRIGGER RESET
- JAW OPENS AWAY FROM THE SHOOTER FOR MORE COMFORT
- ROLLER SEAR DESIGN FOR A SMOOTH TRIGGER PULL WITH A CRISP BREAK
- ADJUSTABLE TRIGGER SENSITIVITY
- MICRO-ADJUSTABLE TRIGGER TRAVEL
- UNCOMPROMISING ROCK-SOLID CONNECTION SYSTEM FOR ULTRA-PRECISE LENGTH ADJUSTMENTS
- PRECISION STAINLESS STEEL WEAR-FREE JAW
- ERGONOMIC HAND AND FINGER POSITION
- 360° ROTATING HEAD ELIMINATES STRING TORQUE
- PREMIUM RELEASE STRAP FOR LONG-LASTING COMFORT
- PATENTED

MODEL	CLOSURE TYPE	CONNECTION SYSTEM	STRAP FINISH	trigger DESIGN	JAW DESIGN	CONSTRUCTION
TG2570MLB	Steel Buckle		Black Leather	Crisp roller sear with adjustable sensitivity / travel	Stainless steel moving jaw with opposing non-moving jaw	Jaws: stainless steel Firing mechanism: stainless steel
TG2570MBC	BOA® Closure System	Side-Lock	Realtree® APG™			

ULTRA  
QUIET

MICRO  
ADJUST

SIDE-LOCK  
CONNECTOR

BOA®  
CLOSURE SYSTEM

STAINLESS STEEL JAW  
& FIRING MECHANISM

### JAW-AND-A-HALF DESIGN

Single stainless steel moving jaw with fixed flat opposing jaw. Smooth release like a single-jaw, locks-on like a dual-jaw.



### LEATHER STRAP AVAILABLE

TG2570MLB features a leather wrist strap and steel single-buckle closure.



### BOA® CLOSURE SYSTEM

for a glove-like fit and all-day comfort. Included with TG2570MBC.



### SIDE-LOCK CONNECTOR

Connector locks release-head out of the way.





# SPEED-SHOT™ XS

## DUAL-JAW ARCHERY RELEASE

SCAN CODE  
TO LEARN MORE



### PRODUCT FEATURES

- COMFORT-FIT STRAP DESIGN
- TORQUE-FREE 360-DEGREE ROTATING HEAD
- SYNCHRONIZED, COMPACT DUAL-JAW DESIGN FOR SMOOTH TRIGGER PULL
- COMPACT DUAL-JAW DESIGN, PERFECT FOR STRING LOOPS
- PRECISION WEAR-FREE JAWS
- OVER 1 INCH OF TOTAL LENGTH ADJUSTMENT
- JUNIOR MODEL FEATURES SCALED-DOWN WRIST STRAP FOR SMALLER SHOOTERS
- PATENTED

### BOA® CLOSURE SYSTEM

for a glove-like fit and all-day comfort.



### COLORED COVERS

Choose from 5 color-matching covers to customize your release.



### DEDICATED JUNIOR MODEL

Designed to comfortably and safely fit smaller shooters.  
(Models TG2511BC & TG2511VB)



MODEL	SIZE	CLOSURE TYPE	CONNECTION SYSTEM	STRAP FINISH	trigger DESIGN	JAW DESIGN	CONSTRUCTION
TG2510BC	Standard	BOA® Closure System	Silent rotary adjustable length connector	Realtree® APG™	Contoured, adjustable one-piece trigger	Synchronized, compact dual-jaw design	All-metal
TG2511BC	Junior						
TG2510VB	Standard	Standard hook-and-loop		Black leather			
TG2511VB	Junior						

ULTRA  
QUIET

MICRO  
ADJUST

BOA®  
CLOSURE SYSTEM

COLOR  
MATCHING



# TRU-FIT™ UNIVERSAL

## REPLACEMENT RELEASE STRAP

SCAN CODE  
TO LEARN MORE



Black  
**TG2590BB**



APG™  
**TG2590BC**



### BOA® CLOSURE SYSTEM

The patented BOA® Closure System makes finding the perfect fit easy. DIAL-IN all-day custom comfort with a simple twist.

### UNIVERSAL CONNECTION SYSTEM

The universal connection system fits most popular styles.



Universal



Nylon strap



Scott™



T.R.U. Ball™



Cobra®



Rope



Scott™



Tru-Fire®



### PRODUCT FEATURES

- REPLACES YOUR BROKEN / WORN-OUT WRIST STRAP
- FITS ALMOST ANY CONNECTION SYSTEM
- ADJUSTABLE BOA® CLOSURE SYSTEM FOR A GLOVE-LIKE FIT AND ALL-DAY CUSTOM COMFORT
- QUICK ON / QUICK OFF, ONE-HAND ADJUSTMENT
- BOA® CLOSURE SHEDS MUD, DIRT, AND EVEN ICE
- PATENTED

MODEL	CLOSURE TYPE	CONNECTION SYSTEM	STRAP FINISH	CONSTRUCTION
TG2590BB	BOA® Closure System	Universal – fits most popular styles (see above) Includes optional nylon rope connector	Black Realtree® APG™	Machined aluminum universal joint
TG2590BC				



# QUIVERS

CARRY YOUR ARROWS SAFELY AND EFFECTIVELY.





# TRU-TEC™ LT

## LIGHTWEIGHT, DURABLE ALUMINUM QUIVER

### PRODUCT FEATURES

- ULTRA-LIGHTWEIGHT ALUMINUM CONSTRUCTION
- WEIGHS LESS THAN 10 OZ.
- INTERCHANGEABLE COLORED VIBRATION DAMPENING INSERTS
- POSITIVE-LOCK MOUNTING BRACKET
- SMOOTH, ONE-HAND REMOVAL
- HANGING LOOP FOR TREESTANDS OR GROUND BLINDS
- MOUNTING BRACKET ADJUSTS UP / DOWN TO BETTER FIT ALL BOWS
- RUBBER HOOD INSERT REDUCES NOISE AND WON'T DULL BROADHEADS
- FITS BOTH CARBON AND ALUMINUM ARROWS
- FITS BOTH MECHANICAL AND FIXED BROADHEADS
- FITS BOTH LEFT AND RIGHT-HANDED BOWS
- TRU-TOUCH™ SOFT-FEEL TECHNICAL COATING
- PATENTED

### AVAILABLE ACCESSORY

MODEL	DESCRIPTION
TG399E	TRU-TEC™ Quiver Mount




SCAN CODE  
TO LEARN MORE



### HANGING LOOP

for treestands or ground blinds.



### COLORED INSERTS

Choose from 5 color-matching inserts to customize your quiver.



### POSITIVE-LOCK MOUNTING SYSTEM

for smooth one-hand removal and ultra-secure attachment.



### OPTIONAL LED LIGHT

Install TRU-LITE™ (TG55) or TRU-LITE™ XTREME (TG56) removable light for ultimate lowlight visibility. (Sold separately)

See page 48 for details.



MODEL	STRAP FINISH	ARROWS	MOUNTING SYSTEM	GRIPPER DESIGN	ARROW COMPATIBILITY	CONSTRUCTION
TG315B2	Black		Up to 5	• POSITIVE-LOCK • Smooth one-hand removal and ultra-secure attachment	Rubberized, secure double-grippers	• Fits both carbon and aluminum arrows with shafts .229" diameter and larger • Fits both mechanical and fixed-blade broadheads
TG315M2	LOST® XD					CNC-machined lightweight, durable aluminum
TG315J2	Realtree® Xtra™					

TRU-TOUCH™ SOFT-FEEL  
TECHNICAL COATING

ULTRA  
LIGHTWEIGHT

ULTRA  
QUIET

ALUMINUM  
CONSTRUCTION

VIBRATION  
FREE

COLOR  
MATCHING



# CARBON XS

LIGHTWEIGHT, CARBON-COMPOSITE QUIVER

SCAN CODE  
TO LEARN MORE



## PRODUCT FEATURES

- DURABLE CARBON-COMPOSITE SPINE
- WEIGHS LESS THAN 8.9 OZ.
- POSITIVE-CAM-LOCK MOUNTING SYSTEM
- MOUNTS BEHIND SIGHT FOR BETTER BALANCE
- SECURE DOUBLE-GRIpper DESIGN
- HANGING LOOP FOR TREESTANDS OR GROUND BLINDS
- MOUNTING BRACKET ADJUSTS TO FIT ALL BOWS
- RUBBER HOOD INSERT REDUCES NOISE AND WON'T DULL BROADHEADS
- FITS BOTH LEFT AND RIGHT-HANDED BOWS
- TRU-TOUCH™ SOFT-FEEL TECHNICAL COATING
- PATENTED



## HANGING LOOP

for treestands or ground blinds.



## POSITIVE-CAM-LOCK MOUNTING SYSTEM

for smooth one-hand removal — holds quiver tight against bow riser for superior balance.



## AVAILABLE ACCESSORY

MODEL	DESCRIPTION
TG399L	CARBON XS Quiver Mount

MODEL	STRAP FINISH	ARROWS	MOUNTING SYSTEM	GRIPPER DESIGN	ARROW COMPATIBILITY	CONSTRUCTION
TG335A	Realtree® APG™					
TG335B	Black					
TG335F	LOST® AT					
TG335J	Realtree® Xtra™		Up to 5	<ul style="list-style-type: none"> <li>• POSITIVE-CAM-LOCK</li> <li>• Smooth one-hand removal — moves quiver tight against bow riser for superior balance (patented)</li> </ul>	<ul style="list-style-type: none"> <li>• Fits both carbon and aluminum arrows with shafts .229" diameter and larger</li> <li>• Fits both mechanical and fixed-blade broadheads</li> </ul>	Ultra-lightweight, durable carbon-composite

TRU-TOUCH™ SOFT-FEEL  
TECHNICAL COATING

ULTRA  
LIGHTWEIGHT

ULTRA  
QUIET

CARBON-COMPOSITE  
CONSTRUCTION

VIBRATION  
FREE



# LOC-DOWN™

## LIGHTWEIGHT, COMPOSITE QUIVER

SCAN CODE  
TO LEARN MORE



### PRODUCT FEATURES

- TWIST-LOCK MOUNTING SYSTEM
- WEIGHS LESS THAN 8 OZ.
- SECURE DOUBLE-GRIpper DESIGN
- MOUNTING BRACKET ADJUSTS UP / DOWN TO BETTER FIT ALL BOWS
- RUBBER HOOD INSERT REDUCES NOISE AND WON'T DULL BROADHEADS
- FITS BOTH LEFT AND RIGHT-HANDED BOWS
- TRU-TOUCH™ SOFT-FEEL TECHNICAL COATING
- PATENTED



### AVAILABLE ACCESSORY

MODEL	DESCRIPTION
TG399D	LOC-DOWN™ Quiver Mount



### TWIST-LOCK MOUNTING SYSTEM

for easy, smooth, and quiet one-hand removal – locks securely for added stability.



### QUIVER MOUNT

(TG399D) Additional / replacement quiver mounts available separately.



MODEL	STRAP FINISH	ARROWS	MOUNTING SYSTEM	GRIpper DESIGN	ARROW COMPATIBILITY	CONSTRUCTION
TG324X	Black					
TG324A	Realtree® APG™					
TG324F	LOST® AT					
TG324J	Realtree® Xtra™					
TG324P	Realtree® APC™ Pink					



# TUFF-LOC™

## LIGHTWEIGHT, COMPACT COMPOSITE QUIVER

While our other quivers offer a lot of adjustment, some archers just need a quiver that is lean and mean. Our most popular quiver, TUFF-LOC™ is lightweight, rugged, and easy to install.

### PRODUCT FEATURES

- LIGHTWEIGHT / COMPACT DESIGN
- WEIGHS LESS THAN 7 OZ.
- QUICK-RELEASE CAM-LOCK MOUNTING SYSTEM
- THUMB-TAB STYLE GRIPPER DESIGN ALLOWS QUICK AND QUIET ARROW REMOVAL
- CONTRASTING COLOR RUBBER HOOD LINER REDUCES NOISE AND WON'T DULL BROADHEADS
- FITS BOTH LEFT AND RIGHT-HANDED BOWS
- COMPATIBLE WITH MOST CROSSBOWS
- PATENTED

### AVAILABLE ACCESSORY

MODEL	DESCRIPTION
TG399J	TUFF-LOC™ Quiver Mount



SCAN CODE  
TO LEARN MORE



### QUICK-RELEASE CAM-LOCK

for easy, smooth, and quiet one-hand removal — locks securely for added stability.



### CONTRASTING COLOR RUBBER HOOD LINER

reduces noise and won't dull broadheads. Contrasting color helps reflect light for visibility.



MODEL	STRAP FINISH	ARROWS	MOUNTING SYSTEM	GRIPPER DESIGN	ARROW COMPATIBILITY	CONSTRUCTION
TG344B	Black	Up to 4	Quick-release CAM-LOCK for easy, smooth one-hand removal	Rubberized, secure double-grippers	<ul style="list-style-type: none"> <li>• Fits both carbon and aluminum arrows with shafts .229" diameter and larger</li> <li>• Fits both mechanical and fixed broadheads</li> </ul>	Lightweight, compact durable composite

TRU-TOUCH™ SOFT-FEEL  
TECHNICAL COATING

ULTRA  
LIGHTWEIGHT

ULTRA  
QUIET

VIBRATION  
FREE



# STABILIZERS

BALANCE YOUR BOW WHILE REDUCING VIBRATION AND NOISE.





NEW

# CARBON•HYBRID™

LIGHTWEIGHT CARBON / ALUMINUM HYBRID BLADE STABILIZER



SCAN CODE  
TO LEARN MORE



## ISOLATED DAMPENING DISC

Absorbs noise and vibration.



## PRODUCT FEATURES

- LIGHTWEIGHT CARBON-COMPOSITE AND ALUMINUM CONSTRUCTION
- HYBRID CONSTRUCTION TRANSFERS LESS VIBRATION
- RUMBLEBUSTER™ ISOLATED DAMPENING DISC ABSORBS ANY REMAINING NOISE AND VIBRATION
- 7.5 IN. LONG TO PROVIDE MAXIMUM STABILIZATION AND STILL FITS IN MOST BOW CASES
- 6 OZ. TOTAL WEIGHT WITH A FORWARD CENTER OF GRAVITY
- ADJUSTABLE INDEXING FOR BALANCE AND ALIGNMENT
- ENGINEERED FOR PERFORMANCE BOWS
- TRU•TOUCH™ SOFT-FEEL TECHNICAL COATING

MODEL	FINISH	LENGTH	WEIGHT	MOUNTING SYSTEM	DAMPENER DESIGN	CONSTRUCTION	COMPATIBILITY
TG856B	Black	7.5 in.	6 oz.	Standard threaded mount	RumbleBuster™ dampening disc	Lightweight carbon composite and aluminum	Fits all bows

TRU•TOUCH™ SOFT-FEEL  
TECHNICAL COATING

LIGHTWEIGHT  
DESIGN

CARBON / ALUMINUM  
HYBRID CONSTRUCTION

VIBRATION / NOISE  
ABSORBING TECHNOLOGY



# TRU-TEC™ CARBON PRO

## ADJUSTABLE-WEIGHT, CARBON-COMPOSITE STABILIZER

SCAN CODE  
TO LEARN MORE



### PRODUCT FEATURES

- HIGH-MODULUS CARBON FIBER ROD FOR SUPERIOR STRENGTH
- CARBON-COMPOSITE EXOSKELETON
- TRI-FOIL SHAPE FOR OPTIMAL RIGIDITY
- VIBRATION-DAMPENING ADJUSTABLE WEIGHT SUSPENSION SYSTEM (INCLUDES 3 STAINLESS STEEL 1 OZ. WEIGHTS)
- PERFORMANCE-BASED COMPOSITES FOR VIBRATION / NOISE REDUCTION
- ENGINEERED FOR PERFORMANCE BOWS
- TRU-TOUCH™ SOFT-FEEL TECHNICAL COATING

### HIGH-MODULUS CARBON FIBER

provides superior strength and stability under virtually any conditions.



### ADJUSTABLE WEIGHT

1 oz. weights can be added or removed to achieve ideal bow balance.



### STABILIZERS

MODEL	FINISH	LENGTH	WEIGHT	MOUNTING SYSTEM	DAMPENER DESIGN	CONSTRUCTION	COMPATIBILITY
TG855B	Black	6 in.	Adjustable from 4 to 7 oz.	Standard threaded mount	Vibration-dampening adjustable weight suspension system	Carbon-composite exoskeleton with high-modulus carbon fiber reinforcement rod	Fits all bows
TG855J	Realtree® Xtra™						

TRU-TOUCH™ SOFT-FEEL  
TECHNICAL COATING

ADJUSTABLE  
WEIGHT

CARBON-COMPOSITE  
CONSTRUCTION

VIBRATION / NOISE  
ABSORBING TECHNOLOGY



# CARBON XS

VIBRATION-DAMPENING, ADJUSTABLE-WEIGHT STABILIZER WITH SLING

SCAN CODE  
TO LEARN MORE



## PRODUCT FEATURES

- PERFORMANCE-BASED CARBON-COMPOSITE FOR VIBRATION / NOISE REDUCTION
- INTERCHANGEABLE COLORED DAMPENING RINGS
- INCLUDES STIFF BLACK PARACORD SLING
- VIBRATION-DAMPENING ADJUSTABLE WEIGHT SUSPENSION SYSTEM (INCLUDES 2 STAINLESS STEEL 1 OZ. WEIGHTS)
- CONTINUOUSLY CURVING DESIGN FOR BALANCED ENERGY TRANSFER
- ENGINEERED FOR PERFORMANCE BOWS
- TRU-TOUCH™ SOFT-FEEL TECHNICAL COATING
- PATENTED

### SLING INCLUDED

- Tough anodized metal mounting bracket
- Stiff, adjustable fit paracord sling
- Black sling included with TG840B and TG845B, camo sling included on camo models.



### COLORED DAMPENING RINGS

Choose from 6 color-matching dampening rings to customize your stabilizer.



### ADJUSTABLE WEIGHT

1 oz. weights can be added or removed to achieve ideal bow balance.



MODEL	FINISH	LENGTH	WEIGHT	MOUNTING SYSTEM	DAMPENER DESIGN	CONSTRUCTION	COMPATIBILITY
TG840B	Black	9 in.	Adjustable from 4 to 7 oz.	Standard threaded mount	Vibration-dampening adjustable weight suspension system	Ultra-lightweight carbon-composite	Fits most bows
TG840J	Realtree® Xtra™						
TG845B	Black						
TG845J	Realtree® Xtra™	7 in.	Adjustable from 5 to 7 oz.				
TG845M	LOST® XD						

ADJUSTABLE  
WEIGHT

CARBON-COMPOSITE  
CONSTRUCTION

VIBRATION / NOISE  
ABSORBING TECHNOLOGY

COLOR  
MATCHING



# DEADENATOR™ XS

## RUBBER MOLDED STABILIZER

SCAN CODE  
TO LEARN MORE



### PRODUCT FEATURES

- LARGE SELECTION OF LICENSED CAMOUFLAGE PATTERNS
- RUBBER MOLDED DAMPENING FINS INCREASE SURFACE AREA TO REDUCE NOISE AND VIBRATION
- ENGINEERED FOR PERFORMANCE HUNTING BOWS
- TRU-TOUCH™ SOFT-FEEL TECHNICAL COATING



MODEL	FINISH	LENGTH	WEIGHT	MOUNTING SYSTEM	DAMPENER DESIGN	CONSTRUCTION	COMPATIBILITY
TG818A	Realtree® APG™						
TG818B	Black						
TG818F	LOST® AT						
TG818J	Realtree® Xtra™						
TG818P	Realtree® APC™ Pink						



# BROADHEADS

LEADING YOUR ARROW TO AN EFFECTIVE SHOT  
AND SUCCESSFUL HUNT.





# TITANIUM X™ BROADHEADS

## PRECISION TITANIUM BROADHEADS

Precision broadheads for hunters, by hunters. TITANIUM X™ broadheads are spin tested and sharpness tested to ensure ultimate performance and quick kills. A CNC-machined titanium ferrule provides the unwavering strength and consistency needed to fly like a field point and punch through bone. The TRU•CUT™ titanium tip slices hide and flesh immediately upon impact and the tough stainless steel blades cut a devastating wound channel for maximum lethality and easier tracking.



### PRODUCT FEATURES

- GRADE 5 CNC-MACHINED ONE-PIECE TITANIUM FERRULE
- TOUGH .031" THICK STAINLESS STEEL BLADES
- TRU•THRU™ PRECISION SHARPENED BLADES FOR QUICK PASS-THROUGHS
- TRU•CUT™ ONE-PIECE TITANIUM TIP SLICES HIDE AND FLESH IMMEDIATELY UPON IMPACT
- 100 GRAINS FOR OPTIMUM FLIGHT AND COMPATIBILITY
- SPIN TESTED AND SHARPNESS TESTED FOR ULTIMATE PERFORMANCE
- 3 BROADHEADS PER PACKAGE
- BROADHEAD INSTALLATION WRENCH AND ONE SET OF REPLACEMENT BLADES INCLUDED

SCAN CODE  
TO LEARN MORE



### FIXED BLADE BROADHEADS


TITANIUM X™ fixed-blade broadheads are available in both an innovative 4-blade design and industry proven 3-blade configuration. Whether you want more cutting edges or more penetration, TITANIUM X delivers the strength, accuracy, and destructive power to get it done.



### GRADE 5 TITANIUM FERRULE

Provides the strength needed to punch through bone, but also to prevent bends and dings that wear out other broadheads over time. Maximize your killing potential with broadheads that hit accurately, cut amazingly, and last longer.





REPLACEMENT BLADES: **TG3201AR**

REPLACEMENT BLADES: **TG3202AR**

REPLACEMENT BLADES: **TG3205AR**

REPLACEMENT BLADES: **TG3206AR**

#### MECHANICAL BLADE BROADHEADS

TITANIUM X™ mechanical-blade broadheads are available in a classic 2-blade design and a vicious 4-blade arrangement for maximum hemorrhaging. New BACKFLIP models feature reverse-folding blades that open immediately after the tip punches through hide – providing great expansion and massive exit wounds.



MODEL	TYPE	WEIGHT	CONSTRUCTION	BLADES	FLIGHT DIAMETER	CUTTING DIAMETER
<b>TG3201AV</b>	Mechanical-blade			2	7/8 in.	2 3/16 in.
<b>TG3202AV</b>		100 gr	Titanium ferrule and tip, stainless steel blades	4	7/8 in. (outer blades) 5/8 in. (inner blades)	1 3/4 in. (outer blades) 7/8 in. (inner blades)
<b>TG3205AV</b>	BACKFLIP™ Mechanical-blade			2	11/16 in.	1 3/4 in.
<b>TG3206AV</b>				3	5/8 in.	1 1/2 in.



# TITANIUM X™ BROADHEADS

## PRECISION TITANIUM CROSSBOW BROADHEADS

SCAN CODE  
TO LEARN MORE



Modern crossbows provide the energy needed to take advantage of all the cutting potential of a 4-blade broadhead – which is why we have created crossbow-specific TITANIUM X™ models to capitalize on this power by pairing our 4-blade designs with a ferrule shaped specifically for crossbow bolts.



### GRADE 5 TITANIUM FERRULE

provides the strength needed to punch through bone, but also to prevent bends and dings that affect accuracy and wear out other broadheads over time. Maximize your killing potential with broadheads that hit accurately, cut amazingly, and last longer.



### PRODUCT FEATURES

- GRADE 5 CNC-MACHINED ONE-PIECE TITANIUM FERRULE
- TOUGH .031" THICK STAINLESS STEEL BLADES
- TRU-THRU™ PRECISION SHARPENED BLADES FOR QUICK PASS-THROUGHS
- TRU-CUT™ ONE-PIECE TITANIUM TIP SLICES HIDE AND FLESH IMMEDIATELY UPON IMPACT
- 100 GRAINS FOR OPTIMUM FLIGHT AND COMPATIBILITY
- SPIN TESTED AND SHARPNESS TESTED FOR ULTIMATE PERFORMANCE
- 3 BROADHEADS PER PACKAGE
- BROADHEAD INSTALLATION WRENCH AND ONE SET OF REPLACEMENT BLADES INCLUDED

MODEL	TYPE	WEIGHT	CONSTRUCTION	BLADES	FLIGHT DIAMETER	CUTTING DIAMETER
TG3202AX	Mechanical-blade	100 gr	Titanium ferrule and tip, stainless steel blades	4	7/8 in. (outer blades) 5/8 in. (inner blades)	1 3/4 in. (outer blades) 7/8 in. (inner blades)
TG3204AX	Fixed-blade				1 3/16 in. (outer blades) 7/8 in. (inner blades)	1 3/16 in. (outer blades) 7/8 in. (inner blades)





# BOW ACCESSORIES

THE DETAILS THAT COMPLETE YOUR ARCHERY SYSTEM AND GIVE  
YOU THE EDGE YOU NEED ON THE RANGE AND IN THE WOODS.





# BOW•JACK™

## LIGHTWEIGHT, FOLDING BOW STAND

Your bow is optimized with the best accessories, tuned, and ready to go – then you need to set it down. Rather than laying your bow in the dirt or leaning it against something and hoping it won't fall, utilize BOW•JACK™ – the lightweight portable bow stand that goes with you and provides the support you need at the range or in the field.

### PRODUCT FEATURES

- LIGHTWEIGHT AND DURABLE
- RUBBER GRIPS THE LIMB FOR SECURE NO SLIP FIT
- FOLDS TO FIT EASILY IN A POCKET OR A PACK
- EASY ONE-HAND OPERATION WITH INTEGRATED FINGER TABS
- WON'T SCRATCH LIMB SURFACE
- RECESSED SPRING WON'T SNAG
- STAINLESS STEEL HARDWARE
- FITS MOST BOWS AND CROSSBOWS
- PATENTED




SCAN CODE  
TO LEARN MORE




### TG393BR WIDE MODEL

features wider grippers to hold the Mathews® HALON™ and other wide limb bows.



### CROSSBOW COMPATIBLE

Use two BOW•JACK™ stands to create a portable crossbow stand. (Depending on crossbow model.)



MODEL	FINISH	LENGTH	WEIGHT	APPLICATION	COMPATIBILITY
TG393BR			Appx. 3.9 oz.		Most bows and crossbows up to 3 1/8 in. limb width
TG394BR	Black / Red	5.8 in.	Appx. 3.2 oz.	Ideal for shorter axle-to-axle bows	
TG395BR		7.25 in.	Appx. 3.5 oz.	Ideal for longer axle-to-axle bows	Most bows and crossbows up to 2 3/4 in. limb width

LIGHTWEIGHT  
AND DURABLE

ONE-HAND  
OPERATION

STAINLESS STEEL  
HARDWARE



# GREEN LED BOW LIGHT

PICATINNY RAIL ACCESSORY MOUNT WITH POWERFUL LIGHT


SCAN CODE  
TO LEARN MORE



GREAT FOR HOG, VARMINT,  
& PREDATOR HUNTING



ACCESSORY MOUNT  
ATTACHES TO STABILIZER



## PRODUCT FEATURES

- ULTRA-BRIGHT GREEN LED (520NM)
- LONG-LIFE CREE® LED FOR WORRY-FREE OPERATION
- HIGH AND LOW BRIGHTNESS SETTINGS (180/25 LUMENS)
- MAXIMUM BEAM DISTANCE: APPROXIMATELY 160 METERS
- INCLUDES OPTIONAL PRESSURE SWITCH FOR REMOTE ON / OFF
- INCLUDES BOW ACCESSORY MOUNT (TG85B, DETAILS BELOW)
- UNIVERSAL – FITS MOST EXISTING STABILIZERS
- LIGHT CAN ALSO BE MOUNTED TO ANY PICATINNY / WEAVER-STYLE RAIL FOR CROSSBOWS OR FIREARMS
- WATERPROOF UP TO TWO METERS
- RUNTIME ON HIGH: 2 HOURS, RUNTIME ON LOW: 18 HOURS
- LIGHT AUTOMATICALLY DIMS WHEN BATTERIES REACH 10%
- INCLUDES TWO 3V-CR123A BATTERIES (TG988F)

MOMENTARY ON / OFF  
PRESSURE SWITCH



MODEL	FINISH	LIGHT	LENGTH	WEIGHT	CONSTRUCTION	COMPATIBILITY	BATTERY
TG85BLG		Green CREE® LED		App. 12 oz.			2 x 3V-CR123A Included
TG85B (Rail mount only)	Black		-	Rail is appx. 4 in.	Lightweight, rigid CNC-machined aluminum	Universal	-



## DUAL STABILIZER MOUNT

OFFSET STABILIZER MOUNT WITH SLING

- BALANCE YOUR BOW!
- INTEGRATED SLING MOUNT (BONUS SLING INCLUDED)
- ALL METAL CONSTRUCTION
- NO-SLIP MESHED TEETH JOINTS
- CORRECTS BOW TILT AND ROLL
- LASER ENGRAVED ANGULAR MARKINGS

- FITS ALL STABILIZERS
- FULLY ASSEMBLED

**TG87B**



**SCAN CODE**  
TO LEARN MORE



**MODEL**

**FINISH**

TG87B

Black

**CONSTRUCTION**

Precision machined aluminum

**ADJUSTMENT**

Full 360° tilt and pan

**COMPATIBILITY**

All stabilizers, right-handed bows



## CENTRA™ SLING PRO

**SCAN CODE**  
TO LEARN MORE



- CUSTOM BRAIDED HIGH-QUALITY PARACORD
- DOUBLE-WIDE FOR COMFORT
- EXTRA-LONG LENGTH FOR MAXIMUM ADJUSTABILITY
- CNC-MACHINED MOUNTING ADAPTER PERFORMS BETTER THAN LEATHER SLINGS
- EASY TO MOUNT




**MODEL**

**BRACKET FINISH**

TG81A

Realtree® APG™



TG81B

Black

TG81J


Realtree® Xtra™

**SCAN CODE**  
TO LEARN MORE



## CENTRA™ SLING

- EXTRA-LONG CORD FITS VIRTUALLY ALL BOWS
- SPECIALLY BRAIDED TO HOLD ITS SHAPE
- EXTRA-LONG LENGTH FOR MAXIMUM ADJUSTABILITY
- CNC-MACHINED MOUNTING ADAPTER PERFORMS BETTER THAN LEATHER SLINGS
- EASY TO MOUNT



**MODEL**

**STRAND COLOR**

TG80  
TG80P

Camo  
Pink / Black

**BRACKET FINISH**

Black



## BOW ACCESSORY KIT

**SCAN CODE**  
TO LEARN MORE



- INCLUDES 5 POPULAR ACCESSORIES
- SLOTTED KISSER BUTTON
- 3 TRU-BLOCK™ STRING SILENCERS
- 36 IN. HIGH-TENSION BCY STRING SERVING
- 5 IN. FINISHED BCY D-LOOP MATERIAL

- 3/16 IN. CENTRA™ PEEP XTREME WITH PREMIUM SILICONE TUBING
- READY TO INSTALL
- PATENTED KISSER BUTTON DESIGN



**MODEL**

**KISSER BUTTON MODEL (50-PACK)**

TG73A

TG73AN

TG73B

TG73BN

TG73C

TG73CN

TG73D

TG73DN

TG73E

TG73EN

**BOW ACCESSORY KIT**

**COLOR**

Black


Red

Blue

Pink

Green

**CONSTRUCTION**



**COMPATIBILITY**

Fits all bows



## VERSA™ PEEP

- VERSATILE INTERCHANGEABLE INSERTS ALLOW THE SHOOTER TO CUSTOMIZE PEEP FOR PREFERRED SIZE / COLOR
- LIGHTWEIGHT ALUMINUM CONSTRUCTION
- PRECISION CNC-MACHINED
- METAL PEEP SIGHT IS 1/4 IN. DIA. WITHOUT INSERT
- ANGLED DESIGN FOR SHORTER AXLE-TO-AXLE BOWS
- PATENTED

SCAN CODE  
TO LEARN MORE



### CUSTOMIZE PEEP SIZE

Change peep size / color with included interchangeable inserts.



1/8 in. 5/32 in. 3/16 in.

MODEL	COLOR	INSERT SIZES
TG75X	Black	Includes 1/8 in., 5/32 in. and 3/16 in. insert in each color



## CENTRA™ PEEP

- UNIQUE, ANGLED DESIGN ALLOWS FOR PERFECT PEEP ALIGNMENT
- TUBING FOR PROPER POSITIONING
- APERTURE DIAMETER IS 1/8 IN.

SCAN CODE  
TO LEARN MORE



MODEL	SIZE
TG78	1/8 in. Peep
TG78A	1/8 in. - 100 pk. (no tubing)
TG78B	1/8 in. - 100 pk. (with tubing)



## CENTRA™ PRO-SERIES

- LIGHTWEIGHT ALUMINUM CONSTRUCTION
- PRECISION CNC-MACHINED
- ANGLED DESIGN FOR SHORTER AXLE-TO-AXLE BOWS
- APERTURE DIAMETER IS 1/8 IN., 3/16 IN. OR 1/4 IN.
- AVAILABLE IN BULK

SCAN CODE  
TO LEARN MORE



## CENTRA™ PEEP XTREME

- SMALLER, LIGHTWEIGHT DESIGN
- TUBING FOR PROPER POSITIONING
- APERTURE DIAMETER IS 1/8 IN. OR 3/16 IN.

SCAN CODE  
TO LEARN MORE



SCAN CODE  
TO LEARN MORE



MODEL (SINGLE)	MODEL (50-PACK)	SIZE	COLOR
TG76A	TG76AN	1/8 in.	Black
TG76B	TG76BN	3/16 in.	
TG76C	TG76CN	1/4 in.	
TG76BB	TG76BBN	3/16 in.	Blue
TG76CB	TG76CBN	1/4 in.	
TG76BR	TG76BRN	3/16 in.	Red
TG76CR	TG76CRN	1/4 in.	

MODEL	SIZE
TG78X	1/8 in. Peep
TG78Y	3/16 in. Peep
TG78YN	3/16 in. - 50 pk.
TG78YP	3/16 in. Peep / Pink



SCAN CODE  
TO LEARN MORE



## GLO-BRITE™ PEEP

- PERFORMS IN LOW-LIGHT CONDITIONS
- ADJUSTABLE GREEN INSERT HAS THREE DIFFERENT SETTINGS
- TUBING FOR PROPER POSITIONING
- APERTURE DIAMETER IS 3/16 IN.

SCAN CODE  
TO LEARN MORE



MODEL	SIZE
TG79	3/16 in. Peep

## PEEP SILICONE TUBING

- PREMIUM SILICONE PEEP TUBING
- RESISTS CRACKING DRYING OUT FOR EXTENDED USE
- FITS MOST PEEP SIGHTS
- AVAILABLE IN 5 COLORS



SCAN CODE  
TO LEARN MORE

MODEL	COLOR	QUANTITY
TG77SB	Red	
TG77SC	Blue	
TG77SD	Pink	
TG77SE	Green	25' Bulk roll



## REPLACEMENT FIBERS

- REPLACEMENT FIBER-OPTIC MATERIAL FOR FIREARM AND ARCHERY SIGHTS
- EFFICIENT LIGHT TRANSMISSION AND VIBRANT COLOR
- AVAILABLE IN A WIDE VARIETY OF COLORS AND SIZES



MODEL	LENGTH	COLOR / QUANTITY
TG59R	.029" (0.75mm)	Red (1)
TG59G	.029" (0.75mm)	Green (1)
TG59Y	.029" (0.75mm)	Yellow (1)
TG59M	.029" (0.75mm)	Red (1), Green (1) Yellow (1)

MODEL	LENGTH	DIAMETER	COLOR
TG08A		.029" (0.75mm)	Red (1), Green (2), Yellow (2)
TG08D		.019" (0.50mm)	
TG08M	9 in.	Multi-diameter: .019" / .029" (0.50mm) / (0.75mm)	Red (1x .019", 1x .029"), Green (1x .019", 1x .029"), Yellow (1x .019", 1x .029")
TG09B		.010" (0.25mm)	Blue (5)
TG09G			Green (5)
TG05A		.029" (0.75mm)	
TG05B		.040" (1mm)	Red (1), Green (1), Yellow (1), Ruby Red (1), Orange (1)
TG05C		.060" (1.5mm)	
TG05D		.019" (0.50mm)	
TG05E	5.5 in.	.078" (2mm)	
TG05F		.100" (2.5mm)	Ruby Red (3), Green (2)
TG05CD		.060" (1.5mm)	DUAL-COLOR
TG05ED		.078" (2mm)	Red center / Green outside (5)
TG05FD		.100" (2.5mm)	



SCAN CODE  
TO LEARN MORE

## TFO PINS

- THE MOST REVOLUTIONARY INNOVATION SINCE WE INTRODUCED FIBER-OPTIC SIGHT PINS
- TRITIUM SOURCE KEEPS THE FIBER BRIGHT UNDER ANY LIGHTING CONDITION, INCLUDING COMPLETE DARKNESS
- FITS 3/16 IN. SLOTTED SIGHTS
- PERFECT TRANSITION THROUGH ALL LIGHTING CONDITIONS
- GLOW-IN-THE-DARK
- USES THE BRIGHTEST SWISS TRITIUM AVAILABLE
- PATENTED

SCAN CODE  
TO LEARN MORE




MODEL	SIZE	COLOR
TG19G	.029" (0.75mm)	Green
TG19Y		Yellow
TG20G	.040" (0.75mm)	Green
TG20Y		Yellow



## PRO•WRAP™ PINS

- MACHINED, BLACK ZINC-COATED HARDENED BRASS
- FITS 3/16 IN. SLOTTED SIGHTS
- WRAPPED FIBER PROVIDES GREATER BRIGHTNESS
- THINNER PIN BODY (NO "SHOULDER") FOR BETTER VISIBILITY




MODEL	DIAMETER	COLOR
TG844WG		Green
TG844WR	.019"	Red
TG844WY		Yellow
TG842WG		Green
TG842WR	.029"	Red
TG842WY		Yellow



## PRO•DOT™ PINS

- UNIQUE, PRECISION-MACHINED ALL-STEEL PINS
- FITS 3/16 IN. SLOTTED SIGHTS
- OUR ORIGINAL LOOPED FIBER SIGHT PINS



MODEL	DIAMETER	COLOR
TG841G		Green
TG841R	.019"	Red
TG841Y		Yellow
TG842G		Green
TG842R	.029"	Red
TG842Y		Yellow
TG843G		Green
TG843R	.040"	Red
TG843Y		Yellow



## BRIGHT•DOT™ PINS

- MACHINED, BLACK ZINC-COATED HARDENED BRASS
- FITS 3/16 IN. SLOTTED SIGHTS
- WRAPPED FIBER PROVIDES GREATER BRIGHTNESS



MODEL	DIAMETER	COLOR
TG851G		Green
TG851R		Red
TG851Y		Yellow
TG852	.029"	3-pack (Green, red, yellow)



SCAN CODE  
TO LEARN MORE



## TRU•LITE™ PRO

- UNIVERSAL – FITS MOST POPULAR SIGHT BRANDS
- BLUE LED
- 3 BRIGHTNESS LEVELS CONTROLLED BY DISTINCTIVE TWIST-CLICK KNOB
- LONG BATTERY LIFE
- EASY ON / OFF AND BRIGHTNESS SELECTION
- SINGLE REPLACEABLE BATTERY (TG988G, 3V – CR927)
- BATTERY INCLUDED
- SIGHT HOUSING ADAPTERS INCLUDED



SCAN CODE  
TO LEARN MORE



### SIGHT HOUSING ADAPTERS

All TRU•LITE™ series sight lights include adapters fit 3/8-32, 3/8-36 and 7/16-20 threads. Fits sights by Copper John™, PSE™, Spot-Hogg®, Trophy Ridge™, TRUGLO® and others.



3/8 in. 36 threads   7/16 in. 20 threads   Adapter plate

MODEL      DESCRIPTION

TG57      Blue LED rotary light, 3 brightness levels



## TRU•LITE™ XTREME

- ADJUSTABLE RHEOSTAT ALLOWS FOR INFINITE BRIGHTNESS SETTINGS
- VIOLET LED
- REPLACEABLE BATTERIES (TG988A, 3 X 1.5-VLR41)
- BATTERY INCLUDED
- SIGHT HOUSING ADAPTERS INCLUDED

SCAN CODE  
TO LEARN MORE



SCAN CODE  
TO LEARN MORE



## TRU•LITE™

- PUSH-BUTTON ON / OFF
- VIOLET LED
- REPLACEABLE BATTERIES (TG988A, 3 X 1.5-VLR41)
- BATTERY INCLUDED
- SIGHT HOUSING ADAPTERS INCLUDED

MODEL      DESCRIPTION

TG55      Violet LED light, push-button



## HUNTER'S LITE™

- MULTI-FUNCTIONAL TASK LIGHT
- HANDS-FREE OPERATION
- DUAL-POSITION ON / OFF SWITCH
- FLEXIBLE NECK RETAINS DESIRED POSITION
- INCLUDES REMOVABLE CLIP FOR CONVENIENT ATTACHMENT TO HATS, BELTS, OR JACKETS
- ATTACHES DIRECTLY TO YOUR SIGHT, BOW, OR OTHER SPORTING EQUIPMENT
- BRIGHT BLUE LED
- REPLACEABLE BATTERIES (TG988B, 2 X 3V - CR2016)

SCAN CODE  
TO LEARN MORE



MODEL

TG982B

LIGHT COLOR

Blue





# ARROW PULLER

SCAN CODE  
TO LEARN MORE



- EASY-ON ARROW OPENING
- CONTOURED DESIGN FOR BETTER GRIP
- BELL HOUSING INCREASES PULLING FORCE
- SOLID RUBBER PULLER CONSTRUCTION
- QUICK RELEASE HANGER CLIP INCLUDED
- REINFORCED HINGE FOR LONG LIFE
- SIMPLE ONE-HAND OPERATION
- MADE FOR ALL ARROW TYPES



MODEL	COLOR	COMPATIBILITY
TG398B	Black	All arrow types



# TRU•BLOCK™ STRING SILENCERS

SCAN CODE  
TO LEARN MORE



- REDUCES STRING NOISE AND VIBRATION
- TECHNICAL WEATHER-RESISTANT MATERIAL
- LIGHTWEIGHT / DURABLE DESIGN
- ENGINEERED FOR HUNTING AND TARGET BOWS
- DESIGNED TO FIT ALL BOWSTRINGS



MODEL (4-PACK)	MODEL (100-PACK)	COLOR
TG830B	TG830N	Black
TG830R	TG830RN	Red



# REPLACEMENT BATTERIES

SCAN CODE  
TO LEARN MORE



- REPLACEMENT BATTERIES FOR TRUGLO® AND OTHER BRAND ARCHERY SIGHTS, LIGHTS, AND ELECTRO-OPTICAL SIGHTS

MODEL	DESCRIPTION
TG988A	For models TG55 and TG56 (3 per pack) (1.5V-LR41)
TG988B	For HUNTER'S LITE™ model TG982B (2 per pack) (3V-CR2016)
TG988C	For all TRUGLO® Dot Optics and Illuminated Scopes (2 per pack) (3V-CR2032)
TG988D	For push-button light (3 per pack) (1.5V-SR60)
TG988F	For GREEN LED Bow Light (3V-CR123A)
TG988G	For TRU•LITE™ PRO model TG57 (2 per pack) (TG927, 3V Lithium)





# CROSSBOW

OPTICS AND ACCESSORIES.





NEW

# OPTI-SPEED™

## VELOCITY CALIBRATED BDC CROSSBOW SCOPE



1-4 x 24 - Black  
**TG8514BLC**

SCAN CODE  
TO LEARN MORE



### ENHANCED CROSSBOW ILLUMINATED BDC RETICLE

This glass-etched reticle utilizes illumination on the fine crosshairs and provides accurate Bolt Drop Compensation from 20-70 yds.



**TG8514BLC**

### PRODUCT FEATURES

- GLASS-ETCHED RETICLE CAN BE USED WITH OR WITHOUT ILLUMINATION
- ENHANCED CROSSBOW BDC RETICLE COMPENSATES FOR BOLT DROP AND PROVIDES ACCURATE HOLD-OVER POINTS FROM 20-70 YDS
- SPEED CALIBRATED MAGNIFICATION SYSTEM SCALES THE RETICLE AND TARGET IMAGE TO MATCH BOLT VELOCITY (250 - 450 FPS)
- WATERPROOF / FOG-PROOF / NITROGEN GAS-FILLED
- FULLY-COATED LENSES PROVIDE MAXIMUM BRIGHTNESS, CLARITY, AND CONTRAST
- ADJUSTABLE RHEOSTAT BRIGHTNESS CONTROL DURABLE LEAF-SPRING CLICK ADJUSTMENTS FOR WINDAGE AND ELEVATION
- WIDE FIELD OF VIEW
- 1/2-MOA WINDAGE / ELEVATION ADJUSTMENTS
- WEAVER-STYLE 30MM RINGS INCLUDED
- BATTERY INCLUDED (TG988C, 3V CR2032)

### VELOCITY CALIBRATED

Use the zoom ring to match the scale of the BDC reticle and size of the image to the speed of your bow — ensuring that hold-over points match your equipment.



MODEL	POWER X OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	RINGS	BATTERY
<b>TG8514BLC</b>	Speed Variable 1-4 x 24mm	Enhanced Crossbow IR BDC	Anodized matte black	One-piece aircraft-grade aluminum tube (30mm)	Rheostat controlled	<ul style="list-style-type: none"> <li>Durable leaf spring</li> <li>fingertip adjustments</li> </ul>	Flip up	30mm Weaver-style rings included	3V-CR2032 included

WATER  
RESISTANT

NITROGEN  
GAS-FILLED

FOG  
PROOF

RINGS  
INCLUDED



# CROSS-TEC™

## ILLUMINATED RETICLE CROSSBOW SCOPE

4x fixed magnification gives hunters the precision needed for accuracy at the end of crossbow range while maintaining the speed and wide field of view that is advantageous for close-range hunting. CROSS-TEC™ builds on this concept with a compact design, multi-coated lenses, and a glass-etched reticle with available red and green illumination.



### PRODUCT FEATURES

- DUAL-COLOR ILLUMINATED RETICLE ALLOWS CHOICE OF RED OR GREEN FOR FASTER TARGET ACQUISITION IN LOW-LIGHT CONDITIONS (TG8504AL4)
- WATERPROOF / FOG-PROOF / NITROGEN GAS-FILLED
- FULLY-COATED LENSES PROVIDE MAXIMUM BRIGHTNESS, CLARITY, AND CONTRAST
- ADJUSTABLE RHEOSTAT BRIGHTNESS CONTROL
- DURABLE LEAF-SPRING CLICK ADJUSTMENTS FOR WINDAGE AND ELEVATION
- WIDE FIELD OF VIEW
- 1/2-MOA WINDAGE / ELEVATION ADJUSTMENTS
- WEAVER-STYLE RINGS INCLUDED
- BATTERY INCLUDED (TG988C, 3V CR2032) WITH ILLUMINATED MODEL

SCAN CODE  
TO LEARN MORE



### DUAL-COLOR

#### ILLUMINATED BOLT DROP-COMPENSATING / RANGE FINDING RETICLE



TG8504AL4

#### BOLT DROP-COMPENSATING / RANGE FINDING RETICLE



TG8504A4

### REPLACEMENT BATTERIES

(3V-CR2032) Battery included with illuminated model.

See page 56 for details.

TG988C



MODEL	POWER X OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	RINGS	BATTERY
TG8504AL4	4 x 32mm	Range finder / Bolt drop-compensating	Anodized matte black	One-piece aircraft-grade aluminum tube (1 in.)	Rheostat controlled	<ul style="list-style-type: none"> <li>Durable leaf spring</li> <li>fingertip adjustments</li> </ul>	Elastic	Weaver-style rings included	3V-CR2032 included
TG8504A4					-				-



# 4X32 COMPACT


## ILLUMINATED RETICLE CROSSBOW SCOPE

SCAN CODE  
TO LEARN MORE



- INCLUDES DUAL-COLOR ILLUMINATED RETICLE (TG8504B3L)
- RETICLE CAN BE USED WITHOUT ILLUMINATION
- GENEROUS 4 IN. EYE RELIEF
- FULLY-COATED LENSES PROVIDE MAXIMUM BRIGHTNESS, CLARITY, AND CONTRAST
- DURABLE, SCRATCH-RESISTANT, NON-REFLECTIVE MATTE FINISH
- INCLUDES WEAVER-STYLE RINGS
- BATTERY INCLUDED (TG988C, 3V CR2032) WITH ILLUMINATED MODEL

**DUAL COLOR**  
**ILLUMINATED RANGE FINDER / BDC**



TG8504B3L

**RANGE FINDER / BDC**



TG8504B3

MODEL	POWER X OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	RINGS	BATTERY
TG8504B3L	4 x 32mm	Range finder / Bolt drop-compensating	Anodized matte black	One-piece aircraft-grade aluminum tube (1 in.)	Rheostat controlled	<ul style="list-style-type: none"> <li>Durable leaf spring</li> <li>fingertip adjustments</li> </ul>	Elastic	Weaver-style rings included	3V-CR2032 included
TG8504B3	4 x 32mm	Range finder / Bolt drop-compensating	Realtree® APG™		—				—
TG8504C3	4 x 32mm	Range finder / Bolt drop-compensating	Realtree® APG™		—				—

LIMITED  
LIFETIME  
WARRANTY



# TRITON™ 30MM


## CROSSBOW TRI-COLOR DOT SIGHT

SCAN CODE  
TO LEARN MORE



- THREE CHOICES OF RETICLE COLOR FOR CONTRAST AGAINST ANY TARGET / BACKGROUND (RED, GREEN OR BLUE)
- 30MM OBJECTIVE LENS
- REMOTE MOMENTARY ON / OFF PRESSURE SWITCH INCLUDED
- FLIP-UP LENS CAPS / LANYARD SYSTEM
- INTEGRATED WEAVER-STYLE MOUNTING SYSTEM
- INCLUDES ALL THE AWARD-WINNING FEATURES OF OUR TRADITIONAL RED-DOT SERIES
- BATTERY INCLUDED (TG988C, 3V CR2032)

**TRI COLOR**  
**DESCENDING DIAMETER DOT RETICLE**



TG8230B3

MODEL	POWER X OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	BATTERY
TG8230B3	1 x 30mm	TRI-COLOR Descending Diameter Dots	Anodized matte black	Lightweight aircraft-grade aluminum	<ul style="list-style-type: none"> <li>Rheostat controlled</li> <li>Pressure switch ON / OFF</li> </ul>	Click windage and elevation	Flip-up	3V-CR2032 included

LIMITED  
LIFETIME  
WARRANTY



# 30MM TRADITIONAL

## CROSSBOW RED DOT SIGHT

SCAN CODE  
TO LEARN MORE



Black  
**TG8030B3**

- DESCENDING DIAMETER DOT RETICLE FOR MULTI-DISTANCE SHOOTING (SMALLER DOT FOR LONGER SHOTS)
- UNLIMITED EYE RELIEF
- WIDE FIELD OF VIEW
- FLIP-UP LENS CAPS / LANYARD SYSTEM
- LIGHTWEIGHT / EASY TO MOUNT
- INTEGRATED WEAVER-STYLE MOUNTING SYSTEM
- BATTERY INCLUDED (TG988C, 3V CR2032)

### DESCENDING DIAMETER DOT RETICLE



ALL MODELS

MODEL	POWER X OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	BATTERY
TG8030B3	1x 30mm	Descending Diameter Dots	Anodized matte black Realtree™ APG™	Lightweight aircraft-grade aluminum	Rheostat controlled	Click windage and elevation	Flip-up	3V-CR2032 included
LIMITED LIFETIME WARRANTY								


WATER RESISTANT    SHOCK RESISTANT    FOG PROOF    LIMITED LIFETIME WARRANTY



# CROSSBOW OPTICS CHART

## SCOPES

SERIES / MODEL	DIMENSIONS (inches)							WEIGHT (ounces)	MAG. (x)	OBJ. DIA. (mm)	FIELD OF VIEW (feet@100yards)		EYE RELIEF (inches@.75diopter)		PARALLAX SETTING (in yards)	CLICK VALUE (inches@100yds)	RANGE OF ADJUSTMENT (inches, all directions from center @100yds.)	RETICLE TYPE	BATTERY
	A	B	C	D	E	F	G				HIGH POWER	LOW POWER	HIGH POWER	LOW POWER					
TG8514BLC	9.63	6.00	2.75	1.75	1.75	1.18	1.18	18.65	1-4x	34	25	104	3.75	4.5	30	0.50	100	IR BDC	CR2032
TG8504B3/C3	9.80	3.80	1.60	1.06	1.46	1.46	1.00	12.5	4	32	—	20.79	—	5.50	50	0.50	30.0	Trajectory / Ranging	—
TG8504B3L	9.80	3.80	1.60	1.06	1.67	1.46	1.00	15.4	4	32	—	20.79	—	5.50	50	0.50	30.0	Dual-Color IR Trajectory / Ranging	CR2032
TG8504A4	8.07	3.09	0.84	1.01	1.61	1.54	1.00	12.5	4	32	5.8°	—	4.50	—	30	0.50	40.0	Duplex	—
TG8504AL4	8.06	3.24	1.1	0.97	1.58	1.54	1.00	13.2	4	32	5.6°	—	4.50	—	30	0.50	40.0	Glass-etched, Dual-Color IR Trajectory / Ranging	CR2032



## DOT OPTICS

SERIES / MODEL	LENGTH (inches)	WEIGHT (ounces)	POWER X OBJECTIVE LENS (x / mm)	OPTIC HEIGHT **	CO-WITNESS HEIGHT* (inches)	FIELD OF VIEW (feet@100yards)	EYE RELIEF (inches)	PARALLAX SETTING (in yards)	CLICK VALUE (inches@100yds)	RANGE OF ADJUSTMENT (inches@100yds)	RETICLE COLOR	RETICLE TYPE	BATTERY
TG8030B3/C3	3.82	7.0	1X30	1.59	1.00	68	Unlimited	30	1	30	●	3 Dot, Descending Diameter	CR2032
TG8230B3	3.85	8.0	1X30	1.61	1.02	68	Unlimited	30	1	30	● ● ●	3 Dot, Descending Diameter	CR2032

\* Measured as the height between the top of the Weaver / Picatinny rail and the center of the lens.

\*\* Measured from top of Weaver / Picatinny rail to the top of optic (excluding turrets, buttons, etc)



# HIP•SHOT™

## CROSSBOW SHOOTING REST

An unsupported shot with a crossbow is often uncomfortable, inaccurate, or even dangerous. HIP•SHOT™ Crossbow Shooting rest provides a stable platform that easily goes with you on any hunt. By bracing against your hip or the ground, you can take advantage of a stable 3-point support that works while sitting, standing, or kneeling. Compact and lightweight, HIP•SHOT is a trusted hunting companion for any crossbow shooter.



### PRODUCT FEATURES

- INCREASES STABILITY FOR GREATER ACCURACY
- GREAT FOR TREE STANDS AND GROUND BLINDS
- MAKES LARGE / HEAVY CROSSBOWS EASIER TO SHOOT
- COMFORTABLY SHOOT FROM STANDING, SITTING, KNEELING, OR PRONE POSITIONS
- VERTICAL GRIP MOVES HAND SAFELY AWAY FROM CROSSBOW RAIL
- LIGHTWEIGHT FOLDING DESIGN STORES EASILY IN A PACK OR ON A BELT
- TELESCOPING DESIGN FITS ALL SIZES OF SHOOTERS
- FULLY ASSEMBLED

SCAN CODE  
TO LEARN MORE




### UNIVERSAL THREAD PATTERN

HIP•SHOT™ can also be used as a camera, light or optics support.



### WRIST STRAP

Adjustable wrist strap keeps HIP•SHOT™ at close reach with a buckle that easily attaches to a pack or belt.



#### MODEL

TG8930XB

#### LENGTH

Adjustable from 20-29 in.

#### WEIGHT

10 oz.

#### CONSTRUCTION

Lightweight aluminum and composite materials



# CROSSBOW BOLT PULLER

SCAN CODE  
TO LEARN MORE



Modern crossbows lodge bolts deep inside targets – easily grip and pull bolts from targets without damaging the shafts or vanes.

- EASY-ON BOLT OPENING
- COMPACT CONTOURED DESIGN FOR MAXIMUM PULLING POWER
- BELL HOUSING INCREASES PULLING FORCE
- SOLID RUBBER PULLER CONSTRUCTION
- QUICK RELEASE HANGER CLIP INCLUDED
- REINFORCED HINGE FOR LONG LIFE
- SIMPLE ONE-HAND OPERATION
- COMPATIBLE WITH CARBON & ALUMINUM CROSSBOW BOLTS

MODEL  
TG397B

COLOR  
Black

COMPATIBILITY  
All bolt types



# CROSS-TEC™ STRING SILENCERS

SCAN CODE  
TO LEARN MORE



- QUICK AND EASY INSTALLATION – NO BOW PRESS REQUIRED!
- TRIPLE-ARM DESIGN FOR INCREASED 3D DAMPENING
- REDUCES STRING NOISE AND VIBRATION
- LIGHTWEIGHT AND DURABLE
- ENGINEERED FOR CROSSBOWS
- WEATHER-RESISTANT MATERIAL

MODEL (4-PACK)  
TG832B

COLOR  
Black

COMPATIBILITY  
All crossbows strings



# REPLACEMENT BATTERIES

SCAN CODE  
TO LEARN MORE



- REPLACEMENT BATTERIES FOR ALL TRUGLO® ILLUMINATED CROSSBOW OPTICS

MODEL  
TG988C

DESCRIPTION

For all TRUGLO® Crossbow dot-optics and illuminated Scopes (2 per pack) (3V-CR2032)





# BOWFISHING

BOWHUNTING DOESN'T HAVE TO MEAN  
CAMOUFLAGE AND COLD WEATHER.



NEW

## SPRING•FISHER™ BOWFISHING POINT

- SPRING-LOCKING BARB HOLDS FISH FIRMLY DURING RETRIEVAL
- 320 GRAIN, PREMIUM GRADE, HARDENED STAINLESS STEEL POINT
- RELEASE FISH QUICKLY WITHOUT UNSCREWING THE TIP
- HARDENED 5-SIDED STAINLESS STEEL TIP (TG146A1)
- PATENTED



TG146A1



TG145S1



**SCAN CODE**  
TO LEARN MORE



NEW

## CARPEDO™ BOWFISHING POINT

- MECHANICAL BARBS HOLD EVEN THE LARGEST FISH – PERFECT FOR LARGE CARP, GAR, AND STINGRAYS
- MASSIVE 575 GRAIN STAINLESS POINT DELIVERS MAXIMUM KINETIC ENERGY TO PUNCH THROUGH THICK SCALES
- PREMIUM STAINLESS STEEL CONSTRUCTION
- TOOTHED BARBS FOR BETTER GRIPPING DURING RETRIEVAL
- HARDENED 6-SIDED STAINLESS STEEL TIP



TG145D1

**SCAN CODE**  
TO LEARN MORE



NEW

## LUNKER™ BOWFISHING POINT

- OVERSIZED 5/16" VARIATION OF A CLASSIC DESIGN HITS WITH MORE KINETIC ENERGY
- 400 GRAIN, PREMIUM GRADE, HARDENED STAINLESS STEEL POINT
- LOSEN POINT TO ROTATE BARB AND RELEASE FISH
- INTERNAL BUSHING PREVENTS ACCIDENTAL POINT LOOSENING
- HARDENED 6-SIDED STAINLESS STEEL TIP



TG145B1



**SCAN CODE**  
TO LEARN MORE



## SPEED•SHOT™ BOWFISHING POINT

- 250 GRAIN, PREMIUM GRADE, HARDENED STAINLESS STEEL POINT WITH PIVOTING BARB
- PIVOTING BARB FOR QUICK FISH REMOVAL AND IMPROVED PENETRATION
- KNURLED TEXTURE ON TIP FOR BETTER GRIP WHEN RELEASING FISH



TG145A1



TG146A1

**SCAN CODE**  
TO LEARN MORE

MODEL

DESCRIPTION

TG145A1

SPEED•SHOT™ Bowfishing Point

TG146A1

SPEED•SHOT™ Bowfishing Point Replacement Tips (2-Pack)





NEW

# BOWFISHING ARROWS

SCAN CODE  
TO LEARN MORE



## PRODUCT FEATURES

- PREMIUM GRADE, HARDENED STAINLESS STEEL TIP
- MULTIPLE POINT OPTIONS AVAILABLE (SPEED•SHOT™, LUNKER™, OR CARPEDO™)
- PREMIUM FIBERGLASS HIGH-VISIBILITY FLUORESCENT COLORED SHAFT
- ULTRA-SLIM NOCK DIAMETER IMPROVES ACCURACY
- MOST ARROW SLIDES CAN BE EASILY INSTALLED OVER THE NOCK
- PATENTED



## BOWFISHING POINT INCLUDED

Choose between the SPEED•SHOT™, LUNKER™, and CARPEDO™ point on the same great arrow.



## SLIDE SAFETY SYSTEM

Safely tie your arrow into your retrieval system to provide a smooth and accurate shot, followed by a consistent and reliable retrieve. Included on model TG140C1G.



MODEL	POINT	SHAFT	SLIDE SYSTEM	NOCK
TG140F3G	SPEED•SHOT™ stainless steel point		Pre-drilled for easy installation	
TG140C1G			Slide / Stop / Nock safety system (TG147A1)	
<b>NEW</b> TG140B1G	LUNKER™ Large diameter stainless steel point	Fluorescent green fiberglass		Fluorescent bowfishing nock
<b>NEW</b> TG140D1G	CARPEDO™ Mechanical stainless steel point		Slide / Stop / Nock safety system with stainless steel slide collar	
<b>NEW</b> TG140S1G	SPRING•FISHER™ Spring-locking barb stainless steel point			

See previous page for point details.



# SPRING•SHOT™

## COIL SPRING BOWFISHING ARROW REST

SCAN CODE  
TO LEARN MORE



- FAST AND EASY ARROW LOADING
- REVOLUTIONARY ULTRA-DURABLE STAINLESS STEEL COIL SPRING PROVIDES FULL ARROW CONTAINMENT
- FULL WINDAGE / ELEVATION ADJUSTMENT
- FOR LEFT AND RIGHT-HANDED BOWS
- PATENTED

### CONTINUOUS COIL SPRING DESIGN

offers maximum durability with minimal parts — great for handling the water, mud, and slime from your arrow.

**MODEL****DESCRIPTION**

TG690B1

Full 360° containment-style bowfishing rest



# ACCU•X™

## CAPTURE-STYLE BOWFISHING ARROW REST

SCAN CODE  
TO LEARN MORE



- FAST AND EASY ARROW LOADING
- REPLACEABLE WATERPROOF BRUSHES
- ULTRA-LIGHTWEIGHT AND COMPACT DESIGN
- FULL WINDAGE / ELEVATION ADJUSTMENT
- FOR LEFT AND RIGHT-HANDED BOWS

### WATERPROOF AND DURABLE

With nylon brushes, a composite body, and stainless steel hardware, ACCU•X™ provides an accurate and sturdy rest for your next bowfishing adventure.

**MODEL****DESCRIPTION**

TG680B1

Nylon brush capture-style bowfishing rest



# SPRING•SHOT™

## BOWFISHING KIT

SCAN CODE  
TO LEARN MORE



Convert your bow to a dedicated bowfishing setup with the essentials – SPRING•SHOT™ Bowfishing Kit includes two SPEED•SHOT™ arrows with nocks, points, and slide systems pre-installed and our patented SPRING•SHOT arrow rest.

### PRODUCT FEATURES

- INCLUDES TWO SPEED•SHOT™ BOWFISHING ARROWS (SEE TG140F3G FOR DETAILS) AND SPRING•SHOT™ BOWFISHING ARROW REST (SEE TG690B1 FOR DETAILS)
- PIVOTING BARB FOR QUICK FISH REMOVAL AND IMPROVED PENETRATION
- REVOLUTIONARY SPRING-COIL ARROW REST
- PATENTED



MODEL	DESCRIPTION
TG140F1G	Bowfishing Kit



# BOWFISHING SLIDES, STOPS, & NOCKS

ARROW SLIDE SAFETY SYSTEM

SCAN CODE  
TO LEARN MORE



- INCLUDES THREE NOCKS, THREE ARROW SLIDES, AND THREE SLIDE STOPS
- BALANCED 360° SLIDE STOP
- COMPATIBLE WITH FIBERGLASS OR CARBON ARROWS
- NOCKS FIT 5/16 IN. DIAMETER TAPERED BOWFISHING ARROWS
- PATENTED



## SAFE AND ACCURATE

The arrow slide stays in front of the riser, preventing dangerous tangles, snags, or contact with the wrong side of the arrow rest.

When fired, the slide moves back and the line trails directly behind the arrow — following the shot without influencing it.



### MODEL

### DESCRIPTION

TG147A1

Arrow slide safety system (slides, stops, & nocks)



# BOWFISHING NOCKS



SCAN CODE  
TO LEARN MORE

- CONTOURED STRING GROOVE IMPROVES ARROW RELEASE
- HIGH-VISIBILITY GREEN STANDS OUT IN A VARIETY OF WATER AND LIGHTING CONDITIONS
- DESIGNED SPECIFICALLY FOR TAPERED BOWFISHING ARROWS



# STRING FINGER GUARDS



SCAN CODE  
TO LEARN MORE

- INCREASES COMFORT AND ACCURACY WHILE REDUCING NOCK PINCH
- PROVIDES CONSISTENT ARROW NOCKING POINT
- INCLUDES INSTALLATION TOOL





# BOW SIGHT CHART

MODEL	COLOR	PINS	PIN CONFIGURATION & SIZE (IN)	WINDAGE ADJUSTMENT	ELEVATION ADJUSTMENT	ADJUSTABLE LEVEL (2ND & 3RD AXIS)	LIGHT (BATTERY)	OVERALL LENGTH (IN)	APERTURE DIAMETER (IN)	APERTURE CONSTRUCTION	BRACKET CONSTRUCTION	WEIGHT (OZ)	TRU-TOUCH	ORIENTATION
TG5407B pg 4	Black	7	DDP (4x.019 3x.010 blade pins)	Micro-Adjustable	Micro-Adjustable	✓	TG57 (1x CR927)	7	1.9	Aluminum & Composite	Aluminum	7.5	✓	RH (LH Convertible)
TG5405B pg 4	Black	5	DDP (3x.019 2x.010 blade pins)	Micro-Adjustable	Micro-Adjustable	✓	TG57 (1x CR927)	7	1.9	Aluminum & Composite	Aluminum	7.4	✓	RH (LH Convertible)
TG5405M pg 4	Lost XD®	5	DDP (3x.019 2x.010 blade pins)	Micro-Adjustable	Micro-Adjustable	✓	TG57 (1x CR927)	7	1.9	Aluminum & Composite	Aluminum	7.4	✓	RH (LH Convertible)
TG5405J pg 4	RealTree® Xtra™	5	DDP (3x.019 2x.010 blade pins)	Micro-Adjustable	Micro-Adjustable	✓	TG57 (1x CR927)	7	1.9	Aluminum & Composite	Aluminum	7.4	✓	RH (LH Convertible)
TG7415B pg 6	Black	5	5x .019 (blade pins)	Manual	Manual	✓	AG452 (3x SR60)	6.75	1.9	Aluminum & Composite	Aluminum & Composite	5.3	✓	RH (LH Convertible)
TG7515B pg 6	Black	5	5x .019 (blade pins)	Micro-Adjustable	Micro-Adjustable	✓	AG452 (3x SR60)	6.75	1.9	Aluminum & Composite	Aluminum & Composite	5.9	✓	RH (LH Convertible)
TG7515M pg 6	Lost XD®	5	5x .019 (blade pins)	Micro-Adjustable	Micro-Adjustable	✓	AG452 (3x SR60)	6.75	1.9	Aluminum & Composite	Aluminum & Composite	5.9	✓	RH (LH Convertible)
TG7515J pg 6	RealTree® Xtra™	5	5x .019 (blade pins)	Micro-Adjustable	Micro-Adjustable	✓	AG452 (3x SR60)	6.75	1.9	Aluminum & Composite	Aluminum & Composite	5.9	✓	RH (LH Convertible)
TG5805B pg 7	Black	5	5x .019 (blade pins)	Manual	Manual	—	AG451 (3x SR60)	6.25	1.9	Carbon Composite	Carbon Composite	4.5	✓	RH (LH Convertible)
TG5805J pg 7	RealTree® Xtra™	5	5x .019 (blade pins)	Manual	Manual	—	AG451 (3x SR60)	6.25	1.9	Carbon Composite	Carbon Composite	4.6	✓	RH (LH Convertible)
TG5805P pg 7	RealTree® APC™ Pink	5	5x .019 (blade pins)	Manual	Manual	—	AG451 (3x SR60)	6.25	1.9	Carbon Composite	Carbon Composite	4.6	✓	RH (LH Convertible)
TG3013B pg 8	Black	3	3x .019 (blade pins)	Manual	Manual	—	Sold separately	5.25	1.9	Composite	Aluminum	4.6	—	RH (LH Convertible)
TG3014T pg 8	Black	4	TFO .029 + 3x .019 (blade pins)	Manual	Manual	—	Sold separately	5.25	1.9	Composite	Aluminum	4.7	—	RH (LH Convertible)
TG3015B pg 8	Black	5	5x .019 (blade pins)	Manual	Manual	—	TG56 (3x LR41)	5.25	1.9	Composite	Aluminum	5	—	RH (LH Convertible)
TG5704B pg 8	Black	4	4x .019 (single track pins)	Manual	Manual	—	AG451 (3x SR60)	5.5	1.8	Carbon Composite	Carbon Composite	3.4	✓	RH (LH Convertible)
TG5704C pg 8	RealTree® APG™	4	4x .019 (single track pins)	Manual	Manual	—	AG451 (3x SR60)	5.5	1.8	Carbon Composite	Carbon Composite	3.9	✓	RH (LH Convertible)
TG5704F pg 8	Lost AT®	4	4x .019 (single track pins)	Manual	Manual	—	AG451 (3x SR60)	5.5	1.8	Carbon Composite	Carbon Composite	3.9	✓	RH (LH Convertible)
TG5704P pg 8	RealTree® APC™ Pink	4	4x .019 (single track pins)	Manual	Manual	—	AG451 (3x SR60)	5.5	1.8	Carbon Composite	Carbon Composite	3.9	✓	RH (LH Convertible)
TG7113B pg 9	Black	3	3x .019	Manual	Manual	✓	TG56 (3x LR41)	5.3	2.05	Aluminum & Composite	Aluminum	6.25	✓	RH (LH Convertible)
TG7115B pg 9	Black	5	5x .019	Manual	Manual	✓	TG56 (3x LR41)	5.3	2.05	Aluminum & Composite	Aluminum	6.4	✓	RH (LH Convertible)
TG7215B pg 9	Black	5	5x .019	Tool-less	Tool-less	✓	TG56 (3x LR41)	5.3	2.05	Aluminum & Composite	Aluminum	7	✓	RH (LH Convertible)
TG7315B pg 9	Black	5	5x .019	Micro-Adjustable	Micro-Adjustable	✓	TG56 (3x LR41)	5.3	2.05	Aluminum & Composite	Aluminum	8	✓	RH (LH Convertible)
TG3513B pg 9	Black	3	3x .019 (single track pins)	Manual	Manual	—	TG56 (3x LR41)	5.5	1.8	Composite	Aluminum	4.7	—	RH (LH Convertible)
TG6401GB pg 10	Black	1	PWR+DOT 1x 0.010	Micro-Adjustable	Micro-Adjustable	✓	1x CR2032	8	1.7	Aluminum	Aluminum	12.9	—	RH (LH Convertible)
TG6402GB pg 10	Black	2	PWR+DOT 2 x 0.010	Micro-Adjustable	Micro-Adjustable	✓	1x CR2032	8	1.7	Aluminum	Aluminum	12.9	—	RH (LH Convertible)
TG6410 pg 10	Black	1	PWR+DOT 1x 0.010	Micro-Adjustable	Micro-Adjustable	✓	1x CR2032	1.31	1.7	Aluminum	—	2.9	—	—
TG6211B pg 12	Black	1	1x .019	Manual	Manual	✓	Sold separately	7.5	1.7	Aluminum	Aluminum	9	—	RH (LH Convertible)
TG6311B pg 12	Black	1	1x .019	Micro-Adjustable	Manual	✓	TG56 (3x LR41)	7.5	1.7	Aluminum	Aluminum	10.4	—	RH
TG6311BLH pg 12	Black	1	1x .019	Micro-Adjustable	Manual	✓	TG56 (3x LR41)	7.5	1.7	Aluminum	Aluminum	10.4	—	LH
TG6311J pg 12	RealTree® Xtra™	1	1x .019	Micro-Adjustable	Manual	✓	TG56 (3x LR41)	7.5	1.7	Aluminum	Aluminum	10.4	—	RH (LH Convertible)
TG6321B pg 12	Black	1	1x .019	Micro-Adjustable	Manual	✓	TG56 (3x LR41)	7.5	1.7	Aluminum	Aluminum	10.3	—	RH (LH Convertible)
TG6411B pg 12	Black	1	1x .019	Micro-Adjustable	Micro-Adjustable	✓	TG56 (3x LR41)	7.5	1.7	Aluminum	Aluminum	11.6	—	RH
TG6411BLH pg 12	Black	1	1x .019	Micro-Adjustable	Micro-Adjustable	✓	TG56 (3x LR41)	7.5	1.7	Aluminum	Aluminum	11.6	—	LH
TG700 pg 14	Black	1	1x .019	Manual	Manual	—	TG55 (3x LR41)	4	1.8	Aluminum	Aluminum	7.5	—	RH (LH Convertible)
TG701 pg 14	Black	1	1x .019	Manual	Manual	—	TG56 (3x LR41)	6.5	1.8	Aluminum	Aluminum	9.2	—	RH (LH Convertible)

# COMMUNITY & CONSERVATION

TRUGLO® believes it is vitally important to support the hunting and shooting community in preservation of wild game, natural rights, youth training, and sporting competition.



ROCKY MOUNTAIN  
ELK FOUNDATION  
[www.elkfoundation.org](http://www.elkfoundation.org)



NATIONAL WILD  
TURKEY FEDERATION  
[www.nwtf.org](http://www.nwtf.org)



DUCKS  
UNLIMITED, INC.  
[www.ducks.org](http://www.ducks.org)



ARCHERY TRADE  
ASSOCIATION MEMBER  
[www.archerytrade.org](http://www.archerytrade.org)



YOUTH SHOOTING  
SPORTS ALLIANCE  
[www.youthshootingsa.com](http://www.youthshootingsa.com)



HUNT OF A  
LIFETIME  
[www.huntofalifetime.org](http://www.huntofalifetime.org)



NATIONAL SHOOTING  
SPORTS FOUNDATION  
[www.nssf.org](http://www.nssf.org)

# TRUGLO®

WHEN BRIGHTNESS COUNTS®

## AN INDUSTRY LEADER

IN ARCHERY, CROSSBOW SIGHTS, AND ACCESSORIES

**WWW.TRUGLO.COM**



TRUGLO, Inc. • 972-774-0300 • 972-774-0323 (fax)  
Dealers Only: 888-8-TRUGLO (888-887-8456)  
E-mail: [contactus@truglo.com](mailto:contactus@truglo.com)

Copyright © 2017 TRUGLO, Inc

TRUGLO name, logo, and product trademarks are property of TRUGLO, INC.

All other trademarks are property of their respective owners.

TRUGLO reserves the right to change products, specifications, models and prices without notice.

TRUGLO products are protected by one or more US and foreign patents.